
AD-A118 509  AIR FORCE ENVIRONMENTAL TECHNICAL APPLICATIONS CENTERFTC F/G 4/2 YOUNGSTOWN MAP, OMIO. REVISED UNIFORM SUMMARY OF SURFACE WEATHEETC(11)  MAY 82  UNCLASSIFIED USAFETAC/DS-82/034  SBI-AD-F850 193											
UNCLASSIFIED	USAFETAC/DS-82	7034	SB1-AD-E850 1	93	NL						
1 o 5 —											



## ADF 850 193

AD A118509

USAFETAC/DS-82/034

## DATA PROCESSING DIVISION **USAF ETAC** Air Weather Service (MAC)

AWS TECHNICAL LIBRAY FL : 11.

SCULT AFB, IL 6222

F1 4 JUN 1982

REVISED UNIFORM SUMMARY OF SURFACE WEATHER OBSERVATIONS

YOUNGSTOWN MAP OH

N 41 16 W 080 40 FLD ELEV 1196 FT MSC #725250

PARTS A-F

POR FROM HOURLY OBS: JAN 73 - DEC 81

POR FROM DAILY OBS: JAN 48 - DEC 81

TIME CONVERSION GMT TO LST: -5

JUN 10 1982

#### FEDERAL BUILDING

"'THIS DOCUMENT HAS BEEN APPROVED ASHEVILLE, N. C. POR PUBLIC RELEASE AND SALE; ITS DISTRIBUTION IS UNLIMITED.''

#### REVIEW AND APPROVAL STATEMENT

This report is approved for public release. There is no objection to unlimited distribution of this report to the public at large, or by DDC to the National Technical Information Service (NTIS).

This technical report has been reviewed and is approved for publication.

WAYNE E. CCOLLOM Chief, Technical Information Section

USAFETAC/TST

AWS Scientific and Technical Information Officer (STINFO)

KEPUKI DU	MINENTATION DACE	READ INSTRUCTIONS
	CUMENTATION PAGE	BEFORE COMPLETING FORM SSION NO. 3. RECIPIENT'S CATALOG NUMBER
JSAFETAC/DS- 82/034	i i	SSION NO. 3. RECIPIENT'S CATALOG NUMBER
TITLE (and Subtitle)		5 TYPE OF REPORT & PERIOD COVERED
Revised Uniform Summa Observations (RUSSWO)	ary of Surface Weather )-	Final rept.
YOUNGSTOWN MAP, OHIO		6. PERFORMING ORG. REPORT NUMBER
AUTHOR(a)		8. CONTRACT OR GRANT NUMBER(s)
PERFORMING ORGANIZATION	NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Scott AFB IL 62225	tal Technical Appl. Cent	
USAFETAC/CBD OFFICE NAM	E AND ADDRESS	12. REPORT DATE
Air Weather Service	(MAC)	10 MAY 1982
Scott AFB IL 62225	V. n A	13. NUMBER OF PAGES
4 MONITOR NG AGENCY NAME	& ADDRESS(if different from Controllin	400  SECURITY CLASS. (of this report)  UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING
Approved for publ	ic release; distribution	unlimited.
	ic release; distribution	
OISTRIBUTION STATEMENT  SUPPLES ENTARY NOTES  RUSSINO Snowfall	(of the abstract entered in Block 20, if a second in Block 20, if a sec	ock number) Atmospheric pressure Extreme surface winds
7 DISTRIBUTION STATEMENT  18 SUPPLENENTARY NOTES  **RUSSMO Snowfall Climatology Surface Winds	(of the abstract entered in Block 20, if a side if necessary and identify by bill Daily temperatures	ock number) Authospheric pressure
PARTY PORDS Continue on reversions of the continue of the cont	(of the abstract entered in Block 20, if a Daily temperatures Extreme snow depth Sea-level pressure Extreme temperature *Climatological datapart statistical summa	Atmospheric pressure Extreme surface winds Psychrameteric simmery Ceiling versus visibility

DD 1 JAN 73 1473

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE When Date Entered)

SECURITY CLASSIFICATION OF THIS PAGE(When Date Entered)

19. Percentage frenquency of distribution tables
Dry-bulb temperature versus wet-bulb temperature
Cumulative percentage frequency of distribution tables

OHIO

YOUNGSTOWN MAP, OHIO

20. and dew point temperatures and relative humidity); and (F) Pressure Summary (means, standard, deviations, and observation counts of station pressure and sea-level pressure). Data in this report are presented in tabular form, in most cases in percentage frequency of occurance or cumulative percentage frequency of occuring tables.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(Then Date Entere

The number that identifies the station in this summary is an AWS Master Station Catalog number. This number is comprised of the WMO number with the addition of a suffix zero; or, in cases where there is no designated WMO number, a 5-digit number created in agreement with WMO rules, plus a sixth qualifying digit. These numbers (also referred to as DATSAV or USAFETAC numbers) uniquely identify each of more than 15,000 reporting stations around the world. This is the provenance of the number (e.g., MSC 999999) which will appear on future OL-A standard products.

U S AIR FORCE ENVIRONMENTAL TECHNICAL APPLICATIONS CENTER

# REVISED UNIFORM SUMMARY OF SURFACE WEATHER OBSERVATIONS

#### HOURLY OBSERVATIONS

To any preservations are publica as those record or record-special phaervations recorded at scheduled nouncy intervals.

#### DAILY OBSERVATIONS

self secretions are a secret from all data recorded on reporting forms and contined into dammary of the injector self-incomes pecial, community of the day, remarks, etc.)

#### **DESCRIPTION OF SUMMARIES**

recommendation is a crief teneription of the mata comprising each part of the exists Uniform diammary of Jariase Weather discretions to manner of presentation. Tak mations are prepared from nourly and daily deservations recorded by stations operated by the fig. 1. erolless one foreign stations will dimitar reporting practices.

In  $\ell$  . Otherwise noted the following a simulates are included for this station:

PART A WEATHER CONDITIONS

ATMOSPHERIC PHENOMENA

PART & PRECIPITATION

SNOWFALL

SNOW DEPTH

PARTC SURFACE WINDS

PART D CEILING VERSUS VISIBILITY

SKYCOVER

PART E DAILY MAX, MIN, & MEAN TEMP

EXTREME MAX & MIN TEMP

PSYCHROMETRIC DRY VS WET BULB

MEAN & STD DEV .

[DRY BULB, WET BULB, & DEW POINT]

RELATIVE HUMIDITY

PART F STATION PRESSURE

SEA LEVEL PRESSURE

#### STANDARD 3-HOUR GROUPS

All distances requiring distance variations are summarized in elect section periods corresponding to the following sets of nour, disservations: the following sets of nour, disservations: the following sets of nour, disservations are summarized in electrons sets of nour, disservations have been been standard time.

#### MISSING HOUR GROUPS

Commany sheets are omitted when stations maintaining limited observing schedules did not report certain three-nour periods for any particular mounts far in the available period of record. Such missing sheets are listed below, and are applicable to all summaries prepared from nourly sheet articles.

-IANUAHY	APRIL	JULY	octobbi
FEBRUARY_	MA Y	AUGUST	NoVEMBER
MARCH	JUIE	SEPTEMBER	DECEMBER

TATION N	O ON SUMMARY	STATION NAME			LATITU	0 E	LONGITUDE	FIELD ELEV (	FT) CALLS	GN			
7252	:50	YOUNGSTOWN MA	P, OH		N 4:	1 16	w 080 40	1196	YNC	3	72525		
		STATION	LOCATIO	ON AI	ND IN	ISTRU	JMENT	ATION	HIST	ORY	14262 6		
MBER OF CATION		GEOGRAPHICAL LOCATION & NA	II E	TYPE OF STATION	AT THIS LI	DCATION TO	LATITUDE	LONGITUDE	ELEVATION FIELD (FT)	H ABOVE MSL	OBS PER Day		
1 2	Youngsto	own MAP, Ohio		WBO 9	13 Apr42 9 Sep 43 2 May 81	1 May81	N 41 16 Same Same	W 080 40 Same Same	1196ft Same Same	1199ft Same Same	12 24 24		
MBER OF CATION	# May 8  DATE OF CHARGE	l lastest dat	e NW Stn His Surface Wind		IFORMATION TYPE OF TRANSMITTE	TYPE OF	HT ABOVE CROUND	REMARKS. ADI	DITIONAL EQUIP	MENT, OR REA	SOR FOR CHANCE		
2	11 Aug51	Located on Roo	f of Adm Bld	la.	**	R RECORDER	62	Earlist	documen	ted reco	rder shee		
-	1 Nov58 to 1 May81 1 Sep59	Located on field near runway		cated on field near runway		3 CUP			20 order **	11 Aug 51 HYGROTHERMOMETER P			
								** 70	OT DOCUM	ENTED			

C

A

U S AIR FORCE ENVIRONMENTAL TECHNICAL APPLICATIONS CENTER

#### PART A

#### WEATHER CONDITIONS

This summary is a percentage frequency occurrence of various atmospheric phenomena and obstructions to vision, derived from hourly observations, and is presented in two tables as follows:

- 1. By month and annual, all hours and years combined.
- 2. By mouth, all years combined, by standard 3-hour groups.

A percent value of ".0" in these tables indicates less than .05 percent, which is usually only one occurrence. The various phenomena included in each category on the forms are listed below:

Thunderstorms - All reported occurrences of thunderstorm, tornado, and waterspout.

Rain and/or drizzle - All liquid precipitation, falling to the ground, not freezing.

Freezing rain and/or freezing drizzle (glaze) - Precipitation falling in liquid form, but freezing on contact with an unheated surface.

Snow and/or sleet (ice pellets) - Included are snow, snow pellets, sleet, snow grains, ice crystals, and ice pellets from Jan 68 and later. (Snow pellets also known as soft hail)

Hail - Occurrences of hail and small hail are included.

Percentage of observations with precipitation - Included in this category are the observations when one or more of the above phenomena occurred. Since more than one type of precipitation may be reported in the same observation, the sums of the individual categories may exceed the percentages of the observations with precip.

Fog - Included are fog, ice fog, and ground fog.

Smoke and/or haze - Occurrences of smoke, haze, or combinations of smoke and haze are included.

Blowing snow - Occurrences of blowing snow (also drifting snow when reported from non-WBAN sources).

Dust and/or sand - Included are blowing dust, blowing sand, and dust.

Continued on Reverse

Blowing apray - This item if reported, is not shown in a separate category on this form but is included in the computation Percentage of Observations with Obstructions to Vision, below.

Percentage of observations with obstructions to vision - Included in this category are the observations when one or more of the above obstructions to vision occurred. Since more than one type of obstruction may be reported in the same observation, the sums of the individual categories may exceed the percentage total columns. Also, although precipitation may reduce visibility, it is not considered an obstruction to vision for purposes of this summary; therefore, the percentage total of obstructions to vision need not reflect the total observations with reduced visibility.

LE PAT CLIMATOLOGY PAYCH TAG BEATER SERVICEZMAC

## **WEATHER CONDITIONS**

TO YOUNGSTOWN MAP OH

JAN

STATION

STATION NAME

MONTH

## PERCENTAGE FREDUENCY OF OCCUPRENCE OF WEATHER CONCITIONS FROM HOURLY OSSERVATIONS

MONTH	HOURS (L \$.T.)	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & /OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	fOG	SMOKE AND/OR HAZE	BLOWING SNOW	DUST AND, OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
پ <sup>د</sup> هال	3-02		5 • 8	1.1	32.3		39.1	13.3	6 • 7	3.2		19.7	823
	.3-35		5.7	1.7	34.5		40.2	12.6	7.5	3.1		22.1	814
	6-35		5 • L	1.1	36.3		42.7	13.6	11.8	3.4		28.2	525
	. 9-11		5.4	1.6	36.4		42.9	18.9	18.2	4 • 2		40.6	a 1 ș
	17-14		5.7	• 7	33.5		40.8	12.9	15.2	4.9		32.9	923
	15-17		5.6	. 2	3 3 - 3		36.2	9.9	1G.7	3.5		24.1	821
	13-25		5.2	.4	29.5		35.1	8.5	8.9	2.9		20.3	827
	21-23		6.1	1.6	31.5		38.6	8 • 5	9.1	2.9		19.4	826
TOTALS			5.7	1.	33.1	<u> </u>	39.5	11.8	10.9	3.5		25.9	6577

ORIGINAL DATA RECOPDED IN SYNOPTIC CODE

USAPETAC POIM 0-10-5(OL, A), regyious editions of this form are obsolete

), FAL CLIMATOLOGY FRANCH 1.1/0 1. FEATHER SERVICEZMAC

### **WEATHER CONDITIONS**

25 COUNCISTONS MAR OF

73-31

c 5 5

STATION

STATION NAME

YEARS

MONTH

PERCENTAGE FREQUENCY OF DOCUMPENCE OF MEATHER CONCITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS (L.S.T.)	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & / OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND: OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO. OF OBS.
	0-15	•1	5. ·	• 5	25.7		33.7	10.3	3.7	2 • 1	_	15.4	751
	^ ₹ <b>=</b> **	•1	0.2	• 5	28.1		34.5	13.7	5.6	1 • 7		18.7	744
			· 3	.9	28.5		34.5	15.6	3.3	• 5		23.7	748
	1-11		5.1	1.1	26.9		32.7	15.8	26.3	1.1		35.7	739
	11 -		٠.º	• 3	22.9		29.7	9.1	15.5	2.3		26.4	750
	15-17		6.5	• 3	22.6		29.3	9.3	9.4	2.7		21.4	75?
	19-35	• 1	6.9	. 4	22.1		29.3	9.5	7.3	2.3		19.6	749
	. 1-23	• 1	7.9	• 3	21.7		29.7	15.8	3.3	1.3		15.5	748
													-
TOTALS		•1	٠.6	•5	24.9		31.7	11.7	9.2	1.7		22.1	5981

DRIGINAL DATA PECORDED IN SYNOPTIC CODE

USAFETAC PORM 0-10-5(OL A), PREVIOUS EDITIONS OF THIS PORM ARE OBSOLETE

 $\frac{1}{1}$ 

THE CLIMATOLOGY RWANCH LEATHER SERVICE/MAC

### **WEATHER CONDITIONS**

HC MAN MASTERNUST

MAD

STATION

STATION NAME

HTHOM

## PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

монтн	HOURS (L.S.T.)	THUNDER- STORMS	RAIN AND, OR DRIZZLE	FREEZING RAIN & /OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND/OR HAZE	BLOWING SNOW	DUST AND/OR SAND	* OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
٠,, ,	0-72	.4	10.9	.4	13.3		24.4	10.6	3.7	.4		14.7	518
	53-05	. 4	12.2	• 5	15.0		27.2	14.0	4.1	• 9		19.3	8 15
	16-79	•2	1 2.7	1.2	13.5		25.2	13.0	8.0	• 2		25.4	324
	9-11	•2	1.1.9	• 6	14.0		25.4	12.7	12.3	. 4		25.2	8 2 6
	1:-14	•2	8.8	-4	13.0		22.0	9.4	9.9	. 2		19.6	817
	15-17	• 2	3.4	• 2	11.2		19.9	9.4	8.6	• 2		18.1	819
	19-27	• 6	11.9	. 4	10.2		22.5	9.0	6.9	. 4		16.3	821
	, 1-23	•5	11.2	•6	13.9		22.3	10.4	5.0	•4		15.7	620
TOTALS		• 3	10.6	•5	12.6		23.6	11.7	7.3	•4		19.3	6550

ORIGINAL DATA RECORDED IN SYNOPTIC CODE

USAPETAC POINT 0-10-5(QL A), PREVIOUS EDITIONS OF THIS POINT ARE OBSOLETE

SELEME CELIMATOLOGY BRANCH LO F TAC - LEATHER SERVICE/MAC

## **WEATHER CONDITIONS**

STATION	STATION NAME	YEARS	MON
	YOUNGSTOWN MAP OH	73-81	APE

## PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS (L.S.T.)	THUNDER- STORMS	RAIN AND/OR DRIZZLE	FREEZING RAIN & /OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND/OR HAZE	BLOWING SNOW	DUST AND/OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO. OF OBS.
APP	.0-02	• 5	13.4		4.6		14.6	8 • 8	3.4			12.7	797
	13-05	. 4	10.5		4 - 3		14.3	11.5	3.3			14.3	788
	8C=3	• 3	12.1		4.3	• 1	16.1	15.4	9.4			23.3	799
	9-11	.5	13.8	•1	4.6		16.5	9.5	11.0	•1		20.4	800
	12-14	. 9	11.9		5.1		16.7	6.3	8.5	. 8		15.5	798
	15-17	. 9	11.7		4.3		15.0	5.9	6.3	.4		12.4	798
	18-21	1.4	14.4		4.0		17.9	6.9	5.0			11.9	798
	21-23	. 9	12.3		4.7		17.0	7.6	4.3			11.6	794
						<del></del>							
					i	· <del></del>							<del></del>
TOTALS		. 7	12.1	• 3	4.5	• 0	16.3	9.0	6.4	• 2		15.2	6772

DRIGINAL DATA RECORDED IN SYNOPTIC CODE

USAPETAC ARY 44 0-10-5(OL A), PREVIOUS EDITIONS OF THIS FORM ARE ORDOLETE

AL CLIMATOLOGY FRANCH - + TaC EATHER SERVICE/MAC

## **WEATHER CONDITIONS**

2:	YOUNGSTOWN MAP OH	73-81	MAY
STATION	STATION NAME	YEARS	HTMOM

## PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS (L.S.T.)	THUNDER- STORMS	RAIN AND: OR DRIZZLE	FREEZING RAIN & /OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FO3	SMOKE AND/OR HAZE	BLOWING SNOW	DUST AND/OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO. OF OBS.
⊕ £.¥	. 0-02	•5	12.5		. 4		12.9	18.1	6.5			23.7	773
	:3-05	•6	12.3				12.5	27.0	7.3			32.9	770
	6-08	.1	12.7		• 5		12.2	25.7	17.9			45.7	825
	· - 11	.1	11.3		.4		11.3	10.3	18.7			28.4	912
	12-14	8•	9.5		• 1		9.5	6.1	13.2			19.2	924
	15-17	•6	11.9			-	11.9	5.4	12.8			18.3	918
	14-5	1.7	15.3				15.3	7.3	13.1			19.3	924
	21-23	• 9	15.8		.4		16.2	10.8	10.4			20.5	786
TOTALS		• 7	12.5		•2		12.7	13.8	12.5			25.3	6432

ORIGINAL DATA RECORDED IN SYNOPTIC CODE

USAFETAC POINT 0-10-5(QL A), PREVIOUS ROMONS OF THIS FORM ARE ORNOLETE

START CLIMATOLOGY BRANCH STARTER AS SEATHER SERVICE/MAC

### **WEATHER CONDITIONS**

. 5. A

YOUNGSTOWN MAP OH

73-61

ノレソ

STATION

C

STATION NAME

YEARS

HTHOM

## PERCENTAGE FREQUENCY OF OCCUPRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS (L.Ş.T.)	THUNDER. STORMS	RAIN AND/OR DRIZZLE	FREEZING RAIN & /OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND/OR HAZE	BLOWING SNOW	DUST AND/OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO. OF OBS.
ه'ر ن	0-02	1-1	6.6				5.6	16.1	19.6			34.6	739
	03-05	6.	ŝ.8				8.8	25.4	19.8			42.5	708
	5-08	. 4	7.5				7.5	25.2	27.8			48.8	803
	.:0-11	• 5	7.4				7.4	8.5	26.7			34.4	787
	12-14	1.0	6.9				6.9	3.9	21.8			25.2	801
	15-17	2.3	7.5				7.5	2.9	22.3			25.2	785
	16-2	2.0	7.5				7.5	4.5	22.4			26.8	796
	21-23	1.9	7 • 1				7.1	9.5	18.8			27.8	735
TOTALS		1.3	7.4				7.4	12.9	22.4			33.2	6124

ORIGINAL DATA RECORDED IN SYNOPTIC CODE

USAFETAC POINT 0-10-5(QL A), PRIMOUS EDITIONS OF THIS FORM ARE OSSOLETE

AL CLIMATOLOGY BRANCH ESTEER SERVICE !MAC

### **WEATHER CONDITIONS**

2.0	* CUNESTORM	MAP	a
•			•

STATION

STATION NAME

YEARS

HTHOM

## PERCENTAGE FREQUENCY OF OCCURRENCE OF MEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS (L.S.T.)	THUNDER- STORMS	RAIN AND/OR DRIZZLE	FREEZING RAIN & /OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND/OR HAZE	BLOWING SNOW	DUST AND/ OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO OF OBS.
J. I	0-32	1.0	4.8				4.8	17.6	26.7			45.1	731
	7-75	• 5	6.9				6.9	34.1	27.9			52.6	735
	6-15	1.2	5.6				6.6	34.9	36.3			59.5	822
	9-11	.5	4.9				4.9	9.7	36.7			44.1	821
	17-14	1.1	5 • .7				5.0	2.6	35.1			37.5	923
	15-17	2.4	5.6				5.6	2.4	33.8			36.1	ŝ19
	, 9 - 2	•6	5 • 6				5.6	3.7	32.7			36.1	928
	1-23	2.5	6•2				5.2	8.C	30.3			36.1	760
TOTALS		1.2	5.7			<del></del>	5.7	14.1	32.4			42.6	6340

OPIGINAL DATA RECORDED IN SYNOPTIC CODE

USAPETAC FORM 0-10-5(QL A), PREVIOUS SOTTIONS OF THIS FORM ARE OSSOLETE

()

()

.. FAL CLIMATOLOGY BRANCH LEATHER SERVICE/MAC

### **WEATHER CONDITIONS**

٠, TOUNDSTOWN MAP OH 73-81

AUG

STATION

STATION NAME

MONTH

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS (L.S.T.)	THUNDER- STORMS	RAIN AND: OR DRIZZLE	FREEZING RAIN & /OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND/OR HAZE	BLOWING SNOW	DUST AND/OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO. OF OBS.
ħυ	. 3-92	• 5	8.5				8.5	25.2	26.5			48.4	737
	<b>1-</b> 13	• 7	u•7				€.7	39.3	27.3			59.4	743
	6-10	•2	0,4				9.4	48.6	33.7			71.9	329
	7 <del>- 1</del> 1	. 4	6.5				6.5	16.0	40.8			55.9	514
	12-14	1.3	3.4				8.4	6.1	39.3			44.8	819
	15-17	2.2	7.1				7.1	4.7	39.8			43.9	817
	1 R = 2	2.3	7.9				7.9	7.9	37.2			44.2	822
	1-23	2.0	7.5				7.5	14.0	30.7			42.1	762
													<del></del> -
TOTALS		i • 2	3.00				8.0	20.2	34.4			51.3	6343

ORIGINAL DATA RECORDED IN SYNOPTIC CODE

USAPETAC NAT ME 0-10-5(QL A), PREVIOUS EDITIONS OF THIS FORM ARE OSSOLETE

SE HAL CLIMATOLOGY BRANCH SOFETAC AL FEATHLR SERVICE/MAC

## **WEATHER CONDITIONS**

STATION	STATION NAME	YEARS	MONTH
36	SOUNGSTOWN MAP OH	73-81	SEP

## PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

нтиом	HOURS (L.S.T.)	THUNDER- STORMS	RAIN AND/OR DRIZZLE	FREEZING RAIN & /OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND/OR HAZE	BLOWING SNOW	DUST AND/OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO. OF OBS.
ء د ٦	0-32	1.2	7.9				7.9	18.3	12.6			30.0	- 59
	-315	• 7	7.6				7.6	27.2	13.8			37.9	762
	6-38	• 3	19				10.9	39.0	21.4			54.7	795
	9-11	•1	9.5				9.5	17.2	27.1			43.9	792
	12-14	•8	9.9				9.9	8.4	23.4			31.4	799
	15-17	• 8	7.0				7.0	5.8	21.8			27.5	795
	18-2	1.6	7 • 8				7.8	6.0	19.9			25.2	799
<del></del>	c1-23	1.6	9.1				9.1	10.5	13.1			22.8	771
											 <del> </del> 		<del></del>
TOTALS		. 9	8.7				8.7	16.6	19.1			34.2	6272

ORIGINAL DATA RECORDED IN SYNOPTIC CODE

USAPETAC FORM 0-10-5(QL A), PREVIOUS EDITIONS OF THIS FORM ARE OSSIGLETE

THE PAL CLIMATOLOGY BRANCH OF THE TAC

AL REATHER SERVICE/MAC

### **WEATHER CONDITIONS**

25 YOUNGSTOWN MAP OH 73-81

OCT

STATION

STATION NAME

YEARS

HINOM

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS (L.S.T.)	THUNDER- STORMS	RAIN AND/OR DRIZZLE	FREEZING RAIN & /OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	fOG	SMOKE AND/OR HAZE	BLOWING SNOW	DUST AND/OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO. OF OBS.
COT	30-03	• 1	1 1.5		2.3		12.6	17.5	4 • 8			21.3	925
	3-35	• 2	12.1		1.5		13.6	21.4	5.3			26.4	678
	.6-08		11.7		1.9		13.6	28.5	12.5			36.2	824
	. 4-11	• 1	9.5		1.3		11.2	14.6	19.0			32.6	821
	12-14		8.6		1.7		10.3	5.3	12.2			17.5	828
	15-17		10.2		• 5		10.7	5.7	9.9			15.6	820
	18-20	• 5	12.9		1.0		13.5	6.8	7.7			14.1	822
	. 1-23		12.4		2.1		14.1	10.4	5 • 6			15.7	824
TOTALS		• 1	11.7		1.5		12.5	13.8	9.6			22.7	6582

OPIGINAL DATA PECORDED IN SYNOPTIC CODE

USAPETAC POINT 0-10-5(OL A), PREVIOUS EDITIONS OF THIS POINT ARE OSSOLETE

JC AL CLIMATOLOGY BRANCH - TTAC AL FATHER SERVICE/MAG

## **WEATHER CONDITIONS**

STATION	STATION NAME	YEARS	MON
. 25	CUNGSTOWN MAP OH	73-81	NOV

## PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS (L.S.T.)	THUNDER- STORMS	RAIN AND: OR ORIZZLE	FREEZING RAIN & /OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND/OR HAZE	BLOWING SNOW	DUST AND/OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO. OF OBS.
NOV	0-0.		é • 3		11.5		19.6	10.6	4 • 3			14.9	791
	g3 <b>-</b> 05		3.4	•1	11.8	• 1	20.3	12.9	4.7			17.3	785
	56-28		1 - 3		10.3		20.6	18.7	8.5			26.6	797
	.9-11	. 1	9.6	.6	7.9		19.8	15.3	15.9			29.7	798
	17-14		9.8	• 1	10.9		20.6	10.0	11.3	•1		21.0	799
	15-17		9.6	•1	10.6		20.2	8.2	9.6	• 3		18.1	792
	18-20	•1	10.6		13.8		20.9	6.7	5.9			12.5	832
	21-23		13.0		9•5		19.0	8.8	4.6			13.3	791
TOTALS		۵.	9.6	.1	10.7	• 3	20.2	11.4	8.1	.1		19.2	6355

DRIGINAL DATA PECORDED IN SYNOPTIC CODE

USAFETAC POINT 0-10-5(Q), A), HEMOUS EDITIONS OF THIS FORM ARE DISCOLETE

SE EAL CLIMATOLOGY BRANCH SEETAC

1. EATHER SERVICE/MAC

## **WEATHER CONDITIONS**

25	POUNGSTOWN MAP OH	73-81	DEC
STATION	STATION NAME	YEARS	НТИОМ

## PERCENTAGE FREQUENCY OF OCCUPRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS (L S.T.)	THUNDER- STORMS	RAIN AND/OR DRIZZLE	FREEZING RAIN & /OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND/OR HAZE	BLOWING SNOW	DUST AND/OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO. OF OBS.
DC	3-33		€.7	1.5	25.4		35.1	13.4	1.7	8•		16.0	326
	3+05		7.2	1.2	27.5		35.5	13.5	2.7	1.1		17.3	814
	:6-04		9.2	1.3	24.2		34.2	16.7	4.1	. 8		22.9	827
	9-11		9.8	1.2	27.4		37.5	20.8	8.1	1.7	1	30.3	825
	12-14		8.7	1.1	23.3		32.8	17.8	6.9	1.3		25.9	827
	15-17		9.6	•7	22.4		32.2	15.7	7.2	.9		23.6	823
	18-25	• 2	10.5	• 5	23.2		33.5	15.4	3.7	1.3		20.4	827
	1-23	- 1	7.3	•2	25.3		33.7	13.5	2.8	1.3		17.7	820
<del></del>													
TOTALS		•c	<b>ö•9</b>	1.0	25.7		34.3	16.1	4 • 7	1.2		21.8	6589

ORIGINAL DATA RECORDED IN SYNOPTIC CODE

USAPETAC ROBM 0-10-5(QL A), PREVIOUS EDITIONS OF THIS FORM ARE DESOLETE

AL CETMETOLDER BRANCH SCATHER SERVICE/MAC

### **WEATHER CONDITIONS**

FOUNDSTOWN MAP OH

73-31

ALL

STATION

STATION NAME

MONTH

## PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS (L.S.T.)	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & /OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND/OR HAZE	BLOWING SNOW	DUST AND/OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO OF OBS.
2.5	ALL		5.7	1.3	33.1		39.5	11.8	10.9	3.5		25.9	6577
t, o		•1	ს • 5	• 5	24.8		31.7	11.7	9.2	1.7		22.1	5981
-4 <u>Z</u> 1.		• 3	10.6	• 5	12.0		23.6	11.7	7.3	. 4		19.3	6550
793		. 7	12.1	•3	4.5	• 0	16.3	9.0	6.4	• 2		15.2	6372
٧٠ ٤, ٧		• 7	12.5		• 2		12.7	13.8	12.5			25.3	6432
Juli		1.3	7.4				7.4	12.0	22.4			33.2	6124
JUL		1.2	5.7				5.7	14.1	32.4			42.8	6347
Asf G		1.2	3.0				8.0	23.2	34.4			51.3	6343
SEP		.9	3.7				8.7	16.6	19.1			34.2	6272
ು೭೯		• 1	11.0		1.5		12.5	13.8	9.6			22.7	6582
Nev	i	•0	٧.٤	•1	10.7	• 0	20.2	11.4	8.1	• 1		19.2	6355
οс		.3	5.9	1.0	25.0		34.3	16.1	4.7	1.2		21.8	6589
TOTALS		• 5	8.9	. 3	9.4	• 0	18.4	13.5	14.8	.6		27.8	76517

OPTGINAL DATA RECORDED IN SYNOPTIC CODE

USAFETAC ROSM 0-10-5(QL A), PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

()

()

#### PART A

### ATMOSPHERIC PHENOMENA

This summary is a presentation of the percentage of days with occurrence of various atmospheric phenomena. These data are obtained from all recorded information on the reporting forms or from hourly data and combined into a daily observation.

The descriptions of the phenomena in the Weather Conditions Summary above also apply for the categories summarized in these daily tabulations. However, it should be noted that in this summary the columns headed "% OF OBS WITH PRECIP" and "% OF OBS WITH OBST TO VISION" show the percentage of days rather than the percentage of observations. Since more than one type of precipitation or more than one type of obstruction may occur in the same daily observation, the sum of the values in the individual categories may differ from the total columns.

A percent value of ".0" in the table indicates less than .05 percent, which is usually only one occurrence.

This presentation is by month with annual totals, and is prepared with all years combined.

- NOTES: (1) A day with rain and/or drizzle was not separately reported in the WRAN data prior to year 1949. Therefore, percentages in this column are restricted to the period Jan 1949 and later.
  - (2) A day with freezing rain and/or freezing drizzle is also properly reported as a day with rain and/or drizzle.
  - (3) A day with dust and/or sand is included in this summary only when visibility is reduced to less than 5/8 mile.

. FAL CLIMATOLOGY PRANCH FIRE BILLESTORN SERVICE/MAC

# 

STATION STATION NAME 49-64, 66-91

ALL
STATION STATION NAME YEARS MONTH

## PERCENTAGE OF DAYS WITH VARIOUS ATMOSPHERIC PHENOMENA PROPERTY OBSERVATIONS

MONTH	HOURS (LST)	THUNDER-	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND/OR SLEEY	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND, OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO OF OBS.
ے د	PAILS	. 8	72.5	18	67.	• 1	82.9	41.9	54.3	10.3		75.8	489
<u> </u>		1.7	31.5	7.7	64.4	. 6	79.2	43.7	55.i	11.9		74.7	904
		7 • 2	42.€	4.9	48.7	• 3	73.7	42.6	48.1	5.7		67.4	<b>49</b> 2
18.		11.6	55.8	• 5	19.8	1.3	64.4	41.7	44.4	. 7		64.5	961
<u> </u>		14.5	54.5		1.7	. 5	54.9	44.7	50.9	• 1		66.8	99
_: ك	ļ	23.1	E1.3			• 7	51.3	49.7	65.4		• 1	76.9	960
J		11.9	45.4		1	• 6	45.4	54.2	68.7			77.5	9 <b>9</b> ?
<b>ي</b> ' ھ		17.9	44.6			• 3	44.6	61.9	74.3			84.4	598
ζ, β		11.1	4 . • 5		د ه	. 4	46.5	57.1	64.2			78.5	950
ont.		2	4.5.6		7 . ii	. 4	48.5	45.U	54.6			7: •1	992
N° J		:•0	63.6	1.6	37.5	• 1	56.4	44.3	48.3	2.13		60.8	96.7
g. c		1.0	* 4 • 1	10.3	61.1	• 1	79.6	43.6	48.4	9.1		73	992
TOTALS		ગ∙6	د ي . ح	3	25.6	. 4	61.4	47.3	56.3	3.3	. 0	73.2	11687

USAPETAC RAT 64 0-10-5/0L A), regylous comons or this room are obsolete

U S AIR FORCE ENVIRONMENTAL TECHNICAL APPLICATIONS CENTER

#### PART B

### PRECIPITATION, SNOWFALL & SNOW DEPTH

This part of the Uniform Summary consists of eight summaries derived from daily observations as follows:

- 1. The first set presents, in three tables, the percentage frequency of various daily amounts of PRECIPITATION, SNOWFALL, and SNOW DEPTH. The daily amount summary is prepared by month and annual, all years combined, and includes percent of days with measurable amounts; percent of days having none, traces, and given amounts; and means, greatest and least monthly amounts. (The last three statistics are omitted from the snow depth summary because of their doubtful and limited value.) A total count of valid observations is given for months and manual. Stations are included in which a portion or all of the period may contain months with missing days. This will be noted on the summary pages. A percent value of ".0" in these daily amount tables indicates less than .05 percent which is usually only one occurrence.
- 2. The second set of three tables presents the extreme daily amounts, by individual year and month, of PRECIPITATION, SNOWFALL, and SNOW DEPTH for the entire period of record available. Also provided are the means and standard deviations for each month and annual (all months) and the total valid observation count. An asterisk (\*) is printed in any year-month block when the extreme value is based on an incomplete month (at least one day missing for the month). When a month has valid observations reported but no occurrences, zeros are given in the tables as follows:

EXTREME DAILY PRECIPIT	".00"	equals :	none :	for	the	month	(hundre	dths)
EXTREME DAILY SNOWFALL	.0"	equals :	none :	for	the	month	(tenths	)
WYTERWE DATEV CHOW DEE	יים" "מיש	emela :	none :	for	+he	month	(whole	inchesi

3. The third set of two tables provides the total monthly amounts of PRECIPITATION and SNOWFALL for each year-month and annual. Also prepared are the means, standard deviations, and total number of valid observations for each month and annual (all months). An asterisk (\*) is printed in each data block if one or more days are missing for the month. No occurrences for a month are indicated in the same manner as in the extreme tables above. If a trace becomes the extreme or monthly total in any of these tables it is printed as "TRACE."

Continued on Reverse Side

Values for means and standard deviations do not include measurements from incomplete months.

NOTES:

- (1) The above studies may also be prepared for stations operating for less than full months for portions or all of the period of record. This may include stations operating 5 or 6 days a week and those with only random days missing. An asterisk (\*) in the data blocks will give an indication that a month is incomplete. Please refer to Station History at front of book and observation counts in each summary to evaluate the amounts of data missing.
- (2) Hail was included in snowfall occurrences in the summary of day observations prior to Jan 56, but these occurrences have been removed from snowfall category and counted as Hail in these summaries.
- (3) Snow Depth was recorded and punched at various hours during the period available from U. S. operated stations. The hours used by each service for each period are as follows:

#### Air Force Stations:

#### U. S. Navy and National Weather Service (USWB)

Beginning thru 1945	at 0800LST	Beginning thru Jun 52	at 0030GMT
Jan 46-May 57	at 1230GMT	Jul 52-May 57	at 1230GMT
Jun 57-present	at 1200GMT	Jun 57-present	at 1200GMT

2 GLERAL CLIMATOLOGY BRANCH USEFETAC ALE SEATHER SERVICE/MAC

## **DAILY AMOUNTS**

PERCENTAGE FREQUENCY OF PRECIPITATION (FROM DAILY OBSERVATIONS)

72:25 YOUNGSTOWN MAP OH

49-64, 66-81

YEARS

						AMO	AI) STAUC	(CHES)						PERCENT		MONT	HLY AMO	UNTS
PRECP	HONE	TRACE	۲	02 05	06 10	11 25	26 50	51 1 00	1 01 2 50	2 51 5 00	5 01-10 00	10 01 20 00	OVER 20 00		NO.		[INCHES]	
NC WFALL	NONE	TRACE	G1 C4	05'4	524	2534	3 5 4 4	4564	6 5 10 4	10 5-15 4	15 5 25 4	25 5 50 4	OVER 50 4	MEASUR. ABLE	OF "	MEAN	GREATEST	LEAST
SNOW DEPTH	NONE	TRACE	1	2	3	4.6	7 12	13.24	25 36	37 48	49 60	61.120	OVER 120	AMTS				
MAL	17.1	27.2	8.5	17.2	9.2	10.1	6.1	3 • a	. 7	• 1	7	•		55.7	989	2.72	7.64	• 7
FEB .	27.4	26.1	6.3	17.9	9.1	9.4	6.5	3.0	. 8				•	53.3	903	2.34	5.24	.6
MAR	25.4	21.5	5.3	12.3	9.0	11.8	8.2	4 . 7	. 8			1	•	52.1	992	3.27	6.20	1.3
APR	35.6	16.3	3.4	17.3	7.2	10.6	9.4	5.7	1.5			!	*	48.1	960	3.58	6.43	1.3
MAY	4 2	14.9	2 • 4	6.8	5.3	9.9	9.7	4.4	1.4		-			39.9	992	3 . 36	5.94	.7
NUN	43.8	13.0	3 • 6	5.2	5.4	8.4	7.0	6 • 1	2 • 1	• 1	1	•	•	38.2	963	3.52	6.97	1.3
าคเ	24.6	12.1	2.1	6.8	3.7	5.5	5.8	6.1	2.9	• 2		 I	···	33.3	992	3.99	7.41	1.5
AUG	5.4	10.9	2.5	5 • 6	4 . 6	7.8	5.4	5.4	1.9	. 2				33.7	992	3.32	7.84	• 5
SEP	3.5	12.7	3.3	7.4	3.3	7.1	5 • 1	5 . 8	1.5	• 2				33.8	960	3.11	5.57	• 2
ост	:1.5	14.6	3 • 6	6.1	5.9	7.6	6.5	3 • 1	. 9	. 1	•	[		33.9	992	2.52	8.59	. 4
NOV	33.9	17.1	5.7	12.6	8.6	11.0	7.6	3.3	. 9	• 1		1	1	49.3	960	2.85	5.52	. 9
DEC	271.5	21.8	8 - 1	18.3	9.6	10.9	6.6	3.5	. 8		<del>!</del> -	1		57.8	992	2.77	5.52	. 8
ANNUAL	38.5	17.3	4.5	10.5	6.7	9.2	7.0	4.6	1.3	• 1		1		44.1	11684	37.35	$\sim$	$\times$

USAFETAC OCT 78 0-15-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

\_\_\_\_.

GLURAL CLIMATOLOGY BRANCH US SEETAC AIR WEATHER SERVICE/MAC

#### EXTREME VALUES

PRECIPITATION

FROM DAILY OBSERVATIONS:

7.2 · 25 · YOUNGSTOWN MAP OH
STATION NAME

49-64, 66-81 YEARS

#### 24 HOUR AMOUNTS IN INCHES

MONTH YEAR	JAN	FEB	MAR.	APR.	MAY	JUN.	JUL.	AUG	SEP	ост	NOV.	DEC	ALL MONTHS
49	* .86	.71	.82	.48	1.48	1.04	1.15	.62	.85	.37	.47	.60	1.4
_ <u>5 J</u>	1.24	1.88	1.38	1.24	.96	1.60	.54	.85	1.25	.47	1.35	.70	1.8
<sup>-</sup> 1	.64	.97	• 98	• 98	.63	.74	. 91	1.07	1.63	1.08	.85	.68	1.6
= 2 =	2.16	. 65	. 44	.67	1.08	.41	1.73	1.37	1.50	.42	. 8Q	.69	2.1
£ 3	.92	• 4 D	.72	• 8 L	.83	1.29	1.08	.92	.95	.17	.40	.69	1.2
5.4	.63	1.03	1.53	1.00	.48	1.35	1.07	.58	1.36	4.31	•33	.64	4.3
5.5	.54*	. 47	• 90	. 96	.86	1.66	2.15	1.79	.65	1.16	2.58	• 15	2.5
5.5	• 3 3	1.21	. 75	1.38	1.20	1.14	1.57	2.79	. 30	.47	.89	.57	2.7
57	. 49	. 42	• 52	1.47	1.35	2.96	1.06	.24	. 94	• 8 <b>d</b>	. 45	.80	2.9
58	.47	.19	. 33	. 86	.69	1.05	1.41	1.25	1.51	.31	1.02	. 24	1.5
59	2.65	1.49	. 37	1.10	.48	1.38	1.97	.59	2.56	.91	. 44	. 96	2.6
50	. 8 1	• 5 <b>5</b>	. 45	• 39	.87	1.04	1.01	1.04	.17	.43	. 44	. 24	1.0
61	.28	1.14	.76	.80	. 46	1.02	1.85	.69	.90	.60	1.24	. 23	1.8
<u> 52</u>	• 6 d	.64	. 42	-63	1.09	.69	.63	.85	.60	.62	•90	• 55	1.0
63	.27	.16	.75	1.21	.56	.69	.70	.84	. 37	.34	1.33	.29	1.3
64	.71	. 37	1.96	1.22	1.53	1.15	1.84	.89	.55	1.03	.61	1.21	1.5
66	.54	.82	. 54	. 99	.47	1.11	1.00	.91	.73	.48	1.49	.66	1.4
67	.54	.52	.89	. 44	. 85	.69	3.82	.57	1.09	1.28	.44	. 32	3.6
68	1.11	.15	.82	• 6 6	1.11	.60	.82	1.35	.95	1.97	1.04	1.00	1.9
69	• 65	. 25	. 40	1.28	1.02	.70	1.28	• 3 Q	1.00	1.59	.58	.57	1.5
77	.45	.82	.81	1.19	.49	1.05	. 94	. 39	.39	.80	.60	.81	1.
71	• 5 9	. 81	. 46	• 5 <b>5</b>	. 84	.85	.79	1.58	1.28	-54	.79	1.33	1.5
$-\frac{71}{72}$	. 24	.52	.71	1.54	.46	.74	. 96	.24	.62	.27	.70	.64	1.5
73	.60	. 40	1.44	1.04	. 99	.97	1.65	1.04	.97	.95	.61	1.16	1.6
74	.87	. 44	.53	.83	1.47	1.17	1.59	1.77	.76	.55	1.02	.87	1.7
75	1.17	.96	•7d	. 37	1.93	.75	.82	1.25	1.21	1.71	.55	.64	1.9
76	.8.1	1.25	. 84	. 38	.47	1.08	3.68	1.07	2.17	.63	.17	. 45	3.6
77	.25	. 25	1.57	1.22	. 38	1.20	1.11	1.89	1.55	.66	1.04	1.16	1.8
73	1.34	.17	. 44	.87	-64	.86	1.48	.87	1.04	.68	.40	1.06	1.4
79	.64	. 89	.45	. 85	1.29	4 7	.78	1.22	2.97	. 34	.59	1.86	2.9
MEAN	-	-								1	-		
5 D													
TOTAL OBS				-								1	
		NOTE	+ (BAS	ED ON	LESS T	HAN FU	LL MON	THS )					

USAF ETAC FORM 0-88-5 (OL A)

- ----

GLOBAL CLIMATOLOGY BRANCH USAFETAC A1- WEATHER SERVICE/MAC

### **EXTREME VALUES**

PRECIPITATION

72 25 YOUNGSTOWN MAP OH 49-64, 66-81
STATION NAME

(FROM DAILY OBSERVATIONS)

#### 24 HOUR AMOUNTS IN INCHES

MONTH	JAN	FEB.	MAR	APR.	MAY	JUN.	JUL.	AUG.	SEP	ост	NOV	DEC	ALL MONTHS
3 i 31	.98 .22	•37 •81	•78 •85	1.01	•57 •79	.79	2.04	2.82	2.03	.95	.42	.33	2.8
			- · · · · · · · · · · · · · · · · · · ·										
		• •			~ ·				•	•	~ · − · .· <b>→</b>	- <b>4</b>	· · · —
	· · • ·	•			•			· - · · ·	·				
<del>-</del>				·	- <del></del>								
	1	i											
						*****						*	
	<del> </del>		<del>-</del>								<del>-</del>	· - <del>-</del>	
4.									····				
•		1	<b>!</b>		i	•					•		
<del> </del>													
				<del></del>				<del></del>		<del>-</del>			
									1	i			
	İ	1	İ		i		!					į	
<del>-</del>						-		<del></del>			-		
	<del>-</del>	+		<del></del>									
	!							i					
	į			ì	į	į	Ì	į	!	1		,	
MEAN	.765	.685	.782	.905	.885	1.036	1.388	1.072	1.120	.858	. 790	.711	2.02
\$. D	.532	.420	.384	.333	.388	.459	.760	.626	.637	.762	.462	.372	.85
TOTAL OBS	989	973	992	960	992	960	992	992	960	992	960	992	1168

USAF ETAC PORM UL 64 0-88-5 (OL A)

GEORAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

## MONTHLY PRECIPITATION

(FROM DAILY OBSERVATIONS)

12:250 YOUNGSTOWN MAP OH STATION NAME

19-64, 66-81

. \_\_\_\_\_

#### TOTAL MONTHLY PRECIPITATION IN INCHES

MONTH YEAR	MAL	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ALL MONTHS
49	* 5.42	2.53		2.95	3.67		4.55	2.48	3.40	1.16	2.02	2.98	<b>*37.1</b> 3
53	7.64			5.53					3.17	1.97	5.12	2.32.	
٦ 1	2.96	3.73	5 <b>.6</b> 8	3.61	2.1	2.93		2.58	3.27	2.00	4.38	4.36	41.86
52	6.82			3.48	3.93				3.62	1.42	2.71	2.19,	
5.3	3.33	1.28	3.38	2.94	4.56		2.30	2.69	2.35	. 43	1.75	2 . 4 0	
54	2.83		4.71	5. 76	1.38		2.21	2.47	3.71	8.59	1.80	3.47	41.6
5 <b>5</b> i	2.76	* 2.81	5.44	4.14	3.33	3.23	3.43	4.78	1.56	5.14	4.34	1.02	+41.28
56	1.59	4.83	4.45	5.25	5.79	4.91	7.07	7.86	1.90	- 90	1.54	2.49	48.5
5.7	-2-15	1.71	2.13	6.43	3.17	6.97	1.57	.51	2.64	2.43	2.22	3.75	35.68
58	2.25	1.18	1.34	3.22	2.58		7.41	3.39	4.45	.82	1.28	. 88	35.55
59	5.34	4.25	2.50	4.15	2.45	3.76	4.40	2.34	3.04	3.66	3.21	3.29	42.39
6.]	2.60	3.15	1.34	1.35	4.57	2.97	4.80	4.63	.27	1.43	1.38	1.01	29.50
61	. 82	2.84	3.14	4.99	1.94	5.64	5.87	2.18	2.46	2.88	2.98	. 99	36.73
62 🖁	2.41	2.37	1.96	2.31	2.13			1.31	3.00	3.62	2.38	1.09	28.05
63	1.12	.80	3.68	2.91	2.11	2.10	2.07	3.11	.94	.45	3.24	1.26	23.79
54	2.03	1.36	6.20	5.97	2.96	3.55	4.18	3.20	.94	1.83	1.76	4.58	38.56
6 <b>6</b>	2.73	1.93	1.75	4 - 34	1.81		2.52	5 • 05	1.59	1.40	5.52	2.49	33.01
67	1.26	2.53	3.36	2.52	3.77		5.51	2.02	3.64	3.26	2.94	1.92	34.87
68	3.75	.71	3.24	2.34	5.25	3.16	2.06	5.08	2.88	4.94	4 - 14	4.00	41.55
69	2.56	.83	1.83	3.91	4.07		5.79	.51	1.95	2.80	2.67	2.84	33.3
70	1.39	1.93	2.22	2.85	3.22	3.52	3.48	1.08	1.80	5.20	3.24	2.90	32.83
71	2.08	3.56	2 • 36	1.57	2.58	2.46	2.19	2.78	2.74	1.40	3.26	5.52	32.50
72	1.35	2.28	3.22	3.97	2.41	4.43	3.66	1.11	4.38	. 8 1	4.29	3.11	35.02
73	1.8	1.79	3.72	4.39	5.10	_ 3.51	2.97	2.83	2.96	2.89	1.71	_ 3 . C4	36.71
74	2.78	1.61	4.48	3.05	4.67	3.95	3.20	7.21	3.36	1.67	3.98	3.03	42.99
75	3.14	3.12	3.22	1.61	5.94	2.75	2.35	6.06	5.04	2.59	1.91	2.89	40.62
76	3.21	3.24	4.01	1.64	1.61	4.07	7.16	2.41	5.16	2.43	.94	1.66	37.5
77	1.53	1.19	4 . 46	4.06	.78	5.75	5.72	4.64	5.05	2.25	4.55	3.75	43.73
78	4.52	.60	1.64	3.01	4.49	3.88	3.98	2.72	4.23	4.34	1.36	4.22	38.99
79	2.95	2.03	1.94	4.02	4.40	2.16	3.60	4.72	5.57	1.63	2.67	3.95	39.64
MEAN												I	
S. D.												Ī	
TOTAL OBS		1											

NOTE + (BASED ON LESS THAN FULL MONTHS)

USAF ETAC FORM 0-88-5 (OL A)

• - - -

-

SECRAL CLIMATOLOGY BRANCH ISAFETAC ALE WEATHER SERVICE/MAC

FROM DAILY OBSERVATIONS:

72:252 YOUNGSTOWN MAP OH STATION NAME

#### TOTAL MONTHLY PRECIPITATION IN INCHES

MONTH YEAR	JAN	FEB	MAR.	APR.	MAY	JUN.	JUL.	AUG	SEP	OCT.	NOV.	DEC	ALL MONTHS
9 ) 31	1.73	1.26	5.17 2.04	2.16	2.74	3.77 3.21	6.20 3.39	7.74 2.01			1.88 1.70	1.52	40.6 35.0
												4	
·- •			<del>- •</del> ·					· · · · · · · · · · · · · · · · · · ·	··································			· · · · · · · · · · · · · · · · · · ·	
<del></del>		- · · · · · · ·					+					<del> </del>	
+	<del>-</del>		<del></del>	+			<del></del>		<del></del>				
		+	+	+			<del>i</del>						
! 						·							
3 }	,	!	į		i	i	1			ļ	f		
#·	<del>-</del>				· · · · · · · · · · · · · · · · · · ·	<del>-</del>					1	1	
			<del></del>			<del></del>							
						<del>-</del>							
				<u>i</u>									
# 1	1	1	İ			i	į			1		Ì	
										i			
	+		+	+									
			+										
	İ												
MEAN		2.339	3.274	3.583	3.359	3.524	3.993	3,319	3.112	2.524	2.848	2.768	37.33
S D											1.217		5.51
TOTAL OBS	989	EU6 310M	992	960	992	960	992 ULL MOI	992	960	992	960	992	1168

USAF ETAC

2

SLIGAL CLIMATOLOGY BRANCH USAFETAC AI HEATHER SERVICE/MAC

## **DAILY AMOUNTS**

PERCENTAGE FREQUENCY OF SNOWFALL (FROM DAILY OBSERVATIONS)

72 25 STATION HO MAM MECTEGNUCY STATION NAME

49-64, 66-81

						AMO	DUNTS (IF	CHES!			·		·	PERCENT	TOTAL .		THLY AMO	UNTS
PREC P	NONE	TRACE	01	02 05	06-10	11 25	26 50	51 1 00	1 01 2 50	2 51 5 00	5 01-10 00	10 01-20 00	OVER 20 00	OF DAYS	NO		(INCHES)	
NO WFALL	NONE	TRACE	0104	0.5 1.4	1524	2574	3 5 4 4	4564	6 5 10 4	10 5-15 4	15 5-25.4	23 5 50 4	OVER 50 4	MEASUR-	OF OBS	MEAN	GREATEST	LEAST
SNOW DEPTH	NONE	TRACE	1	2	3	4.6	7 12	13-24	25-36	37 48	49.60	61 120	QVER 120	AMTS -		·	*	
JAN	3.1	23.6	18.8	16.4	4.4	1.9	.7	. 9	• 3			!	<u> </u>	43.5	989	13.3	36.0	2.
FEB	35.6	25.2	15.6	15.0	4.5	2.1	1.7	. 8	. 1		1			39.2	954	11.3	22.7	3.
MAR	°1.5	19.1	11.2	10.8	4.1	1.3	• 9	. 1	• 5		ì		I.	29.4	992	10.6	22.0	2.
APR	67.3	10.3	4 . 1	3.9	1 - 1	- 1		• 2						9.4	960	2.3	12.2	TRAC
MAY	48.4	1.4	• 2					. 1						• 3	992	. 2	5.4	•
JUN	100.0													!	960	• 0	• <b>d</b>	•
JUL	100.0						İ								992	• 0	• 0	•
AUG	₹″0•7				1										992	• ?	•d	•
SEP	29.7	. 3		1											960	TRACE	TRACE	
oct	03.1	5.0	. 8	. 7	. 3		. 1							1.9	992	. 5	7.4	•
NOV	€3.0	14.9	17.4	7.7	1.8	. 6	• 5	• 3	.4					22.1	960	7.0	30.6	•
DEC	33.1	20.0	17.3	13.8	5.2	3.2	• 6	. 4	• 3					40.9	992	13.0	23.0	5.
ANNUAL	74.5	13.0	6.5	5.7	1.6	. 8	. 3	. 3	. 1			d		15.6	11685	58.2		$\overline{}$

USAFETAC OCT 78 0.15.5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

( )

(1

0

GLOBAL CLIMATOLOGY BRANCH USAFETAC AT- MEATHER SERVICE/MAC

### **EXTREME VALUES**

SNOWFALL

(FROM DAILY OBSERVATIONS)

TO 25 YOUNGSTOWN MAP OH 49-64, 66-81

24 HOUR AMOUNTS IN INCHES

MONTH	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL	AUG.	SEP.	ост.	NOV.	DEC	ALL MONTHS
49	* 3.1	1.8	2.2	• 6	• a	• 0	• 0	• 0	TRACE	•0	4.8	2 . 3	4.
57	<u>. a</u>	1.2	3.4	1.0	• 0	. 3	.0	0	Q	q	17.0	3.3	17.
51	2 • 4	6.4	7 . 3	. 3	• 0	• a	. 0	• 0	• q	• 0	3.4	4 • 0	7.
53 .	• 9	3.7	3.6	2.q	• 0	• 0	q	<u> </u>		• 6	.7	3.4	3.
5.3	2.5	2.4	1.1	1.8	• 0	• a	• <b>d</b>	. 0	• 0	• 0	4.3	1.7	4.
5.4	2 • 4	3 • 4	4.0	. 1	TRACE	• q	<u>• q</u>	0	0	1.8	1.7	2 • 5	4.
55	3.6	5.1	2.8	TRACE	• d	• a	• a	• a	• a	1.0	5.8	1.8	5.
5 t	4.4	3.2	5 - 8	1.1	. 1		.0	Q	TRACE	0	. 9	6.6	6.
5 7	2.5	3.1	6.1	4.7	• 0	• a	• a	• a	• 0	1.2	. 9	2.6	6.
58	3.a	2.7	2.3	. 3	• 0	• q	• q	• <b>q</b>	<b>p</b> •	TRACE	7.3	4.2	
59	3.5	1.6	4.3	TRACE	• 0	• d	• d	• d	• d	TRACE	4.3	2.5	4.
6 J	2.6	5.2	7.2	1.3	• 0	• q		• Q	<u>.</u> g	1	2.5	4.4	7.
61	4 - 5	3 . 8	2.3	6.0	TRACE	• 0	• d	• d	• d	• 0	1.4	2.8	6.
6.2	2.6	5 • 3	6.5	2.4	• q	_ • q	q	• <b>q</b>		3.8	.2	4.7	6.
63	5.2	3.6	3.6	. 6	. 2	. 0	. 4	• q	• 0	TRACE	5.4	4.3	5.
64	10.0	4.5	2.9	. 9	• 0	.0	<b>.</b> d	<b>.</b> d		TRACE	3.5	4.0	10.
6 <b>6</b>	7.5	1.6	1.5	1.7	5.4	• d	.0	• d	• 0	TRACE	2.4	2.5	7.
67	3.5	5.2	2.2	2.4	TRACE	• 0	• 0	• q	<b>.</b> d	. 6	3.1	2.2	5.
68	5.5	1.9	1.9	TRACE	•0	• 0	. 0	• 0	. 0	TRACE	3.1	5.8	5.
69	2.1	2.2	1.8	TRACE	TRACE	• 0	• <b>q</b>	.0	• 0	- 4	1.9	2.6	
70	2.3	3.5	2.0	. 6	• 0	• d	. 0	. 0	TRACE	TRACE	1.2	3.1	3.
71	5.2	9.0	6.0	. 2	• <b>q</b>	• 0	• q	.0	• q	<b>.</b> q	7.6	3.1	9,
72	2.2	4.4	2.5	1.1	• d	• 0	• d	. Q	• Q	. 4	3.7	3.2	٠.
73	1.7	3.0	7.3	. a	TRACE	• q	• 0	• q	<u>•</u> q	<b>.</b> q	1.5	1.8	7.
74	5.8	3 • Q	4.1	2.7	TRACE	- 0	• 0	• d	• d	. 5	2.6	8.9	8.
75	1.5	2.5	9.8	1.1	• q	• q	.0	<u>. q</u>	• q	• d	1.0	3.2	9,
76	4.3	5 . 8	3.9	. 4	TRACE	• 0	· d	. 0	• 0	TRACE	1.5	3 . 3	5.
7 <b>7</b>	3 • 2	3.0	2 • 1	. 5	• d	• q	• q	• 0	• 0	TRACE	2.5	6.0	6.
78	7.1	2.2	1.6		• 0	• 0	• 0	• 0	• 0	• 0	. 8	2.0	7.
79	5.3	1.9	1.6	TRACE		• q	• q	• <u>q</u>	• q	TRACE	. 8	2.4	5.
MEAN													
S. D													
TOTAL OBS												[	

NOTE \* (BASED ON LESS THAN FULL MONTHS)

USAF ETAC

SLOPAL CLIMATOLOGY BRANCH USAFETAC Al- WEATHER SERVICE/MAC

## **EXTREME VALUES**

SNOWFALL

(FROM DAILY OBSERVATIONS)

77 25 YOUNGSTOWN MAP OH STATION NAME

49-64 66-81 YEARS

24 HOUR AMOUNTS IN INCHES

MONTH"	JAN	FEB	MAR.	APR.	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ALL MONTHS
47	1.5	3.7	3.1	TRACE	TRACE	• 0	.0	• 0	. 3	• 1	2.2	4 . 5	4.
31	3.4	3.0	3.4	TRACE	• <b>q</b>	• q	• q	• 0		• 4		3.4	3.
				·									
								•	- •	•	•	*	
												1	
		-+								•		n	
į													
							+						
 		'	1	i			-						
<del>-</del>	+		<del>-</del>										
						!	}					1	
				·						+		<del>-</del> <del>-</del>	
16		1	1	1		i	-					ř	
<del>  </del>		+										+	
į. Įt		;	1	1		}	i					ŀ	
	<u>_</u>	+								+			
				i	1		i i		ı			1	
			<u>_</u>	·	<del>i</del>								
			1		1			:	:			1	
il F	ĺ		i			i	1		7		1	i	
										1			
J	Ţ	Ţ	į	-	Ī						1	Į	
ì	i				İ			1	}		!	1	
7													
	1	i						İ	i	1	1	į.	
1			1										
Ì	}	i	į	}		j	i			i	i	ł	
- +		-		<del></del>						<del></del>			
i	}	1	1	1	1		1	}	- 1		:		
MEAN	3.66	3.53	3.76	1.08	.18	.00	.00	.00	TRACE	.35	3.15	3.53	6.3
S. D.	2.055	1.661	2.154		.954	.000	.000	.000	.000		3.167	1.571	2.71
TOTAL OSS	989	904	992	960	992	960	992	992	960	992	960	992	1168

FORM 10-88-5 (OL A) USAF ETAC

SAFETAC AT- MEATHER SERVICE/MAC

(FROM DAILY OBSERVATIONS)

72 250 YOUNGSTOWN MAP OH 49-64 66-81
STATION NAME YEARS

#### TOTAL MONTHLY SNOWFALL IN INCHES

HTMOM	JAN	FEB	MAR	APR	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC	ALL
YEAR				<del>+</del>			<del></del>						MONTHS
49 "	* 4.4	3.7	8.7	. 9	• 0	• 0	• 0		TRACE	. 1		6 • 3	* 36.2
5	2.7	6.8	12.6	3.0	0	q	0		q	0	30.6	14.1	69.8
51	11.3	8.5	19.9	. 9	• 0	• 0	• 0	• 0	• 0	• 0	12.9	14.5	68.0
5.2	4.2	8.3	8 • 1	3.4		q	• Q	•	0	L 4	1.5	6 • 9,,	34.0
5 <b>3</b>	9.4	7.7	6.3	5.2	.3	• 0	. 0	• 0		• 0	10.9	8.8	48.3
54	9.5	7 • 7	13.1	<u>• 1</u> ;			<b>.</b> q		0	1.8	4.9		50.3
55	15.9	13.5	13.6	TRACE	. 9	• Q	• 0		• 0	1.0	9.1	14	64.6
56	13.8	10.4	18.2	4.4	1,	<u>• q</u>	Q	• 0	TRACE	<b>.</b>	3.2	15.5	65.6
57	17.1	9 • 5	13.0	11.5	• a	• a	. 9	- 4	.0	1.7	2.3		62.9
58	13.3	13.2	11.0	• 6		<b>•</b> q	<u>.q</u>	•q	<b>.</b> q	TRACE	9.1	11.4	58.6
59	15.8	4 . 8	15.q	TRACE	• a	• a	• q	. a	• 0	TRACE	7.3	9.9	52 • 8
50	8.3	20.8	20.6	2.6	• 0	0	<b>.</b> q	• q	0		3.3	17.7	73.6
61	14.3	9.2	2.6	12.2	TRACE	• 0	• a	• a	• a	• q	4.0	10.8	53.1
62	9.9	16.0	19.6	5.2	<u>• a</u>	<u>• q</u>		<u>• q</u>		7.4			80.8
63	17.8	16.5	16.1	1.3	• 2	• 0	• 0	٠.	• 9	TRACE	8.4	23.0	83.3
64	25.5	17.2	8.2	1.6	<b>.</b> a	<u>.</u> q		.0	q	TRACE	3.8	14.2	65.5
6 <b>6</b>	23.4	6.7	6.1	7.2	5.4	• 0	• a	• a	• 9	TRACE	7.4	ll l	68.7
67	8.1	22.7	13.9	2.4	TRACE	q	<u>• q</u>		0	6	12.7	8.0	68.4
<b>6</b> 6	14.0	10.1	4.9	TRACE	• a	• 0	• 0	• 0	• 0	TRACE	5.8	21.6	56.4
69	8.6	11.8	9.3	TRACE	TRACE	<u>.q</u>		٠.0	<b>.</b> q		6.0	21.2	57.3
73	15.2	13.4	10.4	. 6	• 0	• 9	• q	• 0	TRACE	TRACE	1.7	15.6	56.5
71	16.0	18.0	22.0	- 4	• q	• 9		• 0	. 0	• 0		7.2	83.1
72	9.0	19.0	9.3	2 • 1	• 9	• q	٠. ۵	• a	• 0	- 4	8.2	8.3	56.3
73	5.3	11.8	8.5	1.8	TRACE	<u>• q</u>		. 9	- 0	0		7.0	37.1
74	9 • 8	9.2	9.2	4.7	TRACE	• 9	• a	• a	• 9	. 9		20.4	59.5
75	6.6	10.2	13.5	1.8	<u>• a</u>	•0	<u>•</u> g	<u>•g</u>	<b>•</b> q	<u>•</u> •	3.7	10.2	46.0
76	19.7	7.9	5.9	- 6	TRACE	• 9	• q	• q	• 0	TRACE	8.9	10.9	53.0
77	22.1	10.5	3.3	. 6	<u>•</u> q	<u>•q</u>	0	q	<u>•</u> q		5.6	18.6	60.6
78	36.1	9.6	3.6	TRACE	• 9	• 0	• g	• <b>g</b>	• 9	• 0	2.0	5.7	56.9
79	16.2	9.6	2.8	TRACE	_ <b>.</b> q	• 0	• 9	q	• q	TRACE	1.6	7.4	37.6
MEAN										i			
5. D.		I	l										
FOTAL OBS		20.55		55D 3N				NTUEN	i				

NOTE \* (BASED ON LESS THAN FULL MONTHS)

USAF ETAC

SLIRAL CLIMATOLOGY BRANCH UBAFETAC AI WEATHER SERVICE/MAC

MONTHLY SNOWFALL

(FROM DAILY OBSERVATIONS)

VOUNGSTOWN MAP OH STATION NAME

49-64, 66-81 YEARS

TOTAL MONTHLY SNOWFALL IN INCHES

MONTH YEAR	JAN.	FEB	MAR.	APR.	MAY	JUN.	JUL	AUG.	SEP.	ОСТ	NOV	DEC.	ALL MONTHS
α ***	6.2	9.2	8.4	TRACE	TRACE	• 0	• 0	• 0	• 0	.1	5.9	11.0	40.8
81	13.9	8 • 2	13.1	TRACE	.0	<u>• q</u>	.0	• 0	<u>. a</u>			17.6	51.0
	,		•					•				Ţ	
							+			~··			
						1	1					-	
1			i										
	!		ı,	{		- 1		,					
									<del></del>			- <del></del>	
	i	!		Ì			!	:	1			Į.	
										<del></del>	+		
į	- !	-					Í	i	/ i	!		ij	
											+		
Ľ.	1		}					1					
					1					1			
1		ĺ		i	į				ļ			l	
<del>-</del>				<del>-</del>	<b></b>					<del></del>		<del></del>	
	į		ļ			1	i		!	j		ľ	
									+			<del> </del>	
ļ		ĺ	İ	ĺ		1			}	1	ł	į	
Ţ	}		İ	1	į	į		ĺ	i	i	1	1	
						+	+						
						i	ł			Ì	ì		
MEAN	13.35	11.30	10.64	2.35	.18	.00	.00	.00	TRACE	.52	6.98	13.03	58.7
S. D.	6.731	4.591	5.372	3.130	. 954	.000	.000	.000	.000	1.363	6.087	5.253	12.67
TOTAL OBS	989	904		960	992 LESS T	960	992	992	960	992	960	992	11689

FORM 0-88-5 (OL A) USAF ETAC

GLUBAL CLIMATOLOGY BRANCH USAFETAC AT REATHER SERVICE/MAC

## **DAILY AMOUNTS**

PERCENTAGE FREQUENCY OF (FROM DAILY OBSERVATIONS)

YOUNGSTOWN MAP OH 12 25° 52-64, 66-81 STATION

						AMC	OUNTS (IN	ICHES)						PERCENT		MON	ITHLY AMO	UNTS
PRECP	NONE	TRACE	o'	02 05	06 10	11 25	26 50	51 1 00	1 01 2 50	2 51 5 00	5 01 10 00	10 01 20 00	OVER 20 00		TOTAL NO		(INCHES)	
NOWFACE	NONE	TRACE	0.04	0514	1524	2 5 3 4	3 5 4 4	4564	0 5 10 4	10 5 15 4	15 5 25 4	25 5 50 4	OVER 50 4		OF "	MEAN	GREATEST	(FAST
PEP.H	NONE	TRACE	1	2	3	4.6	7 12	13-24	25 36	37 48	49-60		OVER 120	AMTS				
JAN	2 .4	21.9	13.2	12.6	3.8	12.7	9,9	1.4		•			1	57.7	868			
FEB	72.8	22.9	12.7	12.0	8.2	17.6	3.3	1.3				:		54.4	791		-+	
MAR	54.7	21.5	8.5	4.4	3,5	5.2	2.2	:		··· —-		1	:	23.7	868			
APR	91.9	5.1	1.5	.7	. 4	. 4				· · · · · · · · · · · · · · · · · · ·		1	!	3.Q	840			
MAY	09.7	•1	- 1	. 1						-		i	:	• 2	868			
JUN	. 3.1									· · · · · · · · · · · · · · · · · · ·		1		*	847		·••	
JUL	100.0			1											899		<del></del>	
AUG	c <b>o</b> •1														899			
SEP	0.0						!								870			
ост	38.7	1.2	. 3	- 1	• 1	-	i i			]				• 6	899		   	
NOV	79.4	12.3	3.8	1.6	1.7	1.3	• 5	• 1				:	1	8.3	869		+	
DEC	32.9	22.8	13.1	10.8	9.8	7.6	3.1					<del></del>	1	44.3	899		1	
MNUAL	75.1	9.0	4.4	3.5	2.6	3.7	1.6	• 2		1			<del>                                     </del>	16.0	1041d	-		$\searrow$

USAFETAC OCT 78 0.15.5 (OL A)	PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

GEFRAL CLIMATOLOGY BRANCH COSFETAC A'S REATHER SERVICE/MAC

### **EXTREME VALUES**

SNOW DEPTH

(FROM DAILY OBSERVATIONS:

I 250 STATION

YOUNGSTOWN MAP OH STATION NAME

52-64, 66-81 YEARS

DAILY SNOW DEPTH IN INCHES

MONTH	NAL .	FEB	MAR	APR	MAY	JUN.	זטנ	AUG	SEP	OCT	NOV	DEC	ALL MONTHS
° 2	*						0	3	0	1	TRACE	3	
53	2	3	1	1	э	a	0	Q.	ā	ā	3	3.	
54	3	4	3	TRACE	ີ ລັ	G.		ō	ű	1	TRACE	4	
5 <b>5</b>	6	4	1	TRACE	3	Q	ā	ā	a	TRACE	5	3,	
56	5	4	7	TRACE	ĵ	a	Ö		Ĵ	ū	1	5]	
57	5	2	4	4	0	0	0	O.	0	TRACE	1	3	
5 ਫੋ	5	6	2	TRACE	a	i a	Ú	o o	0	ā	6	5	
59	, 6	2	6	a	j.	a	Q	Q	_ a		5	3_	
55	+	5	9	1	Ö	ø	0	Ō	3	TRACE	TRACE	9	
61	. 7.	7	2	4	3	a	0	Q	a	Q	1.	4 _	
52	3	4	9	3	์ วั	ä	a	0	O O	3	TRACE	5	
5 <b>3</b>	. 8	7	7	a	1	a a	O.	a	_ a	3	4,	8.	
54	11	6	3	2	j	õ	3	ã	c	a	1	7	
5 <b>6</b>	10	10	1	1	2	0	O,	a		3	4	5	
67	5	6	6	ž	TRACE	3	ō	i d	0	TRACE	3	2	
6 3	9	3	2	2	Q.	3	O,	Q	D.	g	3	8	
69	4	4	2	ð	0	j	0	0	a	TRACE	3	6	
<b>7</b> G	: 6	6.	4	TRACE	3	ŭ	a	O,	0	a	1	5	
71	7	11	7	TRACE	0	D O	C	O	a	a	13	4	
7.2	<u>.</u> 2!	6	3	1	0	ø	0	O,	q	O.	1	4	
73	3	3	9	1		o	O	0	O	a	1	3 4	
74	10	3	5	3	O;	Q	O,	Q	Q	TRACE	2	12	
75	1	6	10	TRACE	O	O	0	Q	Q	0	TRACE	3 11	
76	8	6	4	TRACE	O.	Q	O	Q	ø	TRACE	<u>*                                     </u>	7	
77	14	18	1	TRACE	0	a	Q	d	O O	a	3	12	
78	17	10	5	O O	o o	Q	<b>q</b>	<u>q</u>	q		1	Z;	
79	7	6	1	a	0	o	0	Q	Ø	0	1	3	
9 -	4 4	7	5		O	Q	0	a	0	TRACE	2	4	
8.1	11	3	3	TRACE	j.	đ	O	a	a	a	1	9	
MEAN	6.5	5 . 8	4.4	. 8	. 1	. 0	0.	.0	.0	• 2			8
S. D.	3.766	3.337	2.792	1.278	.416	.000	.000	.000	.000	.602	2.693		3.5
TOTAL OSS	868	791	868	840	868	840	899	899	870	899	869	899	104

USAF ETAC FORM 0-88-5 (OL A)

U S AIR FORCE ENVIRONMENTAL TECHNICAL APPLICATIONS CENTER

#### PART C

#### SURFACE WINDS

Presented in this part are various tabulations of surface winds as follows:

\*1. Extreme Values - Peak Gusts: Derived from daily observations and presented by ind. Addraid year and month for the entire period of record available. Speeds are presented in knots, while directions are given in 16 compass points from the beginning of record through June 1968, and in tens of degrees starting in July 1968. The extreme is selected and printed from available peak gusts for each year-month, however an asterisk (\*) is printed in the data block if less than 90% (3 or more missing observations) of the peak gusts are available for the month. An ALL MONTHS value is presented when every month of the year has valid observations. Means and standard deviations are also computed when four or more values are present for any column. A total raw count of valid observations is presented for each month and ALL MONTHS.

NOTE: According to Federal Meteorological Handbook No. 1 specifications (formerly lincular N), "peak gust data are recorded only at stations with continuous instantaneous wind-speed recorders."

\*2. Bivariate percentage frequency tabulations: Derived from hourly observations, these tabulations are a percentage frequency of wind directions to 16 compass points and calm by wind speeds (knots) in increments of Beaufort classifications. Percentages are shown by both directions and speed, and in addition the mean wind speed is given for each direction.

A separate category is provided on the form for variable winds, which are reported in some data sources. In these data where light and variable winds are reported with no directions but with speeds given, the speeds will be summarized in the appropriate groups opposite the column headed VRBL.

- a. Three tables are prepared for ALL WEATHER surface winds, all years combined, by: (1) Annual all hours combined, (2) By month all hours combined, and (3) By month by standard 3-hour groups.
- b. A separate annual table is also presented for surface winds meeting INSTRUMENT CLASS conditions as follows: Ceiling 200 through 1400 feet inclusive with visibility equal to or greater than 1/2 mile, and/or visibility 1/2 through 2-1/2 miles inclusive with ceiling equal to or greater than 200 feet.

NOTE: A percentage frequency of ".0" in these tables represents one or more occurrences amounting to less than ".05" percent.

\*Values for leans and standard deviations do not include measurements from incomplete months.

GLCBAL CLIMATOLOGY BRANCH ISBEETAC ATE ASATHER SERVICE/MAC

### **EXTREME VALUES**

SURFACE WINDS

FROM DAILY OBSERVATIONS.

25 YOUNGSTOWN MAP OH STATION OITES

81 ....

YEARS

#### DAILY PEAK GUSTS IN KNOTS

MONTH EAR	JAN	FE	в м	AR	APR	MAY .	JUN.	JUL A	ug :	SEP	oct	NOV	DEC	ALL MONTHS
75				W	56N N	335	404	38'SW	47NN	29N	365	w 41w	! 7	
75	₩ 4	1.w	42S#	68,W	315		32N	4 3,S te	24N m	31W	36W	32N	u 35.	S
77		45 4	44 #	47W	4 ON	38 W	5 O W	4454	28₩	29N	315			W 5
7 ĉ	S . 5	δ. <b>"</b> l	305W	35 W	45SW	47W	4 1 N W	305 W	28.5 W	4QS #				S
7 =		45	35 S W	42W	6 5 N w		3 dw	32₩	34NW	345				w 6
3 '	Na 4	4 N 🗃	33.NW	3 7'S	48W	49W	4 3NW	3 8.W	5 QS W	50W	*34W		43	
1		9 M	3 B: w	# OH	415	31 W	+36W	385W	30N	31W	445			w 4
					· <del>-</del>						•	•	· - ·	
		+								+	· · ·		+	
<del>i</del>														
.  #		+	<u>:</u>			<b>-</b>								
			· · · · · · · · · · · · · · · · · · ·				· 		<b>-</b>	+		·		
•		1		1	;					:			ĺ	
i.										!				
		1		+-			+_						<del>-</del>	
		+							<del></del>			<del>-</del>		
		<del>-</del>	<del>  </del>											
· -· -		+	·		<del>+</del>			:		+				
			:									<del>-</del> -		
1			İ				1		. <u> </u> 				_ [	
MEAN	43.			4.8	46.6					34.9	35.1	37.3	40.4	- 60
S D OTAL OBS	8.09		36712. 170	186	210	217	.167 5 203	.15910. 217	217	208	210	4.11Z 213	216	8.0

USAF ETAC TOTAL 0-80-5 (OL A) (BASED ON LESS THAN FULL MONTHS AND +100 KNOTS)

/

11

()

()

GL:BAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

2

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

77 <b>2</b> 59	YOUNGSTOWN MAP OH	73-81		JAN
STATION	STATION NAME		YEARS	MONTH
		ALL WEATHER		0000-0200
		CLASS	<del></del>	HOURS (L.S.T.)

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	20 - 33	34 - 40	41 - 47	48 - 55	≥ 56	† ∦ <b>×</b>	MEAN WIND SPEED
N		1.5	.9	1.0	• 1	<del></del>	;	<del></del>				3,4	8.7
NHE		. 4	• 5	.4			!					1.2	8.2
NE		1.1	• 6	• 2			1					2.1	6.7
ENE	• 2	1.0	. 5	•2	<del>                                     </del>	,						1.9	6.3
E	. 4	1.3	3.0	• 5	. 4	•1	i	1		1		6.2	8.5
ESE		1.6	• 6	. 4							ı	2.6	6.8
SE		1.2	3.3	2.2	. 4	•1	<u> </u>	<u> </u>		1	!	7.2	10.3
SSE	.1	• 2	1.5	.6	. 4				ļ ———		!	2.8	10.0
S	. 4	2.2	4.6	1.0				1		1		8.2	7.9
SSW	• 1	1.2	2.3	. 4								4.0	7.3
5W	• 1	2.1	5.7	4.4	• 1	• 2						12.7	9.9
wsw		2.1	5.8	5.2	1.1	• 2						14.5	10.8
w	• 2	2.9	7.1	7.8	1.3	• 7			i			20.1	11.0
WNW		• 6	2.3	1.9	•1							5.0	10.1
NW	•6	• 2	2.6	.7	.1	•1						4.4	9.1
NNW		• 5	.6	.6	• 5							1.9	10.3
VARBL		1								j	<u> </u>		
CALM	> <	> <			> <	> <	> <	> <	$\supset <$	><		1.8	
	2.3	20.6	41.9	27.5	4.3	1.6					-	100.0	9.5

TOTAL NUMBER OF OBSERVATIONS 821

GLOBAL CLIMATOLOGY BRANCH USAFETAC Al- WEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

721 <b>25</b> °	HO MAN METERNUCY	73-81	JAN
STATION	STATION NAME	TEARS	1171000
		ALL WEATHER	0300-0500
		CLASS	HOVES (L.S.T.)
		CONDITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	• 1	• 7	1.2	• 7	•1					$\vdash$		3.0	8.7
NNE		• 5	• 5	. 9						1		1.9	9.5
NE	•	1.0		. 4				j —				1.4	7.0
ENE	!	• 9	1.0	•1			-					2.0	6.6
E	. 4	2.6	1.5		• 1							4.6	6.2
ESE	. 4	1.2	1.7	. 4	• 2	•1						4.1	8.4
SE	• 1	1.1	2.0	2.6	, 4	• 1		i				6.3	10.5
SSE		• 7	1.2	1.6	• 2			<u> </u>				3.8	10.7
5	• 2	2.0	4.2	1.5	• 2							8.2	8.5
SSW		2.5	2.1	1.2	. 1	•1						6.1	8.4
sw	• 1	3.2	4.8	3.6	. 4							12.1	9.2
wsw	• 2	1.1	5.7	6.9	1.4	•6						15.9	11.6
w		1.5	6.3	6.1	. 7	• 5						15.1	11.3
WNW		1.4	2.6	1.2	• 1		i					5.3	8.9
NW	•1	1.2	2.5	2.2	. 4							6.4	9.9
NNW	• 1	.7	• 5	• 6	. 1							2.1	8.9
VARBL		Ī						İ		<u> </u>			
CALM	$\supset <$	$\supset <$	$\supset <$	$\supset <$	> <		> <	$\supset <$	$\supset <$		> <	1.9	
	1.9	22.4	37.8	30.0	4.6	1.5						100.0	9.5

TOTAL NUMBER OF OBSERVATIONS 809

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

\_\_\_\_

GLCBAL CLIMATOLOGY BRANCH USAFETAC AIP HEATHER SERVICE/MAC

2

## SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72: <b>25</b> 0	YOUNGSTOWN MAP OH	73-81	JAN
STATION	STATION MAME	YEARS	MONTH
		ALL WEATHER	0600-0800
		CLASS	HOURS (L S.T.)

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 54	# # <b>*</b>	MEAN WIND SPEED
N		1.6	1.6	.7	. 1							4.0	7.9
NNE	• 1	• 5	• 5	• 5							(	1.6	8.8
NE		. 9	1.3	• 2								2.4	7.6
ENE	• 1	• 2	.4	•1								. 9	6.4
E	• 2	1.5	1.3	. 4		<u> </u>						3.4	6.7
ESE	• 1	1.0	1.7	• 2	. 4						Ī	3.4	8.4
SE	• 2	1.0	2.3	2.7	.2						i	6.4	9.8
SSE		1.5	2.8	. 9		1						5.1	8.2
S		2.9	5.2	1.8	• 1							10.1	8.4
SSW		1.7	2.9	1.3	. 2							6.2	8.5
SW	•1	1.8	6.0	4.5	. 4		• 2		1			13.0	10.2
wsw	•1	. 9	5.6	5.3	1.1	.6						14.6	11.7
w	• 2	1.2	5.8	5.2	1.0	•1						13.6	10.9
WNW	•1	.9	1.8	2.4								5.2	10.0
NW	•1	1.0	2.2	2.2	.1						i	5.6	9.4
NNW	• 2	. 4	1.1	.4	• 1	•1				1		2.3	9.8
VARBL					1					i			
CALM	$\supset <$					$\supset <$			$\supset <$	><		2.2	
	1.8	18.7	42.5	29.9	3.8	. 9	•2					100.0	9.4

TOTAL NUMBER OF OBSERVATIONS 823

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

/

JESSAL CLIMATOLOGY BRANCH UTAFETAC ATH REATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

12-250	YOUNGSTOWN MAP OH	73-81	JAN
STATION	STATION NAME	PEAR	BOSTH
		ALL WEATHER	0900-1100
		CLA 54	HOURS (L S.T.)

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N		• 7	1.6	.9	. 4							3.6	9.5
NNE	• 1	• 6	1.6	. 6	. 1						1	3.1	8.7
NE		• 5	. 9	1.0								2.3	9.4
ENE		• 1	. 9	• 2			Ţ					1.2	9.1
E		.6	1.5	. 6								2.7	8.4
ESE		.6	1.6	2.2	• 1							4.5	10.6
SE		. 9	1.8	1.8								4.5	9.6
SSE		, 4	1.5	.7								2.6	9.3
\$	• 2	2.0	6.0	2.8	-1							11.2	9.0
SSW	• 1	2.0	2.6	1.5	. 4							6.5	8.7
sw	*	1.7	3.9	5.8	. 9	•1	• 2					13.0	11.5
wsw	_ •1	• 7	4.9	6.9	2.5	•5						15.6	12.7
w		.6	4.9	7.0	1.6	• 1						14.2	12.1
WNW	• 1	. 5	2.3	2.8	. 4							6.1	10.8
NW		• 2	2.0	2.1	. 2							4.5	11.4
NNW	• 1	. 4	1.5	1.2	. 1							3.3	9.5
VARBL													
CALM	$\searrow$			$\geq <$	$\geq <$	><	$\supset <$	><	><	><		1.1	
	1.2	12.5	39.3	38.1	6.7	•7	•2					100.0	10.6

TOTAL NUMBER OF OBSERVATIONS

GLCBAL CLIMATOLOGY BRANCH USAFETAC AIR MEATHER SERVICE/MAC

2

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

TO 2 5.0 YOUNGSTOWN MAP OH 73-81 JAN

STATION STATION NAME STATION NAME

ALL WEATHER

CLASS

CONDITION

CONDITION

SPEED (KNTS) DIR.	1.3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	• 1	• 5	2.2	2.1	. 4					· · · · · · · · · · · · · · · · · · ·	:	5.2	10.7
NNE .		•1	1.5	.7							i	2.3	9.4
NE	• 2	. 9	1.0	• 2								2.3	7.1
ENE		• 1	• 9	• 5								1.5	9.3
E		• 7	1.2	• 5								2.4	8.4
ESE	• 1	. 9	1.2	1.2							i	3.4	9.0
SE	• 1	• 5	1.7	2.1								4.4	10.2
SSE	• 1	• 6	• 6	. 9		• 1						2.3	9.6
S		1.0	4.1	3.3					L	<u>i</u>	<u> </u>	8.4	10.0
ssw		. 9	2.6	2.2	• 2							5.9	9.8
sw		1.3	3.2	6.5	. 5	• 2	• 2					12.0	12.0
wsw		. 7	2.6	7.6	2.3	. 7	.1					14.0	13.7
w		• 5	4.4	11.1	3.4	. 4						19.8	13.3
WNW		1.0	2.1	2.8	1.0							6.8	11.4
NW		• 2	2.1	2.8	. 4						Ĺ	5.5	11.5
NNW		• 6	1.2	1.2	. 1		<u> </u>					3.2	10.6
VARBL		L				L	<u>L</u>			L			<u> </u>
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\times$	$\geq \leq$	$\geq \leq$	$\geq \leq$	.6	
	.7	10.5	32.4	45.6	8.3	1.5	. 4					100.0	11.4

TOTAL NUMBER OF OBSERVATIONS 820

GLCBAL CLIMATOLOGY BRANCH USAFETAC AI: HEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

724250	YOUNGSTOWN MAP OH	73-81	JAN
\$7A710M	STATION NAME	YEARS	80478
		ALL WEATHER	1500-1700
		CLAM	HOURS (1.5.7.)
		CONDITION	

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	)   <b>%</b>	MEAN WIND SPEED
N	<del></del>	1.5	2.0	2.3								5 . 8	9.4
NNE		. 7	1.5	1.0								3.2	9.3
NE	!	• 5	1.0									1.5	7.6
ENE	• 1	• 5	. 4	.6								1.6	8.6
ŧ	i	1.5	.6	.4								2.4	6.9
ESE	• 1	• 6	. 9	1.0		• 1						2.7	9.6
38		1.3	2.6	2.0	•1							6.0	9.3
SSE		•1	1.1	.7	• 1							2.1	10.1
3	.1	1.6	3.7	1.2								6.6	8.5
SSW		.9	2.3	2.8	. 1							6.1	10.2
SW		1.2	3.4	5.5	.9	•2	•1					21.4	11.7
wsw		• 6	1.2	7.3	2.1	• 5	• 1					11.9	13.9
w	• 1	1.3	3.2	11.3	2.4	. 4	• 1					18.8	12.9
WNW		• 6	3.3	5.1	. 4							9.4	11.2
NW	• 2	. 4	2.2	2.8	•2							5.9	10.9
NNW	• 1	1.0	1.6	1.1	•2							4.0	9.5
VARBL									Ī				
CALM		$\supset <$					$\geq \leq$		$\geq \leq$	><	$\geq \leq$	• 6	
	. 9	14.3	30.8	45.2	6.6	1.2	. 4					100.0	11.0

TOTAL NUMBER OF OBSERVATIONS 817

GECBAL CLIMATOLOGY BRANCH USAFETAC AI- WEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

723253	YOUNGSTOWN MAP OH	73-81		JAN
BTATION	STATION NAME		YEARS	MORTH
		ALL WEATHER		1800-2000
		CLASS		HOURS (L.S.T.)
			<del></del>	

	2.1	21.9	38.4	32.3	3.3	1.1		-				100.0	9.6
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	1.0	
VARBL				L									ļ
NNW	• 2	1.0	. 6	. 5								2.3	7.2
NW	• 2	1.0	2.5	2.8		L						6.5	10.0
WNW		1.1	3.0	1.6	• 6	.1	[					6.4	10.1
W		1.7	7.3	10.8	1.1	• 2			<u> </u>			21.1	11.0
wsw	• 2	1.1	3.3	5.1	. 8	. 4						10.9	11.7
sw	• 2	1.6	4.2	2.7	. 4	. 4						9.4	9.1
ssw		2.7	1.3	1.3								5.3	7.
\$	• 5	2.3	3.6	1.2	• 1							7.7	7.9
SSE	N.	1.0	1.9	1.0								3.9	8.
SE		1.8	2.5	1.8	• 2							6.4	9.4
ESE	• 2	• 7	1.6	1.1								3.6	9.1
E	• 2	1.6	. 8	• 5								3.1	7.2
ENE	d d	• 5	• 5	• 1								1.1	7.1
ME	. 1	• 7	1.0	. 4								2.2	7.0
NNE		. 8	1.7	• 1								2.7	7.3
N	*	2.4	2.4	1.5		1						6.3	7.5
SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WINE SPEEC

TOTAL NUMBER OF OBSERVATIONS 826

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIN MEATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725253	YOUNGSTOWN MAP OH	73-81	JAN
	ALL	WEATHER	2100-2300

SPEED (KNTS) DIR.	1 - 3	4.6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	. 4	. 7	. 4	1.2								2.7	8.8
NNE		• 5	. 4	. 4	i							1.2	8.0
NE		1.0	2.0	• 1								3.0	7.2
ENE		. 7	1.1	. 4				T				2.2	7.4
E	• 2	2.1	2.0	.6								4.9	7.3
ESE	• 1	• 6	1.2	.7						L		2.7	8.7
SE	•1	• 7	3.0	2.7	. 5							7.1	10.3
SSE	1	• 2	1.5	1.2					T			2.9	10.7
S	• 1	2.0	4.4	1.6	•1				T			8.2	8.3
SSW	_ 1	1.3	1.5	. 4								3.3	7.4
sw		1.6	5.0	3.2		• 1						10.2	10.0
wsw	•2	1.6	6.3	6.3	.6	.5						15.6	10.9
w		2.0	6.5	9.9	1.5	•1						19.9	11.5
WNW	• 1	1.3	2.6	1.7	. 5	• 1	I					6.3	9.9
NW	• 5	• 5	1.8	1.7	• 2							4.8	10.0
NHW	• 1	. 6	1.1	. 5	• 2							2.6	9.2
VARBL													
CALM		$\supset <$	$\supset <$	$\supset <$			$\supset <$	><			><	2.4	
	2.1	17.4	40.6	32.6	4.0	•9						100.0	9.4

TOTAL NUMBER OF OBSERVATIONS

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR HEATHER SERVICE/MAC

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81		JAN
BYATION	STATION NAME		YEARS	MONTH
		ALL WEATHER		ALL _
		CLASS		HOURS (L.S.Y.)
	· · · · · · · · · · · · · · · · · · ·	CONDITION	<del></del>	

w	• 1	1.5	2.5	2.5	1.6	•3	•0			 	17.8	11.9
sw wsw	•1	1.8	4.4	6.5	1.5	•2	•1				11.7	10.6
ssw	•0	1.6	2.2	1.4	•1	.0					5.4	8.6
SSE	• 0	2.0	1.5	1.8	•1	•0			<del> </del>	 	8.6	9.5
SE	•1	1.1	2.4	2.2	•2	•0					6.0	9.
ESE	•1	.9	1.3	.9	• 1	•0	-	<u> </u>	<b></b>		3.4	8.
ENE	•1	1.5	1.5	.3	-1	•0			ļ	 -	3.7	7.6
NE	•1	• 8	1.0	• 3							2.2	7.0
N	•1	1.2	1.0	1.3	•1						2.1	9.0

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

2

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIN MEATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725 <b>25</b> 0	YOUNGSTOWN MAP OH	73-81	FEB
STATION	STATION NAME	YEARS	MONTH
		ALL WEATHER	0000-0200
		HOURS (L.B.T.)	
		CONSITION	

	2.8	25.8	39.4	26.8	2.8	.1						100.0	8.8
CALM		$\geq \leq$		$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$		2.3	
VARBL	Ļ	L	L	<u></u>	ļ.,	L			ļ	Ļ,	<u> </u>	<b>_</b>	<del> </del>
NNW	.4	5.0	1.9	1.2	• 3	<u> </u>	L	L	<u> </u>		İ	5.8	8.1
NW	• 1	2.5	2.3	2.4	ļ		<u> </u>		<u> </u>	<u> </u>		7.4	8.7
WNW	• 1	1.9	1.6	1.5	. 3							5.4	9.1
w	• 1	2.3	3.9	7.5	• 5	•1				L		14.5	11.2
wsw	• 3	2.3	2.9	1.7	1.2							8.4	9.1
sw	• 3	2.9	3.9	3.2								10.3	8.9
SSW		2.0	2.5	. 9								5.5	7.7
3	• 5	2.4	3.6	1.1								7.6	7.4
SSE	!	. 5	1.6	1.2	• 3				1			3.6	10.3
SE	• 3	1.1	2.8	1.7	•1							6.0	9.0
ESE	•1	.8	2.0	1.5		<u> </u>		1	<u> </u>	1		4.4	9.2
8	•1	1.9	2.8	.1	l	1						5.0	7.1
ENE	•1	.4	1.3	1.1	• 1	<del>                                     </del>		<del> </del>	<b></b>	<del>                                     </del>	i	2.1	8.6
NE		.4	2.4	1.1			<u> </u>		<b></b>	†	· · · · · ·	3.9	9.2
NNE		. 8	1.3	• 3		<b>†</b>	<del></del>	<del> </del>		!	·	2.4	7.4
N	• 3	1.6	2.4	1.2		<del>                                     </del>	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>		5.5	8.4
SPEED (KNTS) DIR.	1 , 1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED

TOTAL NUMBER OF OBSERVATIONS 747

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIF WEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72'25" YOUNGSTOWN MAP OH 73-81 FEB
STATION

ALL WEATHER O300-0500
CLASS

NOUSE (L.E.T.)

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WIND SPEED
N	• 1	2.2	2.7	1.0						1		6.0	7.8
NNE		. 4	1.1	. 1								1.6	7.8
NE	.3	1.2	1.9	1.0								4.3	8.5
ENE	.1	1.4	1.6	.3						ļ		3.4	7.3
E	. 1	1.5	3.3	. 4						1	i	5.3	7.7
ESE	<u></u> -	• 5	1.2	. 4			!				1	2.2	8.2
SE		.7	4.1	2.3						i		7.1	9.6
SSE	. 1	. 7	1.8	.5	.1	ļ ———						3.3	8.5
S	• 5	3.5	4.1	1.8	.1					[		10.1	7.9
SSW	•1	2.0	2.3	.7								5.2	7.4
SW	.4	2.0	3.1	3.8								9.4	9.6
WSW	.1	2.9	3.7	3.4	.7	.1						10.9	10.0
w	1.	1.2	6.4	4.2	. 4	1			,			12.2	10.1
WNW	.1	2.0	1.6	2.3	.1	<del> </del>						6.2	9.2
NW	.3	1.6	2.2	1.8		•1						6.0	8.9
NNW		1.4	1.6	1.2	•1	<del> </del>						4.3	9.2
VARBL			1	†	1	1							
CALM	> <	$\supset \subset$							$\supset <$			2.6	
	2.6	25.3	42.7	25.0	1.6	.3						100.0	8.7

TOTAL NUMBER OF OBSERVATIONS 736

GLOBAL CLIMATOLOGY BRANCH USAFETAC AL- MEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72:25 73-81 YOUNGSTOWN MAP OH YEARS 0600-0800 ALL WEATHER COMPITION

	7.3	23.1	40.6	26.7	1.9	•1			F ?			100.0	8.
CALM	> <	> <	> <	> <	> <						><	4.1	
VARBL			1		i								
NNW	• 3	• 8	1.1	1.6	. 3							4.0	9.
NW		1.5	3.3	2.3	• 3							7.4	9.
WNW	.1	2.1	2.1	2.4	. 3	•1						7.2	9.
w	. 3	2.0	4.3	4 . D	.1				Ī			10.7	9,
wsw		1.1	4.1	2.4	• 3							7.9	10.
sw	. 5	3.6	2.9	3.9	.1							11.1	9.1
SSW	. 3	2.0	2.0	1.1	. 3							5.6	8.
s	. 5	2.7	5.1	1.9				1				9.5	8.
SSE		• 5	2.1	.5								3.2	8.
SE	. 4	1.2	3.2	2.7			1					7.5	9.
ESE	!	1.2	2.1	.5								3.9	7.
E	•1	1.3	2.5	1.2	. 1	1	1					5.3	8.
ENE	.4	. 8	1.1	• 1			:					2.4	6.
NE		. 7	1.2	.7			!					2.5	8.
NNE		. 4	1.1	. 5			i -					2.3	8.
N	. 4	1.9	2.3	. 9	•1		-	i				5.6	7.
SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	26 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEA WIN SPEE

TOTAL NUMBER OF OBSERVATIONS

GL(BAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

2

## SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	. *	MEAN WIND SPEED
N	<del></del>	1.7	2.3	1.5								4.8	9.3
NNE	.1	• 3	.7	1.0								2.0	9.6
NE		• 7	1.6	. 4				1			:	2.7	8.0
ENE	,	• 3	.7	. 4								1.4	9.3
E	• 1	1.6	2.3	1.1	1					:	!	5.2	8.1
ESE	1	• 1	1.2	1.1	• 1					:		2.6	10.6
SE	• 1	. 4	2.7	2.6	•1			i	[	1		6.0	10.3
SSE	,	1.0	1.4	.7	•1							3.1	8.6
5	.3	2.3	4.2	3.7				!		!	ŀ	10.2	9.1
SSW		. 5	1.9	2.2							1	4.6	10.5
SW	.1	1.1	3.5	5.6	. 4			1		i		10.7	11.1
WSW		1.9	4.1	4.5	1.0	.3					i	11.7	10.
w		1.5	4.1	6.8	• 5	•1	• 1		!	1	[	13.2	11.2
WNW	.1	1.2	2.3	3.0	•1						1	6.8	10.0
NW	• 3	• 5	2.9	2.7	• 3						!	6.7	10.1
NNW	• 3	. 8	1.6	3.3						!		6.8	10.5
VARBL				1	1								
CALM		><	$\geq$	> <	><	> <	> <	$\geq$	$\geq$	$\geq$	$\geq$	2.3	
	1.5	15.0	37.6	40.4	2.7	. 4	•1					100.0	9.

TOTAL NUMBER OF OBSERVATIONS 735

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIN WEATHER SERVICE/MAC

2

## SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

721 <b>25</b> 0	YOUNGSTOWN MAP OH	73-81		FEB
STATION	STATION NAME	YI	(495	MONTH
		ALL WEATHER		1200-1400
	<del></del>	CLASS	<del></del>	HOURS (L.S.T.)
		CONDITION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	• 3	1.6	3.5	3.1	• 3_							8.7	9.5
NNE	. 4	• 7	. 8	1.1	• 1							3.1	9.0
NE	. 1	• 9	1.7	.7								3.5	8.4
ENE	1	• 5	• 3	. 9								1.7	10.2
E		. 8	1.3	. 4						1		2.5	8.1
ESE	• 1	• 5	1.7	. 8						i	i	3.2	9.1
SE	E	. 4	1.9	1.9	•1	•1						4.4	11.3
SSE		• 5	. 9	.7								2.1	8.8
5	. 4	. 4	2.7	2.9	• 1							6.6	10.3
SSW	1	1.1	2.1	3.1								6.3	10.5
SW	. 1	2.0	2.9	4.3	1.3	• 1						10.8	11.3
wsw		• 5	2.7	4.4	1.1	.4						9.1	12.5
w	• 1	. 9	3.1	10.2	1.6	. 4						16.3	12.5
WNW		• 3	2.1	4.0	• 3							6.7	11.7
NW	• 1	• 5	2.7	5.7	• 7							9.8	11.8
NNW		• 1	1.7	2.3	•1							4.3	11.4
VARBL													
CALM	$\geq \leq$	$\geq \leq$	> <	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\times$	$\geq \leq$	$\geq \leq$	$\geq <$	$\geq \leq$	. 9	
	1.7	11.9	32.2	46.4	5.7	1.1						100.0	10.9

TOTAL NUMBER OF OBSERVATIONS

SLCBAL CLIMATOLOGY BRANCH USAFETAC AIH WEATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

12-25:	YOUNGSTOWN MAP OH	73-81		FEB
STATION	SWAM MOITATS		YEARS	HONTH
		ALL WEATHER		1500-1700
		CLASS		HOURS (L.S.T.)

_	1.6	12.0	37.0	42.7	5.3			L	L	L!		100.0	10.7
CALM	$\geq \leq$	$\geq \leq$		><	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	. 4	
VARBL	Ļ	ļ					Ļ,					ļ	ļ
NNW		- 8	2.5	2.4	. 4							6.1	11.0
NW	• 3	. 4	3.6	4.9	.7							9.9	11.3
WNW		• 5	1.7	4 . 8	•1							7.2	11.7
w	•1	1.5	2.9	7.7	1.6	• 3						14.1	12.4
wsw		• 5	2.7	5.5	. 8	•1						9.6	12.3
sw	•1	1.3	4.1	4.9	.4	•5						11.5	11.3
SSW	•1	1.1	1.6	2.0	. 3							5.1	10.0
s	•1	1.6	3.6	1.7	• 1		!	1	<u> </u>	1		7.2	8.8
SSE	1	• 3	.7	.7	•1							1.7	11.0
SE	• 3	. 4	2.3	2.0	. 3							5.2	10.1
ESE	1	. 8	1.7	.1					1	†		2.7	7.9
E	. 3	. 4	1.5	. 3	<del> </del>	1	<del> </del>	<del></del>	<del> </del>	<del></del>		2.4	7.6
ENE	• 1		. 8	.7	· · · · · ·			<del> </del>				1.6	9.9
NE	• 1	1 7	1.2	• 7	•1	<del></del>	<del>                                     </del>	<u> </u>	†	<del> </del>		2.8	8.6
NNE.		•1	1.6	1.1				<del> </del> -	<del>                                     </del>	<del></del>		2.8	9.9
N		1.6	4.5	3.3	. 4				<del>                                     </del>	<del></del>	,	9.9	9,9
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED

TOTAL NUMBER OF OBSERVATIONS 751

GLUBAL CLIMATOLOGY BRANCH USAFETAC Ale Reather Service/Mac

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81		FEB
STATION	STATION NAME		YEARS	MONTH
		ALL WEATHER		1800-2000
		CLASS		HOURS (L.S.T.)
		COMBITION	<del></del>	

	2.1	24.6	42.0	24.5	4.0	1.5						100.0	9.2
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq <$	$\geq \leq$	$\geq <$	$\geq \leq$	$\geq \leq$	$\geq \leq$	><	><	1.3	
VARBL													
NNW	• 3	1.1	2.1	2.1	. 4	•1						6.1	10.2
NW	• 1	2.4	3.6	2.5								8.7	8.8
WNW	• 1	1.6	2.4	1.5	. 3	•1						6.0	9.8
w	. 1	1.7	4.4	4.8	1.2	.4						12.7	11.9
wsw		. 9	3.2	3.3	1.2							8.7	11.6
sw		2.8	4.3	2.4	.1	. 4						10.0	9.3
ssw	. 4	1.6	2.4	. 9								5.3	7.6
S	. 4	2.4	2.9	1.2								7.0	7.7
SSE	<u> </u>	1.9	. 9	. 5	• 1							3.5	7.8
SE	1	1.1	1.6	1.1	. 4	• 3						4.4	10.5
ESE		• 5	1.1	• 7						j		2.3	8.9
E	• 1	1.3	2.3	• 1								3.9	7.2
ENE	i i	• 6	• 7	• 1								1.6	7.5
NE		. 9	2.4	.7								4.0	8.6
NNE		• 5	2.4	. 9	• 3							4.1	9.4
N	• 5	2.9	5.2	1.5		•1						10.3	7.8
SPEED (KNTS) DIR.	: 1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	* ************************************	MEAN WIND SPEED

TOTAL	NUMBER	٦F	OBSERVATIONS	748
		•		/ B R

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

2

## SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

772-25 YOUNGSTOWN MAP OH 73-81 FEB
BYATION

ALL WEATHER

CLASS

CLASS

FEB

100-2300

HOUSE (LS.T.)

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56		MEAN WIND SPEED
N	•1	2.4	2.3	1.9						1		6.7	8.
NNE	• 1	. 4	2.3	1.1								3.9	9.0
NE	 	2.0	2.9	• 8								5.8	8.
ENE		• 5	1.2	• 1								1.9	8.
E	.1	1.9	1.9									4.3	7.
ESE	.1	. 8	1.6	.7								3.2	8.
SE	•1	.7	2.5	1.6	• 3							5.2	9.
SSE		• 5	1.6	.8	• 4							3.4	10.
5	•1	4.8	3.4	1.2								9.5	7.
SSW		2.3	2.7	1.1				[				6.0	8.
sw	. 4	1.2	2.9	2.9	. 4							7.9	9.
wsw	•1	1.1	2.5	2.7	• 7							7.1	10.
w	.4	2.9	3.8	6.8	2.1	. 4	• 1					16.6	11.
WNW	•1	1.9	1.6	1.1								4.7	8.
NW	• 1	2.4	2.9	1.9	. 4							7.8	8.
NNW		1.2	2.0	.7		• 1						4.0	8.
VARSL			1	1									
CALM	> <	$\supset <$	$\supset <$	$\supset <$	$\supset <$			><	><	$\supset <$		5.0	
	2.0	27.1	38.2	25.7	4.3	•5	•1					100.0	9.

TOTAL NUMBER OF OBSERVATIONS 746

JSAFETAC FORM (0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLES

]

2

GLEBAL CLIMATOLOGY BRANCH USAFETAC AIF WEATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

77:250	YOUNGSTOWN MAP OH	73-81 Years	FEB BONTH
		ALL WEATHER	ALL noves (L.s.T.)

SPEED (KNTS) DIR.	1.3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	P *	MEAN WIND SPEED
N	• 2	1.9	3.2	1.8	. 1	• C						7.2	8.7
NNE	• 1	. 5	1.4	• 8	• 1					1		2.8	9.1
NE	• 1	. 9	1.9	.7	• 0							3.7	8.5
ENE	• 1	• 6	1.0	.4	•0							2.0	8.2
E	•1	1.3	2.2	• 5	.0							4.2	7.7
ESE	•1	.7	1.6	.7	•0							3.1	8.8
SE	• 2	• 7	2.6	2.0	• 2	.1				}		5.7	9.9
SSE	•0	• 7	1.4	.7	• 2							3.0	9.2
S	. 4	2.4	3.7	1,9	.1							8.4	8.3
SSW	• 1	1.6	2.2	1.5	•1							5.5	8.7
SW	.3	2.1	3.5	3,9	. 4	•1						10.2	10.1
wsw	•1	1.4	3.2	3.5	.9	•1						9.2	10.9
w	•2	1.8	4.1	6.5	1.0	•2	.0					13.8	11.3
WNW	• 1	1.4	1.9	2.6	• 2	•0						6.3	10.1
NW	•2	1.5	2.9	3.0	. 3	•0						7.9	9.9
NNW	•2	1.0	1.8	1.8	• 2	•0						5.1	9.9
VARBL										i			
CALM		$\supset <$	$\times$	$\supset <$	$\times$	$\times$	>>	> <	$\geq \leq$		$\geq \leq$	2.0	
	2.2	20.6	38.7	32.3	3.6	.6	•0					0.00	9.5

TOTAL NUMBER OF OBSERVATIONS 5959

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIF WEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81		MAR
STATION	STATION NAME		YEARS	BOSTH
		ALL WEATHER		0000-0200
		CLASS		HOURS (L.S.T.)
		COMPLETION		

	2.1	22.7	43.6	26.3	2.8	.1	•1					100.0	
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	2.3	
VARBL													<u> </u>
MMM	• 2	1.3	2.5	.7								4.8	8.
NW		1.6	2.3	3.6	. 6	.1						8.2	10.
WNW		1.2	3.7	2.3	. 4							7.6	9.
w	• 1	2.1	5.6	3.6	. 6		• 3					12.1	9.
wsw	. 4	• 7	2.6	1.6	• 2	L						5.5	8.
sw	•1	1.6	1.8	2.0	• 2							5.8	9.
ssw	• 1	. 4	2.0	• 5								2.9	8.
5	• 1	2.8	4.8	1.3	• 1							9.2	8.
SSE	• 2	1.1	1.6	.7								3.7	7.
SE	1	1.5	3.3	4.2	• 1							9.1	10.
ESE	• 1	1.0	2.7	2.7	• 2							6.7	10.
£	• 1	1.8	4.0	1.0								7.0	8.
ENE	• 1	1.5	2.2	• 2								4.0	7.
NE	• 2	1.5	1.7	. 4								3.8	6.
NNE	• 1	• 6	.7	. 4								1.8	7.
N	i	2.0	2.0	1.1	• 2							5.3	8.
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	•	MEA WIN SPEE

TOTAL NUMBER OF OBSERVATIONS 815

USAFETAC FORM JR. 64 0-8-5 (OL-A.) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

\_\_\_\_\_

\_\_\_\_

\_\_\_\_

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81	MAR
STATION	STATION NAME	YEAR	MONTH
		ALL WEATHER	0300-0500
		CLASS	HOURS (L.S.T.)
		CORNITION	<del></del>

	1.8	22.8	43.6	27.0	2.4	.1	}	}				100.0	8.9
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	2.4	
VARBL													
NNW	• 1	1.8	1.3	1.5	•1							4.8	8.6
NW		1.0	2.0	4.0	• 3							7.3	11.3
WNW		1.1	2.5	2.9	. 4							6.9	10.6
w		3.3	5.1	3.1	.4	•1						12.0	9.4
wsw	• 1	1.0	2.5	• 6	• 3							4.5	8.6
sw	.4	1.8	2.9	2.0	•1	1	<del> </del>		<del>                                     </del>			7.1	8.7
ssw	•1	• 5	2.4	.8					<del>                                     </del>			3.8	8.8
5	,	2.3	5.8	1.6								9.6	8.5
SSE	•1	.9	2.1	1.5			ļ — — —					4.6	9.2
SE		1.1	3.6	3.5	. 4			1				8.6	10.3
ESE	.4	1.0	3.9	2.4	•1	<u> </u>						7.8	9.4
ŧ		1.1	3.5	1.4								6.0	8.7
ENE		1.4	1.9	.4		<del></del>			<u> </u>			3.6	7.7
NE	• 1	2.0	1.6	•1								3.9	6.8
NNE		• 3	.6	• 3						1		1.1	8.0
N	. 4	2.4	2.0	1.0	. 4							6.1	8.2
SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED

TOTAL NUMBER OF OBSERVATIONS 800

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR HEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250 874710H	YOUNGSTOWN MAP OH	73-81	YEARS	MAR
		ALL WEATHER		0600-0800 noves (L.S.T.)
		CONDITION		

SPEED (KNTS) DIR.	1.3	4.6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WIND SPEED
N	• 2	1.5	2.3	1.0	• 2							5.2	8.0
NNE	• 2	. 4	• 8									1.5	6.5
NE	1	2.2	1.5	i								3.6	6.6
ENE	• 1	1.0	1.7	• 2								3.0	7.0
£	•2	2.5	4.4	1.2	• 1							8.5	8.
ESE	•1	.7	2.5	2.1	• 2							5.7	9.0
\$E	,	1.8	4.1	4.4	• 5							10.8	10.
SSE		• 5	1.5	1.6	• 2							3.8	10.
5	•2	1.7	7.3	1.9				]				11.2	8.
55W	•1	1.2	1.8	1.5								4.6	8.0
sw	•1	2.9	3.8	1.1								7.9	7.
wsw	.1	• 5	1.5	1.5	•1	•1						3.8	10.
w		2.4	6.6	3.0	.8	•1						13.0	9.1
WNW	•1	1.5	1.5	2.2	.6							5 - 8	10.
NW		1.1	2.5	3.4	• 2							7.3	10.
NNW	•1	1.0	.8	1.0								2.9	8.
VARBL						ļ ————						1	1
CALM	$\supset <$	><	> <		> <	$\supset <$	> <	> <	> <	><	> <	1.5	
	1.8	22.8	44.5	26.0	3,2	•2						100.0	9.

TOTAL NUMBER OF OBSERVATIONS

SLEBAL CLIMATOLOGY BRANCH USAFETAC AIS JEATHER SERVICE/MAC

2

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725 <b>25</b> 0	YOUNGSTOWN MAP OH	73-81	MAR
STATION	STATION HAME	YEARS	MONTH
	-	ALL WEATHER	0900-1100 HOVER (L.S.Y.)
		COMPLICA	

j	1.2	11.9	34.5	46.8	5.0	1	}	}				000.0	10.7
CALM	$\geq \leq$			$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	.5	
VARBL							L					1	↓
NNW		.6	2.1	2.7					1			5,3	10.3
NW	•1	.6	1.6	3.9	. 5							6.7	11.9
WHW	• 1	.2	2.2	3.0	•1							5.7	11.1
w		1.0	3.8	7.2	1.1							13.0	11.8
wsw	•2	• 2	1.6	4.4	. 4			L				6.8	11.8
sw		.7	2.5	6.3	. 7	•1	L					10.4	12.1
55W	.1	. 6	2.1	1.9	• 1		I					4.9	10.2
\$	•1	1.6	3.6	4.2	•1							9.7	10.0
SSE		. 4	2.5	1.9	. 4							5.2	11.0
SE		. 7	2.8	3.6	. 5							7.6	11.0
ESE	.1	.6	2.2	2.4								5.3	10.0
£	•1	1.0	2.4	1.2	.4			1			•	5.1	9.5
ENE		• 2	1.1	.7							-	2.1	9.0
NE	•1	1.2	1.0	1.2								3.5	9.0
NNE		• 5	.4	.7		<del></del>	·			1		1.6	9.8
N	•1	1.7	2.7	1.3	• 7							6.6	9.4
SPEED (KNTS) DIR.	1.3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 · 55	≥ 56	*	MEAN WIND SPEED

TOTAL HUMBER OF OBSERVATIONS

GLCBAL CLIMATOLOGY BRANCH USAFETAC AIF WEATHER SERVICE/MAC

2

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81 YEARS	 MAR
	A	LL WEATHER	 1200-1400 HOURE (C.S.T.)
		CONDITION	

į	. 9	8.8	30.4	48,9	10.2	.6_	L	1	1			100.0	11.6
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	• 2	
VARBL			Ļ.,	L	Ļ,			Ļ	<u></u>	L		ļ	<b> </b>
NNW	• 1	• 6	2.8	2.9	. 4				ļ	<u> </u>		6.9	11.5
NW			3.1	5.4	1.5	-1					<b></b>	10.0	12.7
WNW		.4	1.3	3.8	.7							6.2	12.
w	• 1	. 9	2.5	6.4	2.6	• 1						12.5	12.9
wsw		• 4	2.1	6.1	1.8	. 4						10.8	13.3
sw	•1	•6	2.5	5.3	1.3				Ι			9.8	12.4
55W		• 5	1.1	2.5	.1							4.2	11.
5		1.0	3.4	4.7						1	!	9.1	10.
SSE		• 5	1.6	1.6					ļ ———			3.7	10.
SE	•1	• 6	2.2	3.2	•1				1	1		6.2	10.5
ESE		• 6	2.0	1.3	.1							4.0	9.7
E	.1	• 5	1.3	1.8	•1	T	<del> </del>	t				3.9	10.5
ENE		• 5	.1	. 4						1	i	1.0	8.0
NE		•1	1.2	1.0	. 4			<del> </del>		1		2.7	11.1
NNE	•1	• 7	. 4	•6			<del></del>			1		1.8	8.1
N	•1	1.7	2.8	2.0	1.0			<del> </del>	<del> </del>	<del> </del>		6.9	10.6
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WIND SPEED

TOTAL NUMBER OF OBSERVATIONS

GLCBAL CLIMATOLOGY BRANCH USAFETAC AIH WEATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

729 <b>25</b> 0	YOUNG	STOWN	MAP OH				73-	81					M	AR	
STATION			STATIO	M MYME						YEA BS			BONTH		
						ALL WE	ATHER						1500	-1700	
		_					LASS				·—-		MOU	PS (C.S.T.)	
		-													
						ÇOI	MOITION								
		-													
	SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED	
	N		1.5	3.6	3.2	•1							8.3	10.0	
	NNE	. 1	.7	1.6	1.1								3.6	9.2	

	1.2	9.3	32.5	46.6	9.0	1.0	1					100.0	11.5
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	•2	
VARBL													<u> </u>
NNW		. 4	1.7	3.3	, 9							6.3	12.
NW		1.0	2.9	5.5	.7	.2						10.4	11.5
WNW		• 1	2.1	4.2	1,3	I						7.7	13.0
w	• 2	• 5	2.5	6.6	2.1	. 4						12.3	13.
wsw		• 1	1.8	4 . 8	1.1	. 4	• 1					8.3	13.1
sw	. 4	• 2	1.8	3.9	1.8							8.2	12.
55W			1.7	2.9	•1							4.8	11.9
S	- 1	. 9	3.9	3.3	. 4		İ					8.6	10.
SSE		1.1	1.6	. 9	• 1							3.7	9.3
SE	• 1	1.0	2.9	2.3	• 2							6.6	10.2
ESE		.4	1.2	2.0			<del> </del>					3.6	10.8
E		• 5	1.7	1.0								3.2	9.5
ENE	•1	. 4	.4	.4			<u> </u>				-	1.2	8.2
NE	• 1	• 6	1.0	1.2	l							2.9	9.4
NNE	•1	• 7	1.6	1.1								3.6	9.2
N		1.5	3.6	3.2	• 1		† <del></del>					8.3	10.0
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	WINE

TOTAL NUMBER OF OBSERVATIONS

GLOBAL CLIMATOLOGY BRANCH USAFETAC AI: JEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

125250 YOUNGSTOWN MAP OH 73-81 1800-2000

COMBITION

SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56		MEAN WIND SPEED
N	•?	3.2	5.6	2.3								11.3	8.3
NNE		. 4	2.6	1.9	• 1							5.0	9.7
NE	• 1	1.7	3.2	• 2								5.2	7.5
ENE	• 1	• 5	.9	• 2					}			1.7	7.7
E	,	1.7	2.7	.7								5.1	7.7
ESE	•1	1.2	1.7	1.5	• 1							4.6	9.4
SE	• 2	• 7	1.8	3.4	• 5							6.5	10.8
SSE		1.0	1.2	.7								2.9	8.5
3	•1	1.6	2.9	1.5	•1							6.2	8.8
SSW		1.7	2.1	1.2	•1							5.1	8.6
SW	•2	1.0	1.5	2.9	•1	•1						5.8	10.7
wsw	•1	• 7	1.3	2.4	• 5	•2						5.4	11.8
w	• 2	1.1	3.0	4.8	1.1	•1						10.4	11.5
WNW	•1	.6	2.9	3.5	• 7							7.9	11.4
NW	•1	. 9	3.2	5.6	1.2							11.0	11.7
NNW		• 5	1.6	2.4	• 5							4.8	11.0
VARBL		1											
CALM		$\supset <$		><	><	> <	><	><		><	>	1.1	
	1.8	18.4	38.1	35.4	4.6	.5						100.0	9,9

TOTAL NUMBER OF OBSERVATIONS

GLCBAL CLIMATOLOGY BRANCH JSAFETAC ATF WEATHER SERVICE/MAC

2

## SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81		HAR			
STATION	BMAN HOLFATE		YEARS	MORTH			
		ALL WEATHER					
		102		NOVAS (L.S.T.)			
		CONDITION					

	1.5	24.0	41.8	28.4	2.7	.1_	}		}			100.0	9.1
CALM	$\geq \leq$		$\geq \leq$		$\geq \leq$		$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	><	1.6	
VARBL					L								
NNW		1.0	1.7	1.1	.6							4.4	10.
NW	.4	2.0	3.1	4.3	• 5	•1						10.3	10.
WNW		. 6	2.6	2.8								6.0	10.
w	• 2	2.8	2.9	4.3	.6			I				10.9	9.
wsw		1.1	2.7	2.0	• 2							6.0	9.
SW		1.1	2.0	.7	• 1							3.9	9.
\$5W	•1	1.2	2.6	.6								4.5	7.
\$		2.7	4.0	2.2	•1					1		9.0	8.
SSE	• 1	• 5	1.2	1.1								2.9	9.
SE	• 1	1.0	3.3	2.6	.4		[					7.6	10.
ESE	• 1	1.2	3.9	2.6	•1		· · · · · ·		T		1	7.9	9.
ŧ	• 2	2.0	2.3	1.3	1	1	!	1		1	}	5.9	8.
ENE		.6	1.8	.4		1		1		1		2.8	8.
NE		1.7	3.1	.9								5.6	7.
NNE	· · · · · · · · · · · · · · · · · · ·	1.6	1.8	• 5						!		3.9	7.
N	• 1	2.9	2.8	. 9		1					<del></del>	6.7	7.
SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	26 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEA WIN SPEE

TOTAL NUMBER OF OBSERVATIONS 818

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

-• .

\_\_\_\_\_

GLCBAL CLIMATOLOGY BRANCH USAFETAC ATH WEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72-25° YOUNGSTOWN MAP OH 73-81 MAR
TYATION STATION NAME ALL WEATHER ALL
CLASS MOVES (LS T.)

	1.5	17.6	38.6	35,7	5.0	.4	.0					100.0	10.0
CALM												1.2	<del> </del>
VARBL	<del></del> -	<del> </del>		<del></del>		<del> </del>	<del></del>	<del> </del>	<del> </del>	<del></del>		1 300	1-745
NNW	• 1	9	1.8	2.0	• 3	<del></del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>		5.0	10.2
NW	•1	1.0	2.6	4.5	• 7	•1		<del> </del>	<del> </del>	<del> </del>		8.9	11.4
WNW	• 3	• 7	2.3	3.1	• 5	·		<del></del>	<del> </del>	1		6.7	11.2
w	•1	1.7	4.0	4.9	1.2	•1	.0	<del></del>				12.0	11.1
wzw	•1	.6	2.0	2.9	• 6	•1	•0	<del> </del>		<b>†</b>		6.4	11.5
sw	•2	1.2	2.3	3.0	.6	•0	ļ	1	<u> </u>			7.4	10.7
ssw	•1	.8	2.0	1.5	•1				<del> </del>	·		4.3	9.6
5	•1	1.8	4.5	2.6	.1				·	1		9.1	9.2
SSE	•1	.7	1.7	1.3	•1					1		3.8	9.6
SE	• 1	1.1	3.0	3.4	• 3		<del></del>					7.9	10.5
ESE	•1	.8	2.5	2.1	•1					,		5.7	9.1
E	• 1	1.4	2.8	1.2	•1		<del></del>			1		5.6	8.6
ENE	•1	. 8	1.3	. 4						:		2.4	7.7
NE	•1	1.4	1.8	• 6	• 0				<del> </del>	!		3.9	8.0
NNE	• 1	. 6	1.1	.7	•0			<del> </del>				2.5	8.5
N	• 2	2.0	3.0	1.6	• 3	<del> </del>	<del></del>	<del></del>	<del></del>	:		7.1	8.9
SPEED (KN7S) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED

TOTAL NUMBER OF OBSERVATIONS

6533

GLUBAL CLIMATOLOGY BRANCH USAFETAC A15 WEATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72: <b>2</b> 50	YOUNGSTOWN MAP OH	73-81		APR
STATION	STATION NAME	YEAC	, -	HOBYM
		ALL WEATHER		0000-0200
		CLASS		HOURS (C.S.Y.)
		COMPITION		

SPEED (KNTS) DIR.	1 . 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WIND SPEED
N	•1	2.7	2.8	. 9	·							5.8	7.7
NNE	. 1	• 3	1.5	1								1.9	7.5
NE	. 3	1.5	2.3									4.0	6.5
ENE		1.0	2.1	. 4	1							3.5	7.8
E	• 3	2.0	4.9	. 6								7.8	7.2
ESE		2.4	1.9	1.0	• 1					<del></del>		5.4	8.1
SE	.4	1.8	2.4	2.4	.1					<u> </u>		7.0	9.1
SSE	• 3	. 8	1.9	. 4							<u> </u>	3.3	7.3
S	• 5	3.0	4.5	1.8	<u></u>					1	<u> </u>	9.8	7.9
SSW	• 1	2.0	1.8	. 4	. 3					<u> </u>		4.5	7.5
sw	. 4	3.0	4.3	1.8		.1						9.5	8.2
WSW	• 3	1.1	2.0	2.3	. 3					ļ		5.9	9.9
w	. 3	3.0	3.0	2.3	. 4	.4	.1				<u> </u>	9.4	9.5
WNW	• 1	1.1	3.1	1.0	.1							5.5	8.9
NW	•1	2.4	2.1	1.9	. 3	•1				<u> </u>		6.9	9.3
NNW	• 3	1.5	1.1	. 8	. 4					<u> </u>		4.0	8.9
VARBL										L	Ĺ	<u> </u>	
CALM	$\geq \leq$	$\geq \leq$		$\geq \leq$		$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$		5.7	
	3.4	28.9	41.7	17.7	1.9	•6	.1		}			200.0	7.9

796

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

...

\_\_\_\_

SLOBAL CLIMATOLOGY BRANCH USAFETAC AIC WEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72° <b>25</b> 3	YOUNGSTOWN MAP OH	73-81	_APR				
STATION	STATION HAME	YEARS	<b>40678</b>				
		ALL WEATHER					
	<del></del>	CLASS	MOURS (L S 7.)				

	2.7	30.1	38.6	20.0	2.4	.5		}	1		1	100.0	8.0
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$		$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	5.6	
VARBL			L						<u></u>	L	<u></u>	J	ļ
NNW	• 1	1.7	. 9	1.3	. 3							4.2	9.2
NW	• 3	2.7	2.0	2.8	.6							8.4	9.6
WNW	• 5	1.7	2.0	• 6	. 4							5.2	8.1
w		2.9	2.2	2.6	• 6	. 4						8.7	10.1
wsw	. 4	1.8	2.4	1.8	•1	•1						6.6	9.0
sw	• 5	2.6	3.3	1.3	• 3							7.9	8.0
SSW		2.6	1.9	1.0								5.5	7.6
S	.1	3.8	6.5	1.8						i		12.2	8.0
SSE		. 4	2.3	. 8			<u> </u>	1				3.4	8.9
SE	• 1	2.0	3.1	1.4	• 1		<del>                                     </del>	† <u>-</u>		ļ ———		6.8	8.2
ESE	•1	1.4	3.3	1.5							!	6.4	8.7
E	• 3	2.4	2.9	1.4				<del>                                     </del>		·		7.0	7.9
ENE		.9	1.1	•1								2.2	7.0
NE	·	1.3	1.9	•1		<del></del>	<del> </del>	<del>                                     </del>	<del> </del>			3.3	7.3
NNE	•1	. 6	.9	. 4			<del> </del>	<del>                                     </del>	<del>                                     </del>	1	1	2.0	7.8
N	•1	1.4	1.8	1.1						<del></del>		4.5	8.6
SPEED (KNTS) DIR.	1.3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	τ΄ <b>%</b>	WIND SPEED

OTAL	NUMBER	OF	OBSERVATIONS	764

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

, ,

----

GLUPAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72525	YOUNGSTOWN MAP OH	73-81	APR
STATION	SMAN MOITATE	YEARS	MOSTH
		ALL WEATHER	0600-0800
		CLASS	HOURS (L.S.T.)
	<del> </del>	CONDITION	<del></del>

	2.3	25.5	41.0	24.6	2.6	•5	.1					100.0	
CALM		$\geq <$		$\geq <$		$\geq \leq$	$\geq \leq$	$\geq \leq$	>>		$\geq \leq$	3.4	
VARBL					}				I				1
NNW	•1	1.9	2.3	2.5			L			L	<u></u>	6.8	9.
NW		1.1	2.5	1.4	.4							5.4	9.
WNW	. 3	1.5	1.5	. 8	. 3	.3						4.5	9.
w	. 3	3.1	2.8	4.1	. 6	• 1						11.0	10.
wsw	. 4	1.9	1.8	1.1	• 5	.1	. 1					5.9	9.
\$W	.1	2.8	3.5	2.4								8.8	8.
SSW	• 1	1.4	2.3	1.6								5.4	8.
\$	.1	3.3	6.9	2.3	• 1							12.7	8.
SSE	•1	• 8	2.0	.6								3.5	8.
\$E	• 3	1.3	4.1	1.8	.1							7.5	8.
ESE	.1	1.5	2.6	2.1						i	]	6.4	9.
ŧ		1.1	2.8	.9	• 1	1	1			1		4.9	8.
ENE		. 9	1.5	. 4			1					2.8	8.
NE	•1	1.1	1.3	.6	•1	<u> </u>		1	l			3.3	7.
NNE	<del></del>	. 8	1.4	•1								2.3	7.
N	. 3	1.1	1.9	1.9	. 4		1	i				5.5	10.
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	) <b>*</b>	MEA! WIN! SPEE!

TOTAL NUMBER OF OBSERVATIONS 797

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

1

-----

2

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81		APR
STATION	STATION HAME		YEARS	MONTE
		ALL WEATHER		0900-1100
		CLASS		HOURS (L.S.T.)
			<del></del>	

	. 9	14.4	29.6	47.1	5.9	1.3						100.0	10.9
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	><	$\geq \leq$	$\searrow$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	.9	
VARBL													
NNW	• 1	• 5	1.8	3.6	1.0							7.0	12.1
NW	• 1	1.8	1.6	5.0	. 4							8.9	10.6
WNW		• 1	1.6	2.9	. 3	• 6						5.5	13.7
w	• 1	1.0	2.4	4.5	1.0	• 6						9.6	12.
wsw	- 1	• 8	1.5	4.6	1.1							8.1	12.
sw		1.4	2.1	6.6	• 6							10.8	11.
ssw		. 8	1.4	2.6	• 3							5.0	10.
5	. 1	. 9	3.5	2.5								7.0	9.
SSE		• 5	1.4	1.3								3.1	9.1
SE		1.3	1.6	3.1								6.0	10.
ESE		. 9	1.0	2.5	• 6							5.0	11.
ŧ	• 3	• 8	2.1	1.8	•1							5.0	9.4
ENE		. 6	• 5	. 4								1.5	7.0
NE		1.1	1.1	1.4	• 3							3.9	9.6
NNE		• 5	1.3	• 5								2.3	8.6
N		1.6	4.6	3.8	. 3							10.3	9.
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEEC

TOTAL NUMBER OF OBSERVATIONS 798

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725251)	YOUNGSTOWN MAP OH	73-81' YEARS	APR
		ATHER	1200-1400 HOURS (L.S.T.)
	col	MOITION	

SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WIND SPEED
N		1.3	5.1	3.8	.5							10.7	10.2
NNE	• 1	. 4	1.0	1.4	• 1							3.0	10.6
NE		. 4	. 9	1.1								2.4	10.3
ENE		• 1	. 8	. 3								1.1	8.4
E	• 1	• 1	1.1	. 8								2.1	9.7
ESE		.6	.5	1.3	• 1	• 1				1		2.6	11.2
SE		1.3	1.8	3.3	. 4							6.6	11.0
SSE		• 6	. 5	1.1	. 1							2.4	9.7
S	. 1	1.0	3.6	2.3							I	7.0	9.6
SSW		. 3	1.0	3.3	. 4	• 1	• 1					5.1	12.7
sw		1.0	2.1	5.3	. 9							9.3	12.0
wsw		• 5	. 9	3.6	1.8	• 5						7.3	14.3
w		1.9	3.1	7.1	1.0	, 4	•1					13.7	11.9
WNW	1	• 1	1.0	4.3	. 4	• 3	- 1					6.1	13.4
NW		. 8	3.3	7.9	.6	. 4						12.9	12.6
NNW		• 3	2.0	4.0	1.3							7.5	12.7
VARBL													
CALM		$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$		• 1	
	. 4	10.5	28.7	50.6	7.5	1.6	. 4					200.0	11.7

798

2

#### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725257 YOUNGSTONN MAP OH 73-81 APR 1500-1700 HOURS (L.S.Y.) ALL WEATHER

SPEED (KNTS) DIR.	1 · 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	•1	1.6	3.9	6.3	• 5							12.4	10.9
NNE		• 1	1.3	1.1	• 1					i -		2.6	11.6
NE	.1	.9	1.3	1.4	. 1							3.8	9.4
ENE		. 4	. 4							+		• 8	7.5
E		.6	1.1									1.8	7.1
ESE	•1	. 4	. 4	1.4	•1							2.4	11.0
SE		.6	1.9	2.1	. 8							5.4	11.5
SSE		. 1	1.1	.5								1.8	9.6
S		1.1	3.1	2.6								6.9	9.6
SSW		• 5	1.6	2.3		•1						4.5	11.1
SW		• 1	2.5	4.8	.9					1		8.3	12.3
wsw	• 1	1.0	1.9	3.8	2.0	• 3						9.0	12.9
w		. 8	2.5	5.5	1.6	. 4	• 1					10.9	13.0
WNW	• 1	• 3	1.5	3.9	. 4	• 3						6.4	12.4
NW	•1	1.0	2.9	7.0	1.0	. 6						12.7	12.6
NNW	•1	• 5	2.0	6.3	1.1				I			10.1	12.8
VARBL													
CALM		$\geq \leq$	$\supset <$	$\geq \leq$	$\geq \leq$	><	$\geq \leq$	$\geq$	><	$\geq <$	$\geq \leq$	. 3	
	. 9	10.1	29.4	49.0	8.7	1.6	• 1					100.0	11.7

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

YOUNGSTOWN MAP OH . 73-81 1800-2000 HOURS (L.S.T.) ALL WEATHER

		22.2	40.0	20.7	9.6	. 6						200.0	9.4
CALM		$\supset <$	$\supset <$	> <	> <	$\geq \leq$	$\geq \leq$	$\geq <$	><	$\geq <$	><	1.8	
VARSL													1
NNW	. 4	1.0	2.3	3.6	. 9		l					8.1	10.
NW	• 3	1.3	3.6	4.1	1.3							10.5	10.
WNW	• 1	1.5	2.6	2.4		.4						7.0	10.
w		1.4	2.3	3.3	. 6	• 1						7.6	11.0
wsw	• 1	.6	1.4	2.4	.3	•1						4.9	11.
SW		2.0	3.4	1.9	•1							7.4	9.1
SSW	• 3	1.4	1.5	1.4	.1							4.6	8.
5	.4	3.8	2.1	1.1								7.4	7.1
SSE	ļ	.9	1.1	.3	. 4			T		<u> </u>		2.6	8.
SĒ		1.4	1.8	1.3	.6					i		5.0	10.
ESE	<del> </del>	.4	1.1	1.3	1				1			2.8	10.
E	!	1.0	1.0	•1								2.1	7.
ENE	<b> </b>	• 5	.5									1.0	6.8
NE	<del> </del>	1.3	2.9	.9	.3	<del>                                     </del>	<u> </u>	1	1			5.3	8.6
NNE	* <del>-</del>	• 5	3.1	1.4		<del>                                     </del>	<del> </del>	-		1		5.0	9.1
N	<del> </del>	3.4	9.3	4.0	.1							16.8	8.8
SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WINE SPEEC

TOTAL NUMBER OF OBSERVATIONS

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72 - 25 \ YOUNGSTOWN MAP OH \ 73 - 81 \ YEARS \ ORDERS TO HAVE STATION HAVE \ ALL WEATHER \ 2100 - 2300 \ HOURS (LST.)

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WIND SPEED
N	• 3	4.5	4.0	1.0								9.8	7.1
NNE	. 3	. 9	1.9	, 5								3.5	7.8
NE	• 3	2.7	5.4	. 4								8.7	7.1
ENE		.8	2.0	•1								2.9	6.9
ŧ	• 3	2.4	1.9	.1								4.7	6.5
ESE		1.6	2.1	2.0								5.8	9.1
SE		2.7	1.6	1.4	.6	•1						6.4	9.5
SSE		1.9	1.6	. 4	• 1							4.0	7,2
\$	• 3	3.7	3.4	1.1	•1							8.6	7.6
SSW	. 3	2.0	1.8	.6	•1							4.8	4.1
sw		1.5	2.8	1.9								6.2	9,1
wsw	•1	. 4	1.4	1.6	• 3	•1						3.9	11.0
w	• 3	2.5	3.4	2.7	• 5	. 4						9.7	10.0
WNW	. 4	1.3	1.6	1.8	•1	.3						5.4	9.7
NW	• 3	2.0	2.0	1.9		, 3						6.4	9.3
NNW	• 3	1.4	2.1	1.1	• 3							5.2	8,9
VARBL		Γ	I									I	
CALM	$\supset <$	$\supset <$	$\supset <$	><	><	$\supset \subset$	$\triangleright <$	$\supset <$	> <	$\supset <$	><	3.8	
	2.8	32.2	39.3	18.7	2.1	1.1						100.0	8.1

TOTAL NUMBER OF DESERVATIONS 792

YOUNGSTOWN MAP OH

### **SURFACE WINDS**

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

73-81

ALL WEATHER ALL IOURS (L.S.T.) MEAN WIND SPEED SPEED 1 - 3 7 - 10 11 - 16 17 - 21 N • 1 2.1 4.2 2.8 9.5 9.2 • 5 1.5 •0 8.9 . 1 .7 2.8 2.1 NE 1.3 .7 • 1 4.3 8.1 ENE . 6 . 2 2.0 7.5 1.3 2.2 •7 .0 . 1 4.4 7.9 •0 1.1 1.6 1.6 •0 9.5 • 1 4.6 SE • 1 1.5 2.3 2.1 • 3 •0 6.4 9.8 SSE •0 •7 1.5 .7 3.0 8.5 • 1 • 2 1.9 2.6 4.2 .0 8.9 8.4 SSW • 1 1.4 1.7 1.7 .1 •0 •0 4.9 9.5 1.8 3.0 3.2 10.0 • 1 .3 •0 SW 8.5 1.0 .0 wsw • 2 1.7 2.7 • 2 . 8 6.5 11.5 w • 1 2.1 2.7 4.0 . 8 • 3 .0 10.1 11.1 WNW • 2 • 9 1.9 2.2 • 2 • 3 .0 5.7 10.7 4.0 1.6 2.5 • 1 9.0 10.9 • 6 NNW . 2 2.9 1.1 1.8 • 6 6.6 11.0 VARSL 2.7 CALM

TOTAL NUMBER OF OBSERVATIONS 6359

000.0

9.5

GLOBAL CLIMATOLOGY BRANCH

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIF WEATHER SERVICE/MAC

2

### SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725 <b>25</b> %	YOUNGSTOWN MAP OH	73-81		MAY
STATION	STATION MAME		YEARS	MORTH.
		ALL WEATHER		0000-0200
		ELANG.		HOURS (L.S.T.)
		COMBITION		
	<del></del>	<del></del>	<del></del>	

	5.3	36.2	40.7	8.9	• 3							100.0	6.4
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	8.6	
VARBL													
MMM	•1	1.0	. 5	•1								1.8	6.
NW		3.5	2.6									6.1	6.
WNW	•1	2.2	1.3									4.0	6.
w	• 9	2.6	2.2	1.7								7.4	7.
wsw	.1	1.9	.9	•3						1		3.2	6.
sw	•6	3.8	3.2	.3				1		1		7.9	6.
55W	• 5	1.7	2.2	• 5	Ī	1		1				4.9	7.
5	•1	2.7	5.2	.8	1							8.8	7.
SSE	•1	1.0	1.8	1.0						<u> </u>		4.0	8.
SE	• 5	2.9	5.6	1.3	• 3			<b>——</b>		1		10.5	8.
ESE	•1	1.8	3.6	.8								6.4	7.
E	•6	5.2	4.3	.5		<del></del>			<del> </del>	<del> </del>	<del></del>	10.6	6.
ENE	• 3	1.3	2.2	•1		<del>                                     </del>		t	<del> </del>	<del> </del>	<del></del> -	3.9	6.
NE	.4	1.8	2.2	• 3	<del>                                     </del>				<del> </del>	·		4.7	6.
NNE	• 3	.6	.8	•1		<del>                                     </del>	<del> </del>	<del>                                     </del>		<del> </del>		1.8	6.
N	. 4	2.1	2.1	.8						<del>                                     </del>	<u> </u>	5.3	7.
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAI WINI SPEEI

TOTAL NUMBER OF OBSERVATIONS

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	- 73-81		MAY					
STATION	STATION NAME	YEARS		DOGTE					
	ALL WEATHER								
		CLASS		houds (L.S.T.)					

	5.1	33.1	42.4	10.5	. 4		L		1	<u> </u>		100.0	6.7
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	8.5	
VARSL		Ļ,	ļ	<u> </u>	<u> </u>	Ļ,	Ļ	L	Ļ.,			<b>4</b>	
NNW	• 5	1.2	1.6	.7	.1	L	<u> </u>		<u> </u>			4.1	7.7
NW	. 4	2.2	. 8	. 4			<u> </u>	L	L	L		3.8	6.2
WNW	• 3	1.3	1.8	. 5							Ĺ	3.9	7.5
w	• 5	3.0	2.1	.9	.1				ļ	L		6.7	7.4
wsw	• 5	. 9	1.7	• 5	-1							3.8	8.2
sw	.7	2.5	2.9	. 9	L	<u> </u>	<u> </u>		<u> </u>			7.8	7.4
SSW	.4	2.4	2.5	. 9			L					6.2	7.2
\$	• 1	2.9	4.9	. 4								8.3	7.3
SSE		1.3	3.5	• 7								5.5	8.0
SE		3.0	5.4	2.0		(						10.4	8.1
ESE	. 8	2.6	3.8	.8								8.0	7.2
	. 4	4.9	3.8	• 3			1					9.3	6.4
ENE		2.0	2.8	•1								4.9	6.8
NE	.4	. 7	2.4	•5								3.9	7.4
NNE .	·	• 5	.8				1					1.3	6.6
N	•1	1.7	1.7	.9						Ţ		4.5	7.8
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED

CHOITAL NUMBER OF DESERVATIONS 762

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81		MAY
MOTATE	STATION HAME		YEARS	MONTH
		ALL WEATHER		0600-0800
		CLASS		HOURS (L.S.T.)
		CONDITION	<del></del>	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	. 4	1.6	1.7	1.1	•1_	Ĺ	Į					4.9	8.5
NNE		1.1	1.1								i	2.2	6.9
NE	• 2	1.5	2.7	.6								5.0	7.5
ENE	• 2	1.2	1.7	•2								3.4	6.7
ŧ	• 2	3.0	3.2	1.0	• 1						i	7.5	7.5
ESE		1.1	3.6	1.5	ļ			1			İ	6.2	8.7
SE	. 4	2.3	5.0	1.3			1			;		9.0	8.0
SSE	• 1	. 9	3.9	.7			<del> </del>		1	<u> </u>		5.6	8.4
5	•6	2.4	6.9	1.5				1		i		11.4	7.8
SSW	• 5	1.8	4.3	.9			1		1	<u> </u>		7.4	7.7
SW	• 5	1.7	2.7	1.0		1	1		T	1		5.8	8.1
wsw	•1	1.3	2.4	1.3		1		<del> </del>				5.2	8.5
w	• 5	2.3	3.5	1.6	• 2	1						8.1	8.4
WNW	•2	1.5	1.8	.9		<u> </u>	<b></b>					4.4	7.8
NW	• 2	1.5	2.2	1.2	_						<u> </u>	5.1	8.1
NNW	• 1	2.2	1.3	1.5	<del> </del>	1		<u> </u>		<u> </u>		5.1	8.1
VARBL	<del></del>		1		<del> </del>	† <del>-</del>	† — — —	<del>                                     </del>	<del> </del>	<del>                                     </del>		1	7,0
CALM	$\geq$	>>	$\geq$	> <	> <	$\geq$	$\geq$	><	$\geq$	>		3.6	
	4.4	27.3	48.0	16.2	.5							100.0	7.1

TOTAL NUMBER OF OBSERVATIONS 823

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

7 <u>25<b>25</b>0</u>	YOUNGSTOWN	MAP OH	73-	81		HAY
STATION		STATION HAME		YEARS		MONTH
			ALL WEATHER			0900-1100
			CLASS		<del></del>	HOUPS (L.S.T.)
	_					
	-		CONDITION			
	_					
	_				<del></del>	

SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WING SPEED
N	• 1	1.2	3.6	2.6	.4							7.9	9.7
NNE		• 5	2.2	. 9								3.6	9.2
NE		1.1	2.3	. 4		1						3.8	8.0
ENE		. 6	. 4	. 4								1.4	7.7
ŧ	• 2	1.4	3.5	.9	•1							6.0	8.1
ESE	[	. 4	1.7	1.4			<del></del>					3.5	9.8
SE	• 1	1.2	4.1	3.2			T			1		8.6	9.4
SSE		.7	3.0	.6			1					4.3	8.8
\$		2.1	4.8	2.3			1					9.2	8.7
55W		1.5	3.2	2.8								7.5	9.4
5W		. 4	3.6	3.5	•2							7.6	10.7
wsw	• 1	1.1	2.1	1.8	. 4	1						5.5	10.1
w		1.4	4.4	4.6	•2			i				10.6	10.3
WNW		1.0	2.2	2.5	•2		-					5.9	10.0
NW		1.2	4.3	3.5	. 4							9.4	10.4
NNW		. 9	2.2	1.5	•1							4.7	9.6
VARBL					<del></del>							1	1
CALM		$\geq$			>			> <	> <		> <	.4	
	.6	16.6	47.6	32.7	2.1							100.0	9.5

2 SHOITAVRIES OF SERVIN LATOT

2

#### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

721 <b>257</b>	YOUNGSTOWN MAP OH	73-81		HAY
STATION	STATION NAME		YEARS	MONTH
		ALL WEATHER		1200-1400
	<del></del>	CLASS		HOURS (L.S.T.)

SPEED (KNTS) DIR.	1 . 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56		MEAN WIND SPEED
N	.1	2.1	4.3	5.0	. 4					1		11.8	10.2
NNE	•1	• 5	1.0	.7								2.3	9.0
NE	•1	.7	1.1	.5						!		2.4	8.1
ENE	.1	• 2	.9	.6								1.8	8.6
E	/	1.2	2.9	• 5				<u> </u>	!			4.6	8.0
ESE		. 4	1.8	.6	•1					,		2.9	9.3
SE	•2	1.1	2.2	1.8				<u> </u>		<del></del>		5.4	9.2
SSE		• 7	2.1	1.3				<del></del>				4.1	9.5
\$		1.5	4.0	2.8	·			1		-		8.3	9.3
SSW		.9	1.9	2.3	•1			l				5.2	10.3
SW	•1	• 5	2.7	4.5	1.2							9.0	12.1
wsw	•2	1.7	2.6	5.4	.7	•1			<del> </del>	1		10.0	11.3
w	•1	1.2	4.4	4.5	.5	•1			!			10.8	11.0
WNW	•1	• 5	1.7	2.9	• 5			<b></b>	<del> </del>	ļ		5.7	11.0
NW		1.2	2.9	3.5	. 4			<del>                                     </del>	<del></del>	1		8.0	10.5
NNW		.9	1.5	4.5	. 4					!		7.2	11.3
VARBL				1						<del></del> -		+	1
CALM	><	$\supset <$	> <	> <	> <	> <	$\supset <$	$\supset \subset$	$\supset <$		> <	• 2	
	1.3	14.5	37.9	91.5	4.3	•2						100.0	10.3

TOTAL NUMBER OF OBSERVATIONS 821

2

GLOBAL CLIMATOLOGY BRANCH USAFETAC AT: mEATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

721 <b>25</b> 0	YOUNGSTOWN MAP OH	73-81		MAY
BOITATE	STATION HAME	<del></del>	YEARS	MONTH
		ALL WEATHER		1500-1700
	<del></del>	CLASS		HOURS (L S.T.)
		CONDITION	<u> </u>	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N		2.1	7.1	6.4	• 2					1		15.8	10.0
NNE	. 4	• 9	1.5	2.5	• 2					1		5.4	10.3
NE	1	• 9	• 5	.6								2.0	8.0
ENE			• 7	. 4								1.1	9.7
E		1.1	2.0	. 6								3.7	8.2
ESE		1.0	1.5	• 5								2.9	8.1
SE	i.	1.5	2.1	2.5	• 1							6.1	9.3
SSE		• 6	1.2	1.3								3.2	9.6
S	• 1	2.0	3.4	1.5	• 1							7.1	8.6
55W		. 4	1.3	2.2	• 2							4.2	11.5
sw		• 7	3.2	4.8	• 2							8.9	11.1
W\$W	• 2	• 7	2.8	2.9	. 4							7.1	10.4
w		1.1	3.8	3.8	. 4	• 1						9.2	11.0
WNW	• 1	• 1	2.3	2.5	, 5							5.5	11.0
NW		. 9	3.3	4.4	. 5	•1						9.2	11.2
NNW		. 9	2.9	3.7	. 5	•1						8.1	11.4
VARBL													
CALM	$\geq \leq$			$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq <$	><	• 5	
	, 9	14.7	39.7	40.4	3.4	. 4						100.0	10.2

8 1	L	6
	8	81

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

---

GLOBAL CLIMATOLOGY BRANCH USAFETAC Alia Weather Service/Mac

2

#### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250 YOUNGSTOWN MAP OH 73-81 MAY
STATION STATION HAPE ALL HEATHER 1800-2000
CLASS HOUSE (L.S.T.)

SPEED (KNTS) DIR,	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 54	. *	MEAN WIND SPEED
	•2	6.17	8.0	3.3		• 1				1		17.6	8.0
NNE	*	1.1	3.3	1.6								6.0	8.8
NE		1.5	2.6	.7								4.7	8.2
ENE	. 1	. 6	.7	1	,	,						1.5	6.8
E	•2	2.3	. 9	.7								4.1	6.9
ESE		1.8	1.6	.6						:	i	4.0	7.3
SE	• 2	2.1	1.6	1.7								5.6	8.3
SSE	• 5	1.1	1.1	.9							1	3.5	7.5
S	•6	3.8	3.2	.9								8 . 4	6.8
SSW		1.7	2.2	.7				,		,		4.6	7,9
SW	•2	1.3	1.9	1.2	. 4		,					5.1	9.2
wsw		1.7	1.2	.6	.1	T						3.6	7.9
W	• 5	1.8	2.7	2.2	.1							7.3	8.7
WNW	•1	1.6	2.8	1.2			1					5.7	8.5
NW	• 5	2.2	3.8	1.8	•2	1						8.5	8.5
NNW	•1	1.0	2.8	2.1	. 2							6.2	10.0
VARBL				1	1								
CALM	><	> <	><	$\supset <$		$\supset <$	$\supset <$		$\geq <$	><		3.4	
	3.4	31.5	40.3	20.2	1.1	.1						100.0	7.9

TOTAL NUMBER OF OBSERVATIONS

SLEBAL CLIMATOLOGY BRANCH USAFETAC Alm Weather Service/Mac

#### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

TATION TOWN MAP OH 73-81 MAY

STATION PARE TATION PARE

ALL WEATHER

CLASS

CLASS

MOURS (U.S.Y.)

	4.6	42.7	35.7	8.4	1.0							100.0	6.
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\times$	7.6	
VARBL													
NNW	• 1	1.9	1.3	.5								3.8	6.
NW	.4	2.5	1.7	. 8								5.4	7.
WNW	.3	1.8	1.5									3.6	6.
w	1.1	2.3	1.9	1.1	. 3							6.8	7.
wsw	• 3	1.3	4	. 4								2.3	6.
sw	.5	2.2	2.3	• 3								5.2	6.
SSW	• 1	2.2	2.2	1.1								5.6	7.
S		3.7	4.7	. 4					1			8.8	6.
SSE		1.4	1.4	.5								3.3	7.
SE	. 4	4.1	2.9	1.4								8.8	7.
ESE	• 1	1.5	3.2	1.0						<u> </u>		5.9	7.
E	• 3	4.3	2.5	. 3	• 3						i	7.6	6.
ENE		2.8	2.9	.1				·	<u> </u>	T		5.9	6.
NE	•1	2.5	3.1	. 3			1					6.0	7.
NNE	•1	. 9	1.5	1						<del></del>		2.5	7.
N	. 8	7.3	2.2	. 3	• 5							11.0	6,
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 · 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEA WIN SPEE

TOTAL NUMBER OF OBSERVATIONS

785

2

 $\alpha$ 

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

T23-25.3 YOUNGSTOWN MAP OH 73-81 MAY
STATION STATION MARE

ALL WEATHER
CLASS

CLASS

MAY

NORTH

ALL

NOVES (L.S.T.)

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56		MEAN WIND SPEED
N	• 3	3.0	3.9	2.6	•2	.0						9.9	8.7
NNE	• 1	. 8	1.5	• 7	• 0							3.2	8.6
NE	• 2	1.3	2.1	. 5								4.1	7.6
ENE	• 1	1.1	1.5	• 2								2.9	7.0
E	• 2	2.9	2.9	. 6	-1							6.6	7.1
ESE	• 1	1.3	2.6	. 9	•0							4.9	8.1
SE	•2	2.2	3.6	1.9	.0							8.0	8.4
SSE	•1	1.0	2.2	. 9								4.2	8.5
S	• 2	2.6	4.6	1.3	.0					<u> </u>		8.8	7.8
ssw	• 2	1.5	2.5	1.5	• 0							5.7	8.5
sw	• 3	1.6	2.8	2.1	• 3							7.1	9.3
wsw	• 2	1.2	1.8	1.7	. 2	• 0						5.1	9.4
w	• 5	1.9	3.2	2.6	•2	•0						8.4	9.3
WNW	•2	1.2	1.9	1.4	.2							4.9	8.9
NW	•2	1.9	2.7	2.0	• 2	•0		L	Ĺ <u></u>			7.0	9.1
NNW	•1	1.2	1.8	1.8	• 2	.0						5.2	9.6
VARBL								L	L	Ĺ		1	
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	><	$\geq \leq$	4.0	
	3.2	26.9	41.6	22.6	1.7	-1						100.0	8.2

TOTAL NUMBER OF OBSERVATIONS 6811

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

, \ /

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250 STATION	YOUNGSTOWN MAP OH	73-81	JUN
		ALL WEATHER	0000-0200 HOVER (L.S.T.)
		CONDITION	

SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 23	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	<del> </del>	3.0	1.1	.4								4.5	6.7
NNE	il	. 7	1.4	• 1								2.3	7.4
NE		1.7	1.0									2.7	6.1
ENE	. 3	.7	.9	T		1						1.8	5.8
E	• 1	3.7	3.3	.3								7.4	6.6
ESE	•1	4.1	2.1									6.4	6.1
SE	.1	3.7	3.7	.3								7.8	6.9
SSE	•1	2.7	1.6									4.4	6.2
S	.9	5.5	9.2	• 3								15.9	6.8
SSW	. 7	2.4	4.8	.3								8.2	7.2
SW	.9	3.4	5.0	1.4	•1	T						10.8	7.5
wsw	.7	1.8	1.6	.9		1						5.0	7.0
w	. 4	3.1	1.6	1.0								6.1	7.3
WNW	.6	1.8	.7	. 4					T			3.5	6.4
NW		1.6	.7	•1	1	1						2.4	6,8
NNW	.6	. 4	.6	•7			1		1			2.3	8.0
VARBL						<b></b>				i			
CALM	$\supset <$	$\supset <$		$\supset <$		$\supset <$		$\supset <$	$\supset <$	$\supset <$	><	8.5	
	5.5	40.4	39.1	6.2	.1							200.0	6.3

TOTAL NUMBER OF ORSERVATIONS 705

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

, i.,

.....

----

2

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725259	YOUNGSTOWN MAP OH	73-81	JUN
STATION	, STATION NAME	YEARS	нонти
		0300-0500	
		CIVIS	HOURS (L.S.T.)

SPEED (KNTS) DIR.	1 . 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WIND SPEED
N	•1	1.7	1.8	. 4	• 1							4.3	7.4
NNE	• 3	• 6	1.3									2.1	7.0
NE		1.3	1.4	• 3	1							3.0	7.2
ENE	• 1	1.1	• 1	1	1							1.4	5.6
E	• 6	3.1	2.6									6.2	6.1
ESE	• 1	2.7	2.1									5.0	6.2
SE	• 1	3.3	5.0	•1								8.5	7.0
SSE	.6	2.4	1.8	• 3								5.1	6.4
S	• 6	5.5	8.7	.6								15.3	7.0
ssw	• 3	3.7	3.0	.6								7.5	6.7
sw	.7	4.8	5.1	2.0								12.6	7.3
wsw	. 4	3.4	2.7	.3								6.8	6.6
w	• 7	2.1	1.3	1.0	• 1							5.3	7.4
WNW	• 1	1.6	• 3	. 4								2.4	6.9
NW	•1	• 9	1.3	. 4								2.7	7.4
NNW		1.0	1.0				I					2.0	6.6
VARBL													
CALM	><	$\supset <$	$\supset <$	><	$\supset <$	><	$\supset <$	$\supset <$	$\supset <$	$\supset <$	><	9.7	
	5.0	39.2	39.5	6.4	• 3							100.0	6.2

TOTAL NUMBER OF OBSERVATIONS 704

2

GLOBAL CLIMATOLOGY BRANCH USAFETAC AI® WEATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72525C	YOUNGSTOWN MAP OH	73-81 YEARS	JUN
312.00	STATION MARK	ALL WEATHER	G630~0800
		COMBITION	_

SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.4	1.4	1.7	•5								4.0	7.1
NNE		.4	1.6	.4					Ī			2.4	8.3
NE		.7	1.2	. 4								2.4	7.0
ENE		1.1	1.0	1								2.1	6.
E	•1	2.2	2.7									5.1	6.6
ESE	•1	2.9	2.0	•1								5.1	6.2
SE		2.2	4.4	• 5								7.1	7.0
SSE	• 2	2.2	3.0	.1								5.6	6.
3	. 7	3.6	8.0	1.0					I			13.3	7.
SSW	• 1	4.0	4.1	.5								8.7	6.1
SW	.7	2.6	5.6	2.4	• 2				1			11.6	8.
wsw	•6	3.0	3.2	2.0								8.8	7,
w	• 5	2.9	2.6	1.4	•2							7.6	7.0
WNW	•2	1.1	1.9	• 5								3.7	7.
NW	. 4	1.2	1.7	.6							•	4.D	7.
NNW	•1	. 9	1.7	.5								3.2	8.
VARBL					<u> </u>							1	
CALM	$\geq <$	><	>>	$\supset <$		> <	$\supset <$	$\supset <$	$\supset <$	><	> <	5.2	
	4.4	32.5	46.6	10.8	. 5							100.0	7.1

TOTAL NUMBER OF OBSERVATIONS 803

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72+25n	YOUNGSTONN MAP OH	73-81	YEARS	JUN_
STAT-ON	STATION MANE	11.10	0900-1100	
		COMPLTION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WING SPEEL
N	.4	,9	3.3	. 8	•1	]						5.5	8.
NNE		. 4	1.4	. 9								2.7	9.0
NE		. 9	. 8	. 4								2.0	7.0
ENE	• 1	• 3	. 3	• 3								. 9	7.
E		1.0	2.0	. 4								3.4	7.
ESE	• 1	• 9	1.3	. 4					L			2.7	7.
SE	. 3	1.1	2.3	. 5								4.2	7.
SSE		• 5	2.0	1.0								3.6	9.
5	• 3	2.7	8.1	2.5						l		13.6	8.
SSW		1.3	3.4	2.0								6.7	9.
SW	. 1	2.0	5.5	3.8	• 1		L					11.6	9.
WSW		• 5	6.1	4.5								11.1	10.
w	.6	1.9	6.2	4.6			Ĺ			l		13.4	9.
WNW		1.4	2.9	1.5	• 1					L		6.0	8.
NW	- 1	1.8	3.2	2.0	. 4		L					7.5	9.
WMM		• 6	2.0	1.3	• 1			L		<u></u>		4.1	9.
VARBL												<u> </u>	<u> </u>
CALM		$\geq <$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	1.1	
	2.0	18.2	50.9	26.8	.9							100.0	8.

TOTAL	HUMBER	Oř	<b>OBSERVATIONS</b>	786

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

12323.	10040	31084	MAP UN				1.5-1	D T					J	UR
BOITATE			STATIO	MAME						YEARS				MONTH
						ALL WE	ATHER						1200	-1400
							LASS				<del></del>			86 (L.S.T.)
			·			co	MOITION				<del></del>			
		<del> </del>		1	·	<del></del>	1	1	,	1			п	· · · · · · · · · · · · · · · · · · ·
	SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
	N		2.0	3.9	2.1								8.0	8.8
	NNE		• 5	1.3	1.4	• 3				I			3.4	10.7
	NE		. 3	• 6	- 6								1.5	9.1
	ENE	• 1	• 1	. 5	• 1		1						.9	7.7
	E		1.0	1.0	. 4								2.4	7.8
	ESE		• 3	1.0	• 3								1.5	8.3
	SE	<u> </u>	- 4	1.4	1.3	1				T			3.0	9.5

									TOTAL NU	MBER OF OI	SERVATIONS		ADD
	.6	16.4	42.6	36,9	2,8	1	<u> </u>		<u> </u>	<u> </u>	<u> </u>	100.0	9.8
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq$	$\geq \leq$	$\geq \leq$	$\geq$	$\geq$	$\geq$	$\geq \leq$	$\searrow$	.6	
VARBL	Ļ	<u></u>		<u> </u>		<u></u>	<u> </u>				<u></u> ,	<b> </b>	
NNW		1.0	1.1	4.0	. 3		<u> </u>					6.4	11.2
NW	• 1	1.0	4.3	3.5	• 1		I	<u> </u>				9.0	9.9
WNW		. 9	3.1	2.3		•1						6.8	10.8
w	• 1	2.5	4.8	5.5	. 8							13.6	10.3
WSW	1	1.1	3.1	4.4	, 3							9.0	10.3
5W		1.5	5.9	4.8	. 4							12.5	10.2
SSW	.1	.8	3.6	2.3	• 3							7.0	9.7
S	<del> </del>	2.6	5.6	3.0	,							11.3	8.8
SSE	ļ ——	• 5	1.5	1.1	•1							3.3	9.4
SE	1	. 4	1.4	1.3								3.0	9.5
ESE	1	• 3	1.0	• 3								1.5	8.3
E		1.0	1.0	. 4								2.4	7.8

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72:25" YOUNGSTONN MAP OH 73-81 JUN NORTH
STATION STATION HAME ALL WEATHER 1500-1700 HOURS (L.S.T.)

COMDITION

	1.9	14.4	46.7	34.8	1.7			<u></u>		Jj		100.0	9.0
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq <$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\times$	><	$\geq \leq$	•5	
VARBL						<u></u>							
NNW		. 8	2.2	4.2	.1							7.3	11.
NW	•1	. 8	5.4	4.7	. 3							11.2	10.
WNW	• 1	.6	2.6	1.8	.1							5.2	9.
w	• 1	1.0	4.5	3.7	. 3							9.6	10.
wsw		1.7	3.2	3.6	.1							8.5	10.
sw	. 4	1.3	6.4	4.2	. 4							12.6	9.
ssw	• 1	1.4	3.3	3.4	. 3							8.5	10.
5	• 1	1.9	4.6	1.3								7.9	8.
SSE	• 1	• 3	1.5	1.1								3.1	9.
SE	• 1	1.4	1.7	• 5	• 1							3.8	7.
ESE		. 4	.6	• 3								1.3	7.
E		. 4	1.8	• 6		<u> </u>				ļ		2.8	8.
ENE		• 3	.8	• 3					Ī			1.3	8.
NE	-1	• 5	1.0	. 4								2.0	7.
NNE	i	• 3	1.8	.6	$\Box$							2.7	9.
N	• 5	1.5	5.5	4.1								11.6	9.
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEA WIN SPEE

TOTAL NUMBER OF OBSERVATIONS 784

2

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725 <b>25</b> 0	YOUNGSTOWN MAP OH	73-81	JUN
STATION	STATION NAME	YEARS	MONTH
		ALL WEATHER	1800-2000
		CLASS	HOURS (L.B.T.)

	3.8	35.9	41.2	14.5	.6	ļ	l	Į	į			200.0	7.3
CALM		$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	3.9	
VARBL													
NNW		1.3	3.7	2.1	.1							7.2	9.5
NW	. 4	3.8	3.5	2.1	.1							10.0	8.3
WNW	• 3	1.6	1.0	.6								3.5	7.5
w	• 3	1.9	2.1	1.3								5.5	7.8
wsw	.8	1.9	2.6	. 8	. 3							6.3	7.6
sw	• 6	2.9	4.8	1.5								9.8	7.7
SSW	• 1	4.3	3.7	. 9								9.0	7.1
S	• 5	5.2	4.3	1.9								11.9	7.1
SSE	• 1	1.0	1.4	• 1								2.6	6.9
SE		1.5	1.8	.8								4.0	8.3
ESE	• 3	1.4	1.3	.1								3.0	6.7
ŧ	.4	2.1	1.0	•1		1						3.7	5.9
ENE	• 1	. 8	• 3	.1			1					1.3	5.9
NE		1.9	1.3					1		· · · · · · · · · · · · · · · · · · ·		3.2	6.5
NNE	!	1.3	3.0	.5					1			4.8	7.9
N	i.	3.2	5.5	1.5	.1		1					10.3	8.0
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED

TOTAL NUMBER OF OBSERVATIONS 793

2

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81 YEARS	JUN
	ALL	WEATHER	2100-2300 Hours (L.E.Y.)

SPEED (KNTS) DIR.	1 - 3	4.6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	• 3	1.8	3.0	• 3								5.9	6.6
NNE	• 1	1.2	1.2	. 3					I		1	2.9	7.0
NE	• 1	2.5	1.8									4.4	6.1
ENE	• 3	2.6	1.6									4.5	5 . 8
ŧ	• 3	4.9	1.1									6.3	5.6
ESE	• 5	2.6	1.5	• 3							!	4.9	6.3
SE	• 1	2.2	1.0	.7								4.0	7.1
SSE	. 4	2.3	1.9	• 1								4.8	6.4
5	1.1	8.9	8.7	.7								18.7	6.6
55W	1.0	3.5	3.0	• 5								8.3	6.9
SW	1.0	2.9	2.6	1.0								7.4	6.8
WSW	. 4	1.8	• 5	.7								3.4	7.2
W	• 5	2.3	2.0	. 8								5.7	7.0
WHW	. 4	1.6	.7	• 3								3.0	6.3
NW	. 4	1.2	1.6	.3		•1						3.7	7.6
NNW	• 3	1.0	• 3	. 4								1.9	6.5
VARBL				[									
CALM	><	><	><			$\supset <$	$\supset <$	> <	><	><	$\geq$	10.6	
	7,8	43.2	31.9	6.3		.1						100.0	5.9

TOTAL NUMBER OF OBSERVATIONS 733

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72:250	YOUNGSTOWN MAP OH	73-81	JUN
STATION	STATION NAME	YEARS	HONTH
	ALL WE	ATHER	ALL
	<del></del>	CLASS	HOURS (L.S.Y.)

	3.8	29.6	42.5	18.3	. 9	•0						100.0	7.1
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	4.9	
VARBL						L			Ļ	L		<b></b>	
NNW	•1	• 9	1.6	1.7	.1		Ī	L				4.4	9.
NW	• 2	1.5	2.8	1.8	•1	•0	L			<u> </u>		6.4	9.0
WNW	• 2	1.3	1.7	1.0	• 1	.0	<u> </u>	L	<u> </u>			4.3	8.5
w	. 4	2.2	3.2	2.5	• 2							8.4	8.1
wsw	. 4	1.9	2.9	2.2	• 1							7.4	8.
sw	• 5	2.6	5.1	2.7	• 2							11.1	8.
SSW_	• 3	2.7	3.6	1.3	• 1							8.0	7.
5	• 5	4.4	7.0	1.4								13.4	7.
SSE	• 2	1.5	1.9	•5	• 0							1 4.G	7.4
SE	• 1	1.9	2.6	.6	• 0							5.2	7.6
ESE	•2	1.9	1.5	• 2								3.7	6.0
E	•2	2.3	1.9	•2								4.6	6.
ENE	• 1	. 9	• 7	• 1								1.8	6.4
NE	•0	1.2	1.1	• 3					T			2.6	7.1
NNE	• 5	. 7	1.6	• 5	•0							2.9	8
N	• 3	1.9	3.3	1.3	.0		<del> </del>	<u> </u>				6.8	8.
SPEED (KNTS) DiR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAP WINT SPEET

TOTAL NUMBER OF OBSERVATIONS 6108

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	• 3	2.1	1.2	. 4								4.0	6.2
NNE	•1	• 5										. 7	5.0
NE	• 5	1.4	2.1									4.0	6.1
ENE	• 1	4.3	. 4					!				4.8	5.3
ŧ	. 8	5.9	1.9	. 1								8.8	5.5
ESE	1.0	4.0	• 8	• 3						i .		6.0	5.4
SE	• 1	3.4	1.5	L						[		5.1	5.6
SSE	ŀ	2.2	1.4									3.6	6.2
5	. 5	8.4	5.5	. 4						!		14.8	6.2
ssw_	1.2	3.6	2.9	. 5								8.2	6.4
sw	. 8	3.7	4.0	2.5	:							10.0	7.2
wsw	. 4	3.0	1.6	• 5								5.6	6.8
W	.7	1.8	. 8	• 3	i	i						3.6	5.6
WHW		1.2										1.2	5.1
NW		2.1	1.4			Ī						3.4	6.2
NNW		1.5	1.0	• 3	i							2.7	6.6
VARBL													
CALM		$\geq \leq$	$\geq \leq$	$\geq$	$\geq$			> <	$\times$	><	$\geq \leq$	13.4	
	6.7	49.0	26.5	4.4								100.0	5.3

TOTAL NUMBER OF OBSERVATIONS 729

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

2

----

AD-A116 509 AIR FORCE ENVIRONMENTAL TECHNICAL APPLICATIONS CENTERFTC F/G 4/2 YOUNGSTOWN MAP, ONIO. REVISED UNIFORM SUMMARY OF SURFACE WEATHEETC. MAY 82											
UNCLASSIFIED	USAFETAC/DS-82/034	\$81-AD-E850 193	NL								
25/5 4/3/509											

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81		JUL
STATION	STATION NAME		YEARS	WORTH
	A	LL WEATHER		0300-0500
		CLASS		100 as (C \$ 1.)
		CONDITION		

SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	₩ ₩ ₩	MEAN WIND SPEED
N	.4	1.2	1.2	•1								3.0	6.4
NNE	·	• 3	. 4									• 7	6.6
NE		1.5	. 8	. 4								2.7	7.2
ENE		1.9	1.1						Ī			3.0	6.0
E	•1	4.4	1.9	. 3		<del> </del>	1					6.7	6.1
ESE	.4	3.3	1.1	•1		1						4.9	5.6
SE	•5	4.2	1.2	1								6.0	5.6
SSE	.4	1.5	1.6	• 3		1						3.8	6.2
S	1.4	7.9	4.9	1		]						14.2	6.0
SSW	.4	4.1	3.8	.1		1						8.5	6,4
SW	1.8	4.7	4.5	1.2		1						12.2	6.7
WSW	.4	2.7	1.1	•5		<del> </del>		1	1			4.8	6.3
W	• 5	3.3	. 8									4.7	5.4
WNW	.4	1.4	.8		1							2.6	5.6
NW	•1	2.2	1	1			Ţ					2.3	4.8
NNW	.4	1.4	.7	1	1			1	1			2.5	5.8
VARBL			1		1			1	1		ļ		
CALM				$\geq$	$\sim$	>>	$\times$	$\times$	$\geq$	><	$\geq$	17.4	
	7.4	46.0	26.1	3.1								100.0	5.0

TOTAL NUMBER OF OBSERVATIONS

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72-253 YOUNGSTOWN MAP OH 73-81 JUL
STATION NAME FATION NAME ROOTH

ALL WEATHER D600-0800

CLASS MOVES (L.S.T.)

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEA! WIN! SPEE!
N	• 2	1.8	1.7	. 4		<u> </u>						4.1	6.
NNE	• 2	7	. 9	• 2								2.1	6.
NE		1.5	1.7	.6								3.8	7.
ENE	. 4	1.2	. 9	•1								2.6	6.
ŧ	.9	4.5	2.2	•1								7.7	5.
ESE	• 2	2.9	2.2	• 2								5.6	6.
SE	.7	3.2	2.1	•1								6.1	5.
SSE	• 6	1.1	1.0	•1								2.8	5.
s	. 4	5.7	5.4	.6								12.1	6.
ssw	.4	2.8	3.9	1	-							7.1	6.
SW	.9	6.3	5.1	1.1					·			13.4	6.
wsw	. 4	3.2	2.3	1.0	.1							7.0	7.
w	.6	3.5	3.0	.6								7.8	6.
WNW	•2	1.6	.5	. 4		<b>†</b>						2.7	6.
NW	.4	1.5	1.3	• 2								3.4	6.
NNW	•1	1.1	.4	.7								2.3	7.
VARSL				<u> </u>								1	
CALM		$\supset \subset$		><	$\geq$	> <	$\times$	$\times$	$\supset <$	$\supset <$	> <	9.5	
	6.6	42.7	34.5	6.6	.1							100.0	

TOTAL NUMBER OF OBSERVATIONS 820

2

## SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81		JUL
STATION	STATION NAME		YEARS	80418
		ALL WEATHER		0900-1100
		CLAM		HOURS (L.S.T.)
	<del></del>	COMOUNION		

SPEED (KNTS) DIR.	1 - 3	4.6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N		2.2	3.5	2.7							<del></del>	8.4	8.8
NNE		• 7	1.5	.5								2.7	8.2
NE	• 1	1.3	1.3	. 4	]							3.2	7.2
ENE	•1	. 9	1.0		,							2.0	6.1
E	• 2	2.4	1.5	-4								4.5	6.7
ESE	• 2	. 9	• 6	1.0	• 1						İ	2.8	8.7
SE	• 5	1.6	3.3	•2								5.6	7.2
SSE	• 2	• 5	1.2	. 4								2.3	7.8
\$	. 9	2.8	4.3	1.3					L			9.3	7.3
ssw	.6	1.6	2.7	1.7						L	l	6.6	8.1
sw	•1	3.4	7.3	3.4								14.3	8.6
WSW	. 4	2.3	3.9	2.8		{						9.4	8.9
w		2.8	4.0	3.7		{				L'		10.5	9.1
WNW	• 6	1.2	2.2	. 7								4.8	7.5
NW	. 4	2.3	3.4	1.6								7.7	8.2
NNW	. 4	• 6	2.0	1.5								4,4	9.4
VARBL			1										
CALM	$\boxtimes$		$\geq \leq$		$\geq \leq$	><	$\boxtimes$	$\geq \leq$	$\geq \leq$	$\geq \leq$		1.6	
	4.8	27.6	43.7	22.2	.1							100.0	8.1

TOTAL NUMBER OF OBSERVATIONS

2

## SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

724250	YOUNGSTOWN MAP OH	73-81	JUL
STATION	STATION NAME	YEARS	MONTH
		ALL WEATHER	1200-1400
		CLASS	HOURS (C.S.T.)
			<u></u>

	2.6	23.5	40.6	31.9	.9							100.0	
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	.6	
VARBL													<u> </u>
NNW		• 5	1.9	3.9	•1							6.5	11.
NW	.4	2.3	3.8	2.4								8.9	8.
WNW	• 1	1.5	1.8	2.2	• 2							5.8	9,
w	• 1	2.9	4.8	4.0								11.8	8.
wsw	• 1	1.5	3.2	4.3								9.0	10.
sw	• 2	2.4	4.5	5.7	.1							13.0	9.
SSW	- 1	1.8	1.9	1.6	. 1							5.6	8.
S	• 5	2.3	4.8	1.8								9.4	7.
35E		• 9	1.1	• 2								2.2	7.
SE	•1	1.1	2.9	• 1					i ———			4.3	7.
ESE		.7	2.1	.6								3.4	8.
E ;	•1	1.2	1.2	• 6						·		3.2	7.
ENE	• 1	1.0	.5	. 4			,					1.9	7.
NE	!	. 7	1.6	•5		<b></b>						2.8	8.
NNE	• 2	.9	1.0	.7	1							2.8	8.
N	.4	1.8	3.5	2.8	•2							8.8	9.
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	WIN SPE

TOTAL NUMBER OF OBSERVATIONS 821

2

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81	JUL
		ALL WEATHER	1500-1700 MOURE (E.S.Y.)
		COMPLICION	

	2.9	20.5	46.0	20.0	1.2						<del></del>	100.0	9.5
CALM	$\supset <$	$\supset <$	$\supset \subset$	> <	> <	><	> <		$\supset <$	$\supset \subset$	><	1	
VARBL													
NNW		.4	2.9	3.6	• 2	[						7.1	11.
NW		1.5	4.9	3.8								10.2	9.
WHW	• 1	1.0	2.8	1.6								5.8	9.1
w	.2	2.1	5.0	2.3	.1					ļ ————		9.8	8.
W5W	.1	1.7	3.3	3.7	.7							9.6	10.4
SW	• 1	1.6	7.4	4.3				T		1		13.4	9.
55W	.5	1.1	3.3	1.1						Ţ		6.0	8.
\$	.5	1.8	2.7	• 7				1		<u> </u>		5.8	7.
SSE		1.1	1.3			<b></b>			<del> </del>	<b> </b>		2.5	7.0
SE	.4	1.6	1.7	.5					1	·	i	4.2	7.0
ESE	•1	• 2	1.2	.4					<del>                                     </del>	<del></del>		2.0	8.
E	. 4	1.5	1.3	. 4	•1		<del> </del>	<del> </del>		·	<del> </del>	3.7	6.9
ENE		. 9	.9	•1				<del> </del>	<del></del>	<del> </del>	<del></del> -	1.8	7.
NE	•1	1.3	1.3	•2		<del></del>	<del> </del>	<del> </del>		<del></del>	<del> </del>	3.1	7.
NNE	•1	• 6	1.1	•1	<del></del>		<del> </del>	<del>                                     </del>	<del> </del>	<del> </del>	<del> </del>	2.0	7.
N	•2	2.1	4.7	6.0						<del> </del>	<del>                                     </del>	13.0	10.1
SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAI WINI SPEEI

TOTAL NUMBER OF OBSERVATIONS

2

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81	JUL
STATION	STATION HAME	YEARS	нунов
		ALL WEATHER	1800-2000
		CLASS	HOURS (L.S.T.)
		CONDITION	

	4.8	43.4	36.2	11.6		1						100.0	64
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	3.9	
VARBL			L		L	L	L	ļ	L				<b> </b>
NNW	• 2	1.4	4.3	1.7		I						7.7	8.9
NW	• 5	3.4	3.7	.7			L			L	L	8.3	7.:
WNW	• 6	2.3	1.0	. 4				<u> </u>		Ĺ		4.2	6.4
w	•1	2.8	2.3	.7		.1						6.0	7.
wsw	•6	2.3	2.7	1.6								7.1	7.
SW	.7	4.1	3.1	1.1								9.1	6.
SSW	.4	4.1	3.3	.6	I							8.3	6.
5	• 5	4.5	2.9	. 8								8.7	6.
SSE		1.6	•5									2.1	5.4
SE	•2	2.4	1.3	• 5				}				4.5	6.
ESE	• 2	1.7	.5									2.4	5.
E	• 2	3.4	.6	. 4								4.6	6.1
ENE	• 2	• 5	.4									1.1	5.0
NE	• 1	1.7	1.6					I				3.4	6.
NNE	• 1	2.5	2.2	•5						1		5 • 3	6.
N		4.7	5.9	2.7								13.3	8.
SPEED (KNTS) DIR.	1.3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED

TOTAL NUMBER OF OBSERVATIONS

2

## SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81		JUL
STATION	STATION NAME	YE.	ARS	BONTH
		ALL WEATHER		2100-2300
		CLA96		HOURS (L.B.T.)
		MOLTIGACO		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	. 8	5.1	.8	•1	.1							7.0	5.4
NNE	?	2.0	. 8	. 5	.1	1						4.1	6.6
NE	• 3	2.9	2.1	• 3		T						5.5	6.4
ENE	. 9	2.9	1.2									5.0	5.4
ŧ	. 3	7.0	. 9	• 3								8.4	5.5
ESE	.9	2.2	.7									3.8	5.0
SE	.7	2.4	1.3									4.3	5.6
SSE	•1	.9	. 8	•1		T						2.0	6.4
S	•5	11.2	4.3	.4								16.5	6.1
SSW	. 4	3.7	3.8	1								7.9	6.3
sw	• 3	1.4	2.9	.5		<u> </u>	<u> </u>					5.1	7.7
wsw	.4	2.4	1.2	.5		-				1		4.5	6.7
w	.4	1.4	1.8	• 3		1			1			4.0	6,9
WNW	•1	1.1	<u> </u>	† ———			†					1.2	4.9
NW	.8	2.4	1.2	.3				1	<u> </u>			4.6	5.7
WWW	• 3	2.8	1.2	. 4								4.6	6.1
VARBL	1	1			i		Ī					1	
CALM	$\supset <$	$\supset <$	$\supset <$	$\supset <$	$\geq$	$\supset <$	$\supset <$	> <		$\supset \subset$		11.5	
	7.8	51.8	25.0	3.7	.3							100.0	5.4

TOTAL NUMBER OF OBSERVATIONS 759

2

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81	JUL
STATION	STATION HAME	YEARS	MONTH
	ALL	WEATHER	ALL
		CLASS	HOURS (L.S.T.)

	5.4	37.7	35.2	14.5	3_	0		l				100.0	6.9
CALM	$\geq \leq$	$\geq \leq$	> <	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	7.0	
VARBL		<u></u>	Ļ.,	<u> </u>	Ļ.,			Ļ				<b></b>	
иим	.2	1.2	1.8	1.5	.0							4.8	9.0
NW	• 3	2.2	2.5	1.2	L							6.2	7.1
WNW	• 3	1.4	1.2	,7	.0							3.6	7.0
w	• 3	2.6	2.9	1.5	.0	.0			L			7.4	7.1
wsw	• 3	2.4	2.5	1.9	. 1							7.2	8.
sw	• 6	3.5	4.9	2.4	.0							11.4	8.
SSW	_ • 5	2.8	3.2	• 7	.0							7.2	7.
5	•6	5.5	4.3	. 8								11.2	6.6
SSE	• 2	1.2	1.1	• 1								2.6	6.
SE	. 4	2.5	1.9	•2								5.0	6.3
ESE	. 4	1.9	1.2	• 3	.0							3.8	6.4
E	. 4	3.7	1.4	• 3	• 0							5.9	6.1
ENE	• 2	1.6	. 8	.1					1			2.7	5.9
NE	•1	1.5	1.6	• 3								3.5	7.0
NNE	• 2	1.0	1.0	• 3	•0			1				2.6	7.2
N	• 3	2.6	2.9	2.0	.0		<b>——</b>		<del></del>			7.8	8.2
SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 · 55	≥ 56		MEAN WIND SPEED

TOTAL NUMBER OF OBSERVATIONS 6323

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	IN MAP OH	73-81		AUG
STATION	STATION NAME		YEARS	MONTH
		ALL WEATHER		0000-0200
		CLASS		HOURS (L.S.T.)
		CONDITION		

	7.8	95.3	32.1	3.1	.1							100.0	5.
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\boxtimes$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\boxtimes$	$\times$	$\geq \leq$	11.6	
VARBL													
MMM	• 5	• 8	. 1				l	L			L	1.5	4.
NW	.7	1.1	, 4								<u></u>	2.2	5.
WNW		1.0	1.2					L				2.2	6.
w	. 3	1.9	2.0									4.2	6.
wsw	1.0	1.6	2.5	.7								5.7	7.
sw	1.4	4.1	6.3	1.5				L	L			13.2	6.
SSW	1.1	4.2	4.4	• 3				l				10.0	6.
S	. 4	6.7	3.8									10.9	6.
SSE	.1	1.8	` .8									2.7	6.
SE	. 7	1.8	1.9								Ĺ	4.4	5.
ESE		4.2	1.1	. 4							İ	5.7	6.
E	• 8	9.3	2.7		.1							13.0	5.
ENE		2.7	1.2									4.0	5.
NE	• 3	1.5	2.0									3.8	6.
NNE	•1	• 7	. 4			l		I				1.2	5.
N	. 4	1.9	1.1	• 3								3.7	6.
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEA WIN SPEE

TOTAL NUMBER OF OBSERVATIONS

2

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72:253 YOUNGSTOWN MAP OH 73-81

-	8.4	95.1	30.4	2.2	.1	.3						100.0	5.3
CALM	> <	> <	> <	$\supset <$	> <			><		$\supset <$		13.5	
VARBL			1										
NNW	. 4	1.4	.7	.1								2.6	5.8
NW	•5	1.4	. 3									2.2	4.
WNW	• 3	1.8	. 4	,1								2.6	5.7
w	.7	2.7	2,2	. 4			L					6.0	6.5
wsw	1.1	1.6	2.3	. 5		•1	L				L	5.7	7.0
\$W	1.1	4.8	4.6	. 5		.1					<u> </u>	11.1	6.7
SSW	1.0	3.1	2.7									6.8	5.9
5	1.1	6.1	5.0	. 1	• 1	L						12.5	6.
SSE		2.6	• 7				L					3.3	6.0
SE	• 4	3.1	2.4	L			L					6.0	6.0
ESE	. 8	3.3	1.4	• 1							1	5.6	5.7
E	• 5	6.8	3.1									10.5	5.6
ENE	• 1	2.0	1.0									3.1	5 . 8
NE I	• 1	1.8	1.9									3.8	6.5
NNE		• 8	1.0									1.8	6.7
N	• 3	1.9	• B	•1								3.1	6.0
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	4 1 <b>%</b> 4	MEAN WIND SPEED

TOTAL NUMBER OF OBSERVATIONS

GLOBAL CLIMATOLOGY BRANCH USAFETAC 2 AIM WEATHER SERVICE/MAC

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

YOUNGSTOWN MAP OH 73-81 ALL WEATHER 3600-0800

	6.5	42.3	39.5	3.9	)	)	ļ	]	}			100.0	6.5
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	7.9	
VARBL		L			<u> </u>	L		<u></u>				<u> </u>	
NNW	.2	. 8	. 4	•1				L				1.6	6.0
NW	.6	1.1	.6	.2	L	<u> </u>		ļ				2.5	6.
WNW		1.0	. 8			<u> </u>	L					1.8	6.
w	1.0	3.1	2,1	. 5		L						6.6	6.
wsw	• 5	2.4	2.8	.6				L				6.3	7.1
sw	. 8	5.0	7.7	1.2	1							14,7	7,
ssw	• 5	3.3	2.2	•1							·	6.0	6.
5	.6	5.4	6.6									12.7	6.
SSE	. 4	3.0	2.2	.1								5.7	6.
SE	.8	3.3	2.8	•2								7.1	6.1
ESE	• 2	3.3	3.1									6.6	6.
E	• 5	5.3	3.0		1	<del> </del>						8.8	5.1
ENE	. 1	1.3	1.0									2.4	6.2
NE :	.1	1.3	1.7	.2	,							3.4	7.
NNE		1.2	1.0	•1								2.3	6.1
N	• 1	1.4	1.6	.4		1	<del></del>					3.5	7.0
SPEED : (KNTS) : DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ \$6	*	MEAI WINI SPEEI

TOTAL NUMBER OF OBSERVATIONS

GLEBAL CLIMATOLOGY BRANCH DSAFETAC ATH WEATHER SERVICE/MAC

2

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

HO PAM MHOTESHUCY ALL WEATHER CONDITION

	3.7	32.4	48.5	14.3	•1							100.0	7.6
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	><	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	1.0	
VARBL									L	i		<b></b>	
NNW	• 1	• 5	1.4	. 5						·		2.5	8.5
NW	• 2	2 . 3	2.2	. 4				L				5.2	6.6
WNW	• 2	1.2	2.1	• 2								3.8	7.1
w	. 4	2.5	5.7	1.5		1			<del>*</del>	· · · · · · · · · · · · · · · · · · ·		10.0	8.
wsw	• 1	2.0	5.6	2.6		1				·		10.3	8.
sw	• 5	2.2	7.9	3.6	•1				1			14.3	8.8
ssw	•1	2.2	3.7	.6				<del></del>	1	· · · · · · · · · · · · · · · · · · ·		6.7	7.4
\$	.7	4.0	5.8	• 2			!	<del> </del>	1			10.8	6,9
SSE		2.6	2.2	•1		<del> </del>		<del>†</del>	<del>                                     </del>	•		1 4.9	6.6
SE		3.1	2.8	.6				<del> </del> -	<del>                                     </del>	•		6.6	7,:
ESE	• ?	1.6	1.2	<del> </del>	<del> </del> -	<del> </del>	!		+	+		3.1	6.
E	•1	1.6	2.3	. 4		<del> </del>	<del></del>	<del> </del>	<del></del>			4.4	7,
ENE		1.2	.6	• 1	<u></u>	<del></del>	<del></del>	1	<del> </del>	·		2.0	6.6
NE	. 4	1.7	2.1	.6	<del></del>	<del> </del>	<del></del>	<del></del>	<del></del>	•		4.8	7.
NNE		1.4	1.4	1.0	<del> </del>	<del> </del>		<del></del>	•			3.7	8.3
	• 5	2.2	1.4	1.9	<del></del>	-		<del></del>				5.9	8.1
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	•	MEAN WIND SPEEC

TOTAL NUMBER OF OBSERVATIONS

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

2

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81	AUG
STATION	STATION NAME	RARE	4047#
		ALL WEATHER	1200-1400
		CLASS	HOURS (L.S.T.)
		COMPLETION	

	2.0	24.4	49.0	23.6	.2			1	]			100.0	Bal
CALM		$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	.7	
VARBL												<u> </u>	
NNW		• 5	1.7	.9	•1							3.2	9.
NW		2.2	4.6	1.7								8.5	8.
WNW	• 1	1.5	2.5	1.5	• 1							5.7	8.
w	• 5	2.3	5.9	3.8								12.6	8.
wsw		1.4	3.9	2.8								8.1	9.
sw		2.6	7.0	5.4								15.0	9.
ssw	•1	.6	2.8	1.2								4.8	9.
S	•1	2.5	4.9	1.5								9.0	8.
SSE	•1	1.2	1.5	.4						·		3.2	7.
SE	.1	2.6	2.0	.7		1				i i		5.4	7.
ESE		1.5	1.0	. 4	<u></u>		-					2.8	7.
E		2.7	1.8	•1	<del>                                     </del>							4.7	6.
ENE	• 2	• 5	1.6	• 1	<u> </u>	<del> </del>			<u> </u>			2.5	7.
NE	1	. 7	2.1	. 4								3.3	8.
NNE	<del>,                                      </del>	• 2	1.1	1.2	† · · · · · · · · · · · · · · · · · · ·			<del> </del>		1	!	2.6	10.
N	• 5	1.4	4.6	1.5	<del></del>	<del>                                     </del>						7.9	8.
SPEED (KNTS) DIR.	1.3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	, <b>s</b>	MEA WIN

TOTAL NUMBER OF OBSERVATIONS

GLCBAL CLIMATOLOGY BRANCH USAFETAC AIF WEATHER SERVICE/MAC

2

### SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81	AUG
STATION	STATION NAME	YEARS	MONTH
		ALL WEATHER	1500-1700 HOURS (1.5.7.)
		CLASS	HOURS (C.S.T.)
		CONDITION	<b></b>

	2.7	25.2	49.9	21.9	l	l	1	L	l			100.0	8.
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	•2	
VARBL				<u></u> ,	Ĺ			Ļ,	<b></b>			<b>!</b>	<b> </b>
иим	• 1	1.0	3.1	1.8		<u> </u>						6.0	9.
NW		1.3	5.1	3.2								9.7	9.
WNW	. 4	2.6	2.4	1.3								6.7	7.
w	• 1	2.8	3.7	2.0								8.6	8.
wsw		<b>.</b> 5	5.3	4.0								9.8	10.
sw	•2	2.6	8.0	3.3								14.1	8.
SSW	• 1	.7	2.4	1.1								4.4	9.
S	•2	2.9	3.3	1.0								7.5	7.
SSE	•1	. 9	1.2	• 1								2.3	7.
SE		1.2	1.7	• 5								3.4	8.
ESE	• 5	.6	.6	•1								1.8	6.
E	• 2	2.4	2.7	•1								5.5	6.
ENE		. 9	.6	• 2								1.7	6.
NE ;	•1	2.0	2.3	.5								4.9	7.
NNE		1.3	2.0	• 2								3.5	7.
-N	• 5	1.5	5.5	2.3						1		9.8	8.
SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	į <b>*</b>	MEA WINI SPEE

TOTAL NUMBER OF OBSERVATIONS 817

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

· ...

1

\_\_\_\_

GLCBAL CLIMATOLOGY BRANCH USAFETAC AL- MEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81	AUG
STATION	STATION NAME	YEARS	MONTH
		ALL WEATHER	1800-2000
		CLASE	HOURS (1.S.T.)
		COMBITION	<del></del>

SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WIND SPEED
N	•5	5.4	4.9	•7								11.5	6.8
NNE	• 2	1.8	2.1	• 2								4.4	6.6
NE	. 4	3.2	3.8	.6	]							7.9	7.3
ENE	.1	1.0	. 9		Ī .							2.0	6.4
E	.7	4.0	1.0						I			5.7	5.1
ESE	•1	2.8	• 5									3.4	5.1
SE	.7	2.4	.7	. 4								4.3	5.7
SSE		1.3	• 5	• 1								2.0	6.3
5	• 5	6.8	3.0									10.4	5.7
SSW		3.8	1.8	• 5								6.1	6.6
SW		4.5	5.6	1.3								11.5	7.6
wsw	•1	2.6	2.0	• 5								5.1	7.0
w	•2	3.0	1.6	•2		• 1						5.2	6.5
WNW		2.1	1.0	-1								3.2	6.0
NW	. 4	3.9	1.3	1.0								6.6	6.7
NNW	•2	2.4	1.2	.7								4.6	6.8
VARBL		<del>                                     </del>											
CALM	> <	> <		> <	> <	> <	$\supset \subset$	> <	$\supset \subset$	><	> <	6.2	
	4.3	51.1	31.8	6.5		.1						100.0	6.1

TOTAL NUMBER OF OBSERVATIONS 820

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR HEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

YOUNGSTOWN MAP OH 73-81

STATION

STATION

ALL WEATHER

CLASS

AUG

BORTH

2100-2300

HOUSS (L.S.T.)

	6.7	52.4	28.0	3.4	• 3		]					100-0	5.6
CALM	$\langle \langle \rangle \rangle$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	9.1	
VARBL		<u> </u>			L	Ļ,			Ļ,	L		<b></b>	
NNW	. 4	. 9	. 1	-1						<u> </u>		1.6	5.3
NW	• 3	1.1	.4	•1			L		<b></b>			1.8	6.1
WNW	• 7	. 9	. 4	•1			ļ			<b></b>		2.1	5.4
w	. 8	1.6	. 9		• 1				L			3.4	5,8
wsw	• 3	1.6	1.3	1.1	L			<u> </u>	<u> </u>			4.2	8.0
sw		3.8	5.2	• 5								9.5	7.1
ssw	.7	3.8	3.6	•1					I			8.2	6.
S	• 3	10.2	4.5						L			14.9	5.9
SSE	•1	1.6	1.5	• 3								3.4	6.8
SE	•1	3.2	.9	. 4								4.6	6.3
ESE	• 5	3.2	. 8							i .		4.5	5.3
£	.9	7.8	.9						1			9.6	5.1
ENE	. 4	4.0	1.5						1			5.8	5.7
NE	•1	5.0	3.7	• 3				<del> </del>		1		9.1	6.4
NNE	•1	. 9	1.1				<del>                                     </del>		T		1	2.1	6.2
N	1.1	2.9	1.3	. 4	• 1						<del></del>	5.8	6.4
SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED

TOTAL NUMBER OF OBSERVATIONS 75.7

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIF WEATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	N MAP OH 73-81				
STATION	STATION NAME		TEAMS	MONTH		
		ALL WEATHER		ALL		
	<del></del>	CLA36		HOURS (L.S.T.)		
		CONDITION				

	5.2	39.5	38.9	10.1		0	l	}	]			100.0	لمف
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	6.1	
VARBL	Ļ	<u> </u>	<u></u>		Ļ		Ļ,	Ļ	L	<u> </u>		<b>_</b>	
NNW	• 3	1.0	1.1	.6	.0	<u> </u>	<b></b>	<u> </u>	<del> </del>	<u> </u>		3.0	7.5
NW	.3	1.8	1.9	. 9	<b> </b>	<u> </u>		ļ	<u> </u>			4.9	_7.5
WNW	.2	1.5	1.4	. 4	.0			L		1		3.5	7.1
w	•5	2.5	3.0	1.1	.0	.0				<u> </u>		7.2	7.5
wsw	. 4	1.7	3.2	1.6		.0	L	L	<u> </u>			7.0	8.
sw	• 5	3.7	6.6	2.2	•0	•0			L			13.0	7.9
SSW	. 4	2.7	2.9	. 5	[	İ			<u> </u>			6.6	7.0
S	• 5	5.5	4.6	. 4	• 0							11.0	6.
SSE	• 1	1.9	1.3	.1								3.5	6.
SE	. 4	2.6	1.9	, 4		]						5.2	6.
ESE	• 3	2.5	1.2	• 1								4.2	5.9
E	• 5	4.9	2.2	• 1	• 0							7.7	5.6
ENE	• 1	1.7	1.0	• 1								2.9	6.2
NE	•2	2.1	2.5	. 3								5.1	7.0
NNE	•1	1.1	1.3	.4								2.7	7.4
N	• 5	2.3	2.7	1.0	•0							6.5	7.5
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED

TOTAL NUMBER OF OBSERVATIONS

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIP WEATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

125250	YOUNGSTOWN MAP OH	73-81	SEP
STATION	STATION NAME	YEAR	S MONTH
		ALL WEATHER	0000-0200
		CLASS	MOVES (L.S.Y.)
		<del></del>	<del></del>

	6.3	44.1	35.0	5.4		]	1		1			100.0	5.9
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	>>	$\geq \leq$	$\geq \leq$	$\geq \leq$	9.2	
VARBL													
NNW	• 3	2.4	• 1									2.8	5.
NW	. 7	2.5	. 8	. 5								4.5	6.
WNW	. 4	.7	.7	•1								1.8	6.
w	.7	1.5	2.9	.5								5.5	7.
wsw	• 1	2.6	3.0									5.8	6.
sw	1.1	5.3	4.1	.9								11.3	6.
SSW	• 5	2.9	1.7	. 4								5.5	6.
S	. 8	5.9	5.9	• 1								12.8	6.
SSE	• 1	1.1	3.0	•1								4.4	7.
SE	. 4	3.4	4.2	.7								8.7	7.
ESE	. 4	2.9	1.7	. 4								5.4	6.
E		7.9	2.4									10.3	5.
ENE	. 4	1.2	. 8	• 3								2.6	6.
NE	• 1	1.2	1.1	. 8								3.2	1.
NNE	• 1	• 5	• 1									. 8	5.
N	• 3	2.1	2.4	. 5								5.3	7.
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56		MEA WIN SPEE

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

2

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIH WEATHER SERVICE/MAC

2

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725 <b>25</b> 0	YOUNGSTOWN MAP OH	73-81	SEP
STATION	STATION NAME	YEARS	HYMOH
		ALL WEATHER	0300-0500
		CLASE	HOURS (L.S.Y.)
		COMPITION	<del></del>

_	6.2	42.0	36.7	6.2	L .1				[			100.0	6.
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	8.8	
VARBL		Ļ	<b></b>		Ļ							<b></b>	
NNW	.7	1.6	.7	.7	<u> </u>		L			1		3.5	6.
NW		2.4	1.1	• 1								3.8	6.
WNW		.7	. 4	. 4								1.4	7.
w	.9	2.0	2.6	1.1								6.6	7.
wsw	.7	2.8	3.4	• 3								7.1	6.
sw	. 5	4.3	3.8	.7			Ĺ					9.3	6.
SSW	. 9	3.7	1.4	. 1								6.2	5.
5	. 4	5.1	7.1	.7								13.3	7.
SSE	. 4	1.6	2.6	. 3								4.9	6.
SE	• 5	3.5	4.1	. 3								8.4	6,
ESE	• 3	3.4	1.3	• 1								5.1	5.
£	-1	4.7	2.5	. 1								7.5	6.
ENE	•1	2.4	. 9	• 3								3.7	6.
NE		1.1	1.2	. 8	• 1							3.2	9.
NNE	• 1	. 7	1.1								,	1.8	6.
N	• 3	2.2	2.5	. 4								5.4	6,
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 % 47	48 - 55	≥ 56	*	ME/ WIN SPE

TOTAL NUMBER OF OBSERVATIONS 761

GLEBAL CLIMATOLOGY BRANCH USAFETAC ATH WEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725 <b>25</b> 0	YOUNGSTOWN MAP OH	73-81		SEP
STATION	STATION NAME		YEARS	MONTH
		ALL WEATHER		0600-0800
		CLASS		HOURS (L.S.T.)
		CONTRACT		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	.3	1.8	3.5	,6								6.2	7.6
NNE		• 8	. 9	. 4		T						2.0	7.5
NE	• 1	1.0	1.3	. 5								2.9	7.8
ENE		1.1	1.0	• 3								2.4	7.2
E		4.8	2.8	. 4								7.9	6.5
ESE	• 1	1.9	3.4	. 4								5.8	7.2
SE	. 4	4.3	4.2	. 4								9.2	6.7
SSE	• 3	1.9	1.6	• 3								4.0	6.9
5	. 4	3.4	6.9	. 8								11.5	7.3
55W	• 9	3.3	3.8	. 3								8.2	6.5
SW	. 4	4.9	6.7	. 9								12.8	7.0
wsw	• 1	1.6	2.4	. 6			Γ					4.8	7.3
w	. 3	1.9	2.9	1.0								6.0	7.6
WNW	• 1	1.3	. 6	. 4								2.4	6.8
NW	. 4	1.9	1.3	. 4								3.9	6.6
NNW	• 1	. 8	1.3	•1								2.3	6.9
VARBL													
CALM	><	$\geq <$	$\geq <$	$\geq <$	$\geq <$	$\geq <$	$\geq \leq$	$\times$	$\geq \leq$	><	$\geq$	7.7	
	3.8	36.5	44.5	7.6								100.0	6.5

TOTAL NUMBER OF OBSERVATIONS 794

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250	YOUNGSTOWN MAP OH	73-81	SEP
STATION	STATION HAME	YEARS	WONTH
	ALL 1	MEATHER	3900-1100
		CLASS	HOURS (L.S.Y.)
		CONDITION	

	2.4	23.1	46.2	26.3							<u> </u>	100.0	8.6
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	1.3	-
VARBL		ļ	ļ	Ļ,	ļ.,	Ļ.,	Ļ	Ļ	<b>_</b>	Ļ,	<b></b>	<b> </b>	<b>}</b>
MMM	• 3	1.1	1.6	1.9	<u> </u>			<u> </u>	L	<del></del>	ļ	4.9	9.3
NW	. 3	. 4	1.5	1.9				<u> </u>		<del> </del>	ļ	4.1	10.1
WNW		1.5	2.3	. 8			<u> </u>	<u> </u>	<u> </u>	ļ	ļ	4.6	8.1
w	• 1	1.4	4.7	2.9					L	L		9.1	9.1
wsw		1.5	3.9	2.9	. 4					ļ		8.8	9,1
sw		2.9	6.3	4.4	.1			L		<u> </u>	ļ	13.8	9.1
\$5W	. 4	2.2	3.0	1.8			·					7.4	8.1
5	• 3	3.6	7.0	1.0								11.8	7.6
SSE		1.3	2.7	. 5								4.4	8.0
SE	•1	2.0	1.6	1.6								5.5	8.6
ESE		• 9	2.3	.8								3.9	8.5
E	.4	1.3	2.4	.8								4.8	7.6
ENE	• 3	.4	.8									1.4	6.5
NE	.4	. 3	1.1	1.1								2.9	9.3
NNE		. 4	1.1	1.0	•1	1						2.7	9.8
N		2.0	3.7	2.8	.1							8.6	9.1
SPEED (KNTS) CIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 · 55	≥56	*	MEAN WIND SPEED

TOTAL NUMBER OF OBSERVATIONS

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250 STATION	YOUNGSTOWN MAP OH	73-81 YEARS	SEP
	AL	L WEATHER	1200-1400 HOURS (L.S.T.)
		CONDITION	

2.6 .5 .9 .5 1.4 .1 1.6	.5 .9 .5 1.4 .1 1.6	4.1 1.0 1.3 .6 1.1 1.0 2.5 1.9 5.0	2.1 .8 .6 .4 .5 1.0 1.4 .5 .8							8.9 2.3 2.9 1.5 3.0 2.1 5.7	8.
.9 .5 1.4 .1 1.6 .8	.9 .5 1.4 .1 1.6 .8	1.3 .6 1.1 1.0 2.5 1.9 5.0	.6 .4 .5 1.0 1.4 .5							2.9 1.5 3.0 2.1 5.7	8. 7. 10. 8.
.5 1.4 .1 1.6 .8	.5 1.4 .1 1.6 .8	.6 1.1 1.0 2.5 1.9 5.0	.4 .5 1.0 1.4 .5							1.5 3.0 2.1 5.7	8. 7. 10. 8.
1.4 .1 1.6 .8 1.4	1.4 .1 1.6 .8 1.4	1.1 1.0 2.5 1.9 5.0	.5 1.0 1.4 .5							3.0 2.1 5.7	7. 10. 8.
1.6 .8	•1 1•6 •8	1.0 2.5 1.9 5.0	1.0 1.4 .5							2.1	10 ·
1.6	1.6	2.5 1.9 5.0	1.4 .5							5.7	8.
1.4	1.4	1.9 5.0	.5								8.
1.4	1.4	5.0	.8							3.1	
+											
1.6	1.6	3.8	3 1		I	L	 			7.4	8.
			204							7.7	9.
1.8	1.8	5.4	4.9							12.2	9.
1.8	1.8	4.0	4.3	.1						10.2	10.
2.3	2.3	6.3	4.4	.9						14.2	9.
• 5	• 5	3.1	2.0							5.9	9.1
•6	•6	3.3	3.9	• 1						7.9	10.
.6	.6	1.1	2.6							4.4	11.1
$\overline{}$		$\overline{}$			><	><	> <	><	><	• 6	]
											.6

TOTAL NUMBER OF OBSERVATIONS 796

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIP WEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725257	YOUNGSTOWN MAP OH	73-81		SEP	
STATION	STATION NAME		MONTH		
		1500-1700			
		HOURS (L.S.T.)			

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	20 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	• 3	2.0	5.3	2.7								10.2	8,5
NNE		• 8	1.9	1.0								3.7	9.1
NE	ii .	1.3	2.4	. 8_	ł						<u> </u>	3.4	7.9
ENE	• 1	• 3	. 5									. 9	6.0
E	• 3	2.0	1.0	. 4								3.7	6.5
ESE	il	.6	.6	. 4				}				1.6	8.4
SE	• 1	2.3	2.1	1.5								6.1	8.3
SSE	- 1	1.3	1.4	. 5								3.3	7.7
S	• 3	2.9	4.2	1.3								8.6	7,7
55W	• 3	2.1	2.8	1.0								6.2	7.7
SW		2.4	5.3	3.2	• 1							11.0	9.0
wsw	• 1	1.3	5.1	2.0	. 3							8.7	9.2
w	.5	1.6	3.7	4.3	. 4							10.5	9.9
WNW	• 5	.6	2.5	2.1								5.8	9.2
NW	1	2.0	3.9	3.8								9.7	9.6
NNW	• 1	• 3	2.4	3.3	. 3							6.3	10.9
VARBL													
CALM		$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	. 4	
	2.7	23.7	44.1	28.2	1.0							100.0	8.8

TOTAL NUMBER	٦ŧ	OBSERVATIONS	792

USAFETAC FORM D-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

 $\hat{\cdot}$ 

-----

----

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIL JEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

724250	YOUNGSTOWN MAP OH	73-81		SEP
STATION	STATION NAME		YEARS	MOMTH
		ALL WEÄTHER		1800-2000
		CLASS		HOURS (L.S.T.)
		COMPLEME		

	7.3	45.2	33.7	7.3	. 5			[				100.0	
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	5.9	
VARBL					L								
NNW	. 4	1.5	1.1	. 8	• 1							3.9	7.1
NW	1.1	3.3	2.8	. 9								8.0	6.
WNW	. 8	1.8	1.0	• 1	•1							3.8	6.
w	. 8	2.5	2.0	• 5	• 1							5.9	6.
wsw	• 4	1.6	2.4	. 8				I				5.1	7.
sw	• 5	3.9	3.5	. 9	•1							8.9	6.
SSW	• 5	3.5	2.3	.4								6.6	6.
5	. 9	4.5	3.5	. 8								9.7	6.
SSE		2.0	1.3	• 3								3.5	6.
SE	. 4	4.4	2.8	•1					1			7.7	6.
ESE	• 3	1.8	• 5	•1				1				2.6	5.
E	• 3	3.1	1.9			<u> </u>			<u> </u>			5.3	5.
ENE	•1	1.0	. 4			1		1				1.5	5.
NE	•1	2.3	2.1	• 3								4.8	7.0
NNE		2.1	2.3	• 5			<del></del>	<del>                                     </del>	<del>                                     </del>			4.9	7.
N	• 9	5.9	4.1	1.0								11.9	6.
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	•	MEAI WIND SPEED

TOTAL NUMBER OF OBSERVATIONS

GLCBAL CLIMATOLOGY BRANCH US AFETAC AIF WEATHER SERVICE/MAC

2

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

SURFACE WINDS

72125	HO MAM NECTEDAUGY	73-81	SEP
STATION	STATION NAME	YEARS	MONTH
		A ALL WEATHER	2100-2300
		CLASS	HOURS (L.S.Y.)
		COMPLITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	WIND SPEEC
N	. 8	2.7	1.8	. 4								4.9	6.6
NNE		1.7	1.4									3.1	6.
NE		2.3	1.7	. 8								4.8	7.
ENE	• 1	2.2	1.0									3.4	5.0
E	. 7	6.2	3.1	• 1								10.1	6.1
ESE	• 5	2.2	1.4	. 4						i		4.6	6.4
SE	. 4	3.4	3.8	. 8								8.3	7.
SSE	• 3	2.0	2.2	• 1								4.6	6.
5	• 3	6.0	4.8	. 5								11.6	6.
SSW	. 3	3.8	3.1	• 1								7.3	6.
sw	. 4	3.8	3.5	. 7								8.3	6.
wsw	.7	2.2	1.6	. 8								5.2	6.
w	. 4	1.7	2.1	. 8	• 1							5.1	8.
WNW	• 5	. 9	. 4									1.8	5.
NW		2.9	• 5	.3								3.6	6.1
NNW	. 1	1.2	. 9	• 5								2.7	7.
VARBL							I					I	
CALM	><			$\geq <$	$\geq <$	><	><	><	$\geq \leq$	><	><	10.5	
	5.3	99.3	33.4	6.2	.1							100.0	5.

TOTAL NUMBER OF OBSERVATIONS 76.9

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS PORM ARE OBSOLET

· ...

----

\_\_\_\_

GLOBAL CLIMATOLOGY BRANCH USAFETAC AI- WEATHER SERVICE/MAC

2

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72:25 YOUNGSTOWN MAP OH 73-81 SEP

STATION STATION HAME ALL WEATHER ALL

GLASS ROUTE (L.E.T.)

	4.4	34.6	40.0	15.0	.5							100.0	7.
CALM		$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$> \leq$	5.5	
VARBL				•									
NNW	• 2	1.2	1.2	1.2	• 0							3.9	8.
NW	• 3	2.0	1.9	1.5	• 0							5.7	8.
WNW	• 3	1.0	1.4	. 8	• D							3.5	8.
w	• 5	1.9	3.4	2.0	• 2							7.9	8.
wsw	• 3	1.9	3.2	1.5	• 1							7.0	8.
SW	. 4	3.6	4.8	2.1	• 0							11.0	7.
ssw	• 5	2.9	2.7	. 8								6.9	7.
s	.4	4.1	5.5	. 7					Ī			10.8	7.
SSE	• 1	1.5	2.1	. 3								4.0	7.
SE	•3	3.1	3.1	. 8								7.4	7.
ESE	•2	1.7	1.5	. 4						!		3.9	7.
E	• 2	3.9	2.1	• 3								6.5	6.
ENE	• 1	1.1	. 8	.1								2.2	6.
NE	• 1	1.3	1.4	.7	• 0							3.5	8.
NNE	•0	. 9	1.2	• 5	•0							2.7	8.
N	• 3	2.6	3.5	1.3	• 0		i					7.7	7.
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEA WIN SPEE

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

<del>-</del> \_\_\_\_\_

-----

GLOBAL CLIMATOLOGY BRANCH USAFETAC ATH WEATHER SERVICE/MAC

## SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

721 <b>25</b> 0	YOUNGSTOWN MAP OH	73-81	OCT
STATION	STATION NAME	TEARS	MONTH
		ALL WEATHER	3000-0200
	<del></del>	CLASS	HOURE (C.E.T.)
		CONNITION	

SPEED (KNTS) DIR.	1 - 3	4.6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	r 11	MEAN WIND SPEED
N		1.5	2.2	1.1			1			1		4.7	8.2
NNE		. 9	• 2	• 1								1.2	6.5
NE		1.5	1.7	• 2							i	3.4	6.9
ENE	. 4	1.8	. 7		. 4							3.3	7.1
E	• 1	3.2	3.3									6.6	6.4
ESE	• 2	1.1	2.6	.9								4.7	8.2
SE	•1	2.7	5.2	1.3								9.4	7.8
SSE	• 2	1.1	1.9	• 2								3.5	7.2
S		3.5	8.9	1.0								13.4	7.4
SSW	• 2	2.2	2.1	.9								5.3	7.4
sw	• 2	3.5	5.0	2.2								10.9	8.2
W\$W	• 2	1.7	3.3	2.9	• 1							8.3	8.8
w	.7	2.3	4.6	2.2	• 2							10.1	8.9
WNW		1.9	1.2	1.0								4.1	8.2
NW	•6	1.3	1.5	1.0	-							4.4	7.6
NNW	• 1	• 6	.6	.7	.1				l			2,2	9.1
VARBL					T							1	
CALM	><		><	$\supset <$		> <			$\supset <$	$\supset \subset$	$\times$	4.5	
	3.3	30.7	45.0	15.7	. 9							100.0	7.5

TOTAL NUMBER OF OBSERVATIONS 823

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

, . . /

\*\*..... · ·

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIF WEATHER SERVICE/MAC

2

## SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725 <b>25</b> 0	YOUNGSTOWN MAP OH	73-81		ОСТ
STATION	STATION NAME		YEARS	MONTH
		ALL WEATHER		0300-0500 ROUBS (L.S.T.)
		CONDITION	<del></del>	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WIND SPEED
N		2.1	2.1	•6							L	4.8	7.8
NNE			.4	• 1					I	[	•	5	9.0
NE	• 1	1.1	• 7	• 1							!	2.1	6.4
ENE	1	1.7	1.5	•1	• 2							3.6	7.7
ŧ	• 2	3.0	3.0	•2	<del> </del>							6.4	6.9
ESE	• 1	2.0	2.5	.7			-			:		5.3	7.7
SE	• 1	2.0	4.3	1.0							!	7.4	8.0
SSE		1.7	3.2	.4					<u> </u>			5.3	7.5
s	•2	3.0	9.0	.6		T-"-				1		12.9	7.4
55W	• 2	2.0	3.1	.7					<del>                                     </del>			6.1	7.7
sw	•2	3.3	6.4	1.9		†						11.9	7.9
WSW	. 4	.9	3.8	1.0	•2		<b>†</b> –		1		<u> </u>	6.3	8.7
w	•2	3.0	3.7	3.1	•2							10.3	8.8
WNW	•1	1.7	1.4	•6		1						3.8	7.1
NW	. 4	2.0	1.6	1.2	1			1				5.2	7.9
WMM		1.1	.6	.7								2.5	8.0
VARBL							1	<u> </u>		<u> </u>		1	
CALM	$\supset <$	$\supset <$	$\supset <$	$\supset <$	$\supset <$	$\supset <$	$\supset <$			><		5.7	
	2.5	30.5	47.3	13.2	.7							100.0	7.4

TOTAL NUMBER OF OBSERVATIONS

809

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIP WEATHER SERVICE/MAC

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72:25	YOUNGSTOWN MAP OH	73-81	OCT
BTATION	STATION NAME	YEARS	HONTH
		ALL WEATHER	0600-0800
		CLASS	HOURS (L.S.T.)
		COMDITION	

	3.3	28.3	48.2	15.7	. 5	1	.1					100.0	7.6
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	>>	$\geq \leq$	3.9	
VARBL			Ļ	Ļ								<b></b>	<u> </u>
NNW		• 5	.7	• 2								1.5	7.1
NW		1.3	2.3	1.0								4.6	8.7
WNW	• 2	1.2	1.1	. 9								3.4	7.1
w	• 2	2.7	3.5	2.4	.1		• 1					9.1	8.8
wsw	• 5	2.2	3.8	2.7	•2		L					9.4	8.9
sw	• 1	3.8	5.6	2.2								11.7	8.2
ssw_	. 4	1.9	1.8	1.2								5.3	7.6
5	• 1	3.5	9.6	1.0								14.2	7.
SSE	. 4	1.7	3.5	•1								5.7	7.
SE	. 4	1.8	4.6	1.2								8.0	7.9
ESE	• 1	1.3	2.6	1.2	•1							5.3	8.9
E		1.8	4.5	.4								6.7	7.4
ENE		1.0	1.1	•2								2.3	7.3
NE	. 4	1.2	1.3									2.9	5.9
NNE	• 2	.6	. 5	• 1				,	Ţ			1.5	6.7
N	•2	1.7	1.7	. 9								4.5	7.5
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WIND SPEED

TOTAL NUMBER OF OBSERVATIONS

\_\_\_

82

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

, , ,

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIF WEATHER SERVICE/MAC

YOUNGSTOWN MAP OH

72"250

2

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

					ALL NE							0900	
	_					LASS						1001	PS ( L. S. 1
	~			<del></del>	COI	FRITION							
SPEED (KNTS)	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥54	*	M
DIR.			<u> </u>			<b></b>							SP
N	• ?	1.2	2.9	2.2		ļ	<del> </del>		ļ	<u> </u>		6.6	9
NNE		• 6	. 9	.5		<u> </u>		! 		<del>' '</del>		2.0	8
NE	• 2	1.2	. 9	.1								2.4	6
ENE		• 6	. 9	• 6		L		<u></u>		<u> </u>		2.1	8
ŧ	• 2	1.0	2.7	• 7						]		4.6	7
ESE	• 1	• 7	1.5	• 5						!		2.8	7
SE	• 1	1.5	3.3	1.2								6.2	8
SSE		. 7	2.1	1.7								4.5	9
5	• 2	2.3	7.1	2.8								12.4	8
SSW	• 1	• 6	3.5	2.3								6.6	9
SW		1.8	5.7	5.2	.5							13.3	10
wsw	. 4	1.1	3.2	4.6	.5							9.8	10
w	• 2	1.0	4.1	6.1	.6							12.1	11
WNW	• 2	• 4	1.0	1.5								3.0	9
NW		• 9	3.9	2.7	•1							7.6	9
WNM		• 5	1.3	1.6								3.4	10
VARBL			T				J		l				
CALM	> <	> <			> <	$\supset <$		><	$\supset <$	$\supset \subset$	> <	.6	
	2.2	16.2	44.9	34.4	1.7							100.0	9

73-81

TOTAL NUMBER OF OBSERVATIONS

820

GLOBAL CLIMATOLOGY BRANCH USAFETAC Ale Weather Service/Mac

2

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

7 2 ° 2 5 °	YOUNGSTOWN MAP OH	73-81 YEARS	OCT MONTH					
	AL	ALL WEATHER CLAMB						
		COMPLYION						

	2.2	14.2	40.0	40.4	2.7	.1	ļ	{		1	}	100.0	10.
CALM	$\geq \leq$	$\geq \leq$		$\geq \leq$	$\geq \leq$	$\geq \leq$		$\geq \leq$	$\geq \leq$	$\geq \leq$		.5	
VARBL													L
NNW		1.1	1.1	1.1	.1						İ	3.4	9,
NW	• 1	• 2	2.4	4.5	• 2						I	7.5	110
WNW	• 1	.6	2.1	2.7	•1							5.6	10.
w	. 4	1.2	4.1	7.9	1.0	•1	L					14.6	11.
WSW		• 6	3.0	3.5	.6							7.7	11.
sw		1.1	4.2	6.8	• 2							12.3	11.
SSW	•1	• 2	4.4	4.D					I		I	8.7	10.
S	• 5	1.7	5.0	3.5	•1					1		10.8	9.
SSE	•1	1.7	2.1	1.0		1						4.1	8.
SE	•1	• 5	1.6	1.0					<del> </del>	<u> </u>		3.1	9.
ESE	<del> </del>	.6	1.1	.6		1				1	1	2.3	8.
	<del> </del>	1.1	1.6	. 4		1						3.0	7.
ENE		• 2	• 5	•2		1						1.0	8.
NE	.5	. 8	1.7	. 4								3.4	7.
NNE		• 5	.7	.1		1			1		<del> </del>	1.3	8.
N	• 2	2.7	4.5	2.9	•2	<del></del>	<del></del>					10.5	9.
SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	13 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 54	*	MEA WIN SPEE

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE DESCRETE

\_

2

GLUBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72:250	YOUNGSTOWN MAP OH	73-81 YEARS		OCT
		ALL WEATHER CLASS		500-1700 HOVES (L.S.T.)
		CORPUSION	<del></del>	

	1.5	18.4	42.6	34.1	2.8	.1	•1	Ĺ				100.0	9.6
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$		$\geq \leq$		$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	.4	
VARBL											<u></u>	<b>.</b>	ļ
NNW		• 1	2.7	2.1	•1							5.0	10.3
NW		1.6	3.8	4 . 8	. 4	.1						10.6	10.7
WNW	.1	.6	2.2	2.0	. 4							5.3	10.
w	• 1	.9	4.0	6.7	1.0		• 1					12.8	11.
wsw		1.5	3.4	3.8	•1							8.8	9.9
SW		1.6	4.0	3.8	• 5							9.9	10.0
SSW		1.7	3.4	1.5			<u> </u>					6.6	8.
S		2.4	5.1	3.1	•1							10.7	9.
SSE	· · · · · ·	.6	1.2	• 6	<del> </del>	1			† —			2.4	8.0
SE	.4	1.6	2.6	1.2		<del>                                     </del>		<del> </del>				5.7	8.2
ESE		1.0	1.0	• 2		<b> </b>	!	l	<u> </u>			2.2	7.
	• ?	1.1	1.7	•6								3.7	7.
ENE		•6	1.0	• 1	.1	<del> </del>	<del> </del>		<del> </del>			1.8	8.1
NE	• • • • • • • • • • • • • • • • • • • •	• 5	1.2	•2		<del> </del>	<del>                                     </del>					2.1	7.9
NNE	• 2	1.0	1.7	.4		<del> </del>	<del> </del>	<del> </del>	<del> </del>			3.3	7.
	• 2	1.7	3.5	3.1	•1		<del> </del>		<del> </del>			8.7	9.
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WINE SPEEC

TOTAL NUMBER OF OBSERVATIONS 819

GLCBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

724 <b>25</b> 0	YOUNGSTOWN MAP OH	73-81	ост			
STATION	STATION NAME	YEARS	HORTH			
		ALL WEATHER				
		CLASS	HOURS (L.S.T.)			

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEA WIN SPEI
N	•2	2.9	3.4	.7								7.3	7.
NNE	•1	•7	3.2	•1						í	Ī	4.1	7.
NE	•2	2.0	2.0	• 1	• 2							4.5	7.
ENE	•1	• 6	•1									. 9	4.
E	• 5	1.7	1.2	.1							i	3.5	5.
ESE	• 1	2.0	1.5	. 4							1	3.9	6.
SE	•2	2.8	2.8	1.5								7.3	7.
SSE	.4	1.2	2.0	•2	1				1		1	3.8	7.
5	•2	6.6	5.1	1.2								13.2	7.
ssw	•2	2.6	3.0	.6								6.5	7.
sw	•2	3.3	4.4	.9								8.8	7.
wsw	.4	1.1	2.7	1.5	• 5							6.1	9.
w	• 1	2.7	3.2	3.7	. 4							10.0	9.
WWW	•2	2.6	2.1	1.1		• 1						6.1	7.
NW	•2	2.3	3.2	1.2	•1							7.1	8.
NNW	•1	1.0	1.2	.4	•1							2.8	8.
VARBL													
CALM	$\geq \leq$	> <	$\geq <$	$\geq \leq$	$\geq \leq$	$\geq \leq$	><	$\geq$	$\geq \leq$	$\geq <$	$\geq \leq$	4.1	
	3.8	36.0	41.0	13.7	1.3	.1						100.0	7.

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

O

()

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIF WEATHER SERVICE/MAC

2

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

721250	YOUNGSTOWN MAP OH	73-81		OCT
STATION	STATION HAME		TEARS	NOMIN
		ALL WEATHER		2100-2300
		CLASE		HOURS (L.E.T.)
		COMBITION		

	2.2	34.0	43.3	14.9	.7							100.0	7.9
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\times$	$\geq \leq$	4.9	
VARSL													
NNW	• 1	. 9	1.3	. 9					L			3.2	8.
NW	. 4	• 5	1.5	.5								2.8	8.1
WNW		2.7	1.3	. 9					L			4.9	7.4
w	. 1	3.0	4.7	3.3	• 5							11.7	9.
wsw	• 2	2.3	2.9	1.3			Ī					6.8	8.
sw	• 1	2.3	4.0	2.2								8.6	8.
ssw	. 4	2.3	2.6	. 5								5.7	7.
S		5.1	8.4	.7								14.2	7.
SSE	• 2	1.2	2.6	. 4								4.4	7.
SE	• 1	1.9	4.1	2.1	• 1							8.4	8.
ESE	• 1	2.6	2.3	. 7								5.7	7.
E		2.9	1.2	•1							-	4.3	5.
ENE		2.3	1.9									4.3	6.
NE	• 1	1.2	2.6	• 2	• 1							4.3	7.5
NNE		• 5	. 4	•2								1.1	8.
N	• 2	2.3	1.5	1.0								5.0	7.
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	WINE

TOTAL NUMBER OF OBSERVATIONS

GLEBAL CLIMATOLOGY BRANCH USAFETAC AIP WEATHER SERVICE/MAC

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72° <b>25</b> 0	YOUNGSTOWN	MAP OH			73.	-81					OCT
STATION		STATIO	1 7486				AE	ARS			WORTH
				ALL	WEATHER						ALL
	•				CLASS				_	-	HOURS (L.S.T.)
									_		
					COMPITION				_		
									_		
_											
1	7		i i			1	. 1	1		n n	i

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	r - <b>%</b> }	MEAN WIND SPEED
N	• 2	2.0	2.7	1.6	•0							6.5	8.4
NNE	•1	• 6	1.0	• 2								1.9	7.6
NE	•2	1.2	1.5	• 2	_,0							3.1	6.9
ENE	• 2	1.1	1.0	•2	• 1							2.4	7.3
E	• 2	2.0	2.4	• 3								4.8	6.9
ESE	• 1	1.4	1.9	.7	•0							4.0	7.7
SE	• 2	1.9	3.6	1.3	•0							6.9	8.2
SSE	• ?	1.2	2.3	. 6								4.2	7.9
\$	• 2	3.5	7.3	1.7	•0							12.7	7.9
55W	• 2	1.7	3.0	1.5								6.4	8.4
sw	•1	2.6	4.9	3.1	2							10.9	9.0
wsw	• 3	1.4	3.3	2.7	. 3							7,9	9.5
w	• 3	2.1	4.0	4.4	. 5	.0	.0					11.3	10.1
WNW	• 1	1.5	1.5	1.3	. 1	•0						4.5	8.7
NW	•2	1.3	2.5	2.1	.1	•0						6.2	9.3
NNW	•0	.7	1.2	1.0	•1							3.0	9.1
VARBL													
CALM	$\geq <$	$\geq <$	$\supset <$	$\supset <$	$\geq <$	$\supset <$	$\ge$	$\ge$		><	><	3.1	
	2,6	26.0	44.0	22.8	1.4	.0	•0					100.0	8.3

TOTAL NUMBER OF OBSERVATIONS 6563

GLUBAL CLIMATOLOGY BRANCH USAFETAC AIP WEATHER SERVICE/MAC

2

## SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	<del>** · · · · · · · · · · · · · · · · · · </del>	1.4	1.4	.6								3.4	7.7
NNE		• 6	.6	• 1								1.4	7.3
NE	. 3	. 9	. 8	•1								2.0	6.5
ENE	1	• 8	. 8									1.5	6.5
ŧ	• 3	2.3	1.6	. 5								4.7	7.0
525	1	. 9	2.2	1.3	• 1							4.4	9.1
SE	•1	1.6	4.1	2.3								8.1	9.0
SSE		. 9	1.5	.9								3.3	8.5
8	• 5	4.4	6.2	1.3								12.4	7.4
55W	• 3	1.9	3.0	8.	• 1							6.1	7.7
SW	• 1	3.0	4.3	3.2	• 1							10.8	8.8
WSW	•1	2.2	4.4	5.1	. 6							12.4	10.1
w	.4	4.2	6.1	6.0		• 1						16.7	9.4
WNW	• 3	1.1	1.5	1.5								4.4	8.6
NW	•1	• 6	1.5	1.1		•1						3.5	9.4
NNW	•1	. 4	.9	• 5								1.9	9.1
VARBL	1			1									
CALM		$\supset <$		$\supset <$	> <	$\supset <$	$\geq$	><	$\supset <$	><	><	2.8	
	2.5	27.2	40.9	25.2	1.0	• 3						100.0	8.4

TOTAL NUMBER OF OBSERVATIONS 789

GLCBAL CLIMATOLOGY BRANCH USAFETAC Alm Weather Service/Mac

2

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725 <b>25</b> 0	YOUNGSTOWN MAP OH	73-81		NOV
STATION	STATION NAME		YEARS	MONTH
		ALL WEATHER		0300-0500
		CLASS.		HOURS (L.S.T.)
		COMDITION		

	2.9	28.2	40.7	22.4	2.2							100.0	8.2
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	3.6	
VARBL	Ļ	Ļ	<u> </u>				<u></u>						
NNW		. 4	. 9	• 5	• 3_							2.0	10.4
NW	• 1	. 9	1.5	1.5								4.1	9.2
WNW	• 1	1.1	1.9	1.1	.1							4,5	8.6
w	- 6	1.8	5.7	4.8	. 8							13.8	10.1
W\$W	• 3	2.2	3.3	4.6	. 4							10.7	10.0
sw	•1	5.2	4.8	2.8	.1							13.1	8.
SSW	• 3	2.4	1.8	.5								5.0	6.
<u>s</u>	• 3	3.7	9.2	2.0	. 3							15.4	8.
SSE	• 1	. 8	1.9	.6								3.4	8,
SE		1.3	3.3	2.2	L							6.8	9.1
ESE	• 1	1.9	1.5	. 6						ii		4.2	7.5
E.	• 1	2.6	2.2	• 5								5.4	7.2
ENE	i	. 4	• 5	. 1	_			<u> </u>	I			1.0	7.4
NE	• 3	1.4	. 4	• 1								2.2	5.8
NNE	• 3	. 6	• 5		_							1 1.4	6.1
N	• 3	1.5	1.1	• 3	• 3_							3.4	7.
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	WINC

TOTAL NUMBER OF DESERVATIONS 784

GLCBAL CLIMATOLOGY BRANCH USAFETAC AIN WEATHER SERVICE/MAC

2

### SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72 2 5 C YOUNGSTOWN MAP OH 73-81 NOV
SYATION STATION AND STATION HAME ALL WEATHER 0600-0800
CLASS NOWS (L.S.T.)

SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56		MEAN WIND SPEED
N		• 5	1.4	.5	.1							2.5	9.3
NNE		• 5	.6	• 5								1.6	8.4
NE	• 3	. 9	.6									1.8	5.6
ENE	• 1	1.0	• 9		_							2.0	6.6
ŧ	• 3	2.5	2.3	1.0								6.0	7.6
ESE	• 3	. 4	2.1	.6	.1							3.5	9.1
SE		1.5	3.0	2.1							[	6.6	9.2
358	. 3	. 5	2.1	1.0								3.9	9.0
\$	• 3	2.4	7.5	2.6	• 3	Ī						13.0	8.5
SSW		2.0	2.8	1.1								5.9	8.0
SW	.4	4.8	6.6	3.4	• 1							15.3	8.4
wsw	• 3	1.9	3.0	2.5	.1							7.8	9.4
W	• 1	2.9	6.4	4.9	. 8							15.1	10.0
WNW		1.8	2.3	1.0	• 3							5.3	8.5
NW	• 3	1.1	1.8	. 4	• 1							3.6	7.8
HNW	•1	• 5	• 6	1.4	. 3			ĺ				2.9	10.9
VARBL													
CALM	$\geq <$	$\supset <$	$\geq <$	><	$\geq <$	><	$\geq$	><	><	$\supset <$		3.1	
	2.5	25.1	44.0	23.1	2.1							100.0	8.5

TOTAL NUMBER OF OBSERVATIONS 797

GLCBAL CLIMATOLOGY BRANCH USAFETAC AIF WEATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72 - <b>25</b>	YOUNESTOWN MAP OH	73-81		NOV
STATION	STATION MANE		YEARS	HONTH
		ALL WEATHER		0900-1100
		CLASS.		HOURS (L.S.T.)
		CONDITION		

	.8	16.2	44.2	34.1	9.2	.3	l	l	L			100.0	9.5
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	• 3	
VARBL													
NNW		•1	. 9	1.1								2.1	10.
NW		• 5	2.4	1.4								4.3	10.0
WNW		. 9	3.0	2.5	• 3							6.7	10.
w		2.0	7.1	6.3	1.3							16.6	10.
wsw		2.3	4.5	4.9	1.3							13.0	10.
sw		2.3	4.7	6.0	. 9	• 1						14.0	10.
ssw	. 1	. 8	3.1	2.3	•1	• 1						6.5	10.
S		2.1	5.3	2.5	• 1							10.1	9.1
SSE	• 1	• 5	2.3	. 8						1		3.7	8.
SE	•1	.8	2.5	2.0	• 3							5.7	10.
ESE	• 3	.4	1.5	1.9		T				i		4.2	10.
E	.1	1.3	1.6	. 8	1		<u> </u>	1				3.8	8.1
ENE		. 4	.9	.1								1.4	8.0
NE		• 6	1.4	. 8				1				2.8	8.
NNE	<u> </u>	3	. 8		<del>                                     </del>	i	i					1.0	7.0
N	<del>}</del>	1.1	2.1	. 8			i			ļ — ,		4.0	8.
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56		WIN

TOTAL NUMBER OF OBSERVATIONS 794

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

\_\_\_\_\_

----

GL(BAL CLIMATOLOGY BRANCH USAFETAC AIF REATHER SERVICE/MAC

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

125 25 %	YOUNGSTOWN MAP OH	73-81	NOV
STATION	STATION NAME	YEARS	MONTH
	<del></del>	ALL WEATHER	1200-1400
		CLAPS	HOURS (L.S.T.)
		COMPLICA	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	•	MEAN WIND SPEED
N		• 8	2.5	1.1					-	1		4.4	9.0
NNE		. 4	1.5	. 4						ì		2.3	8 . 5
NE		• 9	1.1	• 5								2.5	8.2
ENE	1	• 3	• 3	. 1						İ		1 .6	6.8
E	• 1	• 5	1.3	. 4								2.3	7.7
ESE	•1	• 6	1.1	1.1								3.0	9.2
SE		• 6	2.1	2.1	• 3		[			!		5.2	10.7
SSE	• 1	• 5	2.8	1.1								4.5	9.3
\$	<u> </u>	• 6	5.4	3.1	• 1							9.3	9.8
_SSW		• 6	2.3	2.9	• 1							5.9	10.9
SW	• 1	1.0	4.1	6.9	. 4				Ĺ			12.6	11.1
wsw	• 1	• 6	3.1	6.9	1.5	• 3						12.6	12.3
w	• 3	1.4	4.6	8.3	2.1	• 5			· · · · · · · · · · · · · · · · · · ·			17.2	12.3
WNW		• 6	2.9	3.6	• 3							7.4	10.8
NW	<u> </u>	• 6	2.6	3.6	• 1				<u> </u>			7.0	11.1
NNW	• 1	. 4	. 9	1.3	• 3							2.9	10.9
VARSL												1	
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	><	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq <$			. 4	
	1.0	10.4	38.7	43.6	5.2	. 8						100.0	10.8

TOTAL NUMBER OF OBSERVATIONS 796

SLUBAL CLIMATOLOGY BRANCH USAFETAC AIR MEATHER SERVICE/MAC

2

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725 <b>25</b> 9	YOUNGSTOWN MAP OH	73-81		NOV
BTATION	STATION HOME		YEARS	8047#
	•	ALL WEATHER		1500-1700
		CLASS.		MOVES (L.S.T.)
		COMPLTION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	3	1.4	2.1	1.1								4.9	8.2
NNE		• 5	1.6	.6							1	2.8	8.4
NE		• 9	. 4									1.3	6.2
ENE		• 5	• 6									1.1	6.7
ŧ		• 8	. 9	. 4	.1		Ĺ			Ĭ		2.1	8.9
ESE	. 4	. 4	1.6	• 6			!		<u> </u>		İ	3.0	8.3
SE	!i _	1.1	2.3	2.0	• 3						Ĭ	5.7	10.2
SSE	. 1	.6	2.1	.5								3.4	8.3
\$	. 4	1.9	5.4	2.3			L				<u> </u>	10.0	8.7
SSW	. 3	1.3	3 • C	2.3							i	6.8	9,3
sw	• 3	1.5	3.7	5.1			i					10.5	10.2
wsw	. 3	• 8	4.5	6.3	. 8		L					12.6	11.0
w		. 9	5.3	7.3	1.1	• 3						14.9	11.8
WNW	• 1	1.0	4 . 2	3.3	. 1						l	8.7	10.0
NW_		. 6	2.9	3.0	i			I		Ī	<u> </u>	6.6	10.5
NNW		1.1	1.9	1.5	!		L				i	4.5	9.6
VARSL		}										11	
CALM		$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$		1.0	
	2.0	15.3	42.7	36.4	2.9	. 3						0.00	9.8

TOTAL NUMBER OF OBSERVATIONS

GLCRAL CLIMATOLOGY BRANCH USAFETAC ATE WEATHER SERVICE/MAC

2

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	3.9	26.5	38.4	26.4	2.3				<u> </u>			100.0	8.5
CALM		$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	2.6	
VARBL	Ļ.,	Ļ,	Ļ	ļ,	Ļ					L		<b></b>	↓
NNW	. 3	1.4	. 5	.8								2.9	7.7
NW	. 4	1.4	2.5	1.5								5.8	8.6
WNW		1.5	1.9	1.4	<u> </u>	<u> </u>		L				4.8	8.8
w	• 5	2.6	7.0	7.3	1.3	<u></u>	L		L			18.6	10.4
wsw	. 4	. 5	3.3	3.5	• 1	L						7.8	10.4
sw	.6	1.6	3.8	3.1	• 5	L	Ĺ		<u> </u>			9.6	9.3
ssw	.4	3.0	3.5	1.4								8.3	7.5
\$	• 1	3.9	4.1	2.5	•1							10.8	8.1
SSE		. 9	1.8	.6								3.3	8.2
SE	. 4	2.3	2.8	1.4								6.8	8.0
ESE	• 1	1.0	1.0	1.0								3.1	8.5
E	.1	1.5	1.4	1.0	.3							4.3	8.2
ENE	• 3	. 6	.4									1.3	5.6
NE	• 1	1.3	1.4	. 4		<b>†</b>						3.1	7.0
NNE .	• 1	. 9	1.3	• 1								2.4	6.5
N	• 1	2.3	2.0	• 5								4.9	7.2
SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED

TOTAL NUMBER OF OBSERVATIONS 800

USAFETAC FORM ARE 64 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

, , . /

GLCBAL CLIMATOLOGY BRANCH \_S4FETAC A16 WEATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

72-25 YOUNGSTOWN MAP OH 73-81 2100-2300 HOURS (L.B.T.) ALL WEATHER COMPITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	. 4	1.3	1.9	. 4	•1							4.1	7.4
NNE	• 1	1.0	. 9	• 1						1		2.2	6.6
NE	• 3	1.4	. 8	Ĺ							i	2.4	6.1
ENE		.9	.8	.1	1					Ì		1.8	6.3
E	• 1	1.6	2.3	1.0		•1						5.2	8.3
ESE	• 1	1.4	1.5	1.4	• 3		[					4.7	8.9
SE	1	2.2	2.7	1.6	• 1							6.6	8.7
SSE	• 1	1.7	1.3	1.0								3.4	8.3
5	• 5	4.1	3.7	1.3	.1							9.6	7.4
SSW	• 3	2.2	2.8	1.9								7.1	8.4
SW	. 4	2.0	5.2	4.1	• 3							11.9	9.5
wsw	• 1	1.3	3.3	5.4	. 6							10.8	10.9
w	. 4	3.0	6.5	6.1	• 5							16.5	9.9
WNW	• 3	1.3	1.8	1.3								4.6	8.3
NW	• 1	• 1	1.3	1.0								2.5	9.7
NNW	. 3	1.3	.6	1.0								2.9	8.9
VARBL													
CALM		$\triangleright <$	$\supset <$		$\geq$	$\supset <$	$\geq \leq$			$\geq \leq$		3.8	
	3,4	25.7	37.1	27.8	2.0	.1						100.0	8.5

TOTAL NUMBER OF OBSERVATIONS

GLUBAL CLIMATOLOGY BRANCH USAFETAC ATE MEATHER SERVICE/MAC

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

YOUNGSTOWN MAP OH 72:250 STATION 73-81

SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	• 1	1.3	1.8	.7	41							4.0	8.0
NNE	•1	• 6	1.0	• 2	ļ			[				1.9	7.5
NE	• 1	1.0	. 9	. 2			I		I			2 . 3	6.9
ENE	•0	• 6	.6	.1			i					1.3	6.7
Ę	• 1	1.6	1.7	. 7	•0	0						4.2	7.8
ESE	• 2	. 9	1.6	1.1	•1							3.8	8.9
SE	. 1	1.4	2.8	2.0	•1							6.4	9.3
SSE	• 1	• 7	2.0	. 8								3.6	8.6
\$	. 3	2.9	5.9	2.2	• 1							11.3	8.3
ssw	•2	1.8	2.8	1.6	.0	_ • D						6.5	8.6
sw	. 3	2.7	4.7	4.3	• 3	•0						12.2	9.5
wsw	• 2	1.5	3.7	4.9	. 7	.0						10.9	10.7
w	• 3	2.3	6.1	6.4	1.0	-1						16.2	10.6
WNW	•1	1.2	2.4	2.0	-1							5.8	9.5
NW	. 1	7	2.1	1.7	.0	0						9.7	9.7
NNW	.1	. 7	. 9	1.0	-1							2.8	9.7
VARBL						<u> </u>	1	T		<u> </u>		1	
CALM	$\searrow$	$\geq$	$\geq$	$\boxtimes$	>>	$\boxtimes$	$\boxtimes$	$\geq$	$\geq <$	$\geq$	$\geq$	2.2	
	2.4	21.8	40.8	29.9	2.7	.2						100.0	9.1

TOTAL NUMBER OF OBSERVATIONS

GLOBAL CLIMATOLOGY BRANCH USAFETAC Al- Weather Service/Mac

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

2 25	YOUNGSTOWN MAP OH	73-61	DEC
STATION	STATION NAME	YEARS	MORTH
		ALL WEATHER	0000+0200
	<del></del>	CLAM	HOURS (L.S.T.)

	2.4	18.3	42.2	30.5	9.1	.2	<u> </u>					100.0	9.4
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	2.2	
VARBL													
NNW		• 5	• 7	1.0			L					2.2	10.
NW	• 2	1.1	1.8	2.8	.1							6.1	10.
WNW		• 6	2.8	1.8	• 2							5.5	10.
w		1.8	3.5	6.5	1.7	•2						13.8	12.
wsw	• 2	• 8	2.2	4.0	. 8							8.1	11.
sw	.4	2.2	5.8	4.1	. 4							12.8	9.
55W	. 4	2.1	4.1	1.1								7.6	7.
5	• 2	2.9	6.5	1.6						ĺ .		11.3	8.
SSE	• 1	• 5	1.6	.7								2.9	8.
SE	• 2	2 • 1	3.8	2.4	•2							8.7	9.
ESE	• 1	• 5	2.4	1.5	• 2							4.7	9.
E		1.0	2.9	1.1								5.0	8.
ENE	• 2	• 8	. 4	• 2								1.7	6.
NE		• 8	• 5	• 2	1							1.7	7.
NNE	•1	• 1	. 6	1.0								2.1	10.
N	• 1	• 5	2.3	• 5	• 2							3.6	9,
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	B ₩ 0	MEA WIN SPEE

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

\_\_\_\_

FLOBAL CLIMATOLOGY BRANCH SSAFETAC AIR MEATHER SERVICE/MAC

2

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	•1	• 6	2.3	1.5								4.6	9.1
NNE		• 5	. 4	. 4	• 1							1.4	9.0
NE	• 1	• 7	1.4			_						2.2	6.8
ENE		• 6										.6	5.4
E	• 2	2.0	3.5	. 9	•1							6.7	8.0
ESE	•1	1.6	2.2	2.0	. 4							6.3	9.1
SE		- 6	4.3	2.0	•1							7.0	9.3
SSE	• 1	. 4	2.1	.9								3.5	8.9
S	• 5	2.6	7.3	1.1	•1							11.6	8.0
SSW	•1	1.7	3.3	.7								5.9	8.0
SW	• 2	2.3	4.8	4.1	• 5					i		12.0	9.8
wsw	•1	. 9	4.3	5.2	. 4							10.9	11.0
w		1.2	3.8	6.5	.7							12.3	11.4
WNW		.7	1.0	1.7	• 2	•1			1			3.8	10.7
NW		.6	2.7	3.7	• 2							7.3	11.0
NNW	• 2		1.1	.5	.1			<u> </u>				2.0	9.8
VARBL				1				1				1	1
CALM	$\supset <$	$\supset <$	$\supset <$	$\supset <$	$\supset <$	$\supset \subset$	><	><	> <	><	> <	2.1	
	2.0	17.1	44.5	31.1	3.1	-1						100.0	9.3

TOTAL NUMBER OF OBSERVATIONS

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR JEATHER SERVICE/MAC

### SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED

DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

72:250 YOUNGSTOWN MAP OH 73-81 DEC MONTH

STATION STATION HAME ALL WEATHER D600-0800 MONTH CLASS

CONDITION

SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N		1.2	1.6	1.1								3.9	9.0
NNE	i	• 6	• 2	.6	. 4							1.8	11.1
NE		.7	1.6	.1								2.4	7.2
ENE	!	• 7	1.1		• 2							2.1	8.2
E	<del></del>	1.9	2.3	1.0								5.2	8.0
ESE		1.2	2.8	1.6	•1							5.7	9.5
SE		2.1	3.6	2.4	•1	i						8.2	9.0
SSE		.7	2.9	. 4	•1	1						4.1	8.1
5	.4	3.3	8.4	1.7		1				1		13.7	7.9
SSW		1.7	3.3	1.2								6.2	8.3
SW	•1	1.6	4.7	4.7								11.2	10.1
wsw	•1	1.1	4.5	3.5	•1							9.3	10.1
V		.6	3.9	5.8	• 7	•2						11.3	11.8
WNW		. 8	1.9	2.2	• 2	.1		1	1			5.3	10.5
NW	•1	1.0	2.8	2.1	•2							6.2	10.0
NNW		. 4	1.2	1.0		1						2.5	10.0
VARBL		<del>                                     </del>			1				<u> </u>				
CALM		$\supset <$		$\supset <$		><	><	><	><	><	$\times$	. 8	
	.7	19.6	46.8	29.3	2.3	. 4						100.0	9.4

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

GLOBAL CLIMATOLOGY BRANCH SAFETAC AIN WEATHER SERVICE/MAC

2

#### SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

21.25	YOUNGSTOWN MAP OH	73-81	DEC
STATION	STATION NAME	YEAR	s New Yor
		ALL WEATHER	0900-1100
	<u> </u>	CLASS	HOURS (L.S.Y.)

SPEED (KNTS) DIR,	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N		• 5	1.1	.6	. 4						<u> </u>	2.5	9.8
NNE	• 1	• 1	.7	1.5	• 1							2.5	10.7
NE	• 1		1.0	• 5								1.6	10.2
ENE		• 6	1.3	•2							i	2.2	8.3
E	• 1	.4	2.1	.7	• 2							3.5	9.8
ESE		1.1	2.4	1.3						,	i	4.8	8.8
SE		1.0	4.8	2.9	•1							8.8	10.1
SSE		• 8	2.4	1.2								4.5	9.0
S		1.9	6.5	2.7				,		1		11.2	9.0
SSW	• 1	1.1	3.9	3.0	i							8.1	9.5
sw	• 1	1.5	4.8	5.0		•1						11.5	10.2
WSW	• 2	1.0	3.9	6.9	• 5	•1						12.6	11.4
w	• 1	1.2	2.8	6.2	• 8							11.2	11.6
WNW	•1	.7	1.9	2.3	•1							5.2	10.4
NW		.7	1.8	2.4	• 1							5.1	10.5
NNW	• 2	•5	1.0	2.1	• 2							4.0	10.7
VARBL		1											
CALM	$\geq$	$\geq$	$\geq$	$\geq \leq$	$\geq \leq$	$\times$	> <	> <	$\geq \leq$	$\geq$	$\geq$	• 6	
	1.3	13.1	42.5	39.5	2.7	• 2						100.0	10.1

TOTAL NUMBER OF OBSERVATIONS 825

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

SLOBAL CLIMATOLOGY BRANCH USAFETAC Als meather service/Mac

2

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

YOUNGSTOWN MAP OH	73-81		DEC
STATION NAME		YEARS	MONTH
	ALL WEATHER		1200-1400
	CLASS		HOURS (L.S.T.)
	CONDITION		
		STATION NAME  ALL WEATHER  CLASS	ALL WEATHER  CLASS

	•8	10.8	34.3		4.7	.6						100.0	10.
CALM	> <	> <	$\sim$		> <	> <	> <	> <	><		$\overline{}$	.7	
VARBL													
NNW		.6	. 8	1.9	. 2							3.6	11.
NW		. 4	2.2	3.4	. 5	•1						6.5	11.
WNW			2.2	3.4	. 6							6.2	12.
w	• 1	1.0	3.3	8.1	1.0	•1			]			13.6	12.
wsw		• 8	3.3	7.5	.7	•2						12.6	12.
5W	• 1	1.1	3.9	7.7	• 5	•1						13.4	11.
SSW		. 4	2.5	3.9	. 4							7.1	11.
\$	• 2	2.4	4.4	2.4	.1							9.6	8.
SSE	• 1	.6	2.2	1.6								4.5	9.
SE		1.1	3.8	2.3						1		7.1	9.
ESE	•1	. 4	1.9	1.1	. 2							3.8	9.
ŧ		. 7	1.2	• 1	. 1							2.2	8.
ENE	• 1	. 4	.6	• 7								1.8	9.
NE		• 2	• 2	• 6								1.1	10.
NNE		• 5	. 6	. 8	• 1							2.1	10.
N		• 2	1.2	2.4	• 2		į					4.1	11.
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEA WIN SPEE

TOTAL NUMBER OF OBSERVATIONS

USAFETAC PORM AR 64 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

GLOBAL CLIMATOLOGY BRANCH USAFETAC Ale Weather Service/Mac

### SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725250 YOUNGSTOWN MAP OH 73-81 DEC

STATION STATION HARE

ALL WEATHER

CLASS

TOWNS (LET.)

	1.0	16.1	39.8	70.0	3.9		.1					100.0	10.
CALM												•2	$\top$
VARBL		<u> </u>	1	<del> </del> -	i	1				1		1	1
NNW	<del></del>	• 7	.5	1.3	.5			1	1			3.0	11.
NW	•1	.7	3.3	2.8	• 2					1		7.2	10.
WNW		.9	2.0	2.9		· · · · · ·			f			5.7	10.
w	•1	1.6	3.5	9.0	1.1	.4	• 1					15.9	12.
WSW		1.1	4.3	5.9	1.1							12.3	11.
SW		1.7	4.4	5.0	• 2	1						11.3	10.
SSW		. 9	2.4	2.6								5.9	9.
5		1.7	6.1	2.1						1		9.9	8.
SSE		•1	2.8	.7								3.7	9.
SE		1.6	2.8	2.4	• 1					1		7.0	9.
ESE	•2	1.1	2.2	.9								4.4	7.
E	l	.9	1.7	• 2								2.8	7.
ENE		• 7		•1								. 9	6.
NE	• 1	.9	• 1	.5								1.6	7.
NNE		• 7	1.6	.6								2.9	8.
N	. 4	. 9	2.1	2.0	•1							5.4	9.
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEA WIN SPEE

TOTAL NUMBER OF OBSERVATIONS 820

USAFETAC PORM ARE 40 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIL WEATHER SERVICE/MAC

2

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725 <b>25</b> 0	YOUNGSTOWN MAP OH	73-81	 DEC
STATION	STATION NAME	TEARS	MONTH
		LL WEATHER	 1800-2000
		CLASS	 HOURS (L.S.T.)

	2.8	20.8	40.2	29.6	3.4			<u> </u>				100.0	9.0
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	3.2	
VARBL		L	1				Ļ,	Ĺ	L				<b></b>
NNW	• 1	.7	1.1	• 2								2.2	7.6
NW	• 5	1.5	1.8	2.9	• 2	İ	L					6.9	9.9
WNW	• 1	1.0	1.6	2.3			<u> </u>		L			5.0	9.1
w		1.9	4.0	6.2	1.9		L		<u> </u>			14.1	11.6
wsw	• 1	1.3	4.0	3.8	1.0	i						10.2	10.6
sw		1.7	5.3	5.1						Ì		12.1	9.7
SSW	• 5	1.6	2.3	1.2								5.6	8.1
5	• 5	1.6	5.7	2.1						1		9.8	8.4
SSE	•2	. 8	1.2	1.0								3.3	8.2
SE		1.8	3.4	2.1						!		7.3	8.9
ESE	• 2	1.7	3.2	. 6								5.7	7.5
E		1.6	1.5	. 1								3.2	6.7
ENE	• 1	• 2	• 1	† <del></del>								• 5	5.5
NE		1.3	1.2					1				2.9	7.3
NNE	•2	. 4	. 8	• 2	.1					•		1.8	8.5
N	• 1	1.7	3.0	1.5	.1					<del></del>		6.4	8.
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED

TOTAL NUMBER OF OBSERVATIONS 825

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

SLOBAL CLIMATOLOGY BRANCH USAFETAC AIF "EATHER SERVICE/MAC

2

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725259	YOUNGSTOWN MAP OH	73-81		DEC
STATION	STATION NAME	TU	ns .	MONTH
		ALL WEATHER		2100-2300
		CLASS		HOURS (L.S.T.)
		CONDITION	<del></del>	

	1.8	18.3	39.2	34.8	2.7	•1		1				100.0	9.4
CALM		$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	3.1	
VARBL													ļ
NNW		. 4	.7	1.2	• 1							2.4	11.1
NW	• 1	1.0	1.0	2.0	•1							4.2	10.
WNW		. 4	1.5	2.7								4.5	11.
w	.1	2.0	5.3	9.0	1.1							17.5	11.4
wsw	• 2	1.0	3.2	3.9	1.2	•1						9.6	11.4
SW		2.4	4.9	3.8	1				1			11.1	9.3
SSW	.1	. 9	3.2	2.0	†							6.1	9.2
\$	•2	2.3	5.3	3.4	<del> </del>							11.2	8.
SSE	•1	1.1	1.1	.9	<b></b>				<del> </del>	1		3.2	8.4
SE	•1	.7	3.8	1.8			l			i		6.5	9.1
ESE	• 2	.7	2.8	1.5	<del> </del>							5.3	9.0
E	•1	2.0	2.0	• 5	1							4.5	7.1
ENE	• 2	1.1	.6		<del> </del>							2.0	5.9
NE	• 1	1.1	.9	.4	İ							2.4	7.2
NNE	<del> </del>	1	1.1	. 9	•1							2.1	10.8
N	·	1.3	2.1	1.0								4.4	8.
SPEED (KNTS) DIR.	1.3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	WIND

TOTAL NUMBER OF OBSERVATIONS

819

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

GLCBAL CLIMATOLOGY BRANCH USAFETAC Alm Weather Service/Mac

2

### SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

721 <b>25</b> 0	YOUNGSTOWN MAP OH	73-81		DEC
STATION	STATION NAME		YEARS	MONTH
		ALL WEATHER		ALL
		CLASS		HOURS (L.S.Y.)
	**	CONDITION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	; ,, •	MEAN WIND SPEED
N	• 1	. 9	2.0	1.3	• 1					,		4.4	9.3
NNE	• 1	. 4	. 8	.7	• 1							2.1	10.0
NE	• 1	.7	.9	. 3	• 0							2.0	7.8
ENE	• 1	• 7	• 5	•2	•0	i						1.5	7.3
Ę	•1	1.3	2.1	.6	•1				1	1		4.1	8.0
ESE	•1	1.0	2.5	1.3	• 1				İ			5.1	8.9
SE	•0	1.4	3.8	2.3	•1	ļ —			T	1		7.6	9.3
SSE	•1	• 6	2.0	.9	•0				T			3.7	8.7
5	• 3	2.3	6.3	2.1	.0			1	1	i		11.0	8.4
SSW	• 2	1.3	3.1	2.0	•0				ļ ———			6.6	9.1
SW	•1	1.8	4.8	4.9	• 2	•0						11.9	10.1
WSW	•1	1.0	3.7	5.1	.7	•1						10.7	11.2
w	•1	1.4	3.8	7.2	1.1	•1	•0	1	1			13.7	11.7
WNW	.n	.6	1.9	2.4	• 2	•0		† · · · · ·	<u> </u>	1 -		5.2	10.7
NW	• 1	.9	2.2	2.8	• 2	•0		<del>                                     </del>	ļ			6.2	10.5
NNW	.1	.5	. 9	1.2	• 2			1		† <del></del>		2.8	10.5
VARBL	* - <del></del>			<u> </u>					1				1
CALM		$\supset <$	$\supset <$		$\sim$		> <	$\supset <$	$\supset <$	$\supset \subset$	> <	1.6	
	1.6	16.8	41.2	35.2	3.3	•3	•					100.0	9.7

TOTAL NUMBER OF OBSERVATIONS 6576

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

/ · ·

GLCPAL CLIMATOLOGY BRANCH USAFETAC Ald Weather Service/Mac

2

WEATHER SERVICE/MAC PERCENTAGE FREQUENCY OF WIND

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

725 <b>25</b> 0	HO MAM NWCTSDNUOY	73-81		ALL
STATION	STATION NAME		YEARS	#0 M T H
		ALL WEATHER		ALL_
	<del></del>	CLASS		HOURS (L S.Y.)
		CONDITION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 · 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	• 2	2.0	2.9	1.6	•1	•0				-		6.8	8.5
NNE	• 1	.7	1.2	. 5	•0							2.5	8.3
NE	• 1	1.2	1.5	. 4	•0			Ī				3.4	7.6
ENE	• 1	• 9	. 9	• 2	• 0							2.1	7.0
E	• 2	2.3	2.1	• 5	•0	•0						5.2	7.1
ESE	• 2	1.3	1.8	. 9	•0	•0						4.2	8.1
SE	• 2	1.8	2.8	1.6	• 1	•0						6.5	8.7
SSE	• 1	1.0	1.8	• 7	• 0	•0						3.6	8.2
S	• 3	3.3	5.2	1.6	.0							10.4	7.8
SSW	• 2	1.9	2.7	1.3	• 1	•0	•0			ļ — — —		6.2	8.2
sw	• 3	2.4	4.3	3.2	•2	•0	•0					10.5	9.2
wsw	• 2	1.4	3.0	3.1	• 5	•1	•0					8.3	10.3
w	• 3	2.0	3.8	4.3	.7	•1	•0					11.2	10.4
WNW	• 2	1.1	1.8	1.7	• 2	•0	.0			1		5.0	9.6
NW	• 2	1.4	2.4	2.3	• 2	•0						6.6	9.6
NNW	• 1	.9	1.4	1.5	• 2	•0						4.1	9.7
VARBL			<b>†</b>		i								
CALM	><		>	$\geq <$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq <$	$\geq \leq$	><	$\geq \leq$	3.5	
	3.0	25.8	39.6	25.4	2.4	. 3	.0					100.0	8.6

TOTAL NUMBER OF OBSERVATIONS 76292

USAFETAC FORM 0-8-5 (OL-A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

1

GLOBAL CLIMATOLOGY BRANCH JSAFETAC

AIR MEATHER SERVICE/MAC

2

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

AND/OR VSBY 1/2 TO 2-1/2 HI W/CIG 200 FT OR MORE

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 50	*	MEAN WIND SPEED
N	• 2	1.4	2.9	2.2	• 2	.0					:	7.0	9.4
NNE	• 1	• 6	1.1	. 6	. 1						!	2.5	9.0
NE	• 1	. 9	1.1	.7	• 1							2.8	8.7
ENE	• 1	. 6	. 7	• 3	.0					1		1.7	7.7
E	. 2	1.7	1.5	.6	• 1	.0						4.1	7.6
ESE	•2	1.0	1.3	1.0	• 1	•C				i		3.6	8.7
SE	• 1	1.5	2.1	2.1	• 2	•0						6.0	9.4
SSE	• 1	1.1	1.7	.7	•0							3.7	8.2
S	. 4	3.7	5.0	1.4	• 0							9.8	7.7
SSW	• 2	1.6	2.6	. 9	•0	•0						5.3	8.0
SW	• 3	2.0	4.5	2.7	• 2	• 1	•0					9.9	9.3
WSW	• 2	1.3	3.2	3.2	. 5	•2	•0					8.6	10.5
w	•2	2.0	4.5	5.5	. 8	•1	•0					13.1	10.7
WNW	• 1	1.2	2.4	2.6	. 3	• 1	.0					6.7	10.2
NW	• 2	1.1	2.9	3.5	• 2	•0						8.1	10.4
NNW	•1	• 6	1.6	2.0	. 3	•0						4.5	10.7
VARBL						I				i		Ï	
CALM		$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq <$		$\geq <$	$\geq \leq$	$\geq \leq$	2 • 5	
	2.8	21.8	39.1	30.1	3.1	.6	.1					100.0	9.2

TOTAL NUMBER OF OBSERVATIONS 15760

USAFETAC FORM 0-8-5 (OL+A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

U S AIR FORCE ENVIRONMENTAL TECHNICAL APPLICATIONS CENTER

#### PART D

#### CEILING VERSUS VISIBILITY

This summary is a bivariate percentage frequency distribution by classes of ceiling from zero to equal to or greater than 20,000 feet and as a separate class "no ceiling", versus visibility in 16 classes from zero to equal to or greater than 10 miles. Data are derived from hourly observations, and three sets of tables are presented as follows:

- 1. Annual all years and all hours combined
- 2. By month all years and all hours combined
- 3. By month by standard 3-hour groups

Due to the cumulative nature of this presentation, it is possible to determine the percentage frequency of occurrence for any given limit of ceiling or visibility separately, or in combination of ceiling and visibility. The totals progress to the right and downward. Ceiling may be determined independently by referring to totals in the extreme right hand column. Also, visibility may be determined independently by reference to the horizontal row of totals at the bottom of the page. The percentage frequency for which the station was meeting or exceeding any given set of minima may be determined from the figure at the intersection of the appropriate ceiling column and visibility row. Several examples in the use of these tables are shown on pages 2 and 3 below.

U. S. Weather Bureau and Navy stations did not report ceilings within the range 10,000 feet and higher prior to January 1949. Summaries prepared from data for these stations using the earlier period and data subsequent to January 1949 will be modified to limit ceilings to 10,000 feet. Short periods of record prior to 1949 for these stations will be eliminated from the summary. For Air Force stations, the "no ceiling" category includes clear and scattered conditions, and ceilings above 20,000 feet for period through June 1948. Beginning in July 1948 for Air Force stations and January 1949 for USWB and U. S. Navy stations the "no ceiling" category consists of observations with less than 6/10 total sky cover and those cases where total sky cover is 6/10 or more, but not more than 1/2 of the sky cover is opaque.

Beginning in January 1968, METAR stations report visibilities to 6 miles and then greater than 6 miles. Thus, for METAR stations, the category equal to or greater than 10 miles is not printed in the tables, unless the summary was for a period ending before January 1968.

Continued on Reverse Side

#### EXAMPLES FOR USE OF CEILING VERSUS VISIBILITY TABLES IN THIS TABULATION

CEILING							VIS	BILITY (\$1	ATUTE MI	LES)						
(FEET)	≥ 10	•≥ 6	≥ 5	≥ 4	≥ 3	≥ 2 1/2	≥ 2	≥ 1 1/2	≥ 1 1/4	: ≥ 1	≥ ¾	≥ %	; ≥ 1/3	≥ 5/16	≥ 1/4	≥ 0
NO CEILING					$\langle \rangle$		$\bigcirc$									
≥ 1800 ≥ 1500					91.0											92.6
≥ 1200 ≥ 1000																
≥ 900 ≥ 800																
≥ 700 ≥ 600													<u> </u> 	<u> </u>		
≥ 500 ≥ 400										97.4						98.1
≥ 300 ≥ 200																
≥ 100 ≥ 0					95.4		96.9			98.3						100.

- EXAMPLE #1 Read ceiling values independently of visibility under column at right headed  $\geq 0$ . For instance, from the table: Ceiling  $\geq 1500$  feet = 92.6%. Ceiling  $\geq 500$  feet = 98.1%.
- EXAMPLE # 2 Read visibilities independently of ceilings on bottom line opposite  $\geq$  0. From the table:

  Visibility  $\geq$  3 miles = 95.4%.

  Visibility  $\geq$  2 miles = 96.9%.

  Visibility  $\geq$  1 mile = 98.3%.
- EXAMPLE # 3 To obtain combinations of ceiling with visibility, read figure at intersection of the two categories; i.e.: Ceiling  $\geq$  1500 feet with visibility  $\geq$  3 miles = 91.0%.

#### ADDITIONAL EXAMPLES

Values below minimums stated in the table may be obtained by subtracting the value given in the table from 100%.

Thus, to obtain the percentage of observations with ceiling < 1500 feet and/or visibility < 3 miles, subtract the value read from the table at the intersection, which is 91.0, from 100.0. The answer 9.0 is the percentage of observations with ceiling < 1500 feet and/or visibility < 3 miles.

Likewise, the percentage of observations with ceiling < 500 feet and/or visibility < 1 mile is 2.6, obtained by subtracting 97.4 from 100.0.

EXAMPLE # 5 To find the percentage of observations falling within the two categories given in example above, subtract the value read from the table for the first set of limits from the value in the table for the second set of limits. The difference will be the percentage of observations meeting the lower set of limits, but not meeting the higher set of limits.

The value 91.0 read from the table at the intersection of  $\geq$  1500 feet with  $\geq$  3 miles, subtracted from 97.4 read from the table at the intersection of  $\geq$  500 feet with  $\geq$  1 mile is equal to 6.4%. Thus; 6.4 percent of the observations meet the criteria: "ceiling  $\geq$  500 feet with visibility  $\geq$  1 mile, but < 3 miles; or ceiling  $\geq$  500 feet, but < 1500 feet with visibility  $\geq$  1 mile."

Since these tabulations are prepared in several ways including by month, by 3-hour groups it is possible to determine diurnal variations of ceiling and visibility limits as well as probabilities of various ceiling-visibility combinations.

UERGAL CLIMATOLOGY GRANCH PROFESTAC AR SEATHER SERVICE/MAC

()

# CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-81

- Motiviii

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

<del>-100-253</del>-

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥4	≥ 3	≥2 7	≥ 2	≥1/2	≥1.	≥1	≥ ¼	ه, ≷	≥ 7	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	12.7 12.9	23.3	23.9 25.5	24.1 25.8	24.2	24.2 25.9	24.5 26.2	24.5 26.2	24.5	24.7 26.4	24.7	74.7 26.4	24.7	24.7	24.7	24.7
≥ 18000 ≥ 16000	12.9	25.0 25.0	25.5	25.8 25.8	25.9	25.9	25.2	26.2	26.2	26.4	26.4	26.4	26.4	26.4	26.4	26.4
≥ 14000 ≥ 12000	12.9	25.0	25.5	25.8	25.9	25.9	26.2	26.2	26.2	26.4	26.4	26.4 26.4	26.4 26.4	26.4	26.4	
≥ 10000 ≥ 9000	13.5	25.3 26.6	27.2	26.3	27.9	26.4	26.7 28.1	28.1	26.7 28.1	26.9 28.4	26.9 28.4	26.9 28.4	26.9 23.4	26.9 28.4	26.9 28.4	26.9
≥ 8000	13.5	26.7 23.4	27.3 29.0	27.9		28.0	28.3 30.0	7 - 7 -		28.5 30.2	28.5 30.2	28.5 30.2	22.5 37.2	28.5 30.2	28.5 30.2	28.5 30.2
≥ 7000	14.7	29.6 30.1	31.3 31.0	33.9 31.5	31.7	31.7	31.3 31.9			31.5	31.5 32.2	31.5 32.2	31.5 32.2	31.5 32.2	31.5	31.5
≥ 5000 ≥ 4500	15.6	33.0		34.5 35.9				35.6	35.0 36.4	35.2	35.2	35.2	35.2 36.7	35.2 36.7	35.2	1 1
≥ 4000 ≥ 3500	18.1		7	38.5	38.6		38.9 41.5	39.0	39.D	39.2	39.2	39.2	39.2	39.2	39.2	39.2
≥ 3000	21.1	42.5	44.7	46.2	45.4	46.4	46.8	46.9	41.7 46.9	41.9 47.1	41.9 47.1	41.9 47.1	41.9 47.1	41.9 47.1	41.9 47.1	47.1
≥ 2000	22.4 25.5	54.3	50.5	51.3 61.3	62.5	52.3 62.9	52.6 63.2	52.7 63.3	52.7 63.3	53.0 63.6	53.6 63.6	53.0 63.6	53.0 63.6	53.0 63.6	53.0 63.6	1 1
≥ 1800 ≥ 1500	25.9 26.7	57.0 60.7	61.1 65.7	64.1 69.2	65.3 70.9	65.7 71.3	66.0 71.7	66.1 72.0	66.1 72.0	66.5 72.4	66.5 72.4	66.5 72.4	66.5 72.4	66.5 72.4	66.5 72.4	
≥ 1200 ≥ 1000	28.3 28.3	63.6	69.7 71.3	75.4 77.3	77.3	77.8 80.4	78.4 81.9	78.8 82.7	78.8 82.7	79.3	79.3 83.6	79.3 83.6	79.3 83.6	79.3 83.6	79.3 83.6	79.3
≥ 900 ≥ 800	28.5 28.6	65.4	72.2	78.6 79.5	80.8 81.7	81.7 82.8	83.2 84.7	84.7	84.7	85.6 87.8	85.6 87.8	85.6	85.6 87.8	85.6	85.6	85.6 87.8
≥ 700 ≥ 600	28.6 28.5		74.5	81.2	83.4	84.7	86.7 87.8	88.8 90.0	88.9	90.1	90.1	95.1	90.1	90.1	90.1	90.1
≥ 500 ≥ 400	28.6	68.3	75.3 75.5	33.2 83.4	85.7	87.0 87.9	89.4	91.8 93.1	92.2	93.9	93.9	93.9 95.5	94.0 95.7	94.C 95.7	94.0	94.3
≥ 300 ≥ 200	28.6	68.6	75.5	A3.8	87.0	88.7	91.6	94.0	94.4	96.2	96.5	96.5	96.7	96.7	95.7	96.7
≥ 100 ≥ 0	.28.6	68.6	75.5	83.8	87.0	7.7.1	92.1	95.1	95.4	97.7	98.5	97.9	98.4		98.7	
	28 • 6]	68.6	75.5	83.8	87.0	88.9	92.1	95.1	95.5	97,9	98.5	98.7	99.3	99.4	99.8	100.0

TOTAL NUMBER OF OBSERVATIONS \_\_\_\_\_ 82

USAF ETAC NICES 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS PORM ARE ORBOLETE

AT WEATHER SERVICE/MAC

 $\Pi$ 

## CEILING VERSUS VISIBILITY

YOUNGSTONN MAP OH

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

2320-0500

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥17	≥≀'.	≥1	ر ۱۸	≥ '₹	≥ ;	≥5 16	≥.	≥0
NO CEILING ≥ 20000	0.7 9.1	17.8 19.4	18.7 20.5	20 • 4 27 • Q	27.7	27.7 22.3	20.8 22.4	20.8	20.8	21.0	21.0	21.0	21.n 22.6	21.	21.7	21.0
≥ 18000 ≥ 16000	9.1	19.4	21.3 21.3	22.0 22.0	22 <b>.3</b> 22 <b>.3</b>	22.3 22.3	22.4 22.4	22.4 22.4	22.4 22.4	22.6	22.6 22.6	22.5	22.6	22.6 2 <b>2.</b> 6	22.5	22.5
≥ 14000 ≥ 12000	9 · I	20.0 21.2	20.9 22.0	22.6 24.0	22.9 24.2	22.9 24.2	23.0 24.4	23.0 24.4	23.0 24.4	23.2 24.6	23.2	23.2	23.2	23.2 24.6	23.2	
≥ 10000	17.0	22.4	23.2 23.6	25.2 25.6	25.5 25.8	25.5 25.8	25.6 26.0	25.6 26.0	25.6 26.0	25.8 26.2	25.8 26.2	25.8 26.2	25.8 26.2	25.6 26.2	25.8 26.2	26.2
≥ 8000 ≥ 7000	10.7	24.2	25.1 26.1	27.1 28.0	27.3	27.4	27.6 28.5	27.6 28.5	27.6	27.8 28.8	27.8 28.8	27.8 28.8	27.8 28.8	27.8 28.8	27.8	28.8
≥ 6000 ≥ 5000	11.9	25.2	24.1	28.0 30.5	23.3	28.4	28.5	28.5	28.5 31.0	26.8	28.8 31.2	28.8	28.8	28.8	28.8	31.2
≥ 4500 ≥ 4000	12.4	30.0	29.2 31.6	31.5	31.7 34.6	31.9	34.8	32.0 34.8	32.0 34.8	32.2 35.1	32.2	32.2 35.1	32.2 35.1	32.2 35.1	32.2 35.1	35.1
≥ 3500 ≥ 3000	13.5	32.5	34.1	36.8	37.0 41.7	37.1	37.3	37.3	37.3	37.5 42.2	37.5 42.2	37.5 42.2	37.5 42.2	37.5 42.2	37.5	
≥ 2500 ≥ 2000	21.3	41.9	53.1	48.1 56.8	58.3	58.5	49.3 58.9	49.3 58.9	49.3 58.9 62.2	59.3	49.6 59.3	49.6 59.3	59.3	49.6 59.3	49.6 59.3	
≥ 1800 ≥ 1500 ≥ 1200	21.8	52.2 54.5	59.4	60.0 64.7	61.6 66.5	61.9 66.8	62.2 67.5 75.9	62.2 67.9 76.4	67.9	62.6 68.3	68.3	62.6 68.3	62.6 68.3	62.6	62.6	62.6
≥ 1000	23.1	59.3	65.7	73.4	76.0	76.9	79.1	80.2	80.3	81.8	81.8 84.G	81.8	81.8	81.8	81.8 84.D	81.8
≥ 800	23.5	61.0	67.9	76.6 78.0	79.2	81.8	83.1	84.5	84.9	86.7	86.7	86.7	86.7	86.7	86.7	86.7
≥ 600	23.9	62.7	70.4	79.8	82.4	85.5	87.1	90.7	89.1 91.0	90.9	91.0	91.0	91.0	91.C	91.0	
≥ 400	23.9	63.1	70.8	81.5	85.6	87.5	90.4	92.6	93.1	95.1	95.2	95.2	95.2	95.2	95.2	
≥ 200	23.9	63.1	70.8	81.8	86.2	88.1	91.6	94.3	95.1	97.5	98.2	98.2	98.2	98.2	48.2	1
≥ 00	23.9		70.8			88.1	91.6	94.3		97.7	98.5	98.5	99.3	99.0		00.0

TOTAL NUMBER OF OBSERVATIONS.

USAF ETAC TOTAL 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS

HE TAL CLIMATOLOGY PPANCH PRETAC WIN WEATHER SERVICE/MAC

a

## CEILING VERSUS VISIBILITY

2 20 YOUNGSTOWN MAP OH

73-81

2620-6802

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING					•		VIS	BILITY IST	ATUTE MIL	ES .	· · ·					
FEET	≥10	≥6	≥5	≥ 4	≥ 3	≥27	≥ 2	≥172	≥1%	≥1	ها ≤	≥ >⊓	2 '7	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	7 • 3 7 • 6		15.2 17.4	17.0 19.4	17.4 19.8	18.3	18.2 20.8	18.2	18.2 20.9	18.2 20.9	18.2	18.2 23.9	19.2 20.9	15.2 20.9	18.2	18.2 20.9
≥ 18000 ≥ 16000	7.8 7.8	1	17.5 17.5	19.5 19.5	19.9	20.5	20.9 20.9	21.0	21.0	21.0	21.5 21.5	21.0 21.0	21.0	21.0 21.0	21.0	21.0
≥ 14000 ≥ 12000	7.9 6.1	15.9 15.7	17.7 18.8	19.8 20.9	20.1	2J.8	21.1 22.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2
≥ 10000	8.5	17.5	19.5 19.9	21.8	22.2 22.6	22.8	23.2 23.5	23.3	23.3	23.3	23.3	23.3	23.3	23.3 23.7	23.3	23.3 23.7
≥ 8000 ≥ 7000	9.2	2 3.6	21.7	24.0 25.1	24.4	25.0 26.1	25.4 26.5	25.5 26.6	25.5 26.6	25.5 26.6	25.5 26.6	25.5	25.5	25.5 26.6	26.6	25.5 26.6
≥ 6000	12.3	22.0		25.5 26.6	25.8 26.9	26.5 27.5	26.8	26.9 28.0	26.9	26.9 28.0	26.9 28.5	26.9 28.3 29.2	26.9 28.0 29.2	26.9 28.5 29.2	1	26.9 28.0 29.2
≥ 4500 ≥ 4000	17.1	23.1 25.2	25.5 27.9	27.8 30.3	28.2	28.8 31.3 32.3	29.1 31.7 32.6	29.2 31.8 32.8	29.2 31.8 32.8	29.2 31.8 32.8	29.2 31.9 32.8	31.8	31.8	31.8	31.8	31.8 32.8
≥ 3500 ≥ 3000 ≥ 2500	12.5	24.2	28.9 32.4 38.2	31.3 34.8 41.1	31.7 35.3 42.2	36.0 43.1	36.8 44.1	36.9	36.9	37.0	37.0	37.0	37.0	37.6	37.0	37.C
≥ 2000	16.6 19.7	42.5	45.1	49.6 52.8	51.1 54.7	52.5 56.2	53.8	54.2 58.1	54.2 58.1	54.6	54.9	54.0	55.0 59.0	55.0	55.0	55.0
≥ 1500	20.3	46.6	51.0 57.0	56.1 63.5	58.4	59.8	61.8	62.4	62.4	63.3	63.6	63.6	63.8	63.8	63.8	63.8
≥ 1000	21.5		59.3	65.0 68.6	68.7	71.4	74.8	76.0	76.0	77.8	78.2	78.2	78.4 82.2	78.4 82.2	78.4	78.4
≥ 800	22.1	54.9	62.4	70.3	73.1	76.0	80.3 82.0	81.6	81.8	83.9	84.6	84.6	85.0	85.9	85.0	85.0
≥ 600	20.2	56.2	65.8	73.3	76.1	79.4	86.4	85.9 88.2	86.2	88.3 90.8	89.2 91.9	92.0	89.6 92.5	92.5	92.5	92.5
≥ 400 ≥ 300	22.2		66.	75.8 76.1	79.6	82.6	88.0 89.1	89.8	90.0 91.6	92.4	95.9	93.6	96.6	94.1	94.1	96.6
≥ 200	22.2		66.	76.3 76.3		83.5 83.5		91.9	92.2	95.1 95.1	97.2 97.2	97.5 97.5	98.4	98.8	98.5	98.5
≥ 0	22.2		66.0	76.3	87.0	£3.5	89.4	91,9	92.2	95.1	97.2	97.5	98.4	98.6	99.2	100.0

TAL MUMBER OF ORSERVATIONS 824

LISAF FTAC NIM 0-14-5 (OL A) PREVIOUS REPTONS OF THIS PORM ARE CRECUET

THE TAL CLIMATOLOGY BRANCH CONFETAC ALCORPATHER SERVICE/MAC

 $\Box$ 

## CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-81

- Medini

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

927-1100

CEILING		· · · · · · · · · · · · · · · · · · ·					vis	BILITY ST	ATUTE MIL	.ES:						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥1 %	≥1 2	≥1	≥ ¼	≥ ''a	≥ :	≥ 5 16	≥.	≥0
NO CEILING ≥ 20000	7.6 11.9	12.6 16.3		15.2 19.5	15.3			17.7 23.0	! .	, -	17.9			17.9		17.9 23.3
≥ 18000 ≥ 16000	1:00	16.3 16.3	19.2 15.2	19.5 19.5	20.9 20.9	21.5	22.5	23.0			23.3 23.3		23.3	23.3 23.3	23.3	23.3
≥ 14000 ≥ 12000	10.4	16.8	19.7 19.3	20.5 20.8	21.4	22.0 22.9		23.5 24.4	23.5 24.4	23.6 24.6	23.7 24.7		23.7 24.7	23.7		1
≥ 10000	11.6	18.4	20.8	23.0 23.0	24.5		26.2 26.2	26.7 26.7	26 • 7 26 • 7	26.9	27.1 27.1	27.1 27.1	27.1	27.1 27.1	27.1 27.1	27.1 27.1
≥ 8000 ≥ 7000	12.4	25.9			26.1			28.3 29.6	29.6	29.9	30.0	28.6 30.0		28.6 30.0	28.6 30.0	28.6 30.0
≥ 6000 ≥ 5000	13.8	21.3					31.7		32.2	32.4		32.6	32.6	30.8 32.6	30.8 32.6	30.0 32.6
≥ 4500 ≥ 4000	14.7	25.0		29.5 31.3	31.1		34.6	35.1		35.4	35.5	35.5	35.5	33.8 35.5	33.8 35.5	35.5
≥ 3500 ≥ 3000 ≥ 2500	15.6 17.5	25.9 27.1 30.2	30.1	31.9 33.5	33.8 36.0	36.8	38.4		36.2	39.2	39.3	36.6	39.3	36.6	36.6	
≥ 2000	21.9		38.8		40.4 46.8 49.1	41.4 48.3 50.7	50.7	43.9 51.8 54.6	43.9 51.8 54.6	52.3	52.4	52.4	52.4	52.4	52.4	52.4
≥ 1500	23.5	1	45.2	50.9	54.2			62.1	62.2	63.4 70.0	55.4 63.6 70.3	55.4 63.6 70.3	55.4 63.6 70.3	55.4 63.6 70.3		
≥ 1000	24.0	43.2		56.1	61.9	62.8	68.5		71.7	74.2	74.8	74.8	74.9	74.9	74.9	74.9
≥ 800	24.7	44.4	51.9	58.6	64.6	67.0	73.8	77.5	77.7	80.7	81.8	81.8	81.9	81.9	81.9	
≥ 600 ≥ 500	24.0 24.0	44.6	52.4 52.8	61.0	66.2	70.0	77.4	81.4	81.6	84.8	86.2		86.3	86.3	86.3	
≥ 400	24.0 24.0	44.8	53.1 53.1	61.6	67.4	72.5	80.9	85.7	1		1	93.1			94.0	94.3
≥ 100	24.0 24.0	44.9	53.2 53.2		67.7	73.2	81.9	87.8	88.1	93.3	97.4	97.4	98.7	98.7		98.9
≥ 0	24.0	44.9	53.2	62.1	67.7	73.2	81.9	87.8	88.1	93.3	97.4	97.4		1	99.3	

TAL NUMBER OF DESERVATIONS\_\_\_\_\_

USAF FTAC TORM On 14-5 (OL A) reprove any on the same on the

SELPAR CLIMATOLOGY BRANCH GITTAC GEATHER SERVICE/MAC

# CEILING VERSUS VISIBILITY

HC PAP NECTEDAUCY

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1200-1400

CEILING							VIS	BILITY ST	ATUTE MIL	ES.						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ ?	≥1.7	≥1%	≥1	≥ 1.	ھر ≥	<b>∆</b> ;	≥5 16	≥ 4	≥0
NO CEILING ≥ 20000	11.3	15.8 27.1	10.7	16.8	16.8	16.9	17.2 22.9	17.2 22.8	17.2 22.8	17.2 22.8	17.2 22.8	17.2	17.2 22.8	17.2 22.8	17.2 22.8	17.2 22.5
≥ 18000	13.6		21.9	22.2	22.5	22.7 22.7	23.1 23.1	23,1 23,1	23.1 23.1	23.1 23.1	23.1 23.1	23.1 23.1	23.1 23.1	23.1	23 • 1 23 • 1	23.1
≥ 14000 ≥ 12000	13.9	20.6	22.4 23.3	22.7 23.5	23.7	24.3	23.6 24.5	24.5	23.6	23.6	23.6	23.6 24.5	23.6 24.5	23.6 24.5	23.6	24.5
≥ 10000	14.9 15.0	22.2 22.3		24.7	25.1 25.2	25.2 25.3	25.7 25.8	25.7 25.8	25.7 25.8	25.7 25.8	25.7 25.8	25.7 25.8	25.7 25.8	25.7 25.8	25.7 25.8	25.8
≥ 8000 ≥ 7000	15.8 16.2	23.6	25.9 27.5	26.2	25.6 28.1	26.7	27.2 28.7	27.2 28.7	27.2	27.2 28.7	27.2 28.7	27.2 28.7	27.2 28.7	27.2 28.7	27.2	28.7
≥ 6000 ≥ 5000	16.3 16.8	20.2	29.4	28.6 29.8	30.2	29.1 32.3	29.6 30.8	29.6 30.8	29.6 30.8	29.6 30.8	29.6 30.8	29.6 30.8	29.6 30.8	29.6 30.8	29.6 30.8	30.8
≥ 4500 ≥ 4000	17.2	25.7 28.5	37.0 31.8	37.8 32.6	31.2 33.0	31.3	31.8 33.7	31.8 33.7	31.8	31.8	31.R 33.7	31.8	31.8	31.8	31.8	33.7
≥ 3500 ≥ 3000	20.7	23.7 30.6	32.2 34.1	33.3 35.2	35.9	33.9	34.3 36.9	34.3 36.9	34.3	34.3	34.3	34.3 36.9	34.3 36.9	34.3	34.3	36.9
≥ 2500 ≥ 2000	23.1	35.6	39.2 43.5	40.7 50.4	51.8	42.5 52.7	43.1 54.1	43.1 54.2	43.1 54.2	43.1 54.2	43.1 54.2	43.1 54.2	43.1	43.1	43.1 54.2	5442
≥ 1800 ≥ 1500	30.0	47.3 51.2	56.4	59.8	61.6	57.0 63.1	58.8	59.1 67.0	59.1 67.0	59.2 67.2	59.2 67.4	59.2 67.4	59.2 67.4	59.2 67.4	59.2	67.4
≥ 1200	32.0	53.5 54.3	57.3 60.5	63.2	65.8	67.7 70.6	73.0	74.5 78.7	74.5 78.7	75.2 79.5	75.4 79.9	75.4	75.4 79.9	75.4	75.4	75.4
≥ 900 ≥ 800 ≥ 700	32.5 32.5	55.2 55.8	61.0 62.t	67.4	70.0 71.0	73.6 74.8	79.8 81.4	82.6	82.6	83.7	84.3 87.3	84.3	84.3	84.3	84.3	84.3
≥ 600	32.6 32.6		63.1 63.2 63.7	68 • 2 68 • 7	71.9 72.0 72.6	76.0 76.6 77.5	82.9 83.6 85.1	86.1 87.0 89.0	86.1 87.0	87.3 88.4 90.5	89.2 90.6 92.9	89.2 90.6 92.9	91.0 93.3	89.2 91.0 93.3	89.2 91.1 93.4	89.2 91.1 93.4
≥ 400	32.5	56.6	63.8	68.9		77.8	85.9	90.1	90.1 91.0	92.4	95.4	95.4 97.0	96.1 97.7	96.0 97.8	96.1 97.9	96.1
2 200	32.6 32.6	56.8	63.9	69.1	73.1 73.1	79.4	87.0 87.0	91.4	91.4 91.4	94.6	97.8	97.8	98.8	98.9 99.1	99.D 99.5	99.0
2 0	32.5	56.8	63.9	69.1	73.1	73.4	87.0	91.4	91.4	94.8	97.9	97.9	99.3	99.4	99.8	20.0

USAF ETAC TORM 0-14-5 (OL A) REVIOUS PRITICES OF THIS FOR

SEETAC A. AEATHER SERVICE/MAC

 $\Box$ 

## CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	IBILITY ST	ATUTE MIL	E5						
FEET	≥10	≥6	≥ 5	≥4	≥3	≥2 7	≥ 2	≥17	≥1′₄	≥1	≥ 3.	≥ ′⁄•	≥ ;	25 16	≥ .	≥0
NO CEILING . ≥ 20000	13.5			17.2 23.7	17.2 23.8		17.3 23.9			17.3 23.9		17.3	17.3	17.3	17.3	17.3
≥ 18000 ≥ 16000	18.2		23.8 23.8	23.8 23.8	23.9 23.9	23.9	24.0	24.0 24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	
≥ 14000 ≥ 12000	18.7			24.4 26.0	24.5 26.1	24.5 26.1	24.7 26.3	24.7	24.7	24.7 26.3	24.7	24.7	24.7	24.7	24.7	24.7
≥ 10000 ≥ 9000	27.7	27.1	27.5 28.0	27.5 28.0	27.6	27.6 23.1	27.7 28.2	27.7 28.2	27.7 28.2	27.7	27.7	27.7	27.7		27.7	27.7
≥ 8000 ≥ 7000	22.3	30.1 30.9	30.5 31.4	30 • 6 31 • 4	30.7	30.7	30.8 31.8		30.8	30.8 31.8	30.8 31.8	30.8	30.8 31.8	30.8	30.8	30.8
≥ 6000 ≥ 5000	22.3			31.8	31.9	31.9 33.9	32.1 34.1	32.1	32.1	32.1	32.1	32.1	32.1	32.1	32.1	32.1
≥ 4500 ≥ 4000	23.7 24.7	34.1 35.8	34.7	34 · 8	35.1 36.8	35.2 36.9	35.5 37.2	35.5 37.2	35.5	35.5	35.5 37.2	35.5	35.5	35.5 37.2	35.5	35.5 37.2
≥ 3500 ≥ 3000	25.4 29.7	36.7	37.7 42.0	37.9 42.7	38.2	39.3	38.5	38.5	38.5	38.5	38.5 43.6	38.5	38.5	38.5	38.5	38.5
≥ 2500 ≥ 2000	34.2 37.5	47.4	48.5 56.1	49.3 57.7	57.1 59.0	50.7 59.9	51.4 61.0	51.4	51.4	51.5 61.7	51.5 61.7	51.5	51.5	51.5	51.5	
≥ 1800 ≥ 1500	39.3 40.9	57.5 69.4	63.4	62.2	63.8	64.7	65.9	66.5 72.5	66.5	67.1 73.1	67.1 73.1	67.1	67.1 73.1	67.1 73.1	67.1 73.1	67.1 73.1
≥ 1200 ≥ 1000	41.5 41.3	63.1	66.5 67.7	69.6 71.0	71.9 73.5	74.1 76.1	77.7 80.5	79.9 83.3	79.9 83.3	80.9 84.8	80.9	80.9 85.2	80.9 85.3	80.9 85.3	80.9	80.9
≥ 900 ≥ 800	41.8	64.5	69.0	72.0 72.4	74.7	77.5 78.5	82.0	85.6 87.4	85.6 87.4	87.2	87.6 90.1	87.6 90.1	87.7 90.3	87.7 90.3	87.7	1 1
≥ 700 ≥ 600	42.0	64.9	69.2 69.3	72.8	75.8 76.0	79.4 80.3	84.3	58.7 89.8	88.7	90.9	91.9	91.9	92.1	92.1	92.1	92.1
≥ 500 ≥ 400	42.7	65.2 65.2	69.6	73.3 73.3	76.3 76.6	83.4	85.8 86.5	90.9 92.1	90.9 92.1	93.9	95.1 96.8	95.1 96.8	95.5 97.2	95.5 97.2	95.5 97.2	95.5 97.2
≥ 300 ≥ 200	42.0 42.0	65.2	69.6	73.3 73.3	76.6 76.6	81.1	86.9	92.8 92.8	92.8 92.8	96.6 96.8	98.3 98.7	98.3	98.8	98 • 8 99 • 3	98.8	98.8 99.5
≥ 100 ≥ 0	42.0	65.2	69.5	73.3	76.6 76.6	81.1	86.9	92.8	92.8	96.8	98.8	98.8	99.5	99.6	99.9	100.5

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC FORM 0-14-5 (OL A) MEMOUS comons or mis rol

SE PAL CLIMATOLOGY BRANCH

### CEILING VERSUS VISIBILITY

ZEATHER SERVICE/MAC
ZEATHER SERVICE/MAC
ZEATHER SERVICE/MAC

73-81

1853-2000

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

VISIBILITY STATUTE MILES CEILING ≥2 2 ≥1.7 ≥ 5 ≥ 3 ≥ 2 ≥10 NO CEILING ≥ 20000 26.7 26.7 ≥ 18000 26.4 26.5 26.6 ≥ 14000 25.6 26.7 27.1 27.2 ≥ 12000 ≥ 10000 ≥ 9000 ≥ 8000 ≥ 7000 ≥ 6000 ≥ 5000 ≥ 4500 ≥ 4000 ≥ 3500 ≥ 3000 ≥ 2500 ≥ 2000 ≥ 1800 ≥ 1500 1200 ≥ 900 800 700 ≥ 500 300 200 41.9 69.6 75.2 81.7 85.7 87.2 92.2 95.1 95.1 98.1 98.8 98.8 98.9 99.0 99.3 99.3 41.9 69.6 75.2 81.7 85.7 87.2 92.2 95.1 95.1 98.3 99.0 99.3 99.3 99.5 99.8 100 41.9 | 69.6 | 75.2 | 81.7 | 85.7 | 87.2 | 92.2 | 95.1 | 95.1 | 98.3 | 99.0 | 99.0 | 99.1 | 99.3 | 99.8 | 99.0 |

USAF ETAC 101 64 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE ORIGINAL

F FAL CLIMATOLOGY BRANCH FETAC FATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

HO PAN MEDTERNUCY

73-81

2100-2300

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 ,	≥ 2	≥1.7	≥1.	≥≀	يئج	≥ '•	≥ :	≥ 5 16	≥ .	≥0
NO CEUING ≥ 20000	15.7 15.5	22. 25.6	22.2			26.0			22.4 26.0	22.4 26.0	22.4	22.4	22.4	22.4 26.0	22.4	1
≥ 18000 ≥ 16000	16.5	25.6 25.6		26.0 26.0	1	26.7	1			26.0 26.0	_				26.0	
≥ 14000 ≥ 12000	16.5		25.9	26.7	26.7	26.0	26.0	26.7	26.0	26.0	26.0	26.0	25.0	26.0	26.0	26.0
≥ 10000 ≥ 9000	18.3	28.6	29.2	20.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3			29.3
≥ 8000 ≥ 7000	19.2		31.5	31.6	31.6	31.6	31.6	31.6	31.6	31.6 33.7	31.6	31.6	31.6	31.6	31.6	31.6
≥ 6000 ≥ 5000	23.3	33.0	33.8	33.9	34 . D	34.0	34 . C	34.0	34.0	34.0	34.0	34.0	34.0		34.0	34.
≥ 4500 ≥ 4000	21.5 21.9	36.5	37.9		38.5	39.5		38.5	38.5	37.3 38.5 40.2	38.5	39.5	38.5	38.5	38.5	38.
≥ 3500 ≥ 3060	22.5		41.8	42.4	42.8	42.8	42.8 48.6		42.8	42.3 48.6	42.8	42.8	42.8	42.8	42.8	42.
≥ 2500 ≥ 2000	27.3	51.2	53.0		57.1	57.2		57.2		57.2	57.2 65.6	57.2	57.2		57.2 65.6	57.
≥ 1800 ≥ 1500	32.2	59.8	64.4	67.6		69.1	69.3 76.4	69.3	69.3	69.3		69.3	69.3		69.3	69.
≥ 1200 ≥ 1000	34.8	56.5	72.4	78.4	79.8	8 J • 8	81.8	81.8	81.8		82.1	82.1	82.1	82.1	32.1	82.
≥ 900 ≥ 800	35.2 35.2 35.2	68.7	75.2	81.9	82.4 83.5 84.2	84.8	86.3	86.8	86.8		87.2	87.2	87.2	87.2	87.2	87.
≥ 700 ≥ 600	35.2 35.2		76.4	83.4	35.1	86.5		89.3	89.3	89.9	90.0	90.0	90.0	90.0	90.0	90.
≥ 500 ≥ 400	35.2 35.2	70.1	77.4	85.8	88.D	90.3	92.6		93.8	94.7	95.7	95.0	95.0	95.€	95.C	95.
≥ 300 ≥ 200	35.2	70.2	77.6	86.4	85.7	91.1	94.4	96.0	96.1		97.8	97.8	98.1	98.1	98.1	98.
≥ 100 ≥ 0		70.2	77.6		89.1		95.1	96.8	97.0	98.4	98.8	98.8	99.6		99.9	00.

TOTAL NUMBER OF OBSERVATIONS.

82

USAF ETAC HULGA 0-14-5 (OL A) MEMOUS ENTITIONS OF THIS FORM ARE ORBOIL

TAL CLIMATOLOGY BRANCH CITAC -EATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-61

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

VISIBILITY STATUTE MILES ≥6 > 10 ≥1 ~ ≥11. NO CEILING 11.7 18.0 21.5 24.1 24.1 24.1 24.1 ≥ 18000 ≥ 14000 ≥ 12000 23.7 24.5 24.8 25.0 25.3 25.3 25.3 25.4 25.5 25.5 25.5 25.5 25.5 ≥ 10000 ≥ 9000 25.1 26.0 26.4 26.6 26.9 26.9 26.9 27.0 27.1 27.1 27.1 27.1 27.1 27.1 25.3 26.2 26.6 26.8 27.1 27.1 27.1 27.2 27.3 27.3 27.3 27.3 27.3 27.3 27.3 27.3 27.3 27.3 ≥ 8000 ≥ 7000 ≥ 6000 ≥ 5000 ≥ 4500 ≥ 4000 ≥ 3500 ≥ 3000 ≥ 2500 ≥ 2000 24.7 42.6 45.2 55.9 57.4 58.2 59.1 59.4 59.4 59.6 59.7 59.7 59.7 59.7 59.7 28.1 49.4 53. 29.1 52.0 55.9 59.1 67.9 6 .8 62.8 63.2 63.2 63.6 63.6 63.6 63.7 63.7 63.7 63.7 29.9 55.3 67.9 64.3 66.1 67.2 69.3 69.7 69.7 70.2 70.3 70.3 70.3 70.3 70.3 70.3 ≥ 1200 ≥ 1000 ≥ 800 700 31.3 61.5 68.3 75.2 78.3 81.1 85.6 88.2 88.3 90.2 91.7 91.3 91.1 91.1 31.3 61.8 63.8 76.1 79.5 82.4 87.3 90.1 90.3 92.4 93.4 93.4 93.6 93.6 93.7 93.7 31.3 61.8 63.8 76.5 80.1 83.3 38.4 91.5 91.7 94.1 95.3 95.4 95.7 95.7 95.7 95.7 95.7 31.3 61.9 68.9 76.5 80.1 83.3 38.4 91.5 91.7 94.1 95.3 95.4 95.7 95.7 95.7 95.7 95.7 31.3 61.9 69.9 76.8 80.7 84.0 89.5 9.1 92.5 92.7 95.5 97.0 97.0 97.4 97.4 97.4 97.4 31.3 61.9 69.9 76.8 80.7 84.0 89.5 9.1 93.4 96.4 98.1 98.1 98.7 98.7 98.9 98.9 31.7 61.9 69.7 76.8 30.7 84.0 89.5 93.2 93.4 96.5 98.3 98.3 99.1 99.2 99.5 99.6 400

TOTAL NUMBER OF DESERVATIONS.

93.4 96.5 98.3 98.3 99.1 99.3 99.61.00.0

USAF ETAC 101 44 0-14-5 (OL A) MEVIOUS SOTTONS OF THIS FORM ARE

300

CONTRACTOR OF TRANSPORT OF THE SERVICE / MACHINE SERVICE / MACHINE SERVICE / MACHINE /

 $\Pi$ 

# CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-81

000-0200

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							vis	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 ;	≥ 2	≥1;	≥1.	≥1	≥ :₄	≥ `•	≥ .	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	23.5	30.2 32.5		31.5 33.9			31.6						31.5			31.5
≥ 18000 ≥ 16000	23.5	32.6	33.4	33.9 33.9	33.9	33.9	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.3	34.0	34.0 34.0
≥ 14000 ≥ 12000	23.5	37.8	33.6	34.2 34.7	34.2	34.2	34.3	34.3	34.3	34.3	34.3	34.3	34.3	34.3	34.3	34.3 34.8
≥ 10000 ≥ 9000	27.1	36.7	37.5 38.1	38.1	39.1	38.1	38.2 38.7	38.2	38.2	38.2	38.2	38.2	39.2	38.2	38.2	
≥ 8000 ≥ 7000	27.5	37.9	39.7 37.9	39.3	39.3	39.3	39.4 40.6	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4
≥ 6000 ≥ 5000	29. ) 3 <b>1.</b> )		47.7 43.0	41.3	41.3	41.3	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5
≥ 4500 ≥ 4000	33.1 35.1	45.4		46.7		46.7	47.1 50.9	47.1	47.1	47.1	47.1	47.1	47.1	47.1	47.1	47.1
≥ 3500 ≥ 3000		5 - 1 5 3 - 7	51.	52.1	52.2	52.2	52.7 57.7	52.9	52.9	52.9	52.9	52.9	52.9	52.9	52.9	52.9
≥ 2500 ≥ 2000	- 1	58.7 65.2		62.8 70.0	63.3	63.8	64.5	64.6	64.6	64.6	64.6	64.6	64.6	64.6	64.6	64.6
≥ 1800 ≥ 1500	44.2	67.6	79.2 72.5	73.0 75.7	74.7	74.6	75.4 78.8	75.7	75.7	75.8	75.P	75.8	75.8	75.8	75.9	75.8
≥ 1200 ≥ 1000	45.3	72.1 72.6	75.4 76.1	79.7 80.4	80.9	82.B		84.6	84.6	84.9	84.7	84.9	84.9	84.9	84.9	84.9
≥ 900 ≥ 800	45.4	73.4 73.4		81.6	82.6	83.7	86.6	87.2	87.2	87.7 88.7	87.7	87.7	87.7	87.7	37.7	
≥ 700 ≥ 600	45.4 45.5	74.0 74.2	77.7 79.	82.4	84 . C	55.2		88.9	88.9	89.5	89.6	89.6	89.6	89.6	89.6	89.6
≥ 500 ≥ 400	45.5 45.5		78.9 79.6	83.6	85.4	86.6	89.9	90.4	97.4	91.3 93.3	91.7	91.7	91.7	91.7	91.7	91.7
≥ 300 ≥ 200	45.5 45.5	75.3	87.1	85.2 85.2	87.7 87.9	88.9 89.2	92.5	93.2	93.3	95.3	95.5	95.5	95.5	95.5	95.7	95.7
≥ 100 ≥ 0		75.3	80.1 87.1	85.2	87.9	89.2	92.9	93.9	94.1	95.9	97.5	97.5	98.0	98.0	98.4	98.5

7.0

USAF ETAC IN ME O-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE ORIGINETE

HE MAL CLIMATOLOGY PRANCH -- FTAC -- FTATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

YOUNGSTONN MAP 3H

73-31

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CERUNG							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥27	≥ 2	≥1.2	≥1	≥1	≥ 34	≥ `1	≥ ;	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	17.5 19.6	24.9 27.3	25.4 25.8	26.9 29.3	]		27.8 30.3				27.8 30.3		28.7	28.1 33.4	76.7 30.4	
≥ 18000 ≥ 16000	19.6 19.6	27.3 27.3		29.3 29.3	1	29.9 29.9	30.3 37.3	30 • 3 30 • 3	30.3 30.3		30.3 30.3		30.4 30.4	30.4		
≥ 14000 ≥ 12000	16.5 20.7	27.3 29.1	28.3 30.5	29.3 31.1	29.7 31.5	29.9 31.6	30.3 32.0	30.3 32.0	39.3 32.0	30.3 32.0	30.3 32.0	30.3	30.4 32.2	30.4	30 • 4 32 • 2	37.2
≥ 10000 ≥ 9000	22.7	31.6 32.0	1 - 1	33.9 34.3	1 1 1 1	34.5 34.9	34.9 35.3	34.9 35.3	34.9 35.3	34.9 35.3	34.9 35.3	34.9 35.3	35.4	35.4	35.0 35.4	75.T
≥ 8000 ≥ 7000	23.9	33.0 34.3	34.6 35.9	35 • 5 36 • 9	. 1	36.1 37.4	36.5 37.8	36.5 37.8	36.5 37.8	36.5 37.8	36.5 37.8	36.5 37.8	36.6 38.0	36.6	36.6	36.6 36.7
≥ 6000 ≥ 5000	24.1 25.3	34.6 38.8	36.2	37.2 41.5	37.6 42.0		38.1 42.6	78•1 42•6	38.1 42.6	38.1 42.6	38 • 1 42 • 6	38.1	39.2	38.2	38.2 42.7	38.2 42.7
≥ 4500 ≥ 4000	27.4	4 1.3 4 3.5	42.6 45.3	43.5 46.5	44.1 47.0	44.2	44.6	44.6	44.6	44.6	44.6	44.6	44.7	44.7		44.7
≥ 3500 ≥ 3000	32.3	45.3 50.1	,	48.4 54.2	48.9 54.7	49.1 54.9	49.5 55.3		49.6 55.7	49.6	49.6		47.7 55.8	49.7 55.8	49.7 55.8	49.7 55.E
≥ 2500 ≥ 2000	33.5 35.9	52.6 58.2	1	58 • 0 64 • 7	58.6 65.5	59.3 66.4	59.9 67.6	60.3 68.1	60.3 68.1	60.3 68.1	60.3	60.3	63.4	60.4 68.2	60.4 68.2	
≥ 1800 ≥ 1500	36.5 38.1	60.0 63.1			68.0 72.3		70.1 75.1	70.7 75.7	77.7 75.7	70.7	70.7 75.7	70.7	70.8 75.8	70.8 75.8	70.8 75.8	70.5
≥ 1200 ≥ 1000	39.5 39.7	66.4 68.1	)	75.9 78.8			30.3 83.4	80 · 8	ı		87.9 84.5	80.9 64.5	81.1 34.6	81.1 84.6	61.1 54.6	81.1 84.6
≥ 900 ≥ 800	39.9 40.0	69.2 69.6					85.5 85.9	86.4 86.8	86.6 87.0	86.8	86.8		36.9 87.6	86.9 87.6	36.9 87.6	86.9
≥ 700 ≥ 600	40.0		t	82.2 92.8		84.6	86.8			88.9	88.9	88.9	89.1 89.9	89.1	89.1	89.1
≥ 500 ≥ 400	40.0 40.0						89.1 90.1	96.7 91.9		91.8 93.4	91.8 93.4	91.8 93.4	91.9 93.5	91.9 93.5	91.9 93.5	1
≥ 300 ≥ 200	40.0			84.6			91.2 91.5	93.1 93.4		95.1 95.9	95.1 96.1	95.1 96.1	95.3 96.2	95.3 96.2	95.3 96.2	95.3
≥ 100 ≥ 0	40.3	71.9		84.6			91.5 91.5							97.0 97.0		97.4

TOTAL NUMBER OF OBSERVATIONS.

USAF ETAC JUL 64 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE ORGALETE

TAC FATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

TOUNUSTOAN MAP OH

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
PEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2;	≥ 2	≥1 -	≥1.	≥1	, ≥ 1,	£1.	≥ :	≥ 5 16	2.	≥0
NO CEILING ≥ 20000	12.º	19.4	19.9	24.4	21.4	21.5		22.5	22.5 25.6	23.0 26.1	23.0	23.0 26.1	27.3 26.4	23.3	23.3	
≥ 18000 ≥ 16000	15.3 15.3	21.3	23.1	24.5 24.5	24.6	24.3	25.7 25.7	25.7 25.7	25.7 25.7	26.2 26.2	26 • 2 26 • 2	26.2 25.2	26.5 26.5	26.5 26.5	26.5 26.5	1 1 1
≥ 14000 ≥ 12000	1:.5	21.4	23.3	24 • 6 25 • 6	24.8 25.7	24.9 25.8	25 • 8 26 • 8		25.8 26.8	26.4 27.3	26.4 27.3	26.4 27.3	26.6 27.6	26.6 27.6	26.6 27.6	
≥ 10000 ≥ 9000	17.8	24.5 24.8	26.6 25.9	28.0 28.3	23.1	28.4	29.3 29.6	29.3 29.6	29.3	30.1	29.° 30.1	29.9 30.1	37.1 37.4	30.1 30.4	30.1 30.4	
≥ 8000 ≥ 7000	13.3	25.4 27.1	27.6	28.9 30.7		29.5 31.2	30.4 32.2	30.4 32.2	30.4 32.2		31.5 32.7	31.0° 32.7	31.2	31.2 33.0	31.2 33.0	33.1
≥ 6000 ≥ 5000	19.2 21.1	27.5 30.4	29.7 32.7	31.2	31.2	31.6 34.7	32.6 35.7		32.6 35.7		33.1 36.2		33.4 36.5	33.4	33.4 36.5	36.6
≥ 4500 ≥ 4000	24.5	32.8	35.1 38.5	36.6 40.2	36.7 4:3.8	37.1 41.3	38.1 42.4	38.1 42.4	38.1		38.6	38.6		38.9 43.2		43.3
≥ 3500 ≥ 3000	25.7 28.7	37.7 42.3	47.5	42.3	47.9	43.3	44.4	50.1			45.0 50.6	45.0 50.6	45.2 50.9		45.2 50.0	51.0
≥ 2500 ≥ 2000	33.3	50.7	50.5 55.0	58.1	59.4	55.2 60.7	56.5 62.0	56.7	56.7		57.2 63.7	57.2 63.7	57.5 63.9		57.5 63.9	64.1
≥ 1800 ≥ 1500	35.3	52.4 56.0	56.7 61.0	64.2	61.2	66.9	64.1	69.7	64.7		70.8	65.7 70.8	71.1	71.1	71.1	
≥ 1200	36.7 36.7	59.1 67.3	64.6	71.5 72.5	70.1 73.5	71.6 75.2 76.7		75.1 79.4 80.9			76.3 81.0 82.6	76.3 81.0 82.6	76.6 81.3	76.6 81.3	61.3 82.9	76.7 81.4
≥ 900 ≥ 800 ≥ 700	36.7	63.8	67.3	72.8		77.1	80.7	82.4	2.5		84.3	84.3	84.5	84.5	34.5	84.7
≥ 500	36.7	62.0	68.8	74.6		79.7					67.8	87.8	88.0	88.0	88.0 89.1	
≥ 400 ≥ 300	36.9	62.6		75.8	76.9						90.6	96.8	91.4	91.4	92.5	91.5
≥ 100	36.9		69.9	76.3	79.7	82.5	86.8	90.2	90.3		93.7	93.7	94.3	94.3	96.9	95.2
≥ 0	36.0	- 1	69.9								94.5	1		95.8		

TOTAL NUMBER OF OBSERVATIONS.

USAF ETAC 101 M 0-14-5 (QL A) PREVIOUS EDITIONS OF THIS FORM ARE OR

TE HAL CLIMATOLOGY BRANCH : THITAC BEATHIR SERVICE/MAC

## CEILING VERSUS VISIBILITY

YOUNGSTON MAP OH

73-81

FER

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

<u>-930-1100</u>

CEILING							VIS	BILITY IST	ATUTE MILI	ES						
FEET	≥10	≥6	≥ 5	≥4	≥ 3	≥2 7	≥ 2	≥1.7	≥1%	≥1	≥ 3/4	≥ <sub>2</sub> ,4	≥ >	≥5 16	2 4	≥0
NO CEILING ≥ 20000	11.3	18.7 23.5				25.2 33.1	27.0 32.4		27.5 33.0	27.8 33.2	27.8		28.1 33.5	28 • 1 33 • 5	28•2 33•6	, ,
≥ 18000 ≥ 16000	15.5 15.5	23.5 23.5		28.5		33.7 37.7	32.4 32.4		33.0 33.0		33.2 33.2	33.2	33.5	33.5 33.5	33.6 33.6	1
≥ 14000 ≥ 12000	15.5	25.1	26.2 28.3	30.4	31.2		34.5	35.0			33.2 35.3	33.2 35.3	35.5	33.5 35.5	35.7	
≥ 10000 ≥ 9000	17.7	27.7		33.0	33.8	35.3	36.1 37.0	37.6		37.9	36.5 37.5	36.9	38.1	37.2	38.3	38.3
≥ 8000 ≥ 7000 ≥ 6000	27.3	30.5	32.2 33.5	36.2	37.2	38.7	38.9 43.4	41.0		41.2	39.8 41.2		41.5		41.7	
≥ 5000 ≥ 5000	21.7	32.2	33.9 35.3	36.5 37.9 39.2	38.5		42.1	41.2 42.6 44.1	42.6		41.5 42.9			41.8 43.1 44.6		
≥ 4000 ≥ 3500	23.6	35.5 35.5	39.8				45.9	46.4	46.4	46.7	46.7	46.7		46.9	47.1	47.1
≥ 3000 ≥ 2500	25.9	33.3	42.6	45.3	46.5	48.6	50.3	50.9 55.0	50.9	51.3	51.3 55.4	51.3	51.6	51.6	51.7 55.8	51.7 55.8
≥ 2000 ≥ 1800	51.2 52.2	46.5	51.6	55.4	57.0 59.4		61.6	62.8	62.8		63.2	63.2	66.4	63.5	63.6	63.6
≥ 1500	33.6 34.1	53.1	57.1 67.1		64.3			72.2			73.5 83.6	73.5 80.6	73.3	73.3	73.4 81.5	73.4 81.5
≥ 1000	34.5	54.5	61.3		70.0			83.7 85.8	83.7	85.1 87.2	85.2 87.4		85.5 87.8	85.5		85.6
≥ 800	34.9	55.3	62.6	69.3	72.7	77.7	83.9	89.3		96.9	91.5	91.5		91.9	92.3	92.0
≥ 600 ≥ 500 ≥ 400	34.9	55.1	62.7	69.5	72.9	78.3	, .	90.9	91.0	92.9	93.1 93.6	93.6	94.3	į.	94.2	94.2
≥ 300	34.9	55.1	62.7	1	72.9	78.4	85.2	91.6	91.7	94.4	95.4	95.4	95.8	95.8		95.9
≥ 100 ≥ 0	34.9		62.7	69.5 69.5	72.9	78.4	85.2	91.7	91.9	95.3		96.6	97.6	96.6	98.5	

USAF ETAC 101.64 0-14-5 (OL A) MEMOUS EPITIONS OF THIS FORM, ARE DISCOLE

3 TAL CLIMATCLOSY BRANCH SECTAC AT LEATHER SERVICE/MAC

()

(

## CEILING VERSUS VISIBILITY

SOUNGSTOWN MAP CH

73-81

7.30-1400

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1230-1400

CEILING							VIS	BILITY ST	ATUTE MIL	ES		<del></del>				
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	وا≤	≥1.	≥1	≱: <u>₹</u>	ور ≤	≥ :	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	15.4 23.2	21.5	23.1	73.7 31.1		24.3 32.0	24.3 32.2	24.3		24.3 32.2			24.3 32.2			
≥ 18000 ≥ 16000	27.2	26.3 28.3	30.3 30.3	31.1 31.1	31.5 31.5	32.0 32.0	32 • 2 32 • 2	32.2 32.2		32.2 32.2	32.2 32.2	32.2 32.2	32.2 32.2			32.2 32.2
≥ 14000 ≥ 12000	20.2	26.3 30.0	3" • 5 32 • 2	31.1 33.0	31.5 33.4	32.0 33.9	32.2 34.0		34.0	32.2 34.0	32.2 34.7	32.2 34.3	32.2 34.0			
≥ 10000 ≥ 9000	23.1		34.6	35.1 35.4	35.5 35.8		36.2 36.5	36.5	36.2 36.5	36.2 36.5	36.5			36.5	36.5	36.5
≥ 8000 ≥ 7000	24.5	34.0	36.1 36.5	36.9 37.3	37.7	37.8 38.2	38.3		38.3	37.9 38.3	38.3			37.9 38.3	38.3	
≥ 6000 ≥ 5000	24.9 25.5	34.9	36.5 37.3	37.3 38.1	38.5	38.2 39.0	38.3	39.1	39.1	38.3 39.1	39.1	38.3 39.1	38.3	39.1	39.1	36.3
≥ 4500 ≥ 4000	25.7	36.5	37.9	38 • 7 39 • 8				40.9	39.8 40.9	39.8 40.9	40.9		39.8			
≥ 3500 ≥ 3000	27.5	40.8	43.4	41.6	44.9		42.1		42.1	42.1 45.6	42.1 45.6	45.6	42.1	42.1 45.6	45.6	45.6
≥ 2500 ≥ 2000	35.0 40.5	56.7	50.9 61.0	52.1 63.3	52.8	53.6	53.8	53.8 65.5		53.8			53.8		65.5	65.5
≥ 1800 ≥ 1500	42.4	63.5		72.0	73.2	75.2	70.5	70.6			77.2	77.2	77.2		77.2	77.2
≥ 1200	44.4	65.5	71.3	75.5	77.3	79.8 81.9	83.5	87.0	84.6		88.2		84.7	88.2	88.2	88.2
≥ 900	45.4 45.4 45.6	67.6		78.3 78.7 79.1	81.0		85.4		89.4	90.9		90.2 91.4 93.0	90.2	91.4	91.4	90.2
≥ 700 ≥ 600	45.6 45.6		74.4	79.1	81.6 81.6	84.9 84.9	87.1 87.5 87.9		91.7	92.5 93.3	93.0 94.2 95.8	94.2	94.2		94.2	94.2
≥ 500 ≥ 400 ≥ 300	45.6 45.6	67.8		79.2 79.2		85.4	. ,	92.8	92.8	95.3	96.9	96.9	97.1	97.7	97.1	97.1
≥ 200	45.6	67.8	74.4	79.2	81.9	85.4	88.2	92.8	92.8	95.8 95.8	97.9	97.9	98.4	98.4	98.8	98.3
≥ 100 ≥ 0	1		74.4				88.2						99.2			00.5

TOTAL NUMBER OF OBSERVATIONS

74

USAF ETAC HUGH 0-14-5 (OL A) PREVIOUS EPITIONS OF THIS FORM ARE ORDER

A SEATHER SERVICEZMAC

# CEILING VERSUS VISIBILITY

HO MAN NECTEDANOL

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1500-1760

CEILING							VIS	BILITY ST	ATUTE MIL	ES.						
-FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥1′7	≥1:₄	≥1	ية ≤	ھر ج	≥ 7	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	21.2	25.0 33.7	26.5 34.4	26.5 34.4	26.5 34.4	26.5	26.5	26.5	26.5	26.5	26.5	26.5	26.5	26.5	26.5	26.5 34.4
≥ 18000 ≥ 16000	26.4	33.J	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4
≥ 14000 ≥ 12000	26.9 28.2	33.6	34.9 36.6	34.9	34.9	34.9	34.9	34.9	34.9	34.9 36.6	34.9	34.9	34.9	34.5	34.9	34.9
≥ 10000 ≥ 9000	30.1	37.9 33.1	39.4	39.4 39.5	39.4	39.4	39.4 39.5	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4
≥ 8000 ≥ 7000	31.2	39.0	40.5 41.0	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7
≥ 6000 ≥ 5000	31.6	37.8	41.3	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5
≥ 4500 ≥ 4000	32.5	41.1	42.7	43.0 45.0	43.0	43.0	43.0 45.1	43.D	43.0	43.0	43.0	43.0	43.3	43.7	43.0	43.0 45.1
≥ 3500 ≥ 3000	35.4 37.8	44.2	45.8 49.1	46.1	46.2	46.2	46.2	46.2	46.2 50.1	46.2	46.2	46.2 50.1	46.2	46.2	46.2	46.2
≥ 2500 ≥ 2000	43.5	54.5	56.6	57.1 68.3	57.3	57.4	58.2 71.4	58.2	58.2	58.2	58.2	58.2	58.2	58.2	58.2	58.2
≥ 1800 ≥ 1500	50.9	66.2	69.8 72.3	71.8 74.3	72.7 75.5	73.5	75.1 78.7	75.4 79.1	75.4 79.1	75.6 79.6	75.6	75.6	75.6	75.6	75.6	75.6
≥ 1200 ≥ 1000	52.3 52.5	69.2	73.5 73.9	76.2 76.7	77.4	78.7 79.8	81.8	83.0 85.1	83.0	83.6 86.6	83.6	83.6	83.6	83.6	83.6	83.6 85.7
≥ 900 ≥ 800	52.7 52.7	70.3	74.6 74.7	77.5	79.1 79.2	81.3	64.2 84.7	86.3 97.0	86.3 87.0	88.1	88.4	88.4	88.5 90.0	88.5 90.0	88.5 90.0	88.5
≥ 700 ≥ 600	52.7 52.7	73.4	74.7 74.7	77.9 78.3	79.6 79.8	81.4	85.1 85.6	87.5	87.5 88.3	89.5 90.4	90.8	90.8	90.9	90.9 92.3	90.9	98.9
≥ 500 ≥ 400	52.7 52.7	70.4	74.7 74.7	78.0 76.0		81.9 82.3	86.4	89.6 90.8	89.6 90.9	91.7 93.2	94.0 96.1	94.3	94.4	94.4	94.5 97.1	94.5
≥ 300 ≥ 200	52.7 52.7	70.4 79.4	74.7 74.7	79.3 78.0		82.3 82.3	87.0 87.0	90.8 90.8	90.9 90.9	93.6 94.3	96.8	96.8 97.6	97.7 98.7	97•7 98•7	98.1 99.6	98.3 99.7
≥ 100 ≥ 0	52.7 52.7	73.4	74.7	78.0 78.0	1	82.3 82.3	87.0 87.0	90.8 90.8	90.9 90.9	94.3	97.6 97.6	97.6	98.7 98.7	98.7 98.7	99.6	99.7

USAF ETAC 101 44 0-14-5 (OL A) MENIOUS EDI

LURAL CLIMATOLOGY PRANCH MAFETAC ATH REATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

HO PAR MINOTESTOWN MAP OH

73-81

4:4 2000

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1802-2000

CEILING							VIS	IBILITY ST	ATUTE MIL	ES-						
-FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ ?	217	≥17	≥1	≥ ≒	≥ '*	≥ ;	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	24.9	29.7 35.6	29.7 36.4	29.7 36.4	_ ,		29.7 36.5	29.7 36.5		29.7 36.5	29.7 36.5	29.7 36.5	29.7 36.5	29.7	29.7 36.5	29.7
≥ 18000 ≥ 16000	29.7	35.6	36.4	36.4	36.5	36.5	36.5	36.5	36.5	36.5	36.5	36.5	36.5	36.5	36.5	36.5
≥ 14000 ≥ 12000	29.7	35.6		36.4	36.5	36.5	36.5	36.5	36.5	36.5	36.5	36.5	36.5	36.5	36.5	36.5
≥ 10000	30.7 32.7	37.1	37.9 40.6	37.9 40.6	36.0 47.8		41.0	38.2 41.0		38.2 41.0	38.2 41.0	38.2 41.0	38.2 41.7	38.2 41.0	38.2 41.0	38.2 41.0
≥ 9000	32.8	39.9	40.7 42.3	40.7	41.0		41.1 43.0	43.0	41.1 43.3	41.1	41.1 43.0	41.1 43.0	41.1	41.1 43.0	41.1	41.1
≥ 7000	34.7	42.3		43.4	43.6		43.9	43.9		43.9	43.9	43.9	43.9	43.9	43.9	
≥ 5000 ≥ 4500	36.4	44.6	45.8		46.2	46.5	46.5	46.5	46.5		46.5	46.5		46.5	46.5	46.5
≥ 4000 ≥ 3500	38.7	48.1	49.5	49.7	49.9	51.2	50.2	50.2	50.2	50.2	50.2	50.2	50.2	50.2	50.2	50.2
≥ 3000	41.6	48.9 53.1	54.9		55.4	55.7	55.7	51.1 55.8	55.8	55.8	51.1 55.8	51.1 55.8		51.1 55.8		55.8
≥ 2500 ≥ 2000	45.5 50.6			60.8 70.5	71.5	72.2		61.8 73.2	1		61.8 73.4	61.8 73.4	61.8 73.4	73.4	61.8 73.4	
≥ 1800 ≥ 1500	51.8 52.9	68.8 70.7		73.4 76.6	74.7 78.0		76.0 80.3		76.4 81.0		76.7 81.3	76.7 81.3	76.7 81.3	76.7 81.3	76.7 81.3	76.7 81.3
≥ 1200 ≥ 1000	53.7 53.8	71.8		78.3 78.8			83.0 94.1	84.2 85.4			84.6	84.6	84.6	84.6	84.6	
≥ 900 ≥ 800	53.8 53.8	72.3		79.5 80.1	81.3		85.1	86.6	86.6	87.4	87.8	87.8	87.8	87.8	87.8	
≥ 700 ≥ 600	53.8 53.8	72.8	77.0	80.5	82.3	34.9	87.4	89.4	89.4		91.0	91.0	91.0	91.0		91.0
≥ 500 ≥ 400	53.8 53.8	72.8	_	80.7 80.7	83.0		88.8	91.8	91.8	92.9	94.2	94.2		94.5		94.5
≥ 300 ≥ 200	53.8	72.8	77.1	80.7	83.0	86.5	89.8	93.6	93.6	95.4	97.2	97.2	98.0	98.1	98.4	98.4
≥ 100	53.8 53.8	72.8		80.9	83.3	86.7	90.1	93.8	94.1	96.3		98.0	98.9	99.1		99.6
≥ 0	53.8	72.8	77.1	80.9	83.3	86.7	90.1	93.8	94.1	96.3	98.3	98.5	98.9	99.1	99.5	10.0

TOTAL NUMBER OF OBSERVATIONS,

\_\_\_\_747

USAF ETAC FORM 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE ORDICE

SERMAL CLIMATOLOGY BRANCH AT AEATHER SERVICE/MAC


# CEILING VERSUS VISIBILITY

HC MAN HOTSENUCY

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

2100-2300

CEILING							VIS	IBILITY IST	ATUTE MIL	ES-	_					
FEET.	≥10	≥6	≥ 5	≥4	≥3	≥2'7	≥ 2	≥11/2	≥1%	≥١	ية ≤	ھر ≤	בי ≤	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	25 • 3 28 • 4	31.5 36.1		31.9 36.6		31.9 36.6		31.9	31.9	31.9	31.9	31.9	31.9 36.6	31.9 36.6		31.9 36.6
≥ 18000 ≥ 16000	28.6 28.6	36.2 36.2	36.7 36.7	36.7 36.7	36.7 36.7	36.7 36.7	36.7 36.7	36.7 36.7	36.7 36.7	36.7 36.7	36 • 7 36 • 7	36.7 36.7	36.7 36.7		36.7 36.7	36.7 36.7
≥ 14000 ≥ 12000	28.6 28.8	36.2 36.5		36.7 37.J	36.7 37.0	36.7 37.0	36.7 37.0	36.7 37.0	36.7 37.0	36.7 37.5	36.7 37.0	36.7 37.0	36.7 37.0		36.7 37.0	36.7 37.0
≥ 10000 ≥ 9000	31.5 31.5	39.3 39.5		39.9 40.2	39.9 40.2	39.9 40.2	39.9 40.2		39.9 40.2	39.9 40.2	39.9 43.2	39.9 40.2	39.9 40.2		39.9 43.2	39.9 40.2
≥ 8000 ≥ 7000	33.8	41.6 43.5	43.8		43.8	42.2	42.2 43.8	43.8		42.2 43.8	42.2 43.8	42.2 43.8	42.2 43.8	42.2 43.8	42.2 43.8	42.2
≥ 6000 ≥ 5000	34.2 35.7	43.4	46.2		46.2	44.2		44.2 46.2	44.2				44.2 46.2	44.2	44.2	44.2
≥ 4500 ≥ 4000	36.3	46.5	51.1	47.6 51.1	51.1		47.6 51.1	47.6 51.1	47.6 51.1	47.6 51.1	47.6 51.1	47.6 51.1	47.6 51.1	51.1	47.6 51.1	47.6 51.1
≥ 3500 ≥ 3000	38.9 40.7	55.8	57.2	52.7 57.5	52.7 57.5	52.7 57.5	52.7 57.5	52.7 57.6	52.7 57.6	52.7 57.6	52.7 57.6	52.7 57.6	52 • 7 57 • 6	52.7 57.6	52.7 57.6	57.6
≥ 2500 ≥ 2000 ≥ 1800	43.2 46.8	66.4	69.3	61.9 70.5	62.2 70.8	62.2 71.0	62.2 71.2	62.3 71.3	62.3 71.3	62.3	71.3	62.3	71.3	71.3	71.3	71.3
≥ 1500	49.7 5.3.5	69.3 7/.1 74.1	72.3 75.6 77.7	74 • 7 78 • 2 80 • 8	75.2 79.0 81.6		75.7 79.8 82.4		75.9 79.9 82.6	76.1 80.7	80.7	76.1 83.7	76.1 87.7	76.1 80.7	76.1 80.7	76.1 80.7
≥ 1000	50 · 8	75.1 75.3	78.7	82.8	83.1	81.9 83.5 84.6	84.3 85.5	84.5 85.7	84.5	83.6 85.7 87.0	83.6 85.7 87.0	83.6 85.7 87.0	85.7 87.0	83.6 85.7 87.0	83.6 85.7 87.3	83.6 85.7 87.0
≥ 800	5C - 8	76.1 76.7	80.3		85.0 85.8	85.9 86.7	87.1 88.2	87.3 88.5	87.3	89.C	89.0		89.0		89.0 20.3	89.0 90.3
≥ 600	50.9	76.8	81.1	85.1 85.8	86.3		89.1 90.2	89.5			91.6	91.6	91.7 92.8			
≥ 400 ≥ 300	50.9	77.2				89.5	- 1	92.0	92.0 93.3		94.2					94.6
≥ 200	50.9	77.2	82.2	87.4	88.9	90.6		93.8	93.8		97.3		98.3			98.9
≥ 0	51.9					90.6	•				- 1	3	98.4			00.5



PERCENTAGE FREQUENCY OF OCCURRENCE

(FROM HOURLY OBSERVATIONS)

CEILING							VIS	IBILITY -ST	ATUTE MIL	ES		<del></del>		<del></del>		
FEET	≥10	≥6	≥5	≥ 4	≥3	≥2 7	≥2	≥1′2	≥1'•	≥1	≥ ′•	≥ %	≥ ,	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	19.9	25.1 29.7	26.2 31.1	26 · 8 31 · 8			27.7 32.8					27.8	27.9 33.0			27.9
≥ 18000 ≥ 16000	22.4	29.7 29.7		31.9 31.9	32.1 32.1		32.8 32.8			33.0 33.0	33.0		33.0 33.0		33.1 33.1	33.1 33.1
≥ 14000 ≥ 12000	22.5 23.4	29.9 31.1	32.€	33.3	33.5	33.8	32.9 34.3	34.3	34.3	33.1 34.4	33.1	33.1	33.2 34.5		33.2 34.5	33.2 34.5
≥ 10000	25.4 25.5		35.5		36.5	36.8	37.3		37.3	37.1 37.4	37.4	37.1	37.1 37.5	37.1 37.5	37.2 37.5	37.2 37.5
≥ 8000 ≥ 7000	27.1		37.9		39.0	39.4	39.8		39.9	38.8 4C.0	40.0		4C.1	38.9 40.1	38.9	38.9
≥ 6000 ≥ 5000 ≥ 4500	27.3	36.6 38.8	40.6	41.4	41.7	42.0		42.6	42.6			42.7	40.4			42.8
≥ 4000 ≥ 4000 ≥ 3500	29.7 31.3	40.2 42.6	44.5	42.8 45.5	45.9	46.3			46.9	47.0			44.2	47.0	47.1	44.2
≥ 3000		47.7 52.6		51.3		52.2		48.3 52.9 59.1	52.9	48.4 53.1 59.2	48.4 53.1 59.2	48.4 53.1 59.2	48.5 53.1 59.3	48.5 53.1 59.3	48.5 53.2 59.3	53.2
≥ 2.00	41.3	59.3	62.8	65.1	66.1	67.0	68.1		68.5		68.7	68.7	1	68.8	68.8	68.9
≥ 1500	43.7	64.3		71.8	73.1	74.3	76.0		76.7	77.2	77.2 82.4	77.2	77.3	77.3	77.3	77.3
≥ 1000 ≥ 900	44.9				· · · - i		- 1	-	84.5	85.5	4		85.6		85.7	85.7
≥ 800	45.3				80.0	82.1	1	87.1	87.1		88.7	88.7	88.8	88.8	88.9	88.9
≥ 600 ≥ 500	45.1	68.8	74.1	79.4	81.6	83.5		89.3		90.8		91.4	93.1	91.5		91.6
≥ 400	45.1 45.1	69.2			82.5	84.8	89.1	91.5			94.4			94.7		94.9
≥ 200	45.1	69.2	74.8		82.6		89.4	92.5	92.7	95.5	96.6		97.2			
≥ 0	45.1	69.2	74.8	30.1	82.6	85.4	89.4	92.6	92.8	95.5	97.0	97.1	97.9	98.0	98.8	00.0

USAF ETAC NILM 0-14-5 (OL A) REMOUS R

 $C_{i}$ 

TATHER SERVICE/MAC

 $\bigcirc$ 

## CEILING VERSUS VISIBILITY

TOUNGSTOWN MAP OH

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	BILITY :ST	JIM STUTA	ES:						
PEET	≥10	≥6	≥5	≥4	≥3	≥2'7	≥ 2	≥172	≥1'4	≥1	≥ 1,4	≥ >49	≥ 4	≥5 16	2 4	≥0
NO CEILING ≥ 20000	27.6	32.5 35.5	33.3 36.2	33.5 36.4	33.9 36.8	34.0	34.0 36.9	34.0 36.9	34.0 36.9	34.0 36.9	34.0	34.0 36.9	34.0 36.9	34.0 36.9	34.7 36.9	34.5
≥ 18000 ≥ 16000	29.2	35.5 35.5	36.2 36.2	36.4 35.4	36.8 36.8	36.9 36.9	36.9 36.9	36.9 36.9	36.9 36.9	36.9 36.9	36.9	36.9 36.9	36.9 36.9	36.9 36.9	36.9 36.9	36.9
≥ 14000 ≥ 12000	29.7 29.9	36.7 36.4	36.7 37.3	36.9 37.5	37.3 37.9	37.4 38.0	37.4 38.0	37.4 38.0	37.4 38.0	37.4 38.0	37.4	37.4 38.0	37.4 35.3	37.4 38.0	37.4 38.C	37.4 38.0
≥ 10000 ≥ 9000	32.5	40-1	41.1	41.3	41.7	41.8	41.8	41.8	41.8	41.8	41.8	41.8	41.8	41.8 41.8	41.9	41.8 41.8
≥ 8000 ≥ 7000	34.5	43.1	45.5	44.3	44.7	44.8	44.8	44.8	44.8	44.8	96.4	44.8	44.8	44.8	44.8	46.4
≥ 6000 ≥ 5000 ≥ 4500	36.2	57.4	43.9 51.5	46.3 51.9	46.6 52.5	52.6	46.7 52.6	46.7 52.6	46.7 52.6	46.7 52.6	46.7 52.6	46.7 52.6	52.6	46.7 52.6	46.7 52.6	52.6
≥ 4000 ≥ 4000 ≥ 3500	43.4 45.2	52.6 56.7 59.1	53.7 57.8	54 • 1 58 • 3 61 • 2	54,7 58,9	54.8 59.1 62.2	54.8 59.1 62.2	54.8 59.1	54.8 59.1	54.8 59.3 62.3	59.3	54.9 59.3	59.3	54.6 59.3 62.3	54.8	54.8
≥ 3000	43.7	63.4	64.9	65.9	66.7	67.1	67.2 72.6	62.2 67.2 72.6	62.2 67.2 72.6	67.4 72.8	62.3 67.4 72.8	67.4	67.4 72.8	67.4	62.3 67.4 72.8	62.3 67.4 72.8
≥ 2000	53.5	72.3	74.4 76.1	76.3 78.0	77.6	78.3	78.5	78.5	78.5	78.7 80.7	78.7 80.7	78.7	73.7	78.7	78.7 80.7	78.7
≥ 1500	55.7	76.1	78.5	80.6	82.5	83.2	83.4	85.0	85.0	83.6	83.6	83.6 85.2	83.6	83.6 85.2	83.6 85.2	83.6
≥ 1000	56.4	77.7	80.5	82.7	84.7	85.5	86.0	86.1	86.3	86.5	86.5	86.5	86.5	86.5	86.5	86.5
≥ 800	56.7 56.8	78.7	82.9	85.0 86.4	87.2	88.2	88.7 90.1	88.8	90.3	89.3	90.9	90.9	90.9	90.9	90.9	90.9
≥ 500	56.8	79.5	83.2	87.1	89.7 90.6	90.7	91.2 92.1	91.3	91.4	91.8	92.0	92.0 93.1	92.1	92.1 93.3	92.1	92.1
≥ 400	56.9	79.8 79.8	84.0	88.6 89.0	91.4	92.8 93.5	93.3 94.0	93.6	93.7	94.5	94.8	94.8	96.6	95.0	95.1	95.1
≥ 200	56.9 56.9	79.8	84.C	89.2	92.3	94.0	94.6	95.2 95.3	95.5 95.8	96.8	97.7	97.8 98.3	97.9 98.5	97.9 98.8	98.9	98.3
≥ 0	56.7	79.8	84.0	89.2	92.3	94.0	94.7	95.3	95.8	97.2	98.2	98.3	98.8	99.1	99.5	لعموما

USAF ETAC HULGE 0-14-5 (OL A) MENOUS to

.t.BAL CLIMATOLOGY PRANCH FFETAC 41 WEATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

HO PAM POTESTON MAP OH

73-81

MAP

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

2320-0500

CEILING							VIS	BILITY 'ST	ATUTE MIL	ES			-			
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥17	≥174	≥1	یا ≲	≥ '•	≥ ;	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	24.6	28.9	29.6	30.4	30.5	30.5	30.8	30.8	30.8	3C.9		31.0	31.2	31.2	31.2	31.2
	27.3	32.2	33.2	34.2	34.3	34.4	34.7	34.7	34.7	34.8	34.0	34.9	35.0	35.0	35.Q	35 a S
≥ 18000	27.3	32.2	33.2	34 . 2	34 - 3	34.4	34 - 7	34.7	34.7	34.8	34.9	34.9	35.0	35 · C	35.0	35.0
	27.3	32.2	33.2	34.2	34.3	34.4	34.7	34.7	34.7	34.8	34.9	34.9	35.0	33.0	35.0	35.0
≥ 14000 ≥ 12000	27.4	32.3	33.3	34.3	34.4	34.5	34.8	34.8	34.8	34.9	35.0	35.3	35.2	35.2	35.2	35.2
> 10000	27.7		34.	35.0	35.2	35.3	222				3 7 7 7	2287				
≥ 10000	28.7	34.4	35.8	36.8	36.9	37.0	37.3	37.3	37.3	37.4	37.5	37.5	37.7	37.7	37.7	37.7
	29.1	34.9	36.3	37.3	37.4	37.5	37.8	37.8	37.8	37.9	38.0	38.5	38.2	38.2	38.2	38.2
≥ 8000 ≥ 7000	31.4	37.5	38.9	39 • 9	40.0	40.1	40.4	40.4	40.4	40.5	40.6	40.6	40.8	40.8	40.8	40.8
<u> </u>	32.8	39.9	41.3	42.3	42.4	42.5	42.8	42.8	42.8	42.9	43.0	43.0	43.1	43.1	43.1	43.1
≥ 6000 ≥ 5000	32.9	40.1	41.5	42.6	42.8	42.9	43.1	43.1	43.1	43.3	43.4	43.4	43.5	43.5	43.5	43.5
2 3000	34.9	43.5	45.0	46.1	45.3	46.4	46.6	46.6	46.6	46.8	46.9	46.9	47.0	47.0	47.0	47.5
≥ 4500	35.5	45.1	47.0	48.1	48.3	48.5	48.8	48.8	48.8	48.9	49.0	49.0	49.1	49.1	49.1	49.1
≥ 4000	37.5	48.3	51.2	51.6	52.0	52.2	52.5	52.5	52.5	52.6	52.7	52.7	52.9	52.9	52.9	52.9
≥ 3500	33.8	51.1	53.5	55.0	55.4	55.6	56.0	56.0	56.0	56.1	56.2	56.2	56.4	56.4	56.4	56.4
≥ 3000	40.0	54.1	56.9	58.9	59.2	59.5	59.9	59.9	59.9	60.0	60.1	60.1	60.2	60.2	60.2	60.2
≥ 2500	43.1	60.1	63.	55.2	65.6	66.1	66.5	66.5	66.5	66.6	66.7	66.7	66.8	66.8	66.8	66.8
≥ 2000	45.4	65.0	69.5	72.8	73.3	73.8	74.2	74.2	74.2	74.3	74.4	74.4	74.6	74.6	74.6	74.6
≥ 1800	46.0	66.8	71.6	74.9	75.4	75.9	76.3	76.3	76.3	76.4	76.6	76.6	76.7	76.7	76.7	76.7
≥ 1500	47.4	69.2	74.1	77.9	78.8	79.4	79.8	79.9	79.9	80.0	80.2	80.2	80.3	80.3	80.3	80.7
≥ 1200	49.0	72.4	77.3	81.8	82.8	83.5	34.0	34.3	84.3	84.4	84.5	84.5	84.7	84.7	84.7	84.7
≥ 1000	49.3	73.1	78.2	82.9	83.9	84.7	85.3	85.8	85.8	86.0	86.2	86.2	86.3	66.3	86.3	86.3
≥ 900	49.4	73.6	79.1	84.2	85.3	86.0	86.8	87.3	87.3	87.5	87.7	87.7	87.8	87.8	87.8	87.8
≥ 800	49.4	73.6	79.1	84.4	85.8	86.5	87.3	87.8	87.8	88.0	88.3	88.3	88.4	88.4	88.4	86.4
≥ 700	49.5	74.3	80.2	85.8	87.5	88.3	89.0	89.5	89.5	89.8	90.0	90.0	90.3	90.3	90.3	90.3
≥ 600	49.5	74.6	87.4	86.3	88.3	89.3	90.0	90.5	90.5	90.8	91.0				91.3	91.3
≥ 500	49.5	74.8	81.0	87.2	89.7	93.6	91.5	92.0		92.4	92.6	92.6	92.9	92.9	92.9	92.9
≥ 400	49.5	74.9	81.5	88.0			92.8	93.3		94.4	94.6	94.6	94.9	94.9	94.9	94.9
≥ 300	49.5	75.3	81.7	88.5		93.3	94.4	95.1	95.6	96.5	96.8	96.8	97.0	97.0	97.0	
≥ 200	49.5	75.3	81.9	88.5	92.3	93.3	94.5	95.3	95.8	96.6	97.0	97.3	97.5	97.5	1	97.5
≥ 100	49.5	75.3	81.9	88.5	92.3	93.3	94.5	95.5	96.0	96.9	97.9	97.9	98.5		98.8	99.1
≥ 0	49.5					93.3				96.9	97.9		98.9			,
										تتتن	لتتنيب	نتنت				

TOTAL NUMBER OF ORSERVATIONS 8C

SETPAL CLIMATOLOGY BRANCH L./\*ETAC AND WEATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

3600-0800

≥10 2.1.3 23.8 23.9 23.9	≥6 24.8 28.6	≥5 26.5	24 2 <b>7.</b> 2	≥ 3	≥2 7	≥2									
23.9	28.6		27.2				و'ا≦	≥114	≥1	≥ ¼	≥ 3-8	د, ₹	≥ 5 16	≥ .	≥0
		30.7	31.7	27.5 32.1	27.7	28.1 32.9	28.1 32.9	28.1 32.9	28.2 33.0	28.4 33.3	29.4 33.3	28.6 3 <b>3.4</b>	28.7 33.5	28.9	29.7 33.9
+	23.7 28.7	31.9	31.8 31.8	32.2 32.2	32.6 32.6	33.0 33.0	33.0 33.0	33.0 33.0	33.2 33.2	33.4	33.4	33.5 33.5	33.7 33.7	33.9 33.9	34.0
23.9	28.7	30.9 31.7	51 • 8 32 • 7	32.2 33.0	32.6 33.4	33.0 33.9	33.0 33.9	33.9	34.0	33.4 34.3	34.3	33.5 34.4	33.7 34.5	34.8	34.C
25.7	21.3	33.7	34.6	35.0	35.4	35.8	35.8	35.8	36.0	36.2	36.2	36.3	36.5	36.7	36.6 36.8
28.3	35.2	37.5	32.6	39.1	39.5	40.0	40.0	40.0	40.1	40.3	40.3	40.5	40.6	40.8	39.2
37.1	300€	41.3	42.4	42.9	43.4	43.9	43.9	43.9	44.0	44.2	44.2	44.3	44.5	44.7	41.6
:2.4	42.2	45.3	46.9	47.5	48.1	48.6	48.7	48.7	48.8	49.1	49.1	49.2	49.3	49.6	47.0
36.9	49.5	53.	55.2	55.9	56.6	57.2	57.4	57.4	57.5	57.3	57.8	58.0	58.1	58.3	53.8 58.4 64.7
42.5	59.9	62.9	66.1	66.8	67.8	58.7	68.9	68.9	69.0	69.4	69.4	69.6	69.7	70.D	
44.5	52.2	66.8	70.5	71.6	72.9	73.9	74.5	74.5	74.6	75.0	75.C	75.2	75.3	75.6	75.7 81.3
46.1	65.5	72.5	76.8	78.3	83.1	81.3	82.4	82.4	82.7	83.1	83.1	83.4	83.5	83.7	93.8 85.3
	1	73.5	78.3	80.0	52.3	33.6	34.8	84.8 26.5	85.4 87.6	85.8	85.8	86.0	86.1	86.8	86.5
46.7	68.6	74.8 75.7	8:.2 81.5	83.5		87.1	88.6 90.6	88.6 90.8	89.7 92.0	90.2 92.7	90.3			91.1 94.0	91.1 94.2
46.7	68.8 68.8	75.7 75.7	81.8	54.1 84.3	87.8 87.8		92.6	92.3 92.7	93.8 94.2	94.5 95.0	94.7 95.1	95.5	95.6	96.0	96.1 96.7
46.7	68.8	75.7 75.7	82.0	84.4	68.1 P8.1	91.0	93.2		95.C	96.4	96.5 96.5			98.2	98.3 99.6
	24.5 25.7 25.7 27.7.7 28.9 30.1.1 34.3 30.7 43.6 44.6 45.7 46.7 46.7 46.7 46.7	24.5 29.5 29.5 25.7 31.1 26.7 33.5 28.3 35.8 35.8 35.8 35.8 45.7 53.9 49.5 34.5 52.2 44.5 52.2 44.5 52.2 44.5 52.2 44.5 52.2 44.5 52.2 44.5 52.2 44.5 52.2 44.5 52.2 44.5 52.2 44.5 52.2 44.5 52.2 44.5 52.2 44.5 52.2 44.5 52.2 44.5 52.2 44.5 52.2 44.5 52.2 54.6 55.8 54.6 54.6 54.6 54.6 54.6 54.6 54.6 54.6	24.5 29.5 31.7 25.9 31.1 33.4 26.0 21.3 33.7 27.7 33.5 35.8 28.3 35.2 37.5 28.3 35.8 41.3 31.1 41.3 43.3 31.1 41.3 43.3 32.4 42.2 45.3 34.3 45.7 49.1 36.9 49.5 53.7 47.5 53.9 62.9 44.5 52.2 66.8 45.7 65.5 72.5 46.7 68.8 75.7 46.7 68.8 75.7 46.7 68.8 75.7 46.7 68.8 75.7	24.5     29.5     31.7     32.7       25.7     31.1     33.4     34.4       26.0     31.3     33.7     34.6       27.7     33.5     35.8     36.9       28.3     35.8     38.2     39.2       23.9     35.8     38.2     39.2       37.1     30.6     41.3     42.4       51.1     41.3     43.3     44.5       34.3     45.7     49.1     50.2       36.9     49.5     53.7     55.2       36.9     49.5     53.7     55.2       36.9     49.5     53.7     55.2       36.9     49.5     53.7     55.2       36.9     49.5     53.7     55.2       36.9     49.5     53.7     55.2       36.9     49.5     53.7     55.2       36.9     49.5     53.7     55.2       39.7     53.7     57.5     60.3       44.5     52.2     66.8     70.5       46.7     66.8     73.0     77.5       46.7     68.8     75.7     81.8       46.7     68.8     75.7     81.8       46.7     68.8     75.7     82.0       46.7     68.8	24.5 29.5 31.7 32.7 33.0 25.7 33.0 25.7 31.1 33.4 34.4 34.8 34.8 36.0 31.3 33.7 34.6 35.0 27.7 33.5 35.8 36.9 37.9 28.3 35.2 37.5 32.6 39.1 28.3 35.2 37.5 32.6 39.1 37.1 32.6 41.3 42.4 42.9 31.1 41.3 43.8 44.5 45.1 32.4 42.2 45.3 46.9 47.6 334.3 44.5 45.1 32.4 42.2 45.3 46.9 47.6 334.3 45.7 49.1 57.8 51.5 25.9 36.9 49.5 53.7 57.5 60.3 61.0 42.5 59.9 62.9 66.1 66.8 43.6 60.5 64.9 68.2 63.9 44.5 52.2 66.8 70.5 71.6 46.1 66.5 72.5 76.8 77.5 76.1 46.1 66.5 72.5 76.8 77.5 77.2 24.6 5 67.2 73.5 78.3 80.0 46.7 68.8 73.7 78.3 80.0 46.7 68.8 75.7 81.8 84.3 46.7 68.8 75.7 81.8 84.3 46.7 68.8 75.7 81.9 84.3 46.7 68.8 75.7 81.9 84.3 46.7 68.8 75.7 82.0 84.4	24.5     29.5     31.7     32.7     33.0     33.4       25.7     31.1     33.4     34.4     34.8     35.1       26.7     31.3     33.7     34.6     35.0     35.4       27.7     33.5     35.8     36.9     37.4     37.8       28.3     35.2     37.8     32.6     39.1     39.5       28.3     35.8     38.2     39.2     39.7     40.1       37.1     35.6     41.3     42.4     42.9     43.4       31.1     35.6     41.3     42.4     42.9     43.4       31.1     47.6     47.6     48.1       33.9     47.6     48.1       34.7     47.6     48.1       34.7     47.6     48.1       34.7     47.6     48.1       34.7     53.7     57.5     60.3     61.0       42.5     53.7     57.5     60.3     61.0     62.9       42.5     53.9     62.9     66.1     66.8     67.8       44.5     52.2     66.3     70.5     71.6     72.9       44.5     52.2     66.3     70.5     71.6     72.9       44.5     52.7     73.5     78.3     80.1	24.5     29.5     31.7     32.7     33.0     33.4     33.9       25.7     31.1     33.4     34.4     34.8     35.1     35.6       26.0     31.3     33.7     34.6     35.0     35.4     35.8       26.0     31.3     33.7     34.6     35.0     37.8     38.3       28.3     35.8     36.9     37.4     37.8     38.3       28.3     35.8     38.2     39.2     39.7     40.1     40.0       37.1     36.6     41.3     42.4     42.9     43.4     93.9       31.1     40.3     43.3     44.5     45.1     45.6     46.1       32.4     42.2     45.3     46.9     47.6     48.1     48.6       36.9     47.5     48.1     57.2     52.0	24.5       29.5       31.7       32.7       33.0       33.4       33.9       33.9         25.3       31.1       33.4       34.4       34.8       35.1       35.6       35.6         26.7       21.3       33.7       34.6       35.0       35.4       35.8       35.8       35.8       35.8       35.8       35.8       36.9       37.4       37.8       38.3       38.3       38.2       39.1       39.5       40.0       <	24.5       29.5       31.7       32.7       33.0       33.4       33.9       33.9       33.9       33.9       33.9       33.9       33.9       33.9       33.9       33.9       33.9       33.6       35.6       35.6       35.6       35.6       35.6       35.6       35.6       35.6       35.6       35.6       35.6       35.8       35.8       35.8       35.8       35.8       35.8       35.8       38.3	24.5	24.5	24.5	24.5	24.5	24.5 27.5 31.7 32.7 33.0 33.4 33.9 33.9 33.9 34.0 34.3 34.4 34.5 34.8 25.2 31.1 33.4 34.4 34.8 35.1 35.6 35.6 35.6 35.7 36.7 36.7 36.0 36.1 36.2 36.5 26.7 33.5 33.7 34.6 35.0 35.0 35.8 35.8 35.8 36.0 36.2 36.2 36.3 36.5 36.7 33.5 35.8 35.8 36.7 33.8 3 38.3 38.3 38.3 38.4 38.6 38.6 38.6 39.8 39.9 39.1 32.3 35.2 37.5 32.6 39.1 39.5 40.0 40.0 40.0 40.1 40.2 40.3 40.5 40.6 40.6 40.7 40.9 40.9 41.1 41.2 41.4 33.1 30.5 41.3 42.4 42.9 43.4 42.9 43.9 43.9 43.9 43.9 43.9 43.9 44.0 44.2 44.3 44.3 44.5 44.7 31.1 43.3 43.3 44.5 45.1 45.6 46.1 46.1 46.1 46.2 46.4 46.4 46.4 46.5 46.7 46.9 42.4 42.2 45.3 46.9 47.6 48.1 48.6 48.7 48.7 48.8 49.1 49.1 49.1 49.2 49.3 49.5 40.9 42.4 42.2 45.3 46.9 47.6 48.1 48.6 48.7 48.7 48.8 49.1 49.1 49.1 49.2 49.3 49.3 49.5 40.9 49.5 53.7 53.5 55.2 55.9 56.6 57.2 57.4 57.4 57.4 57.8 57.8 57.8 58.0 58.1 58.1 58.3 39.7 57.5 57.8 57.8 57.8 57.8 58.0 58.1 58.3 39.7 57.5 57.9 57.8 57.8 57.8 58.0 58.1 58.3 49.5 49.5 59.9 62.9 66.8 70.5 71.6 72.9 73.9 74.5 74.5 74.6 75.2 75.0 75.2 75.2 75.3 75.6 44.5 52.2 66.8 70.5 71.6 72.9 73.9 74.5 74.5 74.6 75.2 75.0 75.2 75.3 75.6 44.5 66.8 73.0 74.5 77.6 74.7 76.1 77.8 79.0 80.0 80.0 80.0 80.0 80.6 80.6 80.8 80.9 81.2 46.5 66.8 73.0 74.5 79.6 81.8 80.0 52.3 33.6 34.8 84.8 85.4 85.8 85.8 85.8 84.0 83.1 83.5 83.5 83.5 83.5 83.5 83.5 83.5 83.5

TOTAL NUMBER OF ORSERVATIONS

USAF ETAC HILL O-14-5 (OL A) MENOUS EDITIONS OF TI

CLUBAL CLIMATOLOGY BRANCH SAMESTAC AND REATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

YOUNGSTOKN MAP OH

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1900-1100

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥3	≥2 7	≥ 2	≥17	≥1 4	≥1	≥ 34	≥ %	≥ ;	≥ 5 16	≥.	≥0
NO CEILING ≥ 20000	25.1	24.1	24.9 3	25.9 32.0	26.2 32.6	26.4 33.2	26.8 33.6	26.8 33.6	26.8 33.6	27.2 33.9	27.2 33.9	27.2 33.9	27.2	27.2	27.2	27.2 33.9
≥ 18000 ≥ 16000	25 • 1 25 • 1	29.9	30.8 31.8	32.0 32.0	32.6 32.6	33.2 33.2	33.6 33.6	33.6	33.6 33.6	33.9	33.9	33.9 33.9	33.9	33.9 33.9	33.9	33.9
≥ 14000 ≥ 12000	25.2	30.7	31.6 32.6	32.8 34.1	33.5 34.8	34.1 35.4	34.4 35.9	34.4 35.8	34.4 35.8	34.8 36.1	34.8 36.1	34.8 36.1	34 · B 36 · 1	34 · 8 36 · 1	34 · 8 36 · 1	34.8 36.1
≥ 10000 ≥ 9000	27.5	33.9 34.2	34.9 35.2	36.1 35.4	36.8 37.1	37.5 37.7	37.8 38.1	37.8 38.1	37.8 38.1	38.2 38.4	38.2 38.4	39.2 38.4	38.2	38.2 38.4	38.2 38.4	38.2 38.4
≥ 8000 ≥ 7000	29.5	36.8 37.5	37.8	39.0 39.6	39.9 47.5	40.6	41.0	41.0	41.0 41.6	41.3	41.3	41.3 41.9	41.3	41.3	41.3	
≥ 6000 ≥ 5000	29.3	37.8 39.2	38.8 40.1	40.0	40.8 42.5	41.6	41.9	41.9	41.9 43.6	42.3	42.3	42.3	42.3 44.0	42.3 44.5	42.3	42.3
≥ 4500 ≥ 4000	31.4 32.8	40.7	41.7	43.2	44.1	44.8	45.5 47.9	45.5 47.9	45.5 47.9	45.8 48.2	45.8 48.2	45.8 48.2	45.8	45.8	45.8 48.2	45.8
≥ 3500 ≥ 3000	35.2 37.0	45.9	47.0 5 - 3	49.C 52.6	49.9 53.6	50.8 54.5	51.4 55.4	51.4 55.4	51.4 55.4	5; . 8 55 . 8	51.9 55.8	51.8 55.8	51.8 55.8	51.8 55.8	51.8 55.8	51.8 55.9
≥ 2500 ≥ 2000	40.5	53.0 59.6	55.0 61.9	57.5 55.0	50.4 66.3	59.8 67.8	61.1	61.1	61.1 69.2	61.5	61.5 69.6	61.5	61.5 69.6	61.5	61.5 69.6	61.5
≥ 1800 ≥ 1500	47.5 49.2	62.1 65.3	64 • 6 68 • 2	67.6 71.6	69.0 73.0	70.4 74.8	71.8 76.4	71.9 76.7	71.9 76.7	72.2 77.1	72.2 77.1	72.2	72.2 77.1	72.2 77.1	72.2 77.1	72.2
≥ 1200 ≥ 1000	51.4 51.9	53.2 68.8	71.4	75 • 2 76 • 2	76.8 76.4	79.2 81.1	81.2 93.3	81.8	81.8	82.4 84.8	82.5 85.1	82.5 85.1	82.5 85.1	82.5 85.1	62.5 85.1	2.5 85.1
≥ 900 ≥ 800	52.1 52.2	59.3 69.7	72.8	77.2 77.8	79.5 80.1	82.3	54.6 85.5	85.5 86.3	85.5 86.3	86.5 87.5	86.9 88.1	86.9 88.1	86.9 88.2	86.9	86.9	86.9 88.2
≥ 700 ≥ 600	52.2 52.2	73.1 79.1	73.6 73.8	78.7 79.4	81.0	84.5 85.6	86.8 88.2	87.6 89.3	87.6 89.3	88.8 9D.5	89.6 91.4	89.6	89.8 91.6	89.8 91.6	89.8	1
≥ 500 ≥ 400	52.4 52.4	73.5	74 • 3 74 • 4	80.1 80.4	82.8 83.3	87.2 67.9	89.9 90.8	91.4 92.7	91.4 92.7	92.8 94.7	93.8 95.6	93.8	94.3	94.3	94.5 96.6	94.5
≥ 300 ≥ 200	52.4 52.4	70.8	74.8 74.8	80.7 80.7	83.6 83.6	88.2 88.4	91.3 91.5	93.7 93.9	93.7 93.9	96.0 96.6	97.1 97.8	97.1 97.8		97.6 98.7	98 • 1 99 • 2	99.2
≥ 100 ≥ 0	52.4 52.4	70.8 70.8	1 1 1	80.7 80.7	83.6 83.6	88.4	91.5 91.5	93.9	I	96.6	97.9	97.9		99.3		99.8

USAF ETAC PULSA 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS PORMA

DESTAL CLIMATOLOGY BRANCH DETAC

ASATHER SERVICEZMAC

# CEILING VERSUS VISIBILITY

YOUNGSTOWN MEP OH

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1200-1400

CEILING FEET		VISIBILITY STATUTE MILES														
	≥10	≥6	≥ 5	≥ 4	≥3	≥27	≥ 2	≥179	≥1 4	≥1	≥ 1 <sub>00</sub>	צי ≤	≥ ;	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	23.7	26.5 34.5	27.4 35.5	77.5 35.6	27.5 35.7	27.5 36.0	27.5 36.1	27.5	27.5	27.5 36.1	27.5	27.5 36.1	27.5 36.1	27.5 36.1	27.5	27.5
≥ 18000 ≥ 16000	28.7	34.5	35.5	35.6 35.6	35.7 35.7	36.0 36.0	36.1 36.1	36.1 36.1	36.1 36.1	36 • 1 36 • 1	36.1 36.1	36.1 36.1	36.1	36.1 36.1	36.1 36.1	36 · 1
≥ 14000 ≥ 12000	29.1	35.0 36.2	36.3 37.5	36.1 37.7	36.2 38.0	36.5 38.2	36.6 38.3	36.6 38.3	36.6 38.3	36.6 38.3	36.6 38.3	36.6 38.3	36.6 33.3	36.6 38.3	36.6 38.3	36.
≥ 10000 ≥ 9000	31.4 31.6	33.5 33.7	39.7 39.9	39.9 40.2	40.2 40.4	40.4 40.7	40.5 40.8	40.5 40.8	40.5 40.8	40.5 40.8	40.5 40.8	40.5	40.5 43.8	40.5 43.8	40.5 40.8	40.4 40.4
≥ 8000 ≥ 7000	32.9 3 <b>3.</b> 5	40.5 41.5	41.8 43.0	42.0 43.2		42.5	42.6 43.9	42.6 43.9	42.6 43.9	42.6 43.9	42.6 43.9	42.6	42.6	42.6	42.6	42. 43.
≥ 6000 ≥ 5000	33.3 34.5	41.8 43.1	43.0	43.5 45.0	43.7 45.2	44.D	44.1 45.6	44.1 45.6	44.1 45.6	44.1 45.6	44.1 45.6	44.1 45.6	44.1	44.1	44.1	44.
≥ 4500 ≥ 4000	35.7 37.6	4.5	45.8 48.8	46.2	45.4	46.8 47.8	46.9	46.9 49.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.
≥ 3500 ≥ 3000	40.0 43.0	50.1 54.2	52.1 56.3	52.6 56.9	52.8 57.1	53.2 57.9	53.3 58.0	53.3 58.2	53.3 58.2	53.3 58.2	53.3 58.2	53.3 58.2	53.3 59.2	53.3 58.2	53.3 58.2	1
≥ 2500 ≥ 2000	48.4 52.0		63.1	64.4 71.4	64.7 72.1	65.6 73.3	65.8 73.6	66.1 74.3	66.1 74.0	66.1 74.0	66 • 1 74 • 2	66.1 74.5	66.1 74.3	66.1 74.0	66.1 74.3	66. 74.
≥ 1800 ≥ 1500	53.5 55.7	73.6 73.8	73.2	74.4 78.5	75.3 79.7	76.7 81.3	76.9 81.9	77.3 82.4	77.3 82.4	77.3 82.4	77.3 82.4	77.3 82.4	77.3 82.4	77.3 82.4	77.3 62.4	77. 82.
≥ 1200 ≥ 1000	56.6 57.1	77.€ 77.8	80.7 81.7	82.6 83.5	84.0 85.0	85.7 87.1	86 • 5 87 • 8	87.7 89.2	87.7 89.3	87.8 89.6	87.8 89.5	87.8 89.6	87.8 89.6	87.8	67.8 89.6	87. 69.
≥ 900 ≥ 800	57.2 57.4	78.5 78.1	82.2 82.7	85.1	85.9 86.7	88.6	90.4	91.2 92.3	91.4 92.5	91.8 92.9	91.8 92.9	91.8	91.8 92.9	91.5	91.8 92.9	91 • 92 •
≥ 700 ≥ 600	57.4 57.4	78.1 78.1	82.7	85.3 85.7	86.9 87.3	89.8 90.5	91.0 92.0	93.0 94.1	93.2 94.3	93.7 94.8	93.9 95.0	93.9	93.9 95.1	93.9 95.0	93.9 95.0	95.
≥ 500 ≥ 400	57.4	78.3	83.3	86.1	98.0	91.6	92 • 8 93 • 9	95.2 96.8	95.5	95.9 97.7	96.1 97.9	96.1	96.6	96.6	96.6 98.4	98.
≥ 300 ≥ 200	57.4	78.4	83.4	86.4	88.1	91.8	94.1	97.5	97.8	98.5	98.8	98.8	99.3	99.9	99.4	_
≥ 100 ≥ 0	57.4 57.4		83.4	86.4	88.1	91.8	94.1	97.5	97.8 97.8	98.8	99.3 99.3	99.3	99.8	99.9	99.9	99.

USAF ETAC JULIA 0-14-5 (OL A) MEVIOUS SPITIONS OF THIS FORM ARE OR

L HAL CLIMATCLOCY ERANCH TAC TATHER SERVICEMAC

## CEILING VERSUS VISIBILITY

HOUNGSTOAM MAP OH

73-31

15,7-1701

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING FEET		VISIBILITY STATUTE MILES														
	≥10	≥6	≥5	≥ 4	≥ 3	≥2:	≥ 2	≥1:	≥١.	≥1	≥ .	≥`•	≥ :	25 16	≥ .	≥0
NO CEILING ≥ 20000	32.5 31.5	75.7 36.4	25.9 36.9	75.9 37.0	24.1 37.4	20.1 37.4							26.2 37.5			
≥ 18000 ≥ 16000	31.9 31.7	36.6 36.5	37.2 37.4	37.4 37.5	37.7 37.9			37.9 38.0		37.9 38.0			37.9 38.0		37.9 38.0	,
≥ 14000 ≥ 12000	34.1	37.3 37.1	37.9 39.7	38.0 39.8	1			38.5				38.5	32.5		38.5	
≥ 10000 ≥ 9000	35.3 35.7	41.1	41.7		42.2	42.2		42.3	42.3	42.3	42.5	42.3	42.3	42.3	42.3	42.3
≥· 8000 ≥ 7000	36.5 36.3		43.8	43.9	44.2	44.2	44.4		44.4	44.4	44.4	44.4	44.4	44.4	44.4	44.4
≥ 6000 ≥ 5000	37.1	44.2	44.0	45.0	45.3	45.3	45.5		45.5	45.5	45.5	45.5	45.5	45.5	45.5	
≥ 4500 ≥ 4000	43.6	48.5	49.3	49.4			49.9	49.9	49.9	49.3	49.0	49.9	49.9	49.0	49.9	49.5
≥ 3500 ≥ 3000	44.0	55.7	57 • 2 55 • 8	52.3 56.0	53.4	52.7 56.4	5 <b>6 • 5</b>		56.5	56.5	56.5		56.5	56.5	56.5	56.5
≥ 2500 ≥ 2000	54.8	68.3	69.4		7:.6	71.4		72.1	61.3 72.1	72.1		72.1		72.1		72.1
≥ 1800	57.4	75.5		78.2	- 1	79.8		80.6	80.6	80.6	80.6	87.6	80.6	60.6	80.6	80.6
≥ 1500	59.7	77.5 79.7	79.8 87.1	84.2		86.8	88.0		84.1	88.2			84.2		84.2	
≥ 1000	50.7 50.8		82.5 82.7				89.0 90.0	89.1 90.4	89.1 90.4	89.3 90.9			90.9			
≥ 800	60.8 50.8		83.3	86.5 87.3			90.9		91.7 93.1		92.3		92.4			
≥ 600	60.9	81.C						94.5		95.1	95.5		95.6			
≥ 400 ≥ 300	60.9	81.4	84.4		$\overline{}$	92.2		96.4		97.4			98.8	98.0 98.8		
≥ 200	60.9	81.4	84.4	88.5	89.6		94.6	97.4	97.4	98.5	98.9	98.9	99.3	99.3	99.5	99.6
ž 0	63.9		84.4										99.4			

OTAL NUMBER OF OBSERVATIONS

USAF ETAC 10164 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE CORDLE

AL CLIMATOLOGY BRANCH A STAC A STAC A STATHEM SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OS

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	BILITY ST.	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥1 ?	≥1 .	≥1	≥ /,₄	≥ '⁄1	≥ :	≥ 5 16	≥.	≥0
NO CEILING ≥ 20000	25.4 32.2	29.5 37.3	29.5 37.7	29.8 37.8	29.8 38.0	29.9 33.3	29.9 38.3	29.9 38.3	29.9	29.9 38.3	29.9 36.3	29.9 38.3	29.9 36.3	29.9	29.9	70.5 38.3
≥ 18000 ≥ 16000		37.6 37.6	37.9 37.9	38.2 38.2	38.4 30.4	38.7 38.7	38.7 38.7	38.7 38.7	38.7 38.7	38.7 38.7	38.7 38.7	38.7	38.7	38.7	38.7	36.7 38.7
≥ 14000 ≥ 12000	32.7 33.3	37.8 35.5	38.2 39.1	32.4 39.4	38.7 39.6	38.9 39.9	38.9	38.9 39.9	38.9	38.9	32.9	38.9	38.9	38.9	33.9	38.9
≥ 10000 ≥ 9000	36.5 37.0	42.4	43.2 43.7	43.4	43.7	43.9	43.9	43.9	43.9	43.9	43.9	43.9	43.9	43.9	43.9	
≥ 8000 ≥ 7000	38 • 2 39 • 3	44.3	45.0 46.1	45.2 45.3	45.5 46.6	45.7	45.7	45.7 46.8	45.7 46.8	45.7 46.8	45.7 46.8	45.7	45.7	45.7 46.6	45.7	45.7
≥ 6000 ≥ 5000	4:.4 43.7	46.5 5.6	47.2 51.3	47.4 51.6	47.7 52.0	47.9 52.2	47.9 32.2	47.9 52.2	47.9 52.2	47.9 52.2	47.9 52.2	47.9 52.2	47.9 52.2	47.9 52.2		47.9
≥ 4500 ≥ 4000	45.2 46.7	52.8 56.1	53.5 56.3	53.8 57.1	54 • 1 57 • 4	54.4 57.9	54.4 57.9	54.4 57.9	54.4 57.9	54.4 57.9	54.4 57.9	54.4	54.4 57.9	54.4	54.4 57.9	
≥ 3500 ≥ 3000	48.1 50.9	58.6 52.7	59.6 62.9	59.9 63.5	67.2	61.0	61.0 64.9	61.0 64.9	61.0 64.9	61.0 64.9	61.fi 64.9	61.5 64.9	61.3 64.9	61.3 64.9	61.0	61.7
≥ 2500 ≥ 2000	95.2 59.2	68.3 72.8	69.9 75.0	71.3 77.6	72.0	72.7	73.2 79.6	73.2 79.6	73.2 79.6	73.2 79.6	73.2 79.6	73.2 79.6	73.2 79.6	73.2 79.6	73.2 79.6	73.2 79.6
≥ 1800	53.7 59.4	74.1 75.7	76.5 78.2	78.9 83.9	79.5 81.5	31.1 83.2	92.0 84.0	62.0 84.0	82•₽ 84•₽	82.C	82.0 84.1	82.0 84.1	82.7 84.1	82.C	82.C	22.G 34.1
≥ 1200	59.9 63.0	77.2	81.1	93.0 94.4	83.8	85.7 87.3	86.7	56 • 8 58 • 4	86.8	87.0 88.5	87.0 88.5	87.3 88.5	87.0 88.5	87.0 88.5	97.0 88.5	87.2 88.5
≥ 900 ≥ 800	57.1 67.4	78.4 79.1	81.b 82.3	85.2	36.1 87.2	33.3 89.4	89.3	89.4 91.0	91.0	89.5 91.2	89.5	89.5 91.3	89.5 91.3	89.5 91.3	89.5 91.3	89.5 91.3
≥ 700 ≥ 600	50.4 53.4	79.4	83.2	87.1 87.4	87.9 88.5	9:.5	91.6 92.6	92.3 93.5	92.3 93.5	92.7	92.9	92.9	92.9	92.9	92.9	92.9 94.3
≥ 500 ≥ 400	:13.4 05.4	79.4	83.2	87.8 88.0	89.5	72.6	94.1	94.4	95.1	95.7 95.7	95.5 96.3	95.5	95.6 96.6	95.6 96.7	95.6 96.7	95.6 96.7
≥ 300 ≥ 200	5. 4	79.4	83.2	38.3	80.8 90.0	93.4	94.9 35.6	76.6	96.5	96.7	97.4	97.6	97.8	99.5		97.9
100	0 1 • 4 0 1 • 4	79.4	83.3	3A.5 88.5	97.7			97.0 97.0	97.0 97.0	98.2	99.1	99.3	99.8	99.9	99.9	0.00

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC 10.64 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE ORBOLETE

. HAE CLIMATOLOGY BRANCH FFETAC HEATHER SERVICE/MAC

 $\Box$ 

### CEILING VERSUS VISIBILITY

HO MAN MAR OH

73-61

MONTH

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

11,12-2300

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥1 7	≥1.	≥1	≥ 4	≥ 'γ	≥ :	≥5 16	≥ .	≥0
NO CEILING	23.5	32.1	32.7	3: . 9	32.9	32.9	32.9	32.9	32.c	32.9	32.°	32.9	32.9	32.9	32.9	33.7
≥ 20000	22.7	37.7	38.3	39.1	30.	39.1	39.1	39.1	39.1	39.1	39.1	39.1	39.1	39.1	39.1	39.3
≥ 18000	52 • 7	37.7	38.8	39.1	37.1	39.1	39.1	39.1	39.1	39.1	39.1	39.1	39.1	39.1	39.1	19.3
≥ 16000	32.7	37.7	35.2	39.1	39.1	30.1	39.1	39.1	39.1	39.1	39.1	39.1	39.1	39.1	39.1	39.3
≥ 14000	32.7	37.7	33.º	39.3	39.3	39.3	39.3	39.3	39.3	39.3	39.3	39.3	39.3	39.3	39.3	39.4
≥ 12000	13.2	30.2	39.3	39.8	30.8	37.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.9
≥ 100000	35.1	41.2	42.3	42.9	42.9	42.9	42.9	42.9	42.9	42.9	42.9	42.3	42.9	42.9	42.9	43.7
≥ 9000	35.3	42.0	43.0	43.8	47.8	43.8	43.8	43.8	43.8	43.8	43.8	43.8	43.9	43.8	43.9	43.9
≥ 8000	'4.º	43.4	44.5	45.2	45.2	45.2	45.2	45.2	45.2	45.2	45.2	45.2	45.2	45.2	45.2	45.4
≥ 7000	39.5	44.9	44.0	46.7	46.7	46.7	46.7	46.7		46.7	46.7	46.7	45.7	46.7	46.7	46.3
≥ 6000	30.9	45.4	46.5	47.2	47.2	47.2	47.2	47.2	47.7	47.2	47.2	47.2	47.2	47.2	47.2	47.2
2 5000	43.9	5 . 1	51.2	52.1	F 2 . 1	52.1	52.1	52.1	52.1	52.1	52.1	52.1	52.1	52.1	52.1	52.2
≥ 4500	45.1	53.2	54.4	55.2	55.2	55.2	55.4	55.4	55.4	55.4	55.4	55.4	55.4	55.4	55.4	55.5
2 4000	48.7	53.2	59.4	6 . 2	65.2	51.2	60.4	60.4	67.4	60.4	60.4	63.4	63.4	60.4	03.4	60.5
≥ 3500	7.7	61.1	62.4	63.3	63.3	63.3	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.5
≥ 3000	2.6	65.0	66.7	57.7	67.8	67.8	63.2	68.2	65.5	68.2	68.2	63.2	63.7	68.2	68.2	6A.3
≥ 2500	5.5	59.4	71.5	73.4	73.7	73.7	74.4	74.4	74.4	74.4	74.4	74.4	74.4	74.4	74.4	74.5
2 2000	57.6	74.0	75.6	78.9	79.1	79.3	30.1	3( .1	87.1	80.1	80.1	80.1	57.1	80.1	80.1	8J.2.
≥ 1800	57.	75.6	78.3	20.6	87.9	81.0	81.8	81.8	81.8	81.8	81.8	81.8	81.9	51.8	61.8	82.
2 1500	50.1	77.6	81.4	32.9	83.3	83.4	84.3	54.3	84.3	84.3	84.3	84.3	64.3	34.3	34.3	34.4
≥ 1200	50.3	79.	6 .	₹5.1	85.8	85.4	36 . 5	86.6	86.6	86.6	56.6	86.6	86.6	86.6	86.6	96.7
≥ 1000	54.9	79.4	82.7	86.3	86.5	36.7	37.6	87.7	87.7	87.7	87.7	87.7	87,7	87.7	87.7	87.8
2 900	20.0	79.3	83.4	37 • n	87.6	67.5	58.7	8.85	58.5	88.8	88.8	86.8	88.5	98.6	88.8	88.9
≥ 800		Fi . 5	84.5	98.4	89.0	85.3	90.1	90.2	90.2	90.2	90.4	90.4	97.4	90.4	90.4	90.5
≥ 700	1.4	7 . 7	84.8	28.7	89.5	6:02	91.0	91.5	91.5	91.5	91.7	91.7	91.7	91.7	91.7	91.8
≥ 600	(0.4	31.2	35.2	97.1	9".1	91.0	92.0	92.4	92.4	92.6	93.5	93.3	93.0	93.5	93.0	93.2
≥ 500	2.7 . 4	81.3	85.4	90.5	92.1	92.9	93.9	94.4	94.4	94.5	94.7	95.7	95.7	95.0	95.0	95.1
≥ 400	67.4	31.3	a5.5	91.7	93.2	94.3	25.0 C	95.5	95.5	95.7	96.2	96.2	96.2	96.2	96.7	
≥ 300	5 G • 4	11.3	85.5	71.8	93.7	95.2	96.5	97.1	97.7	97.6	98.0	98.0	98.3	99.	98.C	96
≥ 20C	6 4	81.3	35.5	91.8	93.7	¢5.6	97.0	97.8	97.5	96.4	99.5	99.2	99.1	99.1	99.1	
> 106	07.4	31.3	85.5	91.8	93.7	95.6	97.C	97.8	97.9	96.8	99.4	09.4	99.6	99.6	99.6	99
2 0	• 4	81.3	85.5	91.8	93.7	75.6	97.0	97.8	97.9	98.8	99.4	99.4	99.6	99.6	99.9	1000

TOTAL NUMBER OF OBSERVATIONS

521

USAF ETAC 101 MA 0-14-5 (OL A) MENOUS EDITIONS OF THIS FORM ARE OBSOLETE

--

----

LYPAL CLIMATOLOGY BRANCH LYPETAC 4 - FATHER SERVICE/MAD

#### CEILING VERSUS VISIBILITY

2'S YOUNGSTONM MAP OH

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

HOURS (ST

CEILING							VIS	IBILITY ST.	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥117	≥1 ₄	≥1	≥ 1/4	≥ 2/8	≥ 7	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	24.7	25.6 34.6	23.7 35.0	29 • 1 35 • 5	29.3 35.8	29.4	29.5 36.1	29.5 36.1	29.5 36.1	29.6 36.2	29.6 36.3	29.5 35.3	29.7 36.3	29.7 36.3	29.7 36.3	29.7 36.4
≥ 18000 ≥ 16000	23.9	34.1 34.1	35.1	35.6 35.6	35.9 35.9	36.1 36.1	36.3 36.3	36.3 36.3	36.3	36.3	36.4	36.4	36.4	36.4	36.4	36.5
≥ 14000 ≥ 12000	29.1	34.4	35.4	36.0 37.0	36.2 37.3	36.4	36.6	36.6	36.6	36.7 37.8	36.7 37.8	36.7 37.8	36.8 37.8	36.8	36.8	
≥ 10000 ≥ 9000	31.7 32.	37.8 35.2	39.4	39.6 40.0	39.9 40.3	40.1 40.5	40.3 40.7	40.3 40.7	40.7	40.4	40.4 40.8	43.4	43.4	40.4	40.5 40.9	40.5
≥ 8000 ≥ 7000	33.5	40.3	41.5 42.8	42.1	42.4	42.6	42.8	42.8 44.1	42.8	42.9	42.9	42.9	43.0	43.U	43.0 44.3	43.0
≥ 6000 ≥ 5000	34 • 9 37 • 1j	42.1 45.2	43.3	43.9 47.2	44.2	44.5	44.6 48.0	44.6 48.0	44.6 48.0	44.7 48.0	44.8 48.1	44.8	44.8 48.1	44.8 48.1	44.8	44.9 48.2
≥ 4500 ≥ 4000	33.3	47.2 33.3	43.6 51.8	49.3 52.6	49.7 53.1	50.0 53.4	50.2 53.6	50.2 53.6	50.2 53.6		50.3 53.6	50.3 53.8	50.4 53.8	50.4 53.8	57.4 53.9	50.4 53.9
≥ 3500 ≥ 3000	42.3	53.4 57.	55.0 58.9	56.7 63.1	56.4 60.6	56.8 61.1	57.0 61.5		57.1 61.5	57.2 61.6	57.2 61.7	57.2 61.7		57.3 61.7	57.3 61.8	57.3 61.8
≥ 2500 ≥ 2000	48.5 31.5	1 2 1	71.5	56.6 73.7	67.2 73.5	67.9 74.4	68.6 75.1	68.6 75.2	68.6 75.2	68.7 75.3	68.8 75.3	68.8 75.3		68.8 75.4	68.8 75.4	68.9 75.4
≥ 1800 ≥ 1500	53.5	63.9 72.2	72.3 75.4	75 • 1 78 • 0	75.9 79.5	76.9 3J.2	77.6 80.9		77.7 81.2		77.9 81.3	77.9 81.3		77.9 21.4	78.0 51.4	78.5 81.5
≥ 1200 ≥ 1000	54.5 55.2	74.5 75.1	73.0 78.9	91.0 32.2	57.2 33.4	83•6 ₹5•0	84.6 86.1	85.0 86.6	85.0 86.6		85.3 87.0	85.3 87.9	85.3 87.0	85.4 87.1	35.4 87.1	85.4 87.1
≥ 900 ≥ 800	5.3 55.5	75.5 75.9	79.± 8 .1	33.1 94.3	64.5 85.4	36.2 37.2	87.3 88.4	88.0 89.1	88.0 89.2		88.5	88.5 89.8	88.6 89.9	88.6 89.9	88.6 69.9	
3 700 ≥ 600	:5.5 :5.5	76.4 76.5		84.8 85.4		88.4 87.3			90.5 91.8	92.4		91.4 92.8		91.5 93.0	91.6 93.0	91.6 93.0
≥ 500 ≥ 400	5.5	-	81.5 81.5	86.2 86.6		93.5 91.3		94.5	93.3	95.5	96.0				94.8	
≥ 300 ≥ 200	5 • 6			36.9		92.1	93.8 94.1	95.4 95.9	95.6 96.1	97.3	98.1	97.3			97.8 98.9	96.9
≥ '00 ≥ 0	5 • 6 5 • 6	: !	81.6	86.9 86.9	89.2		94.1 94.1	96.0	96.1 96.1		98.4 98.4	98.4 98.4	99.1 99.2	99.2 99.3	99.5	99.7 100.0

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC 100 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE ORBIGISTE

LE RAL CLIMATOLOGY BRANCH COMPLITAC 4 VEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNESTOWN MAP OH

73-81

APR

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

2022-0200

CEILING							VIS	BILITY (ST.	ATUTE MIL	ES .						
FEET	≥10	≥6	≥ 5	≥4	≥ 3	≥2 7	≥ 2	217	≥1.4	≥1	≥ .	≥ '∌	≥ :	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	35 • 2 38 • 0	4 . 7	47.8 45.6	41.0 45.8	41.4	41.4	41.4	42.0	42.C	42.0 46.8	42.J	42.3 46.8	47.7	42.5	42.7 46.8	42.0 46.9
≥ 18000 ≥ 16000	38.5 32.6	45.5	45.6	45.8 45.8	45.2	46.2	46.2	46.8	46.8	46.8	46.8 46.8	46.8	46.8	46.8	46.8	46.8
≥ 14000 ≥ 12000	39.1 39.9	46.7	46.1	40.3	46.7	46.7	46.7	47.3	47.3	47.3	47.3	47.3	47.3	47.3	47.3 48.2	47.3
≥ 10000 ≥ 9000	42.4	49.7	57.0	50.3	57.6	50.6	50.6 51.1	51.3 51.8	51.3 51.8	51.3 51.8	51.3 51.8	51.3 51.8	51.3	51.3 51.8	51.3 51.8	51.3
≥ 8000 ≥ 7000	44.4	52.7 54.3	52.9	53.2	53.5	53.5	53.5	54.2	54.2 56.1	54.2	54.2 56.1	54.2 56.1	54.2	54.2	54.2 56.1	54.2
≥ 6000 ≥ 5000	46.1	55.3		56.1	56.4	56.4	56.4	57.1	57.1	57.1	57.1 62.9	57.1	57.1	57.1	57.1	57.1
≥ 4500 ≥ 4000	52.1	64.7 63.8	64.6	65.2	65.5		65.5 70.8	66.2		66.2	66.2	66.2	66.2	66.2	66.2	66.2
≥ 3500 ≥ 3000	56.7	70.8 75.4		72.6	73.1	73.1 78.4	73.1 78.4	73.7 79.0	73.7 79.0	73.7 79.0	73.7 79.0		73.7	73.7	73.7	73.7
≥ 2500 ≥ 2000	60.2 62.2	78.7 81.9	87.2	81.1	81.7	81.7	81.7	82.3	82.3	82.3	82.3		86.2	82.3	82.3	82.3
≥ 1800 ≥ 1500	62.8	62.7	84.3 85.0	85.2 86.0	36.5 87.4	86.5	86.6	87.2	87.2	87.2	87.2 88.1			87.2	87.2	
≥ 1200 ≥ 1000	63.6	84.6	86.5 87.5	87.9	89.3	89.3 90.8	89.4	90.0	90.0	90.0	97.0	97.0		90.6	90.0	90.0
≥ 900 ≥ 800	34.7	86.0	88.7	90.0	91.8	91.8	92.0	92.8	92.8	92.8	92.8	92.8	92.8	92.5 93.2	92.8	92.8
≥ 700 ≥ 600	54.1	86.2 86.7	88.4	90.8	92.7	92.7	93.1	93.9	93.9	93.9	93.9	93.9	93.9	93.9	93.9 95.2	93.9
≥ 500 ≥ 400	64.4	87.0 87.5	89.5 90.5	92.7	94.7	94.7	95.1 97.3	96.D 98.2	96.0 98.2	96.1 98.4	96.1 98.4	96.1	96.1 98.4	96.1	96.1	96.1
≥ 300 ≥ 200	54.5 54.5	87.5	90.7	94.3		97.1	98.7 98.0	99.0	99.1	99.4	99.5	99.5 99.9	99.5	99.5	99.5	
≥ 100 ≥ 0	64.5	87.5 87.5		94.3 94.3	96.6		98.0 98.0	99.1	99.1 99.1	99.6 99.6	99.9 99.9	99.9		30.0 30.0		0.00 0.05

USAF ETAC 101 64 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

BLUTAL CLIMATOLOGY FRANCH BETAC A BEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

25 YOUNGSTOWN MAP OH

73-81

MONTH

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

2322-0502

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥3	≥2 7	≥ 2	≥1.7	≥1%	≥1	≥ ¼	≥ >⁄₀	≥ 7	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	35.1 38.1	41.1	4 ° • 5	41.5 45.6	47.2	42.2 46.6	42.2 46.6	42.2 46.6	42.2 46.6	42.6 46.9	42.7 47.1	42.7 47.1	42.9 47.2	42.9 47.2	42.9 47.2	- 1
≥ 18000 ≥ 16000	36.1 38.1	44.3	44.3 44.8	45.8 45.8	46.6 46.6	46.6	46.6	46.6	46.6 46.6	46.9	47.1 47.1	47.1 47.1	47.2 47.2	47.2 47.2	47.2	47.2
≥ 14000 ≥ 12000	32.3 34.8	44.5 45.0	45. 45.5	46.1 46.6	46.8	46.8	46.8	46.8	46.8	47.2 47.7	47.3	47.3 47.8	47.5 48.3	47.5 48.0	47.5 48.0	47.5
≥ 10000 ≥ 9000	41.6	48.7	49.2 50.1	50.3 51.1	51.0 51.9	51.0 51.9	51.9	51.0 51.9	51.7 51.9	51.4 52.3	51.5 52.4	51.5 52.4	51.7 52.5	51.7 52.5	51.7 52.5	51.7 52.5
≥ 8000 ≥ 7000	43.8 44.3	52.0 53.1	52.5 53.7	53.6 54.7	54.5 55.6	54.5 55.6	54.5 55.6	54.5 55.6	54.5 55.6	54.8 56.0	55.0 56.1	55.0 55.1	55.1 56.2	55.1 56.2	55.1 56.2	55.1 56.2
≥ 6000 ≥ 5000	44.3	53.9 57.6	54.6 58.4	55.6 57.1	56.6 61.1	56.6 61.1	56.6 61.1	56.6 61.1	56.6 61.1	57.0 61.5	57.1 61.6	57.1 61.6	57.3 61.7	57.3 61.7	57.3 61.7	57.3 61.7
≥ 4500 ≥ 4000	44.6	59.0 60.6	50.0 61.5	61.u 63.7	62.6 64.8	62.6 64.8	52.6 64.8	62.6 64.8	62.6 64.E	63.0 65.1	63.1 65.3	63.1 65.3	63.2	63.2 65.4	63.2 55.4	63.2
≥ 3500 ≥ 3000	11.4 53.6	53.1 66.1	69.6	66.4 72.1	67.4 73.2	67.4 73.2	67.4 73.2	67.4	67.4 73.2	67.8 73.5	67.9 73.7	67.9 73.7	68.1 73.8	68.1 73.8	68.1 73.8	68.1 73.8
≥ 2500 ≥ 2000	53.7 56.2	73.9 74.2	72.4 75.7	75.3 73.9	76.3 79.9	76.3 79.9	76.3 85.3	76.3 80.3	76.3 8C.3	76.7 80.7	76.8 83.8	76.8 83.8	77.5 65.9	77.: 83.9	77.0 80.9	77.0 80.9
≥ 1800 ≥ 1500	57.3 58.7	75.7 77.6	77.2 79.1	80.4 32.3	81.4	81.4	31.9 33.7	81.8 83.7	81.8 83.7	82.2 84.1	82.3 84.2	82.3	82.4	82.4 84.4	82.4	82.4
≥ 1200 ≥ 1000	59.5 00.6	83.3	81.6 83.5	34.7 86.9	85.9 86.3	85.9 88.3	86.3	86.3 88.7	86.3 88.7	86.6	86.8	85.8 89.2	86.9	86.9	86.9	86.9
≥ 900 ≥ 800	8.63 6.0a	82.8 84.2	84.6	38.2 89.6	89.8 91.3	69.8 91.3	9 • 2 91• 7	90.2 92.0	90.2 92.0	90.6 92.4	90.7 92.5	90.7 92.5	93.8 92.6	92.8 92.6	93.8 92.6	93.8
≥ 700 ≥ 600	60.9 50.9	84.9 85.5		90.6	93.3		92.7 93.6	93.0	93.0 94.1	93.4	93.5	93.5 94.7	93.6 94.9	93.6 94.8	93.6 94.8	94.8
≥ 500 ≥ 400	63.9 60.7	85.9 86.1	87.3 89.0	92.0 92.7	94.9		94.7	95.4	95.4 97.1	95.9 97.5	95.9	95.9 97.6	96.1 97.7	96 • 1 97 • 7	96.1 97.7	96.1 97.7
≥ 300 ≥ 200	60.9 67.9	36.1 86.1	88.2	93.0 93.0	95.2		96.8 96.9	97.6	97.6 97.8	98.2	98.7 99.1	98.7	98.9	98.9 99.2	98.9	98.9
≥ 100 ≥ 0	60.9	85.1 86.1	88.2	93.0 93.5	- 1	95.7 95.7	96.9 96.9	97.8	97.8 97.8	98.6 98.6	99.1	99.1	99.5	99.5 99.5	99.5	99.5

7.9

USAF ETAC 10166 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE GREGULETE

PLIMAL CLIMATOLOGY BRANCH PRETAC A SEATHER SERVICE/MAC

HO PAP NEOTZEAUCY

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	IBILITY IST	ATUTE MIL	ES						
FEET.	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	د′۱≲	≥1 ≥	≥1	≥ l <sub>ia</sub>	≥ 3/4	≥ '7	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	29. 32.1	34.3 38.0	35.5 39.6	36.1 47.4	36.8 41.	37.7 41.3	37.5 41.8	38.0	38.0 42.3	39.0 43.3	39.0 43.3	39.0 43.3	39.1 43.4	39.1 43.4	39.1 43.4	39.1 43.4
≥ 18000 ≥ 16000	32.1 32.1	38.∂ 38.∂	39.6 39.6	46.4 40.4	41.0 41.0	41.3	41.8	42.3 42.3	42.3	43.3	43.3	43.3 43.3	43.4	43.4	43.4	43.4
≥ 14000 ≥ 12000	32.4 33.8	38.4 40.0	40.0 41.8	41.0 42.8	41.7 43.4	41.9 43.7	42.4	42.9 44.7	42.9 44.7	43.9 45.7	43.9 45.7	43.9 45.7	44.0 45.8	44.C	44.C 45.8	
≥ 10000 ≥ 9000	35.6 36.0	42.2	44.C	45.0 45.7	45.8	46.7	46.5	47.1 47.7		48.1 48.7	48.1 48.7	48.1	48.2	48.2	48.2	48.8
≥ 8000 ≥ 7000	37.3 37.8	44.2	46.7 47.6	47.8 48.8	49.6	48.8	49.3	50.6	49.8 50.8	50.8	50.8 51.8	50.8 51.8	51.9	51.9	50.9	50.9
≥ 6000 ≥ 5000	33.3	45.8	48.4 52.7	49.9 54.3		51.2 55.8	51.9 56.6	57.1	57.1	53.5 58.1	58.1	53.5 58.1	53.6 58.2	53.6 58.2	53.6 58.2	58.2
≥ 4500 ≥ 4000	42.5 45.4	51.3 54.6	54.5 58.3	56.1 60.0		57.7 61.6	58.5 62.4		59.0 62.9	63.9	60.0 63.9	63.9	64.0	64.0	64.0	60-1 64-C
≥ 3500 ≥ 3000	48.7	56.6	67.1	62.2		66.4	67.3			66.2	68.8	68.8	66.9	66.4 68.9 72.4	66.4 68.9 72.4	66.4 65.9 72.4
≥ 2500 ≥ 2000 ≥ 1800	51.9	61.1	68.1	67.5 70.9		69.8 73.3	79.8	71.3 74.8 77.2	71.3 74.6 77.2	72.3 75.8 78.2	72.3 75.8 78.2	72.3 75.8 78.2	72.4 75.9 78.3	75.9 78.3	75.9 78.3	75.9 78.3
≥ 1800 ≥ 1500 ≥ 1200	53.3 54.7	66.4 69.1 71.5	70.4 73.3 75.7	73.3 76.2 78.9		75.7 78.5	76.7 79.5 82.3	8D.1 82.9	8C.1 82.9	81.3	81.3 84.4	81.3	81.4 84.6	81.4	81.4	81.4
≥ 1000 ≥ 1000	56.6			81.1	83.1	84.1	85.1	85.7	85.7		87.3	87.3	67.5	87.5	37.5	87.5
≥ 800 ≥ 700	57.5		87.6	84.6		87.8 89.6		90.1	90.1 91.8	91.8	92.0	92.0 93.7		92.1	92.1	92.1
≥ 500	57.8	77.2		86.1	88.8	93.2	92.0	92.8	92.8		94.7	94.7	94.9	94.9	94.9	94.9
≥ 400 ≥ 300	57.8	77.4	81.9	36.3	88.8	91.2	93.4	94.9		96.7	97.1	97.1	97.2	97.2		
≥ 200 ≥ 100	57.8	77.4	81.9	86.3	88.8		93.5	95.1	95.1	97.7	98.4	98.4	98.6	98.6		98.9
≥ 0	57.8		81.9			91.3			95.1			98.4	98.9			0.00

TAI MINERE OF COSERVATIONS 797

LISAF ETAC NI M 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE CREOLETI

TELBAL CLIMATOLOGY BRANCH
- STETAC
A - CTATHER SERVICE/MAC

#### CEILING VERSUS VISIBILITY

23.

YOUNGSTOWN MAP OH

73-81

APR

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							vis	BILITY (ST.	ATUTE MIL	ES-					_	·
FEET	≥10	≥6	≥ 5	≥ 4	≥3	≥2'7	≥ 2	≥15	≥1'a	≥1	≥ 7•	5,4	ל' ≤	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	27.1 33.)	31.4 39.9	32.4 40.9	33.1 41.8	33.2 41.9	33.5 42.2	33.5 42.2	33.5 42.2	33.5 42.2	33.6 42.3	33.6 42.3	33.6 42.3	33.6 42.3	33.6 42.3	33.6 42.3	33.6
≥ 18000 ≥ 16000	33.9 33.9		40.9 40.9	41.3	41.9 41.9	42.2	42.2 42.2	42.2 42.2	42.2	42.3	42.3	42.3	42.3	42.3	42.3	42.3
≥ 14000 ≥ 12000	33.9 35.0		41.0 42.5	41.9 43.4	42.0 43.5	42.3 43.8	42.3 43.8	42.3 43.8	42.3 43.8	42.4 43.9	42.4	42.4	42.4	42.4 43.9	42.4	42.4
≥ 10000 ≥ 9000	37.8 38.3		46.2 46.9	47.1 47.9	47.2 48.1	47.4	47.4 48.3	47.4	47.4	47.6	47.6 48.4	47.6 48.4	47.6	47.6	47.6	47.6
≥ 8000 ≥ 7000	39.1 39.3	47.1	48.3	49.4 50.7	49.6 50.8	49.8 51.1	49.8 51.1	49.8 51.1	49.8 51.1	49.9 51.2	49.9 51.2	49.9 51.2	49.9 51.2	49.9 51.2	49.9 51.2	49.9 51.2
≥ 6000 ≥ 5000	47.2	48.7 51.3	50 • 4 53 • 2	51.7 54.7	51.9 55.1	52•2 55•3	52.2 55.3	52.2 55.3	52.2 55.3	52.3 55.5	52.3 55.5	52.3 55.5	52.3 55.5	52.3 55.5	52.3 55.5	52.3 55.5
≥ 4500 ≥ 4000	45.5	52.7 55.8	54.8 58.2	56.5 60.0		57.1 63.7	57.1 60.7	57.1 60.7	57.1 60.7	57•2 60•9	57.2 60.9	57.2 60.9	57.2 60.9	57.2 60.9	57.2 60.9	57.2 60.9
≥ 3500	47.1	57.1 59.7	59.7 62.5	61.4	61.9 64.6	64.9	62.1 64.9	62.1 64.9	62 • 1 64 • 9	62.2 65.0	62.2 65.0	62.2 65.D	62•2 65•0	62•2 65•3	62•2 65•0	62.2 65.0
≥ 2500 ≥ 2000	53.3 58.3	70.9			71.3	70.9 77.2	73.9 .77.2	70.9 77.2	79.9 77.2	71.1	71.1	71.1 77.4	71.1 77.4	71.1 77.4	71.1 77.4	71.1 77.4
≥ 1800 ≥ 1500	59.3 60.0	72.4 73.5	76.8	77.5 78.9	76.2 79.7	79.3 80.8	79.3 80.8	79.3 80.8	79.3 80.8	79.5 81.1	79.5 81.1	79.5 81.1	79.5 81.1	79.5 51.1	79.5 81.1	81.1
≥ 1200	62.3	76.4 77.9	81.7	82.2 84.1	33.2 85.3	84.6	85.3	85.3 87.7	85.3 87.7	85.6 88.0	85.6 88.0	85.6 88.0	85.6 88.0	85.6 88.	85.6 88.3	85.6 88.0
≥ 900 ≥ 800	62.1 02.6	78.8 79.5	82.7	85.2	86.4 85.1	88.1 90.0		91.2	89.1 91.2	89.3 91.5	89.3 91.7	89.3 91.7	89.3 91.7	89.3 91.7	89.3 91.7	
≥ 700 ≥ 600	62.5	87.2 87.6	84.7	87.5		91.3 92.3	92.5 94.1	92.7 94.5	92.7 94.5	93.0	93.2 95.0	93.2 95.0		95.4	93.2 95.4	
≥ 500 ≥ 400	62.6	80.7 30.7	85.4	38.6	91.3	93.4	95.4	96.4	96.5	96.7	97.1 98.4	97.1	97.6	97.6 98.9	97.6 98.9	97.6 98.9
≥ 300	02.6	80.7	85.6 85.6	88.8	91.7	94.7	97.1	98.4	98.5 98.5	99.0	99.5	99.5	30.0	00.0	30.5	0.00
≥ 100 ≥ 0	52.5	37.7 37.7	85.6 85.6	38.8 98.8	91.7	94.7	97.1 97.1	98.4	98.5 98.5	99.0 99.0	99.5 99.5	99.5	00.0	CO.0	1 10 • 0 ! 1 30 • 5 !	100.0

TOTAL NUMBER OF OBSERVATIONS

<u> 797</u>

USAF ETAC FORM 0-14-5 (OL A) PREVIOUS ENTITIONS OF THIS FORM ARE OSSOURT

SELPAL CLIMATOLOGY BRANCH LIPECTAC FILE GEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-81

MONTH

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1200-1400 HOURS (3)

CEILING							vis	BILITY ST	ATUTE MIL	ES.						
FEET	≥10	≥6	≥5	≥ 4	≥ 3	≥2 7	≥ 2	≥172	≥1′₄	≥1	≥ 1,4	≥ 3/0	ت ₹	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	29.5 35.5	32.7 41.5	33.1 41.9	33.2 42.2	33.2 42.2	33.2 42.2	33.2 42.3	33.2 42.3	33.2 42.3	33.2 42.3	33.2 42.3	33.2 42.3	33.2 42.3	33.2	33.2 42.3	33.2 42.3
≥ 18000 ≥ 16000	36 • 8 36 • 9	41.8	42.2 42.3	42.4 42.5	42.4 42.5	42.4 42.5	42.5 42.7	42.5 42.7	42.5	42.5 42.7	42.5 42.7	42.5	42.5 42.7	42.5	42.5 42.7	42.5
≥ 14000 ≥ 12000	37.7 30.4	42.2	42.5 44.9	42.8	42.8 45.2	42.8 45.2	42.9 45.3	42.9 45.3	42.9 45.3	42.9 45.3	42.9	42.9 45.3	42.9 45.3	42.9	42.9 45.3	42.9
≥ 10000	41.4	47.8	48.6	48.8	43.8	48.8	48.9	48.9	48.9	48.9	48.9	49.3	48.9	48.9	48.9	49.3
≥ 8000 ≥ 7000	43.9	49.8 57.8	50.9 52.2	51.3 52.6	51.3 52.6	51.3 52.6	51.4 52.7	51.4 52.7	51.4 52.7	51.4 52.7	51.4 52.7	51.4 52.7	51.4	51.4 52.7	51.4	52.7
≥ 6000 ≥ 5000	44.2	51.1 52.1	52.4 53.6	52.8 54.0	52.8 54.	52.8 54.0	52.9	52.9 54.1	52.9 54.1	52.9	52.9 54.1	52.9 54.1	52.9 54.1	52.9 54.1 55.5	52.9 59.1 55.5	54.1
≥ 4500 ≥ 4000 ≥ 3500	45.7 50.1	53.3 58.1	59.6	55.2 60.0	55.2 60.0	55.3 60.1	55.5 60.2 63.6	55.5 60.2	55.5 60.2 63.6	55.5 60.2	55.5 60.2 63.6	55.5 60.2 63.6	55.5 60.2 63.6	63.6	60.2	55.5 60.2 63.6
≥ 3000 ≥ 2500	55.5 60.9	71.5	67.1	67.6	67.8	68.0	68.1	68.1	68.1 74.7	68.1	68.1 74.7	68.1	68.1	68.1	68.1 74.7	68.1
≥ 2000	64.1	76.2	78.3 80.3	79.2 81.2	79.4	79.7	79.9 82.2	79.9	79.9 82.2	79.9	79.9 82.2	79.9	79.9 82.2	79.9 82.2	79.9	79.9
≥ 1500	67.4	79.8	82.2 85.1	83.1	83.4	84.1	88.7	84.3	84.3	84.3	84.3	84.3	84.4	84.4 89.D	34.4	84.4
≥ 1000	67.6	82.7	86.3	87.7	89.0		90.6	90.7	90.7	90.7	90.7	90.7	90.8	90.8	97.8	90.8
≥ 800	68.1	84.5	88.6	90.0	91.3		93.5	93.9	93.9	93.9	93.9	93.9	94.0	94.0	94.0	94.5
≥ 500	58.1	85.1	90.0 90.0	91.8	93.6	95.1 95.5	96.7	97.1	97.1	97.1	97.4	97.4	97.9	97.9	97.9	97.9
≥ 400	69.1	85.1	90.0	91.8	93.6	95.5	97.4	98.1 98.5	98.1	98.1	98.4	98.4	99.4	99.4	99.4	99.5
≥ 200	58.1 58.1	85.1 85.1	90.1	92.0	93.7	95.6	97.4	98.5 98.5	98.5 98.5	98.6	98.9 98.9	98.9	99.9	99.9	99.9	00.0
≥ 0	68.1	85.1	90.1	92.3	93.7	95.6	97.4	98.5	98.5	98.6	98.9	98.9	99.9	99.9	99.9	100.6

TOTAL NUMBER OF OBSERVATIONS...

797

USAF ETAC JUL 64 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OMICIE

#### CEILING VERSUS VISIBILITY

YOUNGSTOUN MAP OH

73-81

APR

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1500-1700

CEILING							VIS	BILITY ST	ATUTE MIL	E5:						
FEET.	≥10	≥6	≥ 5	≥ 4	≥3	≥2 7	≥ 2	≥1'7	≥11'4	≥ ;	≥ y*	≥ >49	د. ₹	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	21.0 36.3	35.0 42.3	35.1 42.4	35.0 42.4	35.0 42.4	35.0 42.4	35.0 42.4	35.0 42.4	35.0 42.4	35.0 42.4	35.0 42.4	35.0 42.4	35.0 42.4	35.0 42.4	35.5 42.4	35.0 42.4
≥ 18000 ≥ 16000	36.°	42.3 42.4		42.5 42.7	42.5 42.7	42.5	42.5 42.7	42.5 42.7	42.5 42.7	42.5 42.7	42.5 42.7	42.5 42.7	42.5 42.7	42.5	42.5 42.7	42.5
≥ 14000 ≥ 12000	37.6	43.3	43.5 44.8	43.5	43.5 44.8	43.5	43.5 44.8	43.5	43.5	43.5	43.5	43.5	43.5	43.5 44.6	43.5 44.8	43.5
≥ 10000	40.9	47.1 47.6	47.6 48.1	47.6 48.1	47.6	47.6 43.1	47.6 48.1	47.6	47.6 48.1	47.6 48.1	47.6	47.6 48.1	47.6 48.1	47.6	47.6	47.6 48.1
≥ 8000 ≥ 7000	42.5	49.6 50.9	51.4	50 • 2 51 • 6	50.2 51.6	50.2 51.7	50.2 51.7	50.2 51.7	50.2 51.7	57.2 51.7	50.2 51.7	50.2 51.7	50.2 51.7	50.2 51.7	50.2 51.7	50.2 51.7
≥ 6000 ≥ 5000	43.9	51.4 55.5	51.° 56.6	52.1 56.1	52.1 56.1	52.2 56.2	52•2 56•2	52•2 56•2	52.2 56.2	52.2 56.2	52.2 56.2	52.2 56.2	52.2 56.2	52.2 56.2	52.2 56.2	52.2 56.2
≥ 4500 ≥ 4000	49.3	58.8	59.3 65.2	65.5	59.5 65.5	65.6	59.6 65.6	59.6 65.6	59.6 65.6	59.6 65.6	59.6 65.6	59.6 65.6	59.6 65.6	59.6 65.6	59.6 65.6	59.6 65.6
≥ 3500 ≥ 3000	57.0 60.9	68.1 72.9	69. 73.6	69.4 74.2	69.4 74.2	59.6 74.7	69.6 74.7	69.6 74.8	69.6 74.8	69.6 74.8	69.6 74.8	69.6 74.8	69.6 74.8	74.8	69.6 74.8	69.6 74.8
≥ 2500 ≥ 2900	54.1	76.4 83.1	77.5 81.4	78.0 82.2	78.2 82.6	78.9 33.3	78.9 83.3	79.0 83.4	79.0 83.4	79.C 83.4	79.0 83.4	79.0 83.4	79.7 83.4	79.3 83.4	79.0	79.0 63.4
≥ 1800	67.5	33.4	85.2	83.8 96.2	86.8	87.6	85.1 97.6		85.2 87.7	85.3 87.8	85.3 87.8	85.3 87.8	85.3 87.8	85.3 87.8	87.8	87.8
≥ 1200	68.5 58.6	86.2	89.	89.5 90.6				93.5	91.2 93.5	91.3	91.5	91.5 93.7	91.5	93.7	91.5 93.7	
≥ 900 ≥ 800	69.3	87.1 87.2		91.1			94.1 95.0		94.4	94.5	94.6	95.5	94.6	95.5	94.6 95.5	94.6
≥ 700	69.0	88.1			93.7	96.5	96.6	97.5	97.5	97.1			97.2 98.0	98.0		97.2 98.0
≥ 500 ≥ 400	69.0	88.2	93.7	92.3 92.7	94.1	97.1 97.6			99.7	98.7	99.6	98.9	99.7	99.7	99.0 99.7	99.7
≥ 300	69.3	88.2	90.7 90.7	92.7 92.7		97.6	98.6		99.2	99.7	99.9		99.9	ing e	20.0	99.9
≥ 100	69.7	58.2 58.2	90.7	92.7	94.1	97.6 97.6	98.7 98.7			99.7	99.9		100.0			00.5

TOTAL NUMBER OF DESERVATIONS

LISAR FTAC HUMAN - 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE ORDICE

AL MEATHER SERVICE/MAC

 $\Box$ 

#### CEILING VERSUS VISIBILITY

HC PAR MHCTZEMUCY

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1800-2000

CEILING					_		VIS	BILITY ST.	ATUTE MIL	ES.						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥ւթ	≥1%	≥١	≥ 1,	≥ %	≱ :	≥5 16	≥ .	≥0
NO CEILING	34.4	30.4	39.7	38.8	38.8	39.2	39.3	39.3	39.3	39.3	39.3	39.3	30.3	39.3	39.3	39.3
≥ 20000	39.9	45.1	45.4	45.5	45.5	45.9	46.0	46.0	46.0	46.0	46.D	46.0	45.0	46.0	46.3	46.3
≥ 18000	39.9	45.1	45.4	45.5	45.5	45.9	46.C	46.0	46.0	46.3	46.0	46.0	46.3	46.0	46.0	46.3
≥ 16000	39.9	45.1	45.4	45.5	45.5	45.9	46.E	46.0	46.0	46.0	46.0	46.0	46.0	46.	46.0	46.0
≥ 14000	40.5	45.6	45.9	46.J	45.0	40.4	46.5	46.5	46.5	46.5	46.5	46.5	46.5	46.5	46.5	46.5
≥ 12000	43.2	48.6	48.9	49.0	49.0	49.4	49.5	49.5	49.5	49.5	49.5	49.5	49.5	49.5	49.5	49.5
≥ 10000	44.7	50.5	51.0	51.1	51.1	51.5	51.6	51.6	51.6	51.6	51.6	51.6	51.6	51.6	51.6	51.6
≥ 9000	45.2	51.0	51.5	51.6	51.6	52.0	52.1	52.1	52.1	52.1	52.1	52.1	52.1	52.1	52.1	52.1
≥ 8000	47.1	53.6	54.1	54.3	54.3	54.6	54.8	54.8	54.8	54.8	54.8	54.9	54.8	34.8	54 . 8	54.8
≥ 7000	48.2	55,4	55.9	56.0	56.0	56.4	56.5	56.5	56.5	56.5	56.5	56.5	56.5	36.5	56.5	56.5
≥ 6000	48.5	56.3	56.9	57.D	37.0	57.4	57.5	57.5	57.5	57.5	57.5	57.5	57.5	57.5	57.5	57.5
≥ 5000	51.5	69.7	61.3	61.6	61.6	61.9	62.1	62.1	62.1	62.1	62.1	62.1	62.1	62.1	62.1	62.1
≥ 4500	53.1	63.1	63.7	64.2	64.2	64.6	64.7	64.7	64.7	64.7	64.7	64.7	64.7	64.7	64.7	64.7
≥ 4000	57.9	59.8	77.5	71.1	71.2	71.6	71.7	71.7	71.7	71.7	71.7	71.7	71.7	71.7	71.7	71.7
≥ 3500	50.3	72.6	73.2	74.0	74.2	74.6	74.7	74.7	74.7	74.7	74.7	74.7	74.7	74.7	74.7	74.7
≥ 3000	63.1	76.1	76.0	78.0	78.3	78.8	79.7	79.0	79.0	79.1	79.1	79.1	79.1	79.1	79.1	79.1
≥ 2500	64.5	79.0	80.2	81.7	82.0	82.7	82.9	82.9	82.9	83.3	83.0	83.0	83.0	93.0	93.0	83.3
≥ 2000	66.3	81.7	83.0	84.7	85.3	86.4	86.6	86.9	86.9	87.1	87.1	87.1	87.1	87.1	87.1	87.2
≥ 1800	56.7	82.2	83.5	35.3	85.9	87.1	87.8	87.9	87.9	88.1	88.1	88.1	88.1	88.1	89.1	88.2
≥ 1500	67.5	84.D	85.7	87.8	88.4	89.6	90.3	90.5	90.5	90.6	90.6	90.6	93.6	90.6	90.6	90.7
≥ 1200	50.	85.2	87.2	89.4	90.1	01.2	92.0	92.1	92.1	92.2	92.2	92.2	92.2	92.2	92.2	92.3
≥ 1000	68.2	86.3	88.6	91.2	92.0	93.2	94.0	94.1	94.1	94.2	94.2	94.2	94.2	94.2	94.2	04.3
≥ 900	68.3	86.4	88.7	91.5	92.3	73.7	94.5	94.7	94.7	94.8	94.8	94.8	94.8	94.8	94.8	95.
≥ 800	58.3	86.7	89.1	91.8	92.7	94.2	95.1	95.5	95.5	95.6	95.6	95.6	95.6	95.6	95.6	95.7
≥ 700	58.5	37.2	89.6	92.5	93.3	95.1	96.1	96.5	96.5	96.6	96.6	96.6	96.6	96.6	96.6	90.7
≥ 600	60.5	87.3	89.7	92.6	93.5	95.4	96.4	96.7	96.7	96.9	96.9	96.9	96.9	96.9	96.9	97.C
≥ 500	68.6	87.4	90.1	93.1	94	96.1	97.1	97.5	97.5	97.6	97.6	97.6	97.6	97.6	97.6	97.7
≥ 400	68.7	87.8	93.5	93.6	94.6	°6.7	98.0	98.5	98.5	98.9	98.9	98.9	98.9	98.9	98.9	99.5
≥ 300	68.7	87.8	90.5	93.6	94.7	97.0	98.2	98.9	98.9	99.4	99.4	99.4	99.4	99.4	99.6	99.7
≥ 200	60.7	87.8	97.5	93.6	94.7	97.0	98.2	98.9	98.9	99.4	99.4	99.4	99.4	99.4	99.6	99.7
≥ 100	69.7	87.8	97.5	93.6	94.7	97.0	98.2	98.9	98.9	99.4	99.6	99.6	99.6	99.5	99.9	100.5
≥ 0	63.7	87.8	97.5	93.6	94.7	97.0	98.2	98.9	98.9	99.4	99.6	99.6	99.6	99.6	99.9	30.0

TOTAL NUMBER OF DESERVATIONS...

USAF ETAC 101 40 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE DESOLETE

GLIMATOLOGY BRANCH AT EATHER SERVICE/MAC

YOUNGSTOWN MAP OH

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	BILITY ST	ATUTE MIL	ES-						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥11.7	≥1%	≥1	≥ 1,4	≥ %	2 7	≥5 16	≥.	≥0
NO CEILING ≥ 20000	35.2 41.0	42.5 48.0	42.6 43.2	42.7 48.3	42.9	42.9			43.0 48.5	43.0	43.7 48.5	43.0 48.5	43.7 48.5	43.0 48.5	43.5	1 1
≥ 18000 ≥ 16000	41.0	43.0 48.0	45.2 43.2	48.3 48.3	48.4	48.4		48.5	48.5 48.5		48.5	48.5	48.5	48.5 48.5	48.5 48.5	
≥ 14000 ≥ 12000	-1 · 2 42 • 5	49.7	43.5		48.8 5~.1	48.8 5.).1	48.9 50.2	50.2	48.9 50.2		48.9 50.2	48.9 50.2	48.9 50.2	48.9 50.2	50.2	48.9
≥ 10000 ≥ 9000	44.5	52.0 52.3	52.5	52.2 52.6	52.7	52.3 52.7	52.8	52.8	52.5 52.8		52.5 52.8	52.5 52.8	52.5 52.3	52.5 52.8	52.5 52.8	52.8
≥ 8000 ≥ 7000	48.8	55.0 57.6	55.1 57.8	55.4 58.0	58.3	55.6 58.3	58.4	55.7 58.4	58.4	58.4	55.7 58.4	55.7 58.4	55.7 58.4	55.7 58.5	55.7 58.4	58.4
≥ 6000 ≥ 5000	49.3 -2.1	53.5 52.7	53.8 63.2	59.1 64.1	59.4 64.3	64.3	64.4	59.5 64.4	59.5 64.4		59.5 64.4	59.5 64.4	64.4	59.5 64.4	59.5 64.4	64.4
≥ 4500 ≥ 4000	57.8	71.4	72.4	67.0 73.5		67.2 73.9		67.3 74.0				67.3 74.0		67.3 74.0	67.3 74.0	
≥ 3500 ≥ 3000	58.4 51.4	1	74.4			76.3 83.6		7	76.2 80.7		76.2 8C.7	76.2 80.7		76.2 80.7	76.2 30.7	76.2 20.7
≥ 2500 ≥ 2000	63.2 54.8	79.7 62.8	81.7 85.1	83.5 87.0	84.0 87.6				84.4 88.0			84.4	84.4	84.4 88.0		88.0
≥ 1800 ≥ 1500		54.2		~	89.4	89.5	80.8	89.8	89.0 89.8		89.8	89.0 89.8	89.0 89.8	89.0 39.8	59.0 89.8	89.8
≥ 1200 ≥ 1000	55.3 65.3		87.5 88.4		91.6		92.3	92.3		92.3	92.3	92.3		92.3		92.3
≥ 900 ≥ 800	65.3 55.4	86.6			93.2		94.1	94.1	94.1		99.1		94.1	94.1	92.9 94.1	94.1
≥ 700 ≥ 600	6 <b>5 • 6</b> 65 • 6		97.9	93.9	93.9 95.0	95.2	95.8	95.8	95.€	96.0		95.0 96.0			95.0 96.0	
≥ 500 ≥ 400	65.8 55.3	87.9	91.8	95.7	95.8 97.1	97.4	98.4	98.6	98.6	96.8	98.7	96.8 98.7	98.7	96.6 98.7	96.8 98.7	98.7
≥ 300 ≥ 200	55.8 55.8	97.9	91.8 91.8	95.8	97.2		98.6	99.0		99.5	99.5		99.5	99.1 99.5		99.6
≥ 100 ≥ 0	6 <b>5.</b> 8	87.9 38.0	91.8 91.3		97.2 97.4						99.5				-	

USAF ETAC HILL O-14-5 (OL A) PREVIOUS EDITIONS OF THIS PL

TEL FAL CLIMATOLDBY BRANCH SAFETAC AT FEATHER SERVICE/MAC

#### CEILING VERSUS VISIBILITY

CUNSSTOWN MAP OH

73-61

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CERING						<u> </u>	VIS	BILITY -ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥1;	≥1.	≥1	≥ '•	≥ '•	≥ :	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	32.1 37.1	36.9 43.1	37.7	37.7 44.0	37.9 44.3	38.0 44.4	38.1 44.5	₹8.3 44.6	38.3 44.6	38.5 44.8	36.5 44.8	39.5 44.8	39.5 44.9	38.5 44.9	38.5 4 <b>4.</b> 6	38.5
≥ 18000 ≥ 16000	37 • 1 37 • 2	43.1	43.6 47.7	44.1 44.1	44.3	44.4	44.5	44.7	44.7	44.9	44.9 44.9	44.9	44.9	44.9	44.9	44.9
≥ 14000 ≥ 12000	3?•5 38•3	43.5 45.1	44.1 45.6	44.5	44.8 46.4	44.9	45.C 46.5	45.1 46.7	45.1 46.7	45.3 46.9	45.4 46.9	45.4	45.4 47.0	45.4	45.4 47.0	
≥ 10000	41.1 41.6	47.8	49.6 49.1	49.5	49.3	49.4 50.0	49.5 50.1	49.7 50.2	49.7 57.2	49.9 50.4	49.9 50.4	49.9 50.4		49.9 53.5	49.9 50.5	50.5
≥ 8000 ≥ 7000	43.7	50.5	51.3 52.5	51.9	52.2	52.3		52.5	52.5 54.1	52.7 54.3	52.7	52.7 54.3	54.3	52.8 54.3	52.8 54.3	54.3
≥ 5000	44.4	52.6 56.3	57.5	54.3	54.6	54.8		55.1	55 • 1 59 • 1		59.3	55.3 59.3		55.3	55.3	
≥ 4500 ≥ 4000 ≥ 3500	48.7 53.8	58.5 63.0	57.7	60.6 65.5	61.0 66.0	61.2 66.1 68.8	61.3 66.3	61.5 66.4 69.1	61.5 66.4 69.1	61.7 66.6	61.7 66.6	61.7 66.6	61.7 66.7	61.7 66.7	61.7 66.7	
≥ 3000	55.4	69.1	70.0	72.3	72.8	73.1	68.9 73.3 77.6	73.4	73.4		73.6 78.0	73.6	73.7	73.7 78.0	73.7	73.7
≥ 2000	51.3	75.5	78.7	80.4 31.8	81.1	31.6 83.2			87.1 83.7	84.0	84.D	82.3	82.4 84.0	82.4 84.D	82.4	
≥ 1500	52.8 63.7	79.4	81.7	83.7	84.5	85.1 87.8	35.4	85.6	85.6 88.5		85.9	85.9		85.9	85.9	1
≥ 1000	04-1	83.1	85.3		88.9	89.7 90.8		1	90.5	93.9		90.9	91.0	91.0	91.5	91.0
≥ 800	54.5	84.4	86.9	89.5	91.0 92.0	92.D 93.2				93.5	93.5	93.5	93.6	-	94.9	93.6
≥ 600	£4.5	84.9	88.3	91.4		94.7		95.5 96.4	95.5 96.5	95.8	96.0	96.3		96.1	96.1	
≥ 400	64.7	85.1	88.6	92.3	94.0	95 <b>•5</b>	96.9	97 <b>.7</b> 95 <b>.2</b>	97.7 98.2	98.8	98.4 99.1	98.4	99.3	98.6	99.3	99.4
≥ 100	54 . 7 64 . 7	85.1 85.1	88.7	92.1	94.0	95.8 95.8	97.3	98.3	98.3	99.0	99.3 99.3	99.3	99.7	99.6	99.8	99.8
≥ 0	04.7	95.1	88.7	92.1	94.0	95.8	97.3	98.3	98.3	99.5	99.4	99.4	99.7	99.7	99.8	130.3

USAF ETAC 19164 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE ORBIGUETE

SECTAL CLIMATOLOGY BRANCH SECTED A SETTING SERVICE/MAC

#### CEILING VERSUS VISIBILITY

HC 9AM MWOTZBNUOT

73-61

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

							VIS	IBILITY -ST.	ATUTE MIL	E5						
CEILING													,			
FEET	≥10	≥6	≥5	≥4	≥ 3	≥2 7	≥ 2	≥≀5	≥1.	≥1	≥ 1/4	≥ '*	≥ :	≥ 5 16	≥.	≥0
NO CEILING ≥ 20000	57.4 39.	46.3		50.4 53.5	51.5	51.2	51.3 54.4	51.3	51.3 54.5	51.3 54.5	51.3	51.3	51.3	51.3	51.3	51.3
≥ 18000 ≥ 16000	39.	48.7	57.5		54.2	54.3	54.4	54.5	54.5	54.5	54.5	54.5	54.5	54.5	54.5	54.5
≥ 14000 ≥ 12000	37.4	49.1 50.8	50.9	53.9	54.5		54.8	54.9		54.9 56.9	54.9	54.9	54.9	54.9	54.9	54.9
≥ 10000 ≥ 9000	42.5	53.5	55.5		59.2 60.1	59.4	59.7		59.9	59.9		59.9	59.9 60.8	59.9		59.9 60.8
≥ 8000 ≥ 7000	44.3	57.1 58.2	59.2	62.5	63.1	63.2	63.8	63.9	63.9		63.9	63.9	63.9	63.9	63.9	63.9
≥ 6000 ≥ 5000	45.2	58.7	60.9	64.5	65.3	65.5	66.7	66.1	66.1	66.1			66.1	66.1	66.1	56.1
≥ 4500 ≥ 4000	4 - 3	64.4	67.4	71.9	72.9	73.1		74.2	74.2 78.8		74.2		74.2 78.8		74.2	74.2
≥ 3500 ≥ 3000	.6	68.7	72.6	77.3		79.1		80.1	8" • 1	80.1 82.5	80.1	89.1	80.1	80.1	80.1 82.6	60.1
≥ 2500 ≥ 2000	3.1	72.5	76.5		83.4		64.8	84.9		84.9		85.1 85.8	85.2 86.3		35.2 36.0	65.2
≥ 1800 ≥ 1500	53.2 53.2	73.1	77.7	83.1	84.9	85.6	86.5 86.9	€6.6	86.6	86.6 87.0	1	86.8	86.9	66.9	36.9 87.4	86.9
≥ 1200 ≥ 1000	3.5 53.5	74.2	72.7	94.7		87.5		88.8	88.6	88.8		89.1	89.5	1		89.5 90.4
≥ 900 ≥ 800	53.5 53.4	74.4	79.4	35.5	87.4	88.6	39.5	89.9	89.9	89.9	90.1	90.1	90.5	90.5	90.5	93.5
≥ 700 ≥ 600	53.8	75.2		86.6	88.7	89.9	90.9 91.8	91.8	91.8	91.9	92.1	92.1	92.5		92.5 93.4	1
≥ 500 ≥ 400	54.2	76.5 76.5	81.7	89.4	91.0	92.2		94.2	94.2	94.2	94.5	94.5 95.8	94.9		94.9 96.4	94.9
≥ 300 ≥ 200	34 • 2 54 • 2	76.6		89.5	92.2	93.6	96 . J	97.0	97.€	97.8 97.8	97.4		97.8	97.8	97.9 99.0	97.9
≥ 100 ≥ 0	54.2 74.2			99.6 89.6						97.9			98.8 99.0		99•2 99 4	

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC JULIA 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

• , •

SECTAC SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNGSTOON MAP OH

73-81

MONTE

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

3300-3503

CEILING							VIS	BILITY ST.	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥ι:	≥1.	≥1	≥ ¼	≥ '•	≥ :	≥ 5 16	≥.	≥0
NO CEILING ≥ 20000	7 '• 5 31• 7	4 1.5 4 2 . 5	47.8 45.9	45.4 49.5	45.3 40.9	46.5 50.7	51.6	47.3 51.9		47.8 52.4	47.8 52.4	47.8 52.4	49.3 52.5	48. 52.5	48.1 52.7	45.1 52.7
≥ 18000 ≥ 16000	31.9	42.5	45.9 45.9	49.5 49.5	49.9 49.9	5 7		51.9 51.9		52.4	52.4 52.4	52.4 52.4	52.5 52.5	52.5 52.5	52.7 52.7	52.7 52.7
≥ 14000 ≥ 12000	42.3 43.2	43.	45.4	5 3 • 1 51 • 2	50.5 51.6	51.2 52.4	52.2 53.3	52.4 53.6	52.5 53.7	52.9 54.1	52.9 54.1	52.9 54.1	53.1 54.2	53•1 54•2	53.2 54.4	53.2
≥ 10000	34.3 35.3	46.3	49.8 50.6	53.5 54.5	54.0 55.0	54.8 55.8	55.8 56.8	56.1 57.2	56.2 57.4	56.6 57.8	56.6 57.8	56.6 57.8	56.7 57.9	56.7 57.9	56.8 58.0	58.5
≥ 8000 ≥ 7000	36 • 4	49.7 50.2		58.1	58.0 58.8	59.6	50.0 60.8	61.1	60.5 61.3	60.9	61.7	60.9 61.7	61.9	61.1	61.3 62.1	62.1
≥ 6000	37.2	51.1 55.4	57.1 59.5	59.1 64.3	59.7 64.9	65.7		62.2		62.7	62.7 68.1	62.7 68.1	63.0 68.3	63.0 68.3	68.4	63.1 68.4
≥ 4500 ≥ 4000	41.6	57.2 61.8	61.3	66.1 70.0	70.9		69.2 73.9		74.6	75.4	70.4 75.2	75.2	70.7 75.5	70.7 75.5	75.6	70.8
≥ 3500 ≥ 3000	45.6	64.4	69.2	72.5 74.c	73.4 75.5	76.8	78,6		77.2		77.8	77.8	79.1 80.2	78 • 1 80 • 2	78.2 - 0.3	76.2 80.4
≥ 2500 ≥ 2000	46.5 46.8	65.8	70.7 71.2	76.7	76.9	79.1	80.2 81.2	80.7	80.8	82.5	81.5	81.5 82.7	81.7	81.7	33.1	83.2
≥ 1800 ≥ 1500	47.2	67.5	71.5		78.1			82.4		83.1	83.2	83.2	83.4	83.4	83.6	93.7
≥ 1200	·	67.8		75.0	79.0 80.1	82.3		84.2 25.4			85.1	85.1 86.3	85.4	85.4	66.7	95.7 86.8
≥ 900 ≥ 800 ≥ 700	47.6	67.9 58.3	73.1	79.3 8-1	31.1	53.4	84.7	85.7 86.6	86.7	86.3 87.2 88.3	86.6 87.5 88.5					86.0
≥ 600	47.6 47.6	68.7	74.4	31.2 81.9	81.6 92.3 82.9	84.7	87.1 87.7	88.4	88.5		89.3 99.1			88 • 8 89 • 6 90 • 4		89.0 89.8 90.6
≥ 500 ≥ 400 ≥ 300	47.6	69.1 69.2	75.2		84.7	87.5	92.0	92.2						93.6		:1
≥ 200	47.6		75.4	93.7	8 . 4	E3.9	92.3	94.7	94.9		96.6		97.1	97.1	97.5	97.8
≥ 100 ≥ 0	,	69.4	75.4		85.5		92.4				97.4	97.4	98.0	98.	98.7	

OTAL NUMBER OF OBSERVATIONS

LISAF FTAC ..... 0-14-5 (QL A) PREVIOUS EDITIONS OF THIS FORM ARE CRECIET

AD-A116 509	AIR FORCE ENV YOUNGSTOWN MA MAY BZ	ar. Unio.	REVISED (	NILOKM 2	UMMARY OF	NTERFTC SURFACE WE	F/G 4/2 ATHEE	LC (ff)
UNCLASSIFIED	USAFETAC/DS-6	32/034		SBI-AC	-E850 193		NL	
30.5		1						
лявдя								
		+						
							( )	
					+			

J

4

AT SEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNGSTONN MAP OH

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

<u>្តមិល្ខ-បំងក្</u>ជា

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	217	≥1.4	≥1	≥ 1,4	≥ '1	≥ 7	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	23.1	31.2 35.8	34.3 37.2	37.5 43.4	38 • 6 44 • 5	40.2	41.3 49.0	41.6	41.6	41.7	41.9 49.0	41.9 49.0	41.9 49.0	41.9	42.0 49.1	42.
≥ 18000 ≥ 16000	25 · i.	36.0 36.0	39.5 39.5	43.6	44.7	46.8	48.2 48.2	48.6 48.6	48.6	49.D	49.2	49.2	49.2	49.2	49.3	49.3
≥ 14000 ≥ 12000	25.2 25.3	36.2	30.7	43.9	45.1 46.5	47.1	48.7 57.3	49.	49.1	49.5 51.0	49.7 51.3	49.7	49.7 51.3	49.7	49.8	49.8
≥ 10000 ≥ 9000	08.3 29.7	40.7 41.2	44.5 45.0	48.8 49.3	50.1 50.5	52•5 53•2	54.1 54.8	54.4 55.3	54.4 55.3	54.8 55.7	55.9	55.0 55.9	55.0 55.9	55.0 55.9	55.2 56.3	
≥ 8000 ≥ 7000	29.3 20.9	42.8	46.5 47.3	51.0 51.8	52.2 53.0	55.3 56.3	57.1 58.1	57.6 58.6	57.6 58.6	58.1 59.1	58.4 59.4	53.4 59.4	59.4	58.4 59.4	58.6 59.5	58 • 6 59 • 5
≥ 6000 ≥ 5000	37.4	44.8	48.7 51.6	53.3 56.4	54.6 57.6	58.0 61.1	59.8 63.3	60.3 63.8	60.3 63.8	60.8 64.5	61.1 65.0	61.1 65.0	61.1 65.0	61.1 65.1	61.2 65.1	61.2 65.1
≥ 4500 ≥ 4000	32 • ? 33 • ?	49.1 51.2		58.1 60.8	59.3 62.3	63.3 66.6	65.5 68.8	66.D	66.0 69.4	66.7 70.2	67.2 70.8	67.2 73.8	67.2 7G.8	67.2 70.8	67.3 71.0	
≥ 3500 ≥ 3000	35 • ; 35 • 5		57.5	62.2 63.3	63.9 65.0	68.2 69.4	77.5 72.1	71.1 72.7	71 • 1 72 • 7	72.1 73.6	72.8 74.4	72.8	72.8 74.4	72.8 74.4	72.9	
≥ 2500 ≥ 2000	36.3 36.3	54.9 56.7	59.3 61.1	64.8 66.6	66.5 68.4	71.3 73.1	73.6 75.8	74.2 76.	74 • 2 76 • 4	75.2 77.4	75.9 78.1	75.9 78.1	75.9 78.1	75.9 78.1	76.1 78.3	
≥ 1800 ≥ 1500	38.3 38.9	58.4	62.1 62.9	67.6 68.5	69.4 70.4	74.1 75.1	76.9 77.9	77.5 78.5	77.5 78.5	78.5 79.5	79.2 80.2	79.2 89.2	79.2 80.2	79.2 80.2	79.3 80.3	
≥ 1200 ≥ 1000	43.0 43.5	60.6	7 17 7 77	70.1 71.3	71.9	77.0 78.4	79.8 81.5	80.8 82.5	82.5	81.9	82.6	82.6	82.6	82.6	84.6	82.7
≥ 900 ≥ 800	40.9	61.4	66.5 65.8		74.8	79.7 8.4	83.0 83.8	84.1 85.1	84.1	85.3	86.3	86.3 87.2	86.3	86.3 87.2	86.4	86.4
≥ 700 ≥ 600	43.7	52.6 62.8	68.3	74.5	76.2 76.8	82.4	85.8 87.1	87.1		88.5	89.4 90.9	89.4 90.9	90.9	89.4 90.9	89.6 91.0	
≥ 500 ≥ 400 ≥ 300	40.9	63.5 63.8	69.1 69.4	75.6 75.8 76.2	77.8 78.3	84.7 85.7	88.6 97.0	89.9 91.5 93.0	89.9 91.5	91.5 93.6 95.4	92.6 94.8 96.7	92.6 94.8 96.7	92.6 94.8 96.7	92.6 94.8 96.7	92.7 94.9 96.8	92.7 94.9 97.0
≥ 200	41.2	63.8		76.2	78.6 78.6	86.6	91.7		93.3		98.2 98.2	98.2	98.3	98.7	98.7	98.8
≥ 0	41.2	63.8	69.6	76.2		86.6	91.7	93.3			98.2	98.2	98.7	98.7	99.4	

USAF ETAC 10164 0-14-5 (OL A) PREVIOUS COITIONS OF THIS FORM ARE OBSOLETE

JAT3 11 70 A. REATHER SERVICE/MAC

#### **CEILING VERSUS VISIBILITY**

YOUNGSTOWN MAP OH

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1900-1100

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥?	217	≥1.	≥1	≥ :₄	≥ '*	≥ :	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	26.9	34.3 39.6	35.3 40.6	36.3 41.6	37.9 43.5	33.4 44.2	38.5 44.3	38.5 44.3	38.5 44.3	36.5 44.3	38.5 44.3	38.5 44.3	39.5 44.3	38.5	38.5	38.5
≥ 18000 ≥ 16000	29.3 29.3	39.6 39.6	47.7 47.7	41.7 41.7	43.6	44.3	44.4	44.4	44.4	44.4	44.4	44.4	44.4	44.4	44.4	44.4
≥ 14000 ≥ 12000	30.1 31.2	4.1.1 42.0	41.5 43.6	42.7 44.9	44.6	45.3	45.4 47.7	45.4 47.7	45.4 47.7	45.4 47.7	45.4	45.4	45.4	45.4	45.4	45.4
≥ 10000 ≥ 9000	33.7 33.3	46.0 46.3	48.1 43.5	49.8 50.2	51.6 52.1	52.3 52.8	52.5 53.0	52.5 53.3	52.5 53.€	52.5 53.0	52.5 53.0	52.5 53.0	52.5 53.0	52.5 53.0	52.5 53.0	52.5 53.0
≥ 8000 ≥ 7000	34.4	47.7	50.5 50.5	51.9 52.5	54.0 54.6	54.7 55.3	54.8 55.4	54.8 55.4	54.8 55.4	54.8 55.4	54.8 55.4	54.8 55.4	54.8 55.4	54.6 55.4	54.8 55.4	54.8 55.4
≥ 6000 ≥ 5000	35.2 36.5	51.7	54.4	54.0 56.8	56.0 59.0	56.8 59.9	56.9 60.0	56.9 60.0	56.9 60.0	56.9 60.0	56.9 60.0	56.9 60.0	56.9 60.0	56.9 60.0	56.9 60.0	56.9 60.1
≥ 4500 ≥ 4000	37.2 4.8ذ	52.6 54.8	55.4 57.9	57.8	63.1	61.0	64.4	61.1	64.4	64.6	61.1 64.6	61.1	61.1	61.1	61.1	61.2 64.7
≥ 3500 ≥ 3000	43.6	53.1	64.6	63.9	66.5	67.7 71.2	67.9 71.5	67.9 71.5	67.9	68.1 71.7	71.7	68.1 71.7	68.1	68.1 71.7	71.7	71.9
≥ 2500 ≥ 2000	46.4	64.9	71.6	71.5	74.3	75.4 79.1	75.8 79.6	75.8 79.6	75.8 79.6	76.0 79.9	76.0 79.9	76.0	76.0	76.0 79.9	76.3	76 - 2 80 - 0
≥ 1800 ≥ 1500	49.5 58.4	71.1	73.3	76.4	79.3	80.6	81.1	81.2	81.2	81.5	81.5	81.5	81.5	81.5	81.5	81.6
≥ 1200	51.4	73.0	76.8	80.4 82.2	84.0	86.0	86.7	86.8	86.8	87.0	87.7	87.0	87.0	87.0 89.3	87.0	87.2
≥ 900 ≥ 800	52.3 52.3	75.8	79.5 87.2	83.6	87.3	93.9	98.4		90.5	90.7	90.7	90.7	90.7	90.7	90.7	90.9
≥ 700 ≥ 600 > 500	52.6	75.8 76.3		84.4 85.4 85.8	88.8 89.8		92.8 94.7 95.7	93.0 94.9 96.2	93.C 94.9	93.2 95.2 96.4	93.2 95.3 96.5	93.2 95.3 96.5	93.2 95.3 96.5	93.2 95.3 96.5	93.2 95.3	93.3 95.4 96.7
≥ 500 ≥ 400 ≥ 300	52.7	76.4	81.5	86.0	90.6	(	96.8	97.7	97.7	98.3	98.4	98.4	98.4	98.4	98.4	98.5
≥ 200	52.7	76.4	81.5	86.D			97.2	98.1		99.3	99.5	99.5	99.8	99.8	99.8	99.9
≥ 100	52.7	76.4	81.5	86.0	90.7	94.7	97.2	98.1	98.1	99.3		99.5	99.9	99.9		00.0

USAF ETAC TULES 0-14-5 (OL A) PREVIOUS SOTTONS OF THIS FORM ARE OR

SECHAL CLIPATOLOGY BRANCH TAC A STATHER SERVICE/MAC

#### CEILING VERSUS VISIBILITY

17 25 YOUNGSTONN MAP OH

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							, vis	IBILITY (ST.	ATUTE MIL	ES:						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	21%	≥1%	≥1	≥ i.,		≥ ;	≥5 16	≥.	≥0
NO CEILING ≥ 20000	27.1 32.3	32.1 38.9	33.2	33.2 40.2	33.7	33.7 40.9	33.7 40.9	33.7 40.9	33.7 48.9	33.7	33.7 40.9	33.7 40.9	33.7 40.9	33.7 40.9	33.7	
≥ 18000 ≥ 16000	32.6 32.6	39.2 39.2	47.6 47.6	40.6 40.6	41.1	41.3	41.3	41.3	41.3 41.3	41.3	41.3	41.3 41.3	41.3	41.3	41.3	41.3 41.3
≥ 14000 ≥ 12000	33.2 35.6	39.9	41.2	41.3	41.8 45.2	42.0	42.0 45.6	42.0 45.6	42.0 45.6	42.0	42.0 45.6	42.0	42.0	42.0 45.6	42.0	42.C
≥ 10000 ≥ 9000	37.4 37.5	46.5	48.3	48.1		48.8 49.0	49.0 49.1	49.3	49.D	49.0	49.0 49.1	49.0	49.0 49.1	49.0 49.1	49.5	49.0
≥ 8000 ≥ 7000	38.2 38.6	47.9 48.5	49.9	50.1	50.5	50.2 50.8	50.3 50.9	50.3	50.3	50.3 50.9	50.3 50.9	50.3 50.9	50.3	50.7	50.3 50.9	50.9
≥ 6000 ≥ 5000	39.1	52.0	53.5	50.5 53.8	54.4	51.3 54.7	51.4 54.8	51.4	54.8	54.8	51.4 54.8	51.4 54.8	51.4	51.4 54.8	54.9	51.4 54.8
≥ 4500 ≥ 4000 ≥ 3500	43.6	55.2 61.5		57.0 62.9	63.7	57.8 64.2	58 • D	58.0	58.0	58 • 1 64 • 4	58 • 1 64 • 4	58.1	58.1	58.1	58.1	58.1
≥ 3000	55.1 60.4	67.2 71.2 77.3		69.4 74.2 90.6	70.4 75.2 81.7	71.0 76.1 82.6	71.1 76.3 32.9	71.1 76.3 83.0	71.1 76.3	71.2 76.4 83.1	71.2 76.4 83.1	71.2 76.4 83.1	71.2 76.4 83.1	71.2 76.4 83.1	71.2 76.4 83.1	76.4
≥ 2000	61.1	79.5		83.8	84.9	86.3 87.8	86.5	86.6	86.6	86.9	86.9	86.9	86.9	86.9	86.9	86.9
≥ 1500	62.1	81.7	84.4	86.5	88.1 90.3	89.7	90.0	90.3	90.3	90.5	99.5	92.8	95.5	90.5	90.5	
≥ 1000	62.7	84.2		89.4	9°.9		93.2	93.4	93.4	93.7	93.7	94.8	93.7			93.7
≥ 800 ≥ 700	62.°	84.4	87.2	89.7 90.0	92.0	93.7	94.9	95.3 96.1	95.3	95.5	95.5	95.5	95.5	95.5 96.4	95.5	95.5 96.4
≥ 600	63.2	85.2	88.3	90.8 91.0	1	95.3 95.7	97.2	97.7	97.7 98.4	97.9	98.8	97.9 98.8	97.9 96.8	97.9 98.8	97.9	97.9 98.8
≥ 400 ≥ 300 ≥ 200	63.2	85.3	88.5	91.1	93.9	96.2	98.4	99.0	99.0	99.6		99.6	00.0			99.6
≥ 100 ≥ 0	63.2 63.2	85.3 85.3		91.1 91.1	93.9 93.9	96.2 96.2 96.2	98.5		99.3 99.3		00.0	100.0 100.0	00.0	00.3	ס•מר	00.7

USAF ETAC NIL 64 0-14-5 (OL A) MENIOUS EDITIO

NUIBAL CLIMATOLOGY BRANCH LIMEETAC ALS MEATHER SERVICE/MAS

#### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1539-170C

CEILING							VIS	BILITY ST	ATUTE MIL	ES			_			
FEET	≥10	≥6	≥ 5	≥4	≥ 3	≥2 7	≥ 2	کاک	≥174	≥1	≥ 1/4	פי ≤	≥ 7	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	33.5 36.4	36.4 43.6	37.1	37.3 44.5	37.5 44.7		37.5 45.0	37.5 45.0	37.5 45.0	37.5 45.0	37.5 45.0	37.5 45.0	37.5 45.0	37.5 45.0	37.5 45.0	37.5 45.9
≥ 18000 ≥ 16000	36.4 36.5	43.6 43.8	44.4	44.5 44.6	44.7	45.0 45.1	45.0 45.1	45.0 45.1	45.0 45.1	45.0 45.1	45.0 45.1	45.0 45.1	45.0 45.1	45.0 45.1	45.0 45.1	45.0 45.1
≥ 14000 ≥ 12000	36.6 38.2	43.9	44.6 47.2	44.7 47.4	45.0 47.7	45.3 48.3	45.3 48.2	45.3 48.2	45.3	45.3 48.2	45.3 48.2	45.3 48.2	45.3	45.3	45.3 48.2	45.3 48.2
≥ 10000 ≥ 9000	40.6 40.3	49.8	50.9	50.9 51.2	51.2 51.6	51.6 52.0	51.8 52.2	51.8 52.2	51.8 52.2	51.8 52.2	51.8 52.2	51.8 52.2	51.8 52.2	51.8 52.2	51.8 52.2	51.8 52.2
≥ 8000 ≥ 7000	43.0 43.9	52.6 53.4	53.7 54.7	54.0 55.0	54.4 55.4	54.8 55.8	55.0 56.0	55.0 56.0	55.0 56.0	55.0 56.0	55.C 56.0	55.0 56.0	55.0 56.0	5 <b>5.</b> ს 5 <b>6.</b> C	55.0 56.0	55.0 56.0
≥ 6000 ≥ 5000	47.3	54.2 52.6	55.4 60.0	55 • 8 60 • 4	56.1 60.8	56.6	56.9 61.6	56.9	56.9	56.9 61.6	56.9 61.6	56.9	56.9 61.6	56.9 61.6	56.9 61.6	56.9
≥ 4500 ≥ 4000	51.5 54.3	64.1	65.7 71.2	66.1 71.7	72.4	67.3 73.3	67.5 73.5	67.5 73.5	67.5 73.5	67.5 73.7	67.5 73.7	67.5 73.7	67.5 73.7	67.5 73.7	67.5 73.7	67.5 73.7
≥ 3500 ≥ 3000	58.6	74.0	76.7 83.4	77.8 81.5	78.7	79.5 83.2	79.8 83.7	79.9 83.8	79.9 83.8	80.0	80.0	80.0	80.0	83.9	80.0 83.9	83.9
≥ 2500 ≥ 2000	61.5	81.6	84.2 85.2	85.3	86.3	87.6	88.2	86.4	89.4	88.5	88.5	88.5	88.5	88.5	88.5	88.5
≥ 1800 ≥ 1500	61.6	82.2	87.0	87.3	88.5	91.7	90.6	90.7	90.7		90.8	90.8	97.8	90.8	90.8	
≥ 1200	62.9 63.5	83.8	87.7 88.1	90.1	90.9	93.0	93.8 94.5	94.2 95.0			94.4	95.1	95.1	95.1	94.4	94.4
≥ 900 ≥ 800 > 700	63.2	84.7	88.8	90.8	92.5	94.5	95.5 96.1	96.0 96.7	96.0	96.9	96.2	96.2	96.2		96.9	96.9
≥ 600	63.4 63.5	85.0 85.2		91.3 91.7	92.8	95.6	96.4	98.0		98.3	97.7 98.3	97.7 98.3	98.3	97.7 98.3	97.7 98.3	98.3
≥ 500 ≥ 400 ≥ 300	63.5	85.2 85.2	89.3	92.3	93.8 93.8 93.9	96.3 96.3	97.5 97.5	98.8 98.9 99.1	98.8		99.1	99.4	99.4	99.1	99.4	99.4
≥ 200	63.5	85.2 85.2	89.3	92.4	93.9	96.6	97.8	99.1	99.1	00.0	0.00	100.0	30.0	00.0	00.0	00.0
≥ 100 ≥ 0	63.5	85.2		92.4	93.9	96.6		99.1			100.0					

CLI-AL CLIMATOLOGY BRANCH

A SEATHER SERVICE/MAC

0

### CEILING VERSUS VISIBILITY

YOUNGSTOAN MAP OH

73-81

MAY

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1800-5000

CEILING							VIS	IBILITY /ST	ATUTE MIL	ES:						
FEET	≥10	≥6	≥ 5	≥4	≥3	בי 2 ≤	≥ 2	≥1′2	≥1%	≥1	<u>≥</u> 1 <sub>4</sub>	≥ 2/0	≥ '7	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	34 • 5 42 • 7	41.1	42.1 57.9	42.7 51.7	42.7 51.7	42.7 51.7	42.7 51.7	42.7 51.7	42.7 51.7	42.7 51.7	42.7 51.7	42.7 51.7	42.7 51.7	42.7 51.7	42.7 51.7	42.7 51.7
≥ 18000 ≥ 16000	42.7		57.9 57.9	51.7 51.7	51.7 51.7	51.7 51.7	51.7 51.7	51.7 51.7	51.7 51.7	51.7 51.7	51.7 51.7	51.7 51.7	51.7 51.7	51.7 51.7	51.7 51.7	51.7 51.7
≥ 14000 ≥ 12000	44.0	51.9	51.2 53.2	52.3 54.3	52.3 54.3	52.3 54.3	52.3 54.3	52.3 54.3	52.3 54.3	52.3 54.4	52.3 54.4	52.3 54.4	52.3	52.3 54.4	52.3	52.3 54.4
≥ 10000	45.0 45.5	54.7	55.4 56.1	56.4 57.2	56.4	56.4 57.4	57.4	56.4 57.4	56.4	56.6 57.5	56.6 57.5	56.6 57.5	56.6 57.5	56.6 57.5	56.6 57.5	56.6 57.5
≥ 8000 ≥ 7000	46.1	57.2	57.7 58.9	59.0 60.1	59.2 60.3	59.2 60.3	59.2 60.3	59.2	59.2 60.3	59.4 60.5	59.4 60.5	59.4 60.5	59.4 60.5	59.4 60.5	59.4	59.4 60.5
≥ 6000 ≥ 5000	47.8 51.3	65.1	67.	62.4	68.6	62.7 69.0	62.7 69.1	62.7 69.5	62.7 69.5	62.8 69.6	69.6	62.8	62.8 69.7	62.8 69.7	62.8	62.3
≥ 4500 ≥ 4000	56.6	71.9	71.3 74.8	72.7	73.0 77.3	73.4 77.7	73.6 78.1	74.0 78.5	74.0	74.1 78.6	74 • 1 78 • 6	74.1 78.6	74.2 78.7	74.2 78.7	74.2 78.7	74.2 78.7
≥ 3500 ≥ 3000 > 2500	58.4	74.5 76.3	79.6	79.6 81.8	82.4	83.2	81.3 93.8	81.8	81.8	81.9	81.9	81.9	82.0	82.0 84.5	82.0	84.5
≥ 2500 ≥ 2000 ≥ 1800	61.7	79.6	81.8	84.1 35.8	84.8	86.5	87.5	88.C	88.7	88.1 90.0	88.1 90.0	90.0	88.2 90.1	88.2 90.1	88.2 97.1	88.2 90.1
≥ 1500	52.2	80.2 80.8 81.3	84.1 84.7 85.3	86.4 87.2	87.1	90.3	90.1	90.6	90.6	90.8	90.8	93.8	90.9	90.9	90.9	92.5
≥ 1000	62.8	81.6	85.8	88.9	89.5 90.1	91.6 92.2 92.6	93.9 94.3	93.8 94.5	93.8	93.9 94.6	94.2	94.2	94.3 95.0	94.3	94.3	95.0
≥ 800	62.9	81.8	86.4	89.3	90.6	92.7	94.4	95.0 95.9	95.0 95.9	95.1 96.0	95.4 95.4	95.3 95.4 96.2	95.4 95.5	95.4	95.5	95.4
≥ 600	62.9	82.1	86.5	89.9	91.2	93.7	95.6	96.4	96.4	96.6	96.8 97.3	96.8 97.3	96.4 97.0	96.4 97.0 97.4	96.4 97.0	97.0
≥ 400	62.9	82.1	86.6	90.0		94.D		98.1	98.7	98.3 99.0	98.5	98.5	98.7 99.4	98.7	98.7	98.7
≥ 200	62.9	82.2	86.7	90.1	91.6	94.2	97.3	98.7	98.7	99.1	99.4	99.4	99.5	99.5		99.6
≥ 0	62.9	82.2	86.7	90.1	91.6	94.2	97.3	98.7	98.7	99.1	99.5	99.5	99.9	99.9	99.9	

TOTAL NUMBER OF OBSERVATIONS.

822

USAF ETAC FORM 0-14-5 (OL A) PREVIOUS SOTTIONS OF THIS FORM ARE ORBOTE

SE PAL CLIMATOLOGY BRANCH STEETAC A FATHER SERVICE/MAC

#### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-81

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

2100-2300

CEILING							vis	BILITY IST	ATUTE MIL	ES.		···				
PEET	≥10	≥6	≥ 5	≥4	≥3	≥2 7	≥ 2	≥1′5	≥1%	≥1	≥ ∿	≥ '~g	≥ ½	≥ 5 16	≥ 4	≥0
NO CEILING ≥ 20000	30.2 42.9	47.0 52.4	48.4	49.6 55.3	49.6 55.3	49.7 55.4	49.7	49.7	49.7	49.7 55.4	49.7 55.4	49.7 55.4	49.7	49.7	49.7	49.7
≥ 18000 ≥ 16000	42.9	52.4 52.4	53.4 53.4	55.3 55.3	55.3 55.3	55.4 55.4	55.4	55.4	55.4 55.4	55.4 55.4	55.4	55.4	55.4 55.4	55.4	55.4 55.4	55.4
≥ 14000 ≥ 12000	43.6	53.1	54.1	56 • 1 57 • 8	56.1 57.8	56.2 58.0	56.2 58.0	56.2 58.0	56.2 58.0	56.2 58.0	56.2 58.0	56.2 58.0	56.2 58.0	56.2 58.0	56.2	56.2 58.0
≥ 10000 ≥ 9000	46.5	56.7 53.0	58.0 59.2	60.0 61.3	61.4	60.3 61.5	60.3	60.3 61.5	60.3 61.5	60.3 61.5	67.3 61.5	60.4	65.4	60.4	60.4	60.4 61.7
≥ 8000 ≥ 7000	48.0 49.0	59.5 60.5	61.0	63.2	63.3 64.8	63.4 65.0	63.6	63.6 65.1	63.6	63.6	63.6 65.1	63.7	63.7 65.2	63.7 65.2	63.7 65.2	63.7 65.2
≥ 6000 ≥ 5000	511.2 52.4	62.2	64.1	66.4	66.5	66.6	66.9	66.9 72.0	66.9 72.0	66.9 72.0	66.9 72.0	67.0	67.3 72.1	67.0 72.1	67.3 72.1	67.0 72.1
≥ 4500 ≥ 4000	53.1 55.0	67.4	71.3	73.8	74.0 78.9	74.3 79.2	74.5	74.6	74.6	74.6	74.6	74.8	74.8	74.8	74.8	74.8 79.7
≥ 3500 ≥ 3000	55.8 56.3	72.4 74.1	75.8 77.8	80.0 82.3	80.3 82.5		80.9 83.6	81.0	81.3	81.3	81.0	81.1	81.1	81.1	81.1	81.1
≥ 2500 ≥ 2000	56.4 57.6	75.3 76.2		83.8 85.5	84.2 86.0	85.1 87.0	85.7	86.0 87.9	86.0	86.0	86.0 87.9	86.1 88.0	86.1 88.0	86.1 88.0	86.1	86.1 88.0
≥ 1800 ≥ 1500	57.6 57.6	75.3	80.6 81.7	86.0 97.1	86.5 87.8	87.6 88.9	88.3	88.5	88.5	88.5	88.5	88.7	88.7 90.1	88.7 90.1	86.7	86.7
≥ 1200 ≥ 1000	57.8 58.1	78.0 79.0	82.5 83.6	88.D 89.4	88.7 90.2	89.9	90.6	91.3 92.9	91.3		91.3 92.9		91.5 93.0	91.5 93.3	1	91.5 93.0
≥ 900 ≥ 800	58.1 58.1	79.1 79.4	63.7 84.1	89.8 96.3	97.6	91.8	92.5 93.0	93.2 93.8	93.2 93.8	93.2 93.8	93.2 93.8	93.4	93.4	93.4 93.9	93.4	93.4
≥ 700 ≥ 600	58.1 58.2	79.5 79.6	84.2 84.3	90.4 93.7	91.2 91.5	92.5 92.9	93.1 93.5	94.0 94.4	94.0 94.4	94.0 94.4	94.0 94.4	94.1 94.5	94.1 94.5	94.1 94.5	94.1 94.5	94.1
≥ 500 ≥ 400	58 • 2 58 • 3	79.9 80.3	84.7 85.2	91.2 92.1	92.0 92.9	93.4 94.5	94.3	95.2 97.1	95.2 97.1	95.3 97.2	95.4 97.3	95.5 97.5	95.5 97.5	95.5 97.5	95.5 97.5	95.5 97.5
≥ 300 ≥ 200	58.3 58.3	80.6	85.6 85.6	92.7 92.7	93.5 93.9		96.9 97.6	98.1 98.9	98.1 98.9	98.2 99.2	98.3 99.4		98.5 99.5	98.5 99.5	98.5 99.5	,
≥ 100 ≥ 0	58.3 58.3	80.6	85.6 85.6	92.7 92.7	93.9	95.5 95.5	97.6	98.9	98.9 98.9	99.2	99.4	99.5	99.5	99.5 99.5		99.9

USAF ETAC JULIA 0-14-5 (OL A) MEMOUS EDITIONS OF

SU-SAL CLIMATOLOGY BRANCH SAFETAC AL WEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

COUNGSTOWN MAP OH

73-81

MAY

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

HOURS ILST

CEILING							VIS	BILITY	ATUTE MIL	ES						
FEET:	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥1.5	≥1%	≥1	≥ ¼	≥ >₀	≥ 7	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	31 • 1 34 • 9	38.5 43.9	40.0 45.6	41.4	42.0 48.0	42.3	42.6 48.8	42.6	42.7	42.7	42.8	42.8	42.8	42.8	42.8	42.
≥ 18000 ≥ 16000	35.0 35.0		45.7 45.7	47.5 47.5	4ê.1	48.6	48.9	49.0	49.0	49.1	49.2	49.2	49.2	49.2	49.2	49.
≥ 14000 ≥ 12000	35.4 35.7	44.4	46.1 48.1	46.0	48.6	49.2	49.5	49.6	49.6	49.7	49.8	49.8 51.9	49.8	49.8	49.8 52.0	49.
≥ 10000 ≥ 9000	38.6	49.1	51.2	53.2	53.6	54.4	54.9	55.C 55.7	55.0 55.8	55.1	55.1 55.9	55.1	55.2	55.2	55.2 56.0	55.
≥ 8000 ≥ 7000	39.9		53.8 54.7	56.0	56.7	57.4	57.9 58.9	58.C	58.0 59.0	58.2	58.2 59.2	58.2	58.2	58.2	58.3	58 • 59 •
≥ 6000 ≥ 5000	41.1	53.6	55.9 50.9	58 • 2 62 • 5	58.9	59.6	60.2 64.9	60.3 65.0	60.3	60.5 65.2	67.5 65.3		60.6	60.6	60.6	
≥ 4500 ≥ 4000	45.3 47.6	59.8	62.6	65.3	66.2	67.1 71.8	67.8	68.D 72.8	68.1	68.3	68.3	68.3	68.4	68.4	68.4	68
≥ 3500 ≥ 3000	49.8	66.3	69.6	72.8 75.5	73.9 76.7	75.2 78.0		76.2	76.2	76.5	76.6 79.6	76.6 79.6	76.6	76.6	76.7	
≥ 2500 ≥ 2000	52.8 53.6	71.2	75.0 76.6	72.4 80.3	79.7	81.3	82.3 84.4	82.6 84.7	82.6	82.9 85.0	83.0 85.1		83.1	83.1	63.1	_
≥ 1800 ≥ 1500	53.9 54.3	73.3		81.1 82.1	82.5	84.3	85.4	85.7 87.1	85.8 87.1	86.0 87.4	86.2 87.5		86.2	86.2	86.3	86
≥ 1200 ≥ 1000	54.3 55.0	75.1	79.3	83.5 84.4	85.1	87.3	88.5	89.1 90.3	89.1	89.4		89.6	89.7	89.7	89.7	89.
≥ 900 ≥ 800	55.2 55.3	76.1 76.4	87.5	85.0 85.4	86.8	89.1	90.5	91.1	91.1	91.5	91.7	91.7	91.8	91.8	91.8	91.
≥ 700 ≥ 600	55.3 55.4		81.3	85.9	87.9	90.4		92.9	92.9	93.3	93.5	93.5		93.6	93.6	
≥ 500 ≥ 400	55.5 55.5	77.3	82.2	97.1 87.5	89.1	91.9	93.9	94.9	94.9	95.3	95.6	95.6	95.7	95.7	95.7	
≥ 300 ≥ 200	55.5 55.5	77.5	82.4	87.7	93.0		95.9	97.2 97.5	97.2	98.0	98.3	98.3		98.5	98.5	+
≥ 100 ≥ 0	55.5	77.5	82.4	87.7	90.1	93.4	96.2	97.5	97.5 97.5	98.6	99.1	99.1			99.6	99

TOTAL NUMBER OF ORSERVATIONS 64

USAF ETAC FORM 0-14-5 (OL A) PREVIOUS SOMEONS OF THIS PORM ARE OSSOLET

TETRAL CLIMATOLOGY BRANCH WINTELAC 400 REATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

T 25 YOUNGSTOWN MAP OH

73-81

MONTH .

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	IBILITY -ST	ATUTE MIL	ES				<del></del>		
FEET	≥10	≥6	≥ 5	≥4	≥ 3	≥27	≥ 2	≥1.2	≥1%	≥1	يا ≤	≥ 5-9	<b>≥</b> °;	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	32.7 34.4	43.2	- 1	51.1 55.7	58.8		55.1 60.3	55.8 61.0			55.8 61.0		55.2 61.5	56.4	56.4	56.4
≥ 18000 ≥ 16000	34.4	46.3	51.8	55.7 55.7	58 • <b>8</b>	59.6	60.3 60.3	61.0	61.0	61.0	61.0	61.0	61.5	61.6	61.6	61.6
≥ 14000 ≥ 12000	34.4	46.3	51.8 53.1	55.7	58.9	59.8	67.5	61.2	61.2	_	61.2	61.2	61.6	61.8	61.8	61.6
≥ 10000 ≥ 9000	37.3	50.1 51.0	55.8 56.6	60.9	64.6	65.4	66.3 67.3	67.3	67.0	67.0	67.0	67.0	67.4	67.6 68.6	67.6	67.6
≥ 8000 ≥ 7000	33.5	52.7 54.2	58.6	64.0	69.1	69.0	69.8	70.5	70.5	70.5 72.5	70.5	70.5	71.0	71.1	71.1	71.1
≥ 6000 ≥ 5000	43.2 41.6	54.8	60.9 64.4	66.3 73.5	70.4 75.1	71.2	72.4	73.2	73.2	73.2	73.2 78.5	73.2	73.7	73.8	73.8	73.8
≥ 4500 ≥ 4000	41.6 43.1	56.9	65.6	71.7	76.2	77.	78.9	79.7	79.7		79.7		80.2 85.0	80.3	80.3 85.1	
≥ 3500 ≥ 3000	43.3 43.5	62.7	71.1	77.8	82.3		85.3	86.3	86.3	86.3	86.3 88.5		86.7	86.8		
≥ 2500 ≥ 2000	44.1	65.7	74.1	81.3		86.8	88.8	89.8		89.8	89.8	89.8	90.2	90.4	90.4	90.4
≥ 1800 ≥ 1500	44.5		75.4	83.6	88.1	89.1	91.2	92.5	92.5	92.5	92.6	92.6	93.1	93.2	93.2	93.2
≥ 1200 ≥ 1000	44.5		76.2	84.6	89.1	90.1	92.6		93.9	93.9	94.1	94.1	94.5	94.6	94.6	94.6
≥ 900 ≥ 800	44.8	67.6	76.8	85.1	89.8	90.8	93.3	94.8	94.8	94.8	94.9	94.9	95.3	95.5		95.5
≥ 700 ≥ 600	44.9	68.1	77.6	86.4	91.1	92.1	94.6	95.8	96.2	96.2	96.3	96.3	96.7	96.9	96.5 96.9 97.3	96.9
≥ 500 ≥ 400	44.9	68.1 68.3	78.3		91.5 92.2 92.5	93.3	96.0		97.6	97.6	96.7 97.7 98.3	97.7	98.2		98.3	98.3
≥ 300 ≥ 200	44.9	68.4	78.6	87.8	92.8 92.8	94.1	97.2	99.0	99.0	99.0	99.2		99.6	99.7	99.7	99.7
≥ 100 ≥ 0	44.9	68.4	78.6	87.8	92.8 92.8	94.1	97.2	99.0	99.2				99.9	0.00	00.0	00.0

OTAL NUMBER OF OBSERVATIONS

USAF ETAC FORM 0-14-5 (OL A) PREVIOUS PORTONS OF THIS FORM ARE OSSOLET

LECHAL CLIMATOLOGY BRANCH CONSTACT

AND REATHER SERVICE/MAC

#### CEILING VERSUS VISIBILITY

YOUNGSTON MAP OH

73-81

### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

VISIBILITY STATUTE MILES CEILING 39.7 42.4 47.7 49.8 51.1 51.9 53.3 53.3 53.7 53.9 53.9 54.7 55.2 55.3 55.6 ≥ 20000 41.7 44.6 57.2 52.8 54.0 55.2 56.7 56.7 57.1 57.3 57.3 58.1 58.4 58.7 59.3 29-1 41-7 44-6 50-2 52-8 54-0 55-2 56-7 56-7 57-1 57-3 57-3 58-1 58-4 58-7 59-2 29-1 41-7 44-6 50-2 52-8 54-0 55-2 56-7 56-7 57-1 57-3 57-3 58-1 58-4 58-7 59-2 29-1 41-7 44-6 50-2 52-8 54-0 55-2 56-7 56-7 57-1 57-3 57-3 58-1 58-4 58-7 59-1 29-3 42-7 44-8 50-5 53-0 54-3 55-4 57-0 57-0 57-4 57-6 57-6 58-4 58-7 59-0 59-3 29-7 43-0 46-7 51-8 54-3 55-6 56-7 58-3 58-3 58-7 58-8 58-8 59-7 60-0 60-3 60-5 30-6 44-7 47-8 53-9 56-9 58-3 59-4 61-0 61-0 61-0 61-5 61-5 62-4 62-7 62-9 63-2 51-1 45-3 48-4 54-5 57-6 59-0 60-3 61-8 61-8 62-2 62-4 62-4 63-2 63-5 63-8 64-1 ≥ 18000 ≥ 16000 > 14000 ≥ 10000 ≥ 9000 11.1 45.3 48.4 54.5 57.6 59.0 67.3 61.8 61.8 62.2 62.4 62.4 63.2 63.5 63.8 64.1 32.0 46.7 49.8 56.2 59.7 61.2 62.7 64.2 64.2 64.6 64.8 64.8 65.6 65.9 66.2 66.5 33.4 46.4 51.5 57.9 61.5 63.1 54.6 66.5 66.5 66.5 66.9 67.3 67.2 68.0 68.3 68.6 68.9 33.7 48.9 52.2 58.6 62.2 63.8 65.3 67.2 67.2 67.6 67.8 67.9 68.7 69.0 69.3 69.6 34.2 50.6 54.5 61.4 65.5 67.5 69.0 71.1 71.3 71.7 71.9 72.0 72.8 73.1 73.4 73.8 75.1 52.1 56.0 63.1 67.3 69.3 70.9 73.0 73.1 73.6 73.7 73.8 74.7 75.0 75.2 75.7 36.1 54.2 53.3 66.3 70.6 72.7 74.7 76.8 76.9 77.4 77.7 77.8 78.6 78.9 79.2 79.6 36.4 54.9 59.7 67.9 72.7 74.8 76.8 78.9 79.1 79.5 79.8 79.9 80.8 61.0 81.3 81.8 37.1 55.9 61.3 69.3 74.3 76.7 78.6 80.8 80.9 81.3 81.6 81.8 82.6 82.9 63.2 83.6 37.2 57.2 62.4 77.9 76.9 78.4 80.3 82.5 82.6 83.2 83.5 83.6 84.4 84.7 85.0 85.4 37.9 58.1 64.1 72.6 77.9 81.3 82.5 84.6 84.7 85.3 85.6 85.7 86.6 86.8 87.1 87.6 37.9 58.1 64.4 72.8 78.4 80.8 82.5 84.6 84.7 85.3 85.6 85.7 86.6 86.8 87.1 87.6 37.9 58.1 64.4 72.8 78.4 80.8 82.5 84.6 84.7 85.3 85.6 85.7 86.6 86.8 87.1 87.3 87.8 88.3 33.2 58.8 64.8 73.4 73.9 98.1 88.4 89.2 89.4 ≥ 8000 ≥ 7000 ≥ 6000 ≥ 5000 ≥ 4500 ≥ 4000 ≥ 3500 ≥ 3000 ≥ 2500 ≥ 2000 ≥ 1800 ≥ 1500 37.9 56.4 64.4 72.8 78.4 80.8 82.9 85.0 85.1 85.7 86.0 86.1 87.0 87.3 87.8 88.3 35.2 58.8 64.8 73.4 79.9 81.3 83.7 86.1 86.3 86.8 87.1 87.3 88.1 88.4 89.2 89.4 28.3 59.4 65.3 74.1 79.6 62.0 84.6 87.0 87.1 87.7 88.6 88.1 89.0 89.3 89.8 90.2 38.3 60.3 66.1 75.1 80.6 83.0 85.7 88.1 88.3 88.8 89.1 89.3 90.1 90.4 90.9 91.2 81.8 83.8 86.8 89.1 89.3 90.1 90.4 90.9 91.2 91.8 92.2 83.5 60.7 67.5 76.7 82.5 83.9 86.6 89.0 89.1 89.7 90.9 90.0 90.1 90.9 91.2 91.8 92.2 93.1 93.5 83.5 60.7 67.5 76.7 82.5 84.9 87.7 90.2 90.4 90.9 91.2 91.4 92.2 92.5 93.1 93.5 83.6 86.1 67.6 76.9 82.9 85.3 88.3 90.8 90.9 91.5 91.8 91.9 92.8 93.1 93.6 94.1 88.8 61.1 67.9 77.7 83.6 86.0 89.1 91.7 91.8 92.5 92.8 92.9 93.8 94.1 94.6 95.0 38.8 61.2 68.7 76.2 84.2 86.6 90.0 92.8 92.9 93.6 93.9 94.1 94.9 95.2 95.8 96.2 38.8 61.4 68.3 79.1 85.3 87.7 91.9 95.2 95.3 96.2 96.7 96.9 97.9 98.2 98.7 99.2 38.8 61.4 68.3 79.1 85.3 87.7 91.9 95.2 95.3 96.2 96.7 96.9 97.9 98.2 98.7 99.2 38.8 61.4 68.3 79.1 85.3 87.7 91.9 95.2 95.3 96.2 96.7 96.9 97.9 98.2 98.7 99.2 38.8 61.4 68.3 79.1 85.3 87.7 91.9 95.2 95.3 96.2 96.7 96.9 97.9 98.2 98.7 99.2 38.8 61.4 68.3 79.1 85.3 87.7 91.9 95.2 95.3 96.2 96.7 96.9 97.9 98.2 98.7 99.2 38.8 61.4 68.3 79.1 85.3 87.7 91.9 95.2 95.3 96.2 96.7 96.9 97.9 98.2 98.7 99.2 38.8 61.4 68.3 79.1 85.3 87.7 91.9 95.2 95.3 96.2 96.7 96.9 97.9 98.2 98.7 99.2 38.8 61.4 68.3 79.1 85.3 87.7 91.9 95.2 95.3 96.2 96.7 96.9 97.9 98.2 98.7 99.2 38.9 61.4 68.3 79.1 85.3 87.7 91.9 95.2 95.3 96.2 96.7 96.9 97.9 98.2 98.7 99.2 38.9 99.7 ≥ 1200 ≥ 1000 900 800 600 300 79.1 85.3 87.7 91.9 95.2 95.3 96.2 96.7 96.9 97.9 98.2 98.9 99.7 79.1 85.3 87.7 91.9 95.2 95.3 96.2 96.7 96.9 97.9 98.2 98.9 100.0

TOTAL NUMBER OF OBSERVATIONS

797

USAF ETAC JULIA 0-14-5 (OL A) MENIOUS COMIONS OF THIS FORM ARE OSSOLET

SE PAL CLIMATOLOGY BRANCH PRETAC 21 SEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-81

MONTH

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	BILITY ST	ATUTE MIL	E5						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥17	≥1.	≥1	≥ ¼	5,,•	≥ :	≥ 5 16	2.	≥0
NO CEILING ≥ 20000	23.7	35.5 38.9		45		46.1 50.4	48.2 52.8	49.3	49.3		49.6	49.6	49.7		50.2	55.4
≥ 18000 ≥ 16000	25.5 25.4	38.9 38.9	42.5	46.3	49.1	5.1.4	52.9 52.9	54.4	54.4 54.4	54.7 54.7	54.8	54.8	54.9	54.9	55.4	55.7
≥ 14000 ≥ 12000	25.9 26.5	39.1 40.1	42.7	46.6	40.3 51.1	50.7 52.8	53.2	54.7 56.9	54.7 56.9	54.9 57.2	55.C 57.3	55.0 57.3	55.2 57.4	55.2	55.7	55.9
≥ 10000 ≥ 9000	27.3 27.8	42.3 42.8	46.5	50.4 50.9	53.5 54.0	55.5 56.0	58.3 58.8	59.8 60.3	59.8 60.3	60.0 60.5	60.1 60.6	60.1 60.6	60.3 60.8	69.3	60.8 61.3	
≥ 8000 ≥ 7000	25.9	44.5	49.4 50.1	53.8 54.7	57.4 58.3	67.1 61.1	62.9 54.1	64.6	64.6	65.0 66.4	65.1 66.5	65.1 66.5	65.3 66.6	65.3	55.8 67.1	66.
≥ 6000 ≥ 5000	29.3 30.5	45.6	50.2 52.3	54.8 57.7	52.4	61.4 65.7	64.4 68.5	66.1 70.5	66.1 70.5	66.6 71.0	66.7	66.7 71.2	66.9	66.9	67.4 71.9	67.6
≥ 4500 ≥ 4000	30.3 31.0	49.3 49.2	53.4 54.5	58.8 6.1	62.8 64.3	66.3 67.9	69.7 71.6	72.0 73.8	72.0 73.8		1	72.9 74.8	73.0 75.0			73. 75.
≥ 3500 ≥ 3000	31.6 72.1	49.9 50.7	55.4 56.2	61.3 62.1	65.4 66.4	67.1 73.5	73.3 74.3		75.2 77.1	75.7 77.6	76.1 78.3	76.2 78.1	76.3 78.2	76.3 78.2	76 • 8 78 • 7	77•1 79•
≥ 2500 ≥ 2000		51.6 52.6	57.4 58.4	63.4	67.6	72.2 73.5	76.1 77.7	79.0 80.8	79.0 80.8	79.6 81.4	80.0 81.9	80.1	80.2 82.2		60.7 82.7	80.9 82.9
≥ 1800 ≥ 1500	34.	53.4 54.2	59.5 63.4	65 • 5 66 • 4	69.9 70.7	74.8 76.0	79.3 80.4	82.4	82.4 83.7	83.1	83.6	83.7 85.1	83.8 85.2	83.8	84.3 85.7	84.6
≥ 1200 ≥ 1000	34 • 6 35 • 3	54.8	61.0 61.6	67.0 67.6	71.5 72.4	76.8 77.7	81.3 82.2	84.6 85.7	84.7 85.8	85.4	86.1 87.4	86.2 87.5	86.3	86.3 87.8	86.8	88.5
≥ 900 ≥ 800	35.1	55.9	63.1	68.5	73.2 74.0	78.8 79.7	83.4				88.8		89.2 90.2	89.2 90.2		89.9 90.9
≥ 700 ≥ 600	35 • 2 35 • 4	56.5	63.4	69.5	74.6	80.3 80.7	85.1 85.7	88.8	89.5			91.7	91.2	91.2 91.9	91.7 92.4	91.9
≥ 500 ≥ 400	35.4	57.0	63.9 64.0	70.2 70.4		81.3	87.3 88.C	$\overline{}$		94.6		94.6			97.0	97.
≥ 300 ≥ 200	35.4	57.0 57.0		70.4	75.7	81.8	98.3	93.2		95.3	97.0			97.1 97.8		98.
≥ 100 ≥ 0	35.4	57.0	64.0	70.4	75 · 8	82.1	88.5	93.4	93.6	95.5	3	- 1	97.9	97.9	98.9	99.6

TOTAL NUMBER OF OBSERVATIONS 803

USAF ETAC TOTAL 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE GREGLET

STARL CLIMATOLOGY BRANCH TAC FATHER SERVICE/MAC

#### CEILING VERSUS VISIBILITY

SOUNGSTOWN MAP OH

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	BILITY ST	ATUTE MIC	ES						
FEET	≥ 10	≥ 6	≥ 5	≥ 4	≥ 3	≥27	2.2	≥1 7	≥1 4	ا خ	≥ اُء	≥ ,4	≥ 7	25 16	≥ .	≥0
NO CEILING ≥ 20000	21.0	36.6 42.4	38.5 45.6	39.9 47.3	47.5 48.0			41.2	41.2				41.2 49.3			41.2
≥ 18000 ≥ 16000	31.	42.7 42.7					49.6	49.6		49.6			49.6		49.6	
≥ 14000 ≥ 12000	31.1 31.5	42.8	46.9	46.3		5 1.6	51.0	49.8 51.0	51.0	49.8 51.0	51.0		49.8	51.0	عملت	
≥ 10000 ≥ 9000	33.3 33.5	46.4		51.7	53.2 53.6		55.5	55.5	55.5	55.0 55.5	55.5			55.5	55.5	
≥ 8000 ≥ 7000	34.7 35.5	49.4	57.1	55.0				60.5		60.5	6C.5	59.2 60.5	60.5	6C.5	62.5	59.2 6C.5
≥ 6000 ≥ 5000 ≥ 4500	35.2	50.4 51.8	54.3	56.2	57.2 58.7 6^.2	61		62.8		61.0 62.8 64.4		61.6 62.8	61.7 62.8 64.4	62.8	61.0 62.0 64.4	62.8 64.4
≥ 4000 ≥ 3500	39.4		57.6	59.5	62.3	64.8		66.7	66.7		66.7	66.7	66.7	66.7	66.7	66.7
2 3000 2 2500	42.7	59.2	63.7	65.8		71.7			73.8	73.8		73.8	73.8	73.8	73.8	
≥ 2000 ≥ 1800	47.0	65.6 65.6		72.8	76.0	80.1 51.8		i '	82.6		62.6	82.6				82.6 84.4
≥ 1200	49.5	63.9 69.9	74.1 75.5				87.2	88.1 90.5		90.5		88.1 97.5	88.1 90.5	38.1 90.5	88.1 90.5	8°41 90.5
≥ 1000 ≥ 900 ≥ 800	49.6	73.6	76.4	79.5	84.5	89.7		93.4		93.4	93.4	93.4	91.4	93.4	93.4	93.4
≥ 700 ≥ 600	50.2	70.9	76.7	80.3		91.4	94.2	95.3	95.3	94.7	95.4	95.4	94.8	94.8	95.4	95.4
≥ 500 ≥ 400	50.2 50.2	71.4 71.4	77.1	80.7	86.4	93.1)	95.3 96.3 97.0	98.1	98.1	96.6 98.1 99.1	98.2		96.7 98.2 99.2	98.2	96.7 98.2 99.2	98.2
≥ 300 ≥ 200	50.2 50.2	71.4	77.1	80.7	86.7	93.5	97.1 97.2	99.0	99.0	99.2	99.5		99.6	9.6	99.6	99.6
≥ 100 ≥ 0	50.2	71.4		80.7	86.7	93.6		99.1		99.4	99.6	99.7 99.7	99.9		20.0	

USAF ETAC 10164 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE ORBIGUETE

- AL CLIMATOLOGY RRANCH - TITAC - EATHER SERVICE/MAC

#### CEILING VERSUS VISIBILITY

TOUNDSTOWN MAP OH

73-61

1205-1457

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	iBicity St	ATUTE MIL	E5						
FEET	≥10	≥6	≥ 5	≥4	≥3	≥2;	≥ 2	≥1:	≥1.	≥1	≥ 4	5.1	2 .	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	3 . 5	31.1	31.	3: • 5 41 • 1	33.6		33.7			33.7	33.7 42.7		33.7			33.7
≥ 18000 ≥ 16000	31.6 31.6	3 ÷ • 2 3 ° • 2	4 1.6	41.2	42.7	42.8		42.8	42.8	42.8	42.8	42.3			42.8	42.8
≥ 14000 ≥ 12000	30.7	39.3	4	41.4	42.9	43.1		43.1	43.1		43.1	43.1	43.1	43.1	43.1	43.1
≥ 10000 ≥ 9000	34 • 5 34 • 5	43.8	45.6	46.4	48.8 49.2	49.1	49.1	49.1	49.1	49.1	49.1	49.1	49.1			49.1
≥ 8000 ≥ 7000	35.5	45.4	47.6	48.4	57.9	51.6		51.7		51.7	51.7		51.7	51.7	51.7	51.7
≥ 6000 ≥ 5000	35.5	46.8	48.9 53.8	40.8 51.7	52.3	52.9		53.1	53.1		53.1	53.1	,	53.1	53.1	53.1
≥ 4500 ≥ 4000	38.8 47.1	50.4 60.0	57.8 62.	53.7 63.5	56.3	57.7		58.2	58.2	58.2	58.2	58.2		58.2 68.5	58.2	58.2
≥ 3500 ≥ 3000	52.6 54.7	67.0 75.2		71.1	74.0		75.9	76.0	76.0	76.5 8J.5	76.0	76.0		76.0		76.0
≥ 2500 ≥ 2000	56.5	73.4	1	79.3 81.6		84.9		€5.6	85.6	85.6	45.6	85.6		85.6	85.6	85.6
≥ 1800 ≥ 1500	57.2 57.7	75.0		82.3 83.3	86.8 88.4	88.8 91.0		89.9	89.0	89.9	89.9	89.9 92.4	89.9		69.9 92.4	
≥ 1200 ≥ 1000	56.7 58.9	77.8 78.2	87.8	85.1 85.6	93.5	93.3		94.9	94.9		95.7 96.0	95.0 96.0	<b>f</b>		95.0 96.0	96.3
≥ 900 ≥ 800	59.9	78.4 78.8	83.5 83.9	86.1 86.6	91.8	94.9 95.8	1	96.9 98.0	96.9	97.C		97.3	97.0	97.0	97.3	97.3
≥ 700 ≥ 600	58.9 58.9	78.9 76.9	84 • . 84 • .	86.9	92.6	96.3		98.6 98.8	98.6 98.8	1	98.8	98.9	98.9 99.0	98.8	98.8	98.8
≥ 500 ≥ 400	58.9 58.9	79.0 79.0	84.1 84.1	87.1 87.1	93.1 93.1	95.8 97.J	98.4 98.8	99.3 99.6	99.3	99.5 99.9	99.5	99.5	99.6	99.6	99.6	
≥ 300 ≥ 200	59.9 54.9		84.1	27.1 87.1	93.1 93.1	97.3	98.8	99.6	99.6	99.9	99.9		122.0 100.3		00.0	1
≥ 100 ≥ 0	58.9 59.9	79.0 79.0		87.1 87.1	93.1		98 • 8 98 • 3		99.6 99.6		-		100.0. 100.0			

TOTAL NUMBER OF ORSERVATIONS 8.0.1

USAF ETAC FORM 0-14-5 (OL. A) MEVIOUS EDITIONS OF THIS FORM ARE DISOLET

BC1

FUTPAL CLIMATOLOGY BRANCH

### CEILING VERSUS VISIBILITY

CATHER SERVICE/MAC

73-81

MSM.

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

15,10-1700

CEILING							VIS	BILITY ST	ATUTE MIL	<b>E</b> 5						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥1 7	≥1'₄	≥1	≥ ≒	≥ '⁄a	≥ :	≥ 5 16	≥ •	≥0
NO CEILING ≥ 20000	28.7 34.8	34 42.2	35.3 43.7	37 • 3 46 • 2	37.6 46.8	37.8	37.8 47.0	37.8 47.3	37.8	37.3	37.8	37.8	37.8 47.3	37.8	37.8 47.3	39.°
≥ 18000 ≥ 16000	34.5	42.3	43.8 43.9	46.4	46.9	47.1 47.1	47.1 47.1		47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.5
≥ 14000 ≥ 12000	35.5	45.2	44.5 40.8	47.3	47.5	47.8	47.8 55.3	48.0 50.6	48 . (·)	48.0 50.6	48.0 50.6	48.0	48.0 50.6	48.0	48.0 50.6	
≥ 10000 ≥ 9000	33.1	46.5	48.7	51.3		52.7	52.7	53.0	53.4	53.Q	53.0	53.0	53.0	53.4	53.C	
≥ 8000 ≥ 7000	39.1 39.6	48.2	50.1	53.C	57.0	54.5	54.8 55.5	55.0	55.3	55.0 55.8	55.3 55.8	55.0 55.6	55.3 55.8	55.0 55.8		55.2
≥ 6000 ≥ 5000	4 .6	49.7	51.7 56.3	54.8	55.7	56.4	56.7 61.7	56.9 61.9	56.9	56.9 61.9	56.9	56.9	56.9	56.9		57.1 62.3
≥ 4500 ≥ 4000	15.5	57.3	57.9	53.2	64.7	65.5	65.7 76.3	66.0	66.0	66.0 76.7	66.7 76.7	66.3 76.7	66.7 76.7	66.0 76.7	66.D	66.1 76.8
≥ 3500 ≥ 3000	54.9 56.9	69.6 72.0	72.9	76.9		81.4	81.9		62.3 86.8	86.8	82.3	82.3	82 • 3 86 • 8	82.3	82.3	
≥ 2500 ≥ 2000	57.6 58.2	74.1 75.3	78.6	83.4 95.1	87.6	89.3	97.2	95.7	97.7 93.0	93.7 93.0	90.7	90.7	90.7 93.0	90.7	90.7 93.0	90.8
≥ 1800 ≥ 1500	58.9	76.2	<b>3</b> 0•8	36.4	9~.7	92.9		94.4	94.4	94.5	94.5	94.5	94.5	94.5		94.6
≥ 1200 ≥ 1000	50.4 59.4	77.5	82.0	97.6 87.8	92.7	95.4	95.6	97.2	97.2	97.3 97.5		97.5	97.5			97.6 97.8
≥ 900 ≥ 800	59.4	77.5 77.5	82.2	87.9	93.0 93.0	95.7	96.9	97.6 97.7	97.6 97.7	97.7 97.8	98.C 98.1	98.0	98.D 98.1	98.0 98.1	98.0	98.1
≥ 700 ≥ 600	59.4	77.5 77.7	82.2	87.9 88.3	93.11	95.7 96.3	97.2 98.3	98.J 98.7	98.0 98.7	98.1 98.9	98.3	98.3	98.3	98.3 99.1	98.3 99.1	98.5 99.2
≥ 500 ≥ 400	50.4 50.4	77.7		88.4	93.6 97.8	96.6 96.7	98.3 98.5	99.1	99.1	99.2	99.5	99.5	99.5 99.9			99.6
≥ 300 ≥ 200	59.4 59.4	77.7 77.7	82.4 82.4	88.4	93.8 93.8	96.7 56.7	98.5 98.5		99.2	99.6		99.9	99.9	99.9	99.9	00.0
≥ 100 ≥ 0	59.4	77.7	82.4 82.4	39.4 85.4			98.5 98.5		99.2 99.2	99.6	99.9	99.9	99.9		99.9	

USAF ETAC JULIA 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE ORBOLETE

0

\_\_\_\_\_

---

LE FAL CLIMATOLOGY ERANCH ATE MEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH 73-81 PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1800-2000 HOUR 13

CEILING			<u> </u>				VIS	IBILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥4	≥3	≥2 7	≥ 2	217	≥1.	≥1	≥ 5	≥ '₁	≥ ;	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	35.6 42.1	42.9 53.0	44.9 55.3	47.7 59.4	48.3	49.8	48.8 52.0	48.8 62.0	48.8 62.0	48.8 62.0	48.9 62.0	45.5 62.0	48.8	48.8	49.8 62.5	48.8 62.7
≥ 18000 ≥ 16000	42.1 42.1	53.0 53.0	55.3 55.3	50.4 59.4	67.6 67.6	61.6 61.5	62.0 62.0	62.G	62.0	-	62.0 62.0	62.0 62.0	62.0 62.0	62.5 62.5	62.C	62.0 62.0
≥ 14000 ≥ 12000	42.5 43.0	53.6 55.1	56. 57.6	67.0 61.9	61.3	62.3 64.2	62.6	62.6 64.5	62.6 64.5	62.6 64.5	64.5	62.6	62.6	62.6 64.5	62.6	62.6
≥ 10000 ≥ 9000	47.0	59.2 59.6		67.0 67.4	68.3 68.7		69.8 70.2	69.8 70.2	69.8 70.2	69.8 75.2	69.8 70.2	69.8 70.2	69.8 75.2	69.8 70.2	69.8 70.2	69.8 72.2
≥ 8000 ≥ 7000	48.4	62.1		69.6 70.3	70.9 71.8	72.1 73.0	72.5 73.5	72.5 73.5	73.5	72.5 73.5	72.5 73.5	72.5 73.5	72.5 73.5	72.5 73.5	72.5 73.5	72.5 73.5
≥ 6000 ≥ 5000	3.2	63.5 68.4	71.8	71.7 77.7	73.2 79.2	74.3 80.6	74.8 81.3	74.8 21.4	74.8	74.8	74.8	74.3	74.8	74.8 81.4	74.8 81.4	74.8
≥ 4500 ≥ 4000	54.1 55.8	71.9	73.2	79.2 82.8	8 . 8	82.1	82.8	86.9	82.9 86.9		82.9	82.9	86.9	86.9	82.9	82.9
≥ 3500 ≥ 3000	56.6 57.7	73.3 74.7	80.0	84.8	86.9	88.3 91.1	88.9 91.8	89.1 91.9	89.1 91.9	89.1 91.9	89.1 91.9	91.9	89.1 91.9	91.9	89.1 91.9	89.1 91.9
≥ 2500 ≥ 2000	58.4 58.6	75.8 76.2	81.3	88.4 89.1	91.7	93.8	94.2	94.3	95.5	94.3	94.3	95.5	95.5	95.5		94.3
≥ 1800	58.6 58.9	75.2 76.5	82.5	89.6	92.3	95.1	95.8	96.1 96.7			96.2	96.2	96.2	96.2	96.2	
≥ 1200 ≥ 1000	58.9 58.9	76.5 76.5	82.6	89.8	93.0		96.6	96.9 97.6	97.7		97.5 97.7	97.7	97.7	97.7	97.7	
≥ 900 ≥ 800	58.9	76.7 76.7	82.9	972	93.5	96.0		97.9		98.0 98.0	98.0 98.0	98.0	98.0		98.C 98.O	
≥ 700 ≥ 600	58.9 58.9	76.7 76.9		90.2		96.0	97.6	98.2 98.5		98.4	98.4 98.6	98.4	98.4	98.4	98.4	98.4
≥ 500 ≥ 400	58.9	77.0	83.3		93.7		98.1 98.5	99.0			99.1			99.1		99.1
≥ 300 ≥ 200	58.9 58.9		83.3				98.6	99.7	99.9	0.00	100.0	100.0	100.0	00.0	0.00	00.5
≥ 100	58.9 58.9	77.0	83.3	1	93.8		98.6 98.6	99.7 99.7					0.00	r 1		r 1

USAF ETAC HULGS 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE ORBOLETE

Coldat CLIMATOLOGY BRANCH A - SEATHER SERVICE/MAC

#### CEILING VERSUS VISIBILITY

YGUNGSTOWN MAP OH

73-61

2120-2300

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	IBILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥27	≥ 2	≥1/2	≥1′•	≥1	≥ <sup>1</sup> / <sub>2</sub>	≥ 'a	≥ 7	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	33.1	47.4 51.8	5 1 • 0 5 4 • 5	52.5 57.6	54 • 6 6" • 4	54 • 6 60 • 8	54.6 61.2	55.D	55.0 61.6	55.2 61.7	55.4 62.1	55.4 62.1	55.4 62.1	55.4 62.1	55.4 62.1	55.4
≥ 18000 ≥ 16000	40.9	51.8	54.5 54.5	57.6 57.6	60.4 60.4	60.8 60.8	61.2	61.6	61.6	61.7	62.1	62.1	62.1	62.1	62.1	62.1
≥ 14000 ≥ 12000	40.0	51.9 52.6	54.6	57.8 58.7	61.4	61.9	61.3	61.7	61.7	61.9	62.3	62.3	62.3	62.3	62.3	62.3
≥ 10000 ≥ 9000	43.7	55.2 55.9	58.9	63.2	65.9 67.0	66.5	66.9 68.0	68.5	67.4	67.6	68.D	68.0	68.0	69.1	68.D	68.3 69.1
≥ 8000 ≥ 7000	45.7	58.0	61.9	66.3		70.0	70.7	71 • 3 73 • 2	71.3	71.4	71.8 73.7	71.8	71.8	71.8	71.8	71.8
≥ 6000 ≥ 5000	45.7	60.1 64.6	64.D	68.8	71.9	72.5 78.5	73.6	74.4 80.4	74.4	74.5 80.5	74.9 80.9	74.9 80.9	74.9	74.9	74.9 80.9	74.9
≥ 4500 ≥ 4000	50.1	67.2	72.2 75.1	77.4	87.9 84.3	81.6	82.7	83.5 87.1	83.5	83.7 87.2	84.1 87.6	84.1	84.1	84.1	84.1	
≥ 3500 ≥ 3000	52.2 53.3	71.8	75.8 78.9	82.8	86.5	87.3	88.7	89.5 91.7	89.5	89.6 91.8	90.2	90.2	90.2	90.2	90.2	90.2
≥ 2500 ≥ 2000	53.3 53.3	73.0 73.2	79.8	86.4 97.2	95.1 93.9	91.3 91.8	92.5 93.5	93.3	93.3	93.5 94.4	94.7 95.1	94.0	94.0 95.1	94.0 95.1	94.0 95.1	94.0 95.1
≥ 1800 ≥ 1500	53.4	73.3 73.7	80.4 90.8	87.5 93.3	91.1 92.1	92.1	93.7	94 • 6 95 • 5	94.6	94.7 95.6	95.4 96.3	96.3	95.4	95.4	95.4	
≥ 1200 ≥ 1000	53.4 53.4	74.3 74.7	81.5 81.9	89.2 89.6	1	94.0 94.4	95.6 96.0	96.6 97.0	96 • 6 97 • 0	96.7 97.1	97.4 97.8	97.4		97.4	97.4	97.4 97.8
≥ 900 ≥ 800	53.4 53.4	74.8 74.8		89.8		94.6	96.2 96.3	97.3	97.3	97.4 97.5	98 • 1 98 • 2	98 • 1 98 • 2		98.1 98.2	98.1 98.2	98.1 98.2
≥ 700 ≥ 600	53.4 53.4	75.1 75.1	82.4 82.4	90.2		95.0		97.7 98.0	97.7 98.0		98.5 98.8	98.5 98.8		98.5	98.5 98.8	98.5 98.8
≥ 500 ≥ 400	53.4	75.1 75.3	82.7 83.0	90.7 91.0	94.6	95.5 95.8		98.2 98.5	98.2 98.5		99.F	99.0 99.3	_	99.0	99.3	
≥ 300 ≥ 200	53.4 53.4	75.3 75.3		91.1 91.1	95.0 95.0	95.9	97.5 97.5	98.8 98.8	98.8 98.8		99.6	99.6		99.6	99.6	
≥ 100 ≥ 0	73.4 43.4	75.3 75.3	1	91.1 91.1	95.0	95.9 95.9			98.8 98.8		99.9		130.0. 100.0	00.0	00.0	

USAF ETAC NI 44 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE CRECLETE

TELEAL CLIMATOLOGY BRANCH AT REATHER SERVICEZMAC

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥17	≥1.	≥1	<u>5</u> 7.0	≥ '2	≥ 7	≥5 16	≥ .	≥0
NO CEILING	29.7	38.6	41.0	43.6	45.1	45.7	46.1	46.6	46.6	46.7	46.7	46.7	46.9	46.9	47.0	47.1
≥ 20000	33.5	44.3	47.2	57.3	52.2	53.0		54.2	54.2	54.3		54.3	54.5	54.6	54.7	54.7
≥ 18000	33.6	44.4	47.3	53.4	52.3	53.0	53.7	54.2	54.2	54.3		54.4	54.6	54.6	54.7	54.8
≥ 16000	33.5	44.4	47.3	50.4	52.3	53.0	53.7	54.2	54.2	54.3	54.4	54.4	54.6	54.6	54.7	54.8
≥ 14000	33.3	44.7	47.6	50.7	52.6	53.4	54.0	54.6	54.6	54.7	54.8	54.8	54.9	55.0	55.1	55.1
≥ 12000	34.5	45.9	48.6	52.1	54.1	54.9	55.6	56.2		56.3	56.4	56.4	56.5	56.6	56.7	56.8
≥ 10000	35.4	42.5	51.8	55.4	57.8	56.8	59.5	60.1	60.1	60.2	60.3	60.3	60.4	60.5	60.6	60.7
≥ 9000	36.8	49.0	52.3	56.0	58.4	59.3	60.2	60.7	60.7	60.8	60.9	60.9	61.0	61.1	61.2	61.3
≥ 8000	37.7	50.7	54.2	58.0	67.6	61.9	62.8	63.5	63.5	63.6	63.6	63.6	63.8	63.9	64.0	64.3
≥ 7000	38.4	51.6	55.2	50 . 1	61.7	63.7	54.1	64.8	64.8	64.9	65.0	65.D	65.2	65.3	65.3	65.4
≥ 6000	39.0	52.3	55.9	59.8	62.5	63.8	64.9	65.6	65.6	65.8	65.9	65.9	66.0	66.1	66.2	66.3
≥ 5000	40.9	55.2	59.1	63.5	66.4	68.C	69.3	70.1	70.1	70.2	70.3	70.3	73.5	70.6	70.7	70.8
≥ 4500	41.7	56.9	61.0	65.4	63.4	70.1	71.4	72.2	72.3	72.4	72.5	72.5	72.7	72.7	72.8	72.9
≥ 4000	44.5	60.8	65.3	70.1	73.4	75.1	76.6	77.5	77.5	77.6	77.7	77.8	77.9	78.0	78.1	78.2
≥ 3500	46.1	63.1	67.0	73.0	76.5	78.3	79.8	8C.7	80.8	80.9	81.0	81.1	81.2	81.3	81.4	81.5
≥ 3000	47.4	65.0	70.2	75.4	79.1	81.5	82.8	83.8	83.8	83.9	84.1	84.1	84.3	84.3	84.4	84.5
≥ 2500	43.3	66.8	72.3	77.8	81.6	83.9	85.6	86.6	86.6	86.7	86.9	86.9	87.1	87.1	67.2	87.3
≥ 2000	49.9	67.9	73.7	79.4	83.4	65.9	87.8	88.9	88.9	89.1	89.3	89.3	89.5	89.5	89.6	89.7
≥ 1800	49.2	63.4	74.3	82.1	84.3	86.8	88.8	89.9	89.9	90.1	90.3	90.3	90.5	90.5	90.7	90.8
≥ 1500	49.6	69.1	75.1	31.1	85.5	88.2	97.3	91.5	91.5	91.7	91.9	91.9	92.1	92.1	92.3	92.4
≥ 1200	49.3	69.8	75.9	82.0	86.5	89.3	91.5	92.7	92.7	93.0	93.2	93.2	93.4	93.4	93.6	93.7
≥ 1000	50.0	70.1	76.3	82.3	87.0	89.9	92.1	93.4	93.5	93.7	94.0	94.7	94.2	94.2	94.3	04.4
≥ <b>90</b> 0	50.0	70.3	76.7	82.9	87.6	90.6	92.8	94.2	94.3	94.5	94.8	94.8	95 . C	95.3	95.2	95.3
≥ 800	50.1	70.6	77.0	83.3	88.1	91.2	93.5	95.0	95.€	95.2	95.5	95.6	95.8	95.8	95.9	96.0
≥ 700	57.1	70.7	77.1	83.5	88.4	91.5	93.9	95.5	95.5	95.8	96.0	96.1	96.3	96.3	96.5	96.6
≥ 600	57.1	75.8	77.3	83.8	88.7	92.0	94.5	96.0	96.1	96.4	96.6	96.7	96.9	96.9	97.1	97.2
≥ 500	ז•י כ	77.9	77.5	84.1	89.1	92.4	95.2	97.0	97.1	97.4	97.7	97.6	98.0	98.0	98.2	98.3
≥ 400	57.1	71.3	77.6	84.3	89.3	92.8	95.8	97.6	97.7	98.1	98.4	98.5	98.7	98.7	98.9	99.5
≥ 300	50.1	71.3	77.7	84.3	87.5	92.9	96.0	98.0	98.0	98.5	98.9	99.0	99.2	99.3	99.4	99.5
≥ 200	57.1	71.0	77.7	84.3	87.5	93.0	96.0	98.0	98.1	98.6	99.0	99.1	99.3	99.4	99.6	99.7
≥ 100	1.60	71.0	77.7	84.3	89.5	93.0	96.0	98.0	98.1	98.6	99.1	99.1	99.4	99.5	99.7	99.9
≥ 0	50.1	71.0	77.7	84.3	89.5	93.0	96.0	98.0	98.1	98.6	99.1	99.1	99.4	99.5	99.7	0.00

USAF ETAC 101 64 0-14-5 (OL A) MEVIOUS ROMONS OF THIS FO

SE MAL CLIMATOLOGY BRANCH FILTAC SEATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-80

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	IBILITY :ST.	ATUTE MIL	E5						
FEET	≥10	≥6	≥ 5	≥4	≥3	≥27	≥2	≥1 2	≥1′₄	≥1	≥ ⅓	ادر ≷	≥ 7	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	31.2 31.7	45.5	51.9 54.4	56.5 5°.3	59.6 63.6	59.6 64.4	61.6	61.7 66.8	61.7 66.8	62.3 67.4	62.4	62.4	62.8 68.3	62.8 68.3	62.8	63.2 68.7
≥ 18000 ≥ 16000	31 • 7 31 • 7	49.1	54.4 54.6	60 • 3 60 • 5	63.6 63.7	64.4 64.6	56.6 66.8	66.8	66.8 66.9	67.4 67.6	67.9 68.0	67.9 68.0	68.3 68.4	68.3 68.4	68.3 68.4	68.7
≥ 14000 ≥ 12000	31.7 31.7	49.2	54.7 55.1	60.6 61.6	63.9 65.1	64.7 65.9	66.9 68.3	67.0 68.4	67.0 68.4	67.7 69.1	68 • 1 69 • 5	68.1 69.5	68.5	68.5 70.3	69.5 70.0	70.5
≥ 10000	33.0 33.1	52.0 52.1	53.4	65.1 65.3		69.9 70.0	72.4	72.4 72.5	72.4 72.5	73.1 73.2	73.5 73.6	73.5 73.6	74.0	74.3 74.1	74.0 74.1	74.4
≥ 8000 ≥ 7000	34.6	53.9	61.4	67.9	71.7	72.6	75.1 75.8	75.2 75.9	75.2 75.9	75.9 76.6	76.3 77.0	76.3 77.3	76.9 77.6	76.9 77.6	77.6	76.0
≥ 6000 ≥ 5000	34.7	54.4	63.7	58.7 70.9	72.5	73.6 76.5	76.1 79.1	76.2 79.2	76.2 79.2	76.9 79.9	77.3 80.3	77.3 80.3	77.8 83.8	77.8 60.8	80.8	78.2
≥ 4500 ≥ 4000	37.1	57.9 60.3	65.5	72.6 75.2	76.9	73.2 81.0	91.0 83.9	81.1 84.0	81 • 1 84 • G	81.8	82.2 85.1	82.2	82.8 85.6	82.6	82.8	86.7
≥ 3500 ≥ 3000 ≥ 2500	39.3	62.1	77.6	77.2 78.0	81.7 82.5	83.2 84.5	86.0 87.3	86.2 87.6	86.2	86.9	97.3 88.8	87.3	87.8	87.8 89.3	87.8 89.3	89.7
≥ 2000	39.4	63.1 63.2	71.7 71.8 72.1	79.2 79.5 79.8	83.9 84.1 84.4	85.4 85.6 85.9	88.6 89.1	88.9 89.3	88.9 89.3	89.9 96.3 90.6	90.3 90.7 91.0	90.3 93.7 91.0	90.8 91.2 91.5	90.8 91.2 91.5	97.8 91.2 91.5	91.7
≥ 1500	39.4	63.6	72.5	80.3		86.5	89.9	90.2		91.1	91.5	91.5	92.1 92.5	92.1	92.1	92.5
≥ 1000	39.4	63.6		80.7 81.4		87.7	_	91.0 91.8	91.1	92.1	92.6	92.6	93.2	93.2	93.2	93.6
≥ 800	39.4	63.6	73.1	82.5	86.3	87.8		91.9	92.1	93.0			94.1	94.1	94.1	94.5
≥ 600	39.4 39.4	64.2	74.0	83.2		89.5		93.8	94.0	94.9	95.5		96.0	96.0	96.0	96.4
≥ 400 ≥ 300	39 • 4	64.2	74.0 74.0	83.2 93.3	88.1	89.6	94.8	75.5 95.8	_	96.6	97.1	97.1	97.7	97.7	98.4	98.8
≥ 200	39.4	64.2	74.0	83.3	88.2	89.7	95.1 95.1	95.8 95.8			98.5	98.5		99.0	99.3	99.5
≥ 0	39.4	64.2	74.0	93.3		89.7	95.1	95.8		97.9	98.5	98.5	99.3		99.3	

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC FORM 0-14-5 (OL A) MEVIOUS EDITIONS OF

ALTER SERVICE/MAC

ATTEMPT SERVICE/MAC

#### CEILING VERSUS VISIBILITY

HC PAP MECTEDAUCY

73-81

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	IBILITY - ST.	ATUTE MIL	ES						
PEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 2	≥ 2	درا≤	≥1.4	ا≤	≥ ¼	≥ '•	≥ :	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	27.1		40.5 47.9	46.9 49.2	50 • 5 52 • 9	52.0 55.4			55.5 60.3	57.4 62.3	1	58.0 62.9		58.9 63.8	59.2 64.1	59.8 64.7
≥ 18000 ≥ 16000	23.3 23.3		42.	49.4	53.1 53.1	55.5 55.5			60.4 60.4		63.0 63.0			64.0 64.0	64.3 64.3	64.8 64.3
≥ 14000 ≥ 12000	23.5		42.6 43.7	49.9 51.4	53.6 55.4	56.2 58.1	59.1 61.0	-1.0 63.0	61.1 63.2	63.2 65.2	63.7 65.8	63.7 65.8	64.7	64.7 66.7	64.9 67.0	
≥ 10000 ≥ 9000	24.4	39.7 39.8		54.3		60.8 61.0	63.8 64.0	66.2		68.2 68.3	68.8 68.9	68.8	69.7	69.7 69.8	70.0 70.1	70.5 70.7
≥ 8000 ≥ 7000	24.8 24.9	_	47.6 48.2	56.5	60.2 60.8	63.7	67.1	68.6 69.3		70.9 71.6	71.5 72.2	71.5 72.2	73.1	72.4 73.1	72.7 73.4	73.3 73.9
≥ 6000 ≥ 5000	25.7 25.7	41.3 42.8	48.4 5.5	1	63.7	64.1	67.5 70.1	69.7 72.3	69.8 72.4	72.0 74.6	72.6 75.2	75.2	73.5 76.1	73.5 76.1	73.8 76.4	74.4 76.9
≥ 4500 ≥ 4000	26.7 27.7	43.8	51.6 52.1	61.0	65.1 65.6		73.5	75.9		78.2	77.1 78.7	78.7	79.7	78.0 79.7		80.5
≥ 3500 ≥ 3000	27.5 28.5		55.4		66.8		79.2	80.5		83.1	80.2 83.6	80.2 83.6	81.2 84.5	84.6	84.9	85.4
≥ 2500 ≥ 2000	28.5 28.9		56.3		70.3 70.9	74.8	79.5	81.0 81.9	82.0		84.2 85.3	84.2 85.0	85.1 85.9	85.1 85.9		85.9 86.8
≥ 1800 ≥ 1500	28.9 28.9		56.5		71.1	75.3	80.1		82.5	84.6	85.1 85.5		86.1	86.1 86.5	86.4	
≥ 1200 ≥ 1000	28.9		56.9 57.7	67.4	72.2 72.4	76.4	81.6		83.5 84.0		86.6		87.6	87.6	88.4	88.9
≥ 900 ≥ 800	29.1		58.1	69.3	73.5	77.5 78.7	84.0	85.1				88.4	90.4	90.6		
≥ 700 ≥ 600	29.3		58.7 58.9	70.5	75.0 75.6	79.7 83.2	85.9		87.7 88.5	91.0	91.8	91.8	92.8		93.0	93.6
≥ 500 ≥ 400	29.3		59.9 58.9	70.9	75.6 76.3	83.4 81.0		58.8 90.0 90.7	90.2		92.5 93.9 95.6	93.9	94.8		95.1	95.6
≥ 300 ≥ 200	29.3 29.3	49.2	58.9 58.9	71.1	76.4	81.2	87.9	90.9	91.4	95.2	96.0				96.9 97.3 97.8	97.8
≥ 100 ≥ 0	29.3		58.9	71.1	76.4	81.2		91.0			96.2	96.2			97.8	

TOTAL NUMBER OF OBSERVATIONS\_\_\_

733

USAF ETAC TOTAL 0-14-5 (OL A) MENIOUS EDITIONS OF THIS FORM ARE DESCRIP

SECRAL CLIMATOLOGY BRANCH STRETAC AT WEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

7 : 25 :

HO PAH MACTEDANOY

73-81

- 444

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	IBILITY ST	ATUTE MIL	ES				-		
rFEET-	≥10	≥6	≥ 5	≥4	≥3	≥2′2	≥ ?	د'ا≤	21%	≥1	≥ ¼	≥ >4	≥ '9	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	20.9	29.8 32.0	32.3 35.0	36.0 39.3		42.3	47.1 52.1	49.5 5 <b>5.5</b>	49.5 55.5	51.3 57.6	51.7 57.9		51.8 58.2	51.8 58.2	52.1 58.4	52.8 59.4
≥ 18000 ≥ 16000	22.3 22.3	32.0 32.0		39.3 39.3	42.7 42.7	46.7	52.2 52.2	55.6 55.6		57.7 57.7	58.0 58.0	58.0 58.0	58.3 58.3	58.3 58.3	1	59.5 59.5
≥ 14000 ≥ 12000	22.7 24.3	32.4 34.1		39.8 41.8	43.3			56.2 58.8	56.2 58.8	58.3 61.0	58.7 61.5	58.7 61.5	58.9 61.8	58.9 61.8	59.1 62.1	60.1 63.0
≥ 10000	24.9	35.6 35.6	39.5	44.1	47.9 47.9		58.7	62.3 62.4	62.3 62.4	64.5 64.6	65.€ 65.1	65.0 65.1	65.4 65.5	65.4 65.5	65.6 65.7	66.6 66.7
≥ 8000 ≥ 7000	25.2 25.4	37.1 37.3	41.7	45.7	47.6 50.4	55.2	62.2	65.0 66.3	65.0 66.3	67.3 68.7	67.8	67.8	68.2 69.5	68.2 69.5	68.4	69.4 75.7
≥ 6000 ≥ 5000	25.4 26.1	37.4	42.0 43.0	47.8	50.7 52.0	57.3	62.6 64.6	66.8 69.0	66.8	71.5	72.0	69.6 72.0	70.0 72.3	70.0 72.3		71.2 73.5
≥ 4500 ≥ 4000	25.7	39.0 39.8	44.3	49.3 50.4	53.4	58.9 60.2	66.2 67.8	70.7	70.7 72.8	73.2 75.2	73.7 75.9	73.7 75.9	74 • 0 76 • 2	74.0 76.2		
≥ 3500 ≥ 3000	27.3	40.1	45.7	51 • 1 52 • 1	55.4 56.6	62.7		73.9	73.9 75.6	76.3 78.0	77.0 78.7	77.3	77.3 79.0			
≥ 2500 ≥ 2000 ≥ 1800	28.2	41.0	46.8	52.6 53.0	57.1 57.7			76.5	76.5 77.7	78.9 80.2	79.5 80.9	79.5 80.9	79.9 81.2	79.9 81.2	80.1 81.5	81.1
≥ 1800 ≥ 1500 ≥ 1200	28.4 28.5 28.9	41.7 41.7	47.6 47.8	53.3 53.5	57.9 58.2 59.1				77.9 78.3	80.5 80.9	81.5	81.1 81.5	81.6 82.0	81.6	82.2	82.8 83.2
≥ 1000	29.1	42.7 42.9	49.5	55.4	60.2			79.9 81.6 82.7	79.9 81.6 82.7	84.5	83.C 85.1	83.0 85.1	83.5 85.6	83.5	83.8 85.9	84.8
≥ 800	29.4	43.2	50.0	56.1	61.3	69.D	78.4	83.9		85.6 87.0	86.3 87.7 88.4	86.3 87.7 88.4	86.8 88.2 88.9	86.8 88.2 88.9	87.1 88.4 89.1	88.0 89.4 90.1
≥ 600	29.4	43.9		56.8	62.7	73.1	79.6	85.7		89.5	90.4	90.4	90.9 93.4	90.9	91.1	92.1
≥ 400	29.4	44.1	51.	57.3	62.7	71.3	81.8	88.3		93.2	94.6	94.6	95.1 96.1	95.1	95.4	96.5
≥ 200	29.4	44.1	51.0			71.3	82.0	88.7		94.3		96.1	97.1	97.1 97.2	97.7	98.5
≥ 0	29.4	44.1	2 7 7 71				82.0	88.7			96.2			97.2	1	

TOTAL NUMBER OF OBSERVATIONS.....

825

USAF ETAC 108M 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OSSOLE

CL 3AL CLIMATOLOGY BRANCH USAFETAC Ala WEATHER SERVICE/MAC

#### CEILING VERSUS VISIBILITY

25 YOUNGSTOWN MAP OH

73-81

5900-1103

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

																,
CEILING							VIS	BILITY :ST	ATUTE MIL	ES-			<b>,</b>		···	
FEET	≥10	≥6	≥ 5	≥ 4	≥3	≥2 ?	≥?	≥1'5	≥1%	≥1	≥ ¼	ور ≤	≥ ;	≥ 5 16	2.	≥0
NO CEILING ≥ 20000	23.3	35.4 40.3	33.8	41.8 47.5	44.0 50.8		48.4 55.6	49.2 56.4	49.2	49.3 56.5	49.3 56.5			47.3 56.5		1
≥ 18000 ≥ 16000	27.1 27.1	43.4		47.6 47.6	51).9 51.9			56.5 56.7	56.5 56.7	56.7 56.8	56.7 56.8	56.7 56.8	•	1	1	56.8 56.9
≥ 14000 ≥ 12000	27.7	41.3		49.7 49.7	52.1 53.4		57.1	58.3 59.5	\$8.0 59.5	58.1 59.6		59.1 59.6	59.1	58.1	58.1	58.2
≥ 10000 ≥ 9000	29.4	43.7		51.8 52.4	55.7 56.4	59.5	62.1	63.1	63.1	63.2	63.2			63.2 64.0	64.0	1
≥ 8000 ≥ 7000	30.2 20.4	45.4	49.7	53.6	57.8	61.9	64.7 65.4	65.7		65.8	65.8 66.5	65.8	65.8	65.8		65.9
≥ 6000 ≥ 5000	30.4 30.6	45.4	50.2	54.1	53.2 59.0	62.5	65.4		66.4	66.5	66.5		66.5	66.5 68.3	66.5	66.7
≥ 4500 ≥ 4000	31.0 31.6	45.6	51.4	55.4	59.6	64.1	67.8 69.5	68.7		68.9	68.9 70.7	68.9	68.9	1	68.9 70.8	69.C
≥ 3500 ≥ 3000	33.0		55.3	59.3	63.9	68.6		73.3	73.3			73.5	73.6	73.6	73.6	
≥ 2500 ≥ 2000	35.4 26.3	54.2	59.7	54.5		74.6 76.6	78.8		79.9	80.1	_				80.2	80.3
≥ 1800 ≥ 1500	36.9	55.9	62.5	67.5		78.0		83.4	83.4		83.8	-	83.9	83.9	83.9	84.7
≥ 1200 ≥ 1000	38.5		66.1	72.2	78.3	84.6	89.4	90.5	90.5		91.0	91.0	91.1	91.1	91.1	91.2 93.2
≥ 900 ≥ 800	38.7	63.6	67.0		87.0	87.5	92.8	94.0	94.0		94.5	94.5		94.6	94.6	94.7
≥ 700 ≥ 600	38.8 38.3	61.1	67.6	74.4	8.03	89.1	94.6	96.5		96.9	96.9	96.9		97.1	97.1	97.2
≥ 500 ≥ 400	38 • 8 38 • 8	61.1	67.6	74.7	81.2	89.9	95.7 95.7	97.8	97.8	98.7		98.7	98.8		98.8	98.9
≥ 300 ≥ 200	38 • 9 38 • 8	61.1	67.6	74.7		89.9	95.7	97.9	97.9	99.3	99.6	99.6		99.8	99.8	99.9
≥ 100 ≥ 0	38.8		67.6		81.2	89.9	95.7	97.9	97.9	99.3	99.8	99.8	99.9	99.9	99.9	00.0

TAL NUMBER OF OBSERVATIONS.....

USAF ETAC HULGE 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OSSOLE

819

SELAAL CLIMATOLOGY BRANCH A - FEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

TOUNGSTOWN MAP OH

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1200-1400

CEILING							VIS	BILITY IST.	ATUTE MIL	E5						
FEET	≥10	≥6	≥5	≥4	≥3	≥2?	≥ 2	≥1'7	≥1%	≥1	≥ 1 <sub>0</sub>	≥ '⁄a	≥ 7	≥5 16	≥ •	≥0
NO CEILING ≥ 20000	22.9 28.6	3 1 • 2 3 9 • 1	33.9 43.2	35.9 45.6	- :1	39.1 48.4	38.2 48.5	38.2 48.5	38.2	38.2 48.5	38.4 48.6	38.5 48.7	38.5 48.7	36.5	38.5 48.7	38 • 5 48 • 7
≥ 18000 ≥ 16000	28.6 28.6	39.1 39.1	43.4 43.4	45.7 45.7	47.4	48.5 48.5	48.6	48.6 48.6	48.6	48.6 48.6	48 • 7 48 • 7	48.8	48.8 48.8	48.8	48.8 48.8	48.8
≥ 14000 ≥ 12000	28.9	39.6 40.3	44.7	46.4	48.1	49.2 5J.4	49.3 50.5	49.3 50.9	49.3 50.9	49.3 50.9	49.5 51.€	49.6 51.2	49.6 51.2	49.6. 51.2	49.6 51.2	49.6 51.2
≥ 10000 ≥ 9000	30.1 20.3	41.0	46.7	48.6	50.8 51.9	52.6 53.7	52.7 53.8	53.2 54.3	53.2 54.3	53.2 54.3	53.3 54.4	53.5 54.6	53.5 54.6	53.5 54.6	53.5 54.6	53.5 54.6
≥ 8000 ≥ 7000	31.5 51.9	44.3	49.7	51.3 52.5	53.6 54.9	55.5 56.9	55.7 57.0	56.2 57.5	56.2 57.5	56.2 57.5	56.3 57.6	56.4 57.7	56.4 57.7	56.4 57.7	56.4 57.7	56.4 57.7
≥ 6000 ≥ 5000	31.0	44.3	49.8 52.6	52.6 55.4	57.9	57.0 59.9	57.1 60.0	57.6 60.5	57.6 60.5	57.6 60.5	57.7 60.7	57.9 60.8	57.9 60.8	57.9 60.8	57.9 60.8	57.9 6C.8
≥ 4500 ≥ 4000	33.6 38.5	48.2 54.7	54.1 61.1	\$6.9 64.2	66.9	61.5 73.0	61.6 70.9	62.1 70.9	62 • 1 70 • 9	62.1 70.9	62.2 71.0	62.4 71.1	62.4	62.4 71.1	71.1	62.4 71.1
≥ 3500 ≥ 3000	41.5	63.5 63.1	77.5	79.9 74.5	74.3 78.2	77.7 81.7	78.1 82.1	78.6 82.8	78.6 82.8	78.6 82.8	78•7 82•9	78 • 8 83 • 1	78 • 8 83 • 1	78.8	78.8 83.1	78.8 83.1
≥ 2500 ≥ 2000	43.8 44.8	64.8	72.4	77.1 80.4	81.5 85.3	85.1 89.5	85.5 97.0	90.9	86.2 90.9	90.9	91.0	86.5 91.1	86.5 91.1	86.5 91.1	86.5 91.1	91.1
≥ 1900 ≥ 1500	45.2 45.6	68.9		81.2 83.2	88.7	90.6	91.1	92.3	92.0 95.1	92.0 95.1	92.1 95.2	92.2	92.2 95.4	92.2	92.2 95.4	92.2
≥ 1200	45.8	69.5	78.4	84.4	90.1	94.9	95.4 95.6	96.6	96.6	96.6	96.7 97.3	96.8	96.8	96.8	96.8	96.8
≥ 900	45.8	70.2 70.3	78.8	85.4 85.5		95.9	96.5	98.4	98.2	98.2	98.4 98.7	98.5 98.8	98.5	98.5	98.5 98.8	98.5 98.8
≥ 700 ≥ 600	45.8 45.8	71.3	78.9	85.5	91.2	96.2 96.6	96.8	98.5 98.9	98.5	98.5	98.8	98.9	98.9	98.9	98.9	98.9
≥ 500 ≥ 400	45.8 45.8	70.3	78.9 78.9	85.7	91.4	96.7	97.3	99.4	99.4	99.4		99.8	99.8 150.0	99.8 30.0	99.8	
≥ 300	45.3	70.3 70.3 70.3	78.9		91.4 91.4	96.7	97.3 97.3	99.5 99.5	99.5	99.6	99,9	100.0	100.0	CO.0		00.0
≥ 100 ≥ 0	45.3		1		91.4	96.7	97.3	99.5	99.5	99.6		100.0				00.0

USAF ETAC JULIA 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS PL

LINFETAC 27 - FATHER SERVICE/MAC

n

n

0

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1500-1700

CEILING							VIS	IBILITY ST	ATUTE MIL	£5.						
FEET	≥10	≥6	≥ 5	≥4	≥3	≥2 7	≥2	≥17	21%	≥1	≥ 1.	5 ,4	≥ ;	≥5 16	2.	≥0
NO CEILING ≥ 20000	25.9	33.4	37.4 48.3	40.1 51.0	42.3 53.4	43.6	43.7	43.7 54.7	43.7	43.7	43.7 54.7	43.7	43.7 54.7	43.7	43.7	43.7 54.7
≥ 18000 ≥ 16000	33.4	43.1	48.5 49.6	51.3 51.4	53.6 53.7	54.8 55.3	55.0 55.1	55.0 55.1	55.0 55.1	55.0 55.1	55.0 55.1	55.0 55.1	55.0 55.1	55.0 55.1	55.0 55.1	55.2 55.1
≥ 14000 ≥ 12000	33.9	43.9	49.3 51.7	52.1 54.5	54.5	56.0 58.7	56.1 58.8	56.1 58.9	56.1 58.9	56.1 58.9	56.1 58.9	56.1 58.9	56.1 58.9	56.1 58.9	56.1 58.9	56.1 58.9
≥ 10000 ≥ 9000	36.9 37.2	48.3	54.2 54.6	57.3 57.7	60.5 61.0	62.2 62.7	62.7 63.3	62.E	62.8	62.8	62.8 63.4	62.8 63.9	62.8	62.8 63.4	62.8	62.8
≥ 8000 ≥ 7000	38.4 38.5	50.3 50.9	56.3 56.9	59.5 57.2	62.9	64.8	65.4	65.5 66.3	65.5 66.3	65.5	65.5 66.3	65.5 66.3	65.5 66.3	65.5 66.3	65.5	65.5
≥ 6000 ≥ 5000	38 · 8 39 · 9	51.4 52.9	57.4 59.	60.7 62.6	64.2 66.0	66.D	66.6	66.7 69.0	66.7	66.7 69.0	66.7 69.0	66.7 69.0	66.7 69.0	66.7	66.7 69.0	66.7
≥ 4500 ≥ 4000	41.2	55.2 60.7	61.3	64.9 71.9	68.3 76.0	79.3	71.5 87.1	71.7 80.4	71.7	71.7	71.7	71.7 80.4	71.7 80.4	71.7 80.4	71.7 80.4	71.7 80.4
≥ 3500 ≥ 3000	45.5 46.3	63.1 64.9	71.2 73.4	75.3 77.9	79.9 82.8	83.7 86.6	84.7 87.6	85.3 88.6	85.3 88.6	85.3 88.6	85.3 88.6	85.3 88.6	85.3 88.6	85.3	85.3 88.6	85.3 88.6
≥ 2500 ≥ 2000	47.2 48.0	56.3 67.4	75.2 76.9	80.2 82.3	85.6 88.2	89.9 93.1	9n.9 94.1	92.0 95.2	92.0 95.2	92.1 95.3	92.1 95.3	92.1 95.3	92.1 95.3	92.1 95.3	92.1 95.3	92.1
≥ 1800 ≥ 1500	48.0 48.0	67.4	76.9 77.4	82.6 83.2	88.5 89.2	93.5	94.5 95.2	95.7 96.6	95.7 96.6	95.8	95.8 96.7	95.8 96.7	95.8 96.7	95.8 96.7	95.8	95.8
≥ 1200 ≥ 1000	48.2 48.2	68.6 68.7	78.2 78.3	84.3 84.4	90.4 90.6	95.5 95.6	96.4 96.6	97.9 98.0	97.9 98.0	98.2 98.3	98.2 98.3	98.2 98.3	98.2 98.3	98.2 98.3	98.2 98.3	98.2 98.3
≥ 900 ≥ 800	49.2 48.2	63.7 69.0	78.3 78.5	84 • 4 84 • 8	93.6	95.6 96.0	96.6 97.1	98.0 98.5	98.0 98.5	98.3	98.3 98.8	98.3 98.8	98.3 98.8	98.3 98.8	98.3 98.8	98.3 98.8
≥ 700 ≥ 600	48.2	59.∂ 69.D	79.5 78.5	84.9	91.0 91.0	96.2	97.3 97.4	98.8	98.8 99.1	99.0	99.0	99.0	99.4	99.0	99.0	99.0
≥ 500 ≥ 400	49.2	69.0	73.5 78.7	84.9 85.2	91.0	96.2 96.4	97.4	99.4	99.4	99.4	99.4	99.4	99.4	99.4	99.4	99.4
≥ 300 ≥ 200	48.2	69.0		85.2	91.3	96.4	97.7	99.5	99.5	99.9	100.0	100.0	0.00	00.0	00.0	00.0
≥ 100 ≥ 0	48.2	69.0 69.0	78.7 78.7	85.2 85.2	91.3	96.4	97.7	99.5	99.5	99.9		100.0			100.0	

GLICAL CLIMATOLOGY BRANCH SAFETAC ATT MEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

1800-2000

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	BILITY (ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥4	≥ 3	≥27	≥ 2	≥1 7	≥1.4	≥1	≥ %	≥ 2.0	≥ 7	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	31.7	45.6 53.6	45.7 55.4	47.9 60.0	50.6 63.4	52.3	53.4	53.6 67.1	53.€ 67.1	53.6 67.1	53.6 67.1	53.6 67.1	53.6 67.1	53.5	53.6	53.6 67.1
≥ 18000 ≥ 16000	39.4	5 7 . 7	56.5	60.1	63.6	65.8	67.0	67.4 67.4	67.4	67.4	67.4	67.4	67.4	67.4	67.4	67.4
≥ 14000 ≥ 12000	37.9	51.4	55.5 57.2	50.1 50.9	64.4	66.5	67.8	68.1	68.1	67.4	68.1	68.1	68.1	68.1	68-1	67.4
≥ 10000 ≥ 9000	41.5	53.4 56.3	59.2 62.7	62.9 66.7	66.5 7∂.5	73.4	71.2	70.5 75.0	75.0	70.5 75.0	70.5	75.3	75.0	70.5 75.0	70.5 75.0	70.5
≥ 8000	45.4	56.4 58.2	63.0 65.⊓	67.G	71-1	76.6	75.5 77.8	75.8 78.3	75.8 78.3	75.8	75.8 78.3	75.8 78.3	75.8 79.3	75.8 78.3	75.8 78.3	75.8 78.3
≥ 7000 ≥ 6000	46.0	58.9 59.4	65 • 8 66 • 3	70.2	74.3	77.4	78.6 79.1	79.1 79.6	79.6	79.1 79.6	79.1	79.1 79.6	79.1	79.1 79.6	79.1 79.6	79.1 79.6
≥ 5000 ≥ 4500	47.6	62.7	68.5	73.2	77.3	82.1	61.8 83.5	83.9	82.2	82.2	82.2	82.2	82.2	82.2	83.9	83.9
≥ 4000 ≥ 3500	49.3	65.2	72.9	77.8	82.5 83.7	86.5	93.0	88.6 90.5	88.6	88.6 90.5	88.6 90.6	88.6 90.6	88.6	88.6 90.6	88.6 90.6	88.5 90.5
≥ 3000 ≥ 2500	49.5	66.4	74.6	79.6	84.8	89.5 91.3	91.3	92.1	92.1	92.3	92.3	92.3	92.3	92.3	92.3	92.3
≥ 2000	50.4 50.5	68.0	76.7	82.2	87.7	92.6 93.0	94.7	95.7 96.1	95.7 96.1	95.8 96.4	95.8	95.8	95.8	95.8 96.5	95.8	95.a
≥ 1500	50.6	68.4	77.9	82.9	88.3	93.4	95.7	96.7	96.7	97.C	97.7	97.1 97.8	97.1 97.8	97.1 97.6	97.1 97.8	97.1 97.8
≥ 1000	50.9	69.7	77.9	83.5	89.0	94.1	96.4	97.5	97.5	97.7	97.7	97.8	97.8	97.8	97.8	97.8
≥ 900 ≥ 800	50.9 50.3	69.2	78.3 78.3	83.8		94.6	96.9 97.0	97.9 98.2	97.9 98.2	98.2	98.2	98.3 98.6	98.3	98.3	98.3 98.6	98.3 98.6
≥ 700 ≥ 600	50.3 50.5	69.3	78.4 78.4	84.1	89.6	94.9	97.1 97.3		98.3 98.7	98.6	98.6 99.0	98.7 99.2	98.7	98.7 99.2	98.7 99.2	98.7
≥ 500 ≥ 400	50.3	69.3	78.4 78.4	84.2	89.7	94.9	97.3 97.7	98.7 99.3	98.7 99.0	99.2	99.2	99.3 100.0	99.3	99.3 100.0	99.3	99.3
≥ 300 ≥ 200	50 • 8 50 • 8	69.3 59.3	78.4 79.4	84.3 84.3	89.9 89.9	95.0 95.0	97.7 97.7	99.0 99.0	99.0 99.0	99.6	1 :	100.0	100.0	100.0	10 <b>0.</b> 0	T
≥ 100 ≥ 0	50.3 50.8	69.3	73.4 79.4	84.3 84.3	89.9	95.0 95.0	97.7 97.7	99.D 99.D	99.0 99.0	99.6	,	100.0	100.0: 100.0:	100.0	150.0 130.0	T

USAF ETAC NI M 0-14-5 (OL A) MENOUS BOITO

" " FETAC A: FEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

HO PAR MUCTEDAUGY

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING			<del></del>		_		VIS	IBILITY ST	ATUTE MIL	ES						
fEE1	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	217	∡ا≲	≥1	≥ ĭ.	4ر ≷	≥ :	≥ 5 16	≥ •	≥0
NO CEILING ≥ 20000	35 • 1 37 • 3	49.1 52.2	53.d	56.9 61.5	58.7	60.9 66.5	62.0 67.8	62.1	62.1	62.3 68.3	62.3 68.5	62.3 68.5	62.3 68.5	62.3 68.5	62.3 68.5	62•3 68•5
≥ 18000 ≥ 16000	27.3 37.3	52.2 52.2	57 · `	61.5	64.0	66.6	67.9	68.2 68.2	68.2	68.5	68.6	68.6	69.6	68.5	68.6 68.6	68.6 65.6
≥ 14000 ≥ 12000	37.5 38.1	52.4 53.8	57.1 58.7	63.6	64.1 66.1	56.8 68.7	68.1 70.3	68.3 70.6	68.3 70.6	68.6	68.7 71.	68.7 71.0	68.7 71.7	68.7	68.7 71.0	68.7 71.3
≥ 10000	39.2	55.5 56.3	60.9 62.7	66.1 67.2	68.6 69.7	71.6	73.2 74.3	73.5 74.5	73.5 74.5	73.7 74.8	73.9 74.9	73.9	73.9 74.9	73.9	73.9 74.9	73.9 74.9
≥ 8000 ≥ 7000	40.3	57.3 53.7	63.2 64.8	68.3 69.9	71.0 72.6	74.3 76.1	75.9 77.8	76.1 78.1	76.1 78.1	76.4 78.4	76.5 78.5	76.5 78.5	76.5 78.5		76.5 78.5	76.5 78.5
≥ 6000 ≥ 5000	42.2	57.5 62.0	65.6 68.9	70 • 7 74 • 3	73.4 77.2	76.9 80.9	78.6 82.6	78.9 83.0	78.9 83.D	79.2 83.2	79.3 83.4	79.3 83.4	79.3 83.4	79.3	79.3	79.3 83.4
≥ 4500 ≥ 4000	43.7	62.9	7"•4 72•2	75.9 78.1	78.8 81.0	82.5 85.0	84.3	84.7	84.7 87.3	85.0 87.6	85.1 87.7	85.1 87.7	85.1 87.7	85.1 87.7	85.1 87.7	85.1 87.7
≥ 3500 ≥ 3000	45.7 45.1	65.3 66.7	73.2 74.3	79.4 81.5	82.3	86.5 88.3	38.8 90.5	89.4 91.7	89.4	89.7 92.0	89.8 92.1	89.8	89.8 92.1	89.8	89.8 92.1	89.8
≥ 2500 ≥ 2000	45.1 45.4	66.2 66.5	74.9 75.3	81.3 82.1	84.6 85.4	89.1	91.3 92.5	92.5 93.8	92.5 93.8	92.7 94.1	92.9	92.9	92.9	92.9	92.9	92.9
≥ 1800 ≥ 1500	45.4	66.5 67.0	75.3 75.9	82.1 82.6	85.4	89.8	92.6 93.4	93.9 94.7	93.9 94.7	94.2	94.3 95.1	94.3 95.1	94.3 95.1	94.3 95.1	94.3 95.1	94.3
≥ 1200 ≥ 1000	46.0	67.5 67.5	76.5 76.6	83.4 83.6	86.8	91.3 91.6	94.3 94.6	95.6 95.9	95.6 95.9	96.6	96.7 96.7	96.2 96.7	96.2 96.7	96.2 96.7	96.2 96.7	96.2
≥ 900 ≥ 800	46.	67.7 67.9	77.2 77.6	84.2 84.6	87.6	92 <b>.1</b> 92 <b>.</b> 5	95.1 95.6	96.4 97.0	96.4 97.0	97.1 97.6	97.2 97.8	97.2 97.8	97.2 97.8	97.2	97.2	97.2 97.8
≥ 700 ≥ 600	46.	67.9	77.8	84.8 85.J	86.3	92.7 92.9	95.9 96.0	97.2 97.5	97.2 97.5	97.9 98.2	98.0 98.3	98.3 98.3	98.0 98.3	98.0 98.3	98.3 98.3	98.5 98.3
≥ 500 ≥ 400	46.0 45.0	67.9	78.0	85.1 85.1	88.5 88.5	93.0 93.0	96.4 97.3	97.9	97.9 98.4	98.5	98.7 99.5	98.7 99.5	98.7		98.7 99.5	98.7
≥ 300 ≥ 200	46.0	67.9	79.0	85.1 85.1	88.5	93.0	97.0 97.1	98.4	98.4	99.6		99.7	99.7		_	
≥ 100	46.3	67.9	78.C	85.1 25.1	28.5 38.5	93.1	97.1 97.1	98.5 98.5	98.5 98.5	99.9		100.0	10.0		30.0	

USAF ETAC PULSA 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE GOD

TAL CLIMATOLOGY BRANCH TAC FATHER SERVICE/MAC

#### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-61

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

VISIBILITY STATUTE MILES CEILING FEET ≥17 NO CEILING 26-1 37-4 41-3 45-3 47-5 49-2 50-8 51-4 51-4 51-9 52-1 52-1 52-3 52-3 52-4 52-6 42-8 47-5 51-6 54-6 56-7 58-6 59-5 59-5 60-1 60-3 60-3 60-5 60-5 60-5 60-3 42.8 47.5 51.7 54.7 56.9 58.8 59.6 59.6 60.3 60.5 62.5 60.7 60.7 60.7 61.2 42.9 47.6 51.8 54.7 56.9 58.8 59.7 59.7 60.3 60.5 60.5 60.7 60.7 60.8 61.5 ≥ 18000 ≥ 16000 43.4 49.1 52.3 55.3 57.6 59.5 60.3 60.4 61.7 61.2 61.2 61.4 61.4 61.5 61.7 44.6 47.5 53.9 57.1 59.5 61.5 62.4 62.4 63.1 63.3 63.3 63.5 63.5 63.6 63.8 46.5 51.8 56.5 62.0 62.7 64.9 65.9 65.9 66.6 66.8 67.0 67.0 67.1 67.3 > 14000 ≥ 10000 ≥ 9000 33. 46.3 52.3 57.3 69.5 63.3 65.5 66.5 66.5 67.2 67.4 67.4 67.6 67.6 67.7 67.7 23.3 45.2 53.5 58.8 62.4 65.3 67.6 68.7 68.7 69.4 69.6 69.6 69.8 69.8 69.9 76.1 34.2 45.8 54.9 59.6 63.2 66.2 63.6 69.7 69.7 70.4 70.6 70.6 70.9 70.9 70.9 70.9 71.2 ≥ 8000 ≥ 7000 ≥ 4500 ≥ 4000 ≥ 3500 ≥ 3000 ≥ 2500 ≥ 2000 ≥ 1800 ≥ 1500 ≥ 1200 ≥ 1000 900 800 700 600 500 ≥ ≥ 11.1 52.0 73.7 78.3 83.7 89.2 93.8 96.3 96.4 98.3 98.8 98.9 99.2 99.2 99.4 99.7 52.0 70.7 78.3 83.7 89.2 93.8 96.3 96.4 98.3 98.8 98.9 99.2 99.2 99.4 20.0

TOTAL NUMBER OF OBSERVATIONS\_

USAF ETAC JULIA 0-14-5 (OL A) MENOUS EDITIONS OF THIS FORM ARE ORBOLETE

1 - AL CLIMATOLOGY GRANCH LEASTAC SATHER SERVICEZMAC

 $\Box$ 

### CEILING VERSUS VISIBILITY

TO YOUNGSTON WAP OH

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEIUNG							VIS	BILITY ST	ATUTE MIL	£S						
FEET	≥10	≳ه	≥ 5	≥ 4	≥ 3	≥2:	≥2	≥1.2	21.	≥1	≥ .4	≥ `•	. ≥	≥5 16	2.	20
NO CEILING ≥ 20000	21.7	34.3 37.5	39.4	44.3	47.8 52.3	49.9 53.8	51.9 57.2	52.9 58.9	52.9	53.5 59.7	53.8 59.7	53.3 59.9	54.4	54.5	54.5	54.5
≥ 18000 ≥ 16000	22.5	37.6 37.6	43.2	48.6	52.5 52.5	54.0	57.4 57.4	59.0 59.0	59.0 59.0	59.9 59.8	50.1 50.1	60.1	67.6	60.6	60.8	60.8 60.8
≥ 14000 ≥ 12000	ر 2 م 2 م م ک	38.1 39.6	43.7 45.5	40.2 51.3	53.0 54.8	54.5 56.3	57.9 59.7	59.5 61.3	59.5 61.3	67.04 62.1	62.4	67.6	£1.2	61.3 63.1	61.3	61.3
≥ 10000 ≥ 9000	25.6	42.5	48.5	54.4 54.9	53.4	59.9 60.5	64.3	65.4	65.4 65.9	66.2 66.8	56.5 67.0	66.5	67.3	67.2	67.7	67.2 67.7
≥ 8000 ≥ 7000	25.5	44.4	52.5 51.9	56.9 59.1	61.2 63.5	63.1	67.4 59.9	69.1 71.5	69.1 71.5	69.9 72.3	70.2 72.6	70.2	70.7 73.2	79.6	70.8 73.3	70.8 73.3
≥ 6000 ≥ 5000	27.5 29.2	46.3	52.5	59.9 62.4	67.0	60.6	71.3	72.9 75.9	72.9	73.7	74.0	74.0	74.5	74.7	74.7	74.7
≥ 4500 ≥ 4000	24.6	48.5 50.3	55.9 57.8	63.8 66.1	68.5 71.3	71.4 74.1	76.3 78.7	77.7	77.7	78.5 81.2	78.7	78.7	79.3	79.4	79.4 32.2	79.4 82.2
≥ 3500 ≥ 3000	29.Z	51.5 51.2	59.3	65.3	71.5	74.4	79.2	80.9 82.8	80.9 82.6	81.7	82.7	82.0 83.9	84.5	82.7	82.7	92.7
≥ 2500 ≥ 2000	37.1 30.4		60.9	64.5	74.8	78.1 78.7	83.1	85.1 85.8	85.1 85.6	86.6	86.2	86.2	36.8	86.9	86.9	86.9
≥ 1800 ≥ 1500	30.4	52.9 53.0	61.3	70.4		79.2 79.6	34.2 84.6	96.2 86.6	86.6	87.1 87.5	87.7	87.3	37.9	88.7 88.4	68.7 83.4	
≥ 1200 ≥ 1000	20.7	53.5	62.3	71.5	77.2 73.3	83.8 82.0	85.8	88.0 89.2	88.5 89.2	89.3 98.2	89.4 97.6	89.4	69.9 91.1	93.1	97.1 91.3	90.1 91.3
≥ 900 ≥ 800	31.3 31.3	54.5 54.6	63.4 63.5	73.0 73.3	73.7	82.4 82.8	87.5 87.9	89.6 90.1	89.6 97.1	90.6 91.0	91.0 91.4	91.0	91.6	92.1	91.7	91.7 92.1
≥ 700 ≥ 600	21.3	55.0 55.6	63.9	73.7	8 • n 8 • 8	53.3 84.6	88.8 90.1	91.0 92.2	91.0 92.2	92.0 93.2	92.4 93.6	92.4	92.9	93.1	93.1	93.1
≥ 500 ≥ 400	31.3	55.6 55.7	64.6 64.9	74.5 75.1	8 . 8 81 . 6	84.6 85.4	97.1 91.0	92.4 93.7	92.4 93.7	93.3 94.7	93.7 95.1	93.7 95.1	94.3	94.4	94.4 95.8	94.4
≥ 300 ≥ 200	71.3	55.7 55.7	65.0 65.7	75.5 75.5		55.8 86.3	91.6 92.2	94.7 95.5	94.7 95.5	95.6 96.6	96.5 97.3	96.7	95.5 98.0	96.7 98.1	96.7 98.1	96.7 98.1
≥ 100 ≥ 0	31.3	55.7 55.7	65.0 65.0	75.5 75.5	87.2	86.0 56.0	92.4	95.8 95.8	95.8 95.8	97.4	98.1 98.2	98.1 98.2	99.3	99.2	99.2	, ,

TOTAL NUMBER OF OBSERVATIONS...

USAF ETAC 101 64 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

HAL CLIMATOLOGY RRANCH 1 TAC - ATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

HO MAN ANGTERNUCY

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	BILITY ST	ATUTE MIL	E5						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 -	≥ 2	21 γ	≥1.	≥1	₹	≥ ′•	<u>≯</u> :	≥ 5 16	≥ •	≥0
NO CEILING ≥ 20000	17.5	26.8 26.2	3 3 32 .	57.1 39.7	40 <b>.1</b> 42.7	42.7 45.4		47.9 51.2	47.9 51.2	48.3	48.4 52.0	40.4	49.4 52.0		49.1	49.7
≥ 18000 ≥ 16000	18.1 18.1	20.2	32. 32.	39.7 39.7	42.7	45.4		51.2 51.2	51.2 51.2		52.7 52.0	52.0 52.0	52.0 52.0	52.1 52.1		53.6 53.6
≥ 14000 ≥ 12000	18.1 18.5	29.3	32.? 33.6	47.7	43.0 44.4	45.7		51.4 52.8	51.4 52.8	1	52.2 54.5	52.2 54.0	52.2 54.2	52.4 54.1	53.2 55.0	53.9 55.6
≥ 10000 ≥ 9000	19.5	32.5 33.1	36.° 37.4	45.3 45.9	49.7 49.3	51.6 52.1	55.2 55.8	57.6 58.1	57.6 58.1	58.6 59.2	58.8 59.3	58.8 59.3	58.8 59.3	58.9 59.5	59.7 60.3	60.4 61.2
≥ 8000 ≥ 7000	20.3	34.0 34.5	36.5 39.5	47.1 43.2	50.6 51.7	53.6 54.7	57.3 58.5	59.6 61.0	59.6 61.	60.7 62.5	60.8 62.2	60.8 62.2	62.2	61.6	61.8	62.4 63.8
≥ 6000 ≥ 5000	.7•3 20•3	35.0 37.0	39.7 41.0	48.4 50.9	52.0 54.8	55.1 56.1	58.9 62.3	61.5 64.9	61.5 64.9	62.6	52.7 56.1	62.7	62.7 66.1	62.9	63.7 67.1	64.4
≥ 4500 ≥ 4000	21.2	37.7 39.5	42.7 45.7	52.0 54.4	56.1 55.9	59.3 62.4		66.3 69.8	66.3 69.8	67.3 70.9	67.5 71.0	67.5	1	67.6 71.2	68.4 72.0	69.1 72.7
≥ 3500 ≥ 3000	23.	47.7 41.6	45.7	55.5 53.2	6 .3 53.0	63.9 56.7		71.6	71.6 74.7		72.8 76.1	72.8	72.8 76.1	72.9		74.4
≥ 2500 ≥ 2000	24.5 24.6	42.7	49.3	60.0	64.9	69.1	73.9 74.8	77.1 78.1	77.1 78.1	78.4 79.3	78.6 79.6	78.6 79.6	78.6 79.6	78.8 79.7	79.6 80.5	80.3 91.2
≥ 1800 ≥ 1500	24.5	43.7	50.1 53.6	61.2 62.4	67.3		76.3	78.4 79.6	78.4 79.6		70.0	79.9 81.1	79.9 61.1	81.2		82.7
≥ 1200 ≥ 1000	24.5 24.5	44.5	51.0 51.4	53.5 64.2	69.3	72.8 73.5		80.8		82.J 83.1	82.3 83.4	82.3 83.4	87.3 83.4		84.5	84.1 85.2
≥ 900 ≥ 800	24.5	44.9	51.7	64.4	69.5	73.7 74.4	79.3	_		84.2	83.8 94.6	83.8	84.6	84.8	84.9	86.4
≥ 700 ≥ 600	24.9	45.3	52.4	65.3	71.2	75.6 76.7	82.2	84.2 86.0		87.2	85.9 87.6	85.9 87.6	87.8		8.85	87.8
≥ 500 ≥ 400	24.9	45.3	52.8	67.3	73.1		63.7 83.5		87.2 87.9	89.7	69.1 90.1	89.1	89.3		93.3	
≥ 300 ≥ 200	24.0	45.3	52.8		73.9	78.4 78.5		89.0	89.7	92.0	92.7	91.3	92.8	91.5	92.8	93.5
≥ 100 ≥ 0	24.9	45.3		- ,	74.0 74.0	-	1 1	90.2 90.3			94.	93.9 94.0		94.6	96.1	97.3

USAF ETAC FORM 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE ORSOLETE

UE PAL CLIMATOLOGY FRANCH A REATHER SERVICEZMAC

### CEILING VERSUS VISIBILITY

TOUNGSTOWN MAP OF

73-81

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1600-5600 HOUR IS

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥3	≥2 7	≥ ?	≥1:	≥1.	≥1	≥ 1,	≥ `	≥ :	≥ 5 16	2.	≥0
NO CEILING ≥ 20000	12.3	10.1	21.5 25.1	74.5 28.2	25.7 30.5	70.2 35.0	34.7 41.3		36.E 43.9	47.2	47.8	40.4 47.8	49.7 48.2		41.0 48.7	41.4
≥ 18000 ≥ 16000	13.5 13.5	21.8 21.8	25 • 1 25 • 1	28 • 2 29 • 2	3 • 5 3 • 5	35.2 35.1	41.4	44.1	44.1 44.1	47.3	47.9	47.9	48.3 48.3	48.3 48.3	49.8 48.8	49.2
≥ 14000 ≥ 12000	13.7	21.9 22.8		28.3 29.8	3~.6 32.2	35.1 36.7	41.5 43.1	44.2	44.2 45.9	47.5 49.3	48.1 50.0	48.1 57.0	43.4 50.5	48.4 59.5	48.9 51.0	49.3 51.3
≥ 10000 ≥ 9000	15.1	25.2 25.3	20.5	33.4 33.4		47.8 41.2	47.7	50.8	50.8 51.3	54.2 54.7	55.6		55.4 56.1	55.4 56.1	55.9 56.5	56.9
≥ 8000 ≥ 7000	15.5 16.0	25.3	30.5	34.5 35.2	_	42.5	49.6 50.5	52.8	52.8 53.8	56.2 57.3	57.F 58.1	57.0	57.5 58.6	57.5 58.6	59.1	59.4
≥ 6000 ≥ 5000	16.1	25.5	32.3	35.7 37.5	38.5	44.1	51.3 53.8	54.8 57.5		58.4 61.1	59.3 62.1	62.1	59.8 62.6	59.8 62.6	63.1	63.4
≥ 4500 ≥ 4000	16.6	27.7 23.7		37.8	41.0	48.1	54.7 57.0	58.5	58.5	64.6	63.1	63.1	63.6	63.6	66.7	67.1
≥ 3500	17.6	29.1 3J.1	35.9 35.5	39.6 41.4	42.9	48.9 50.7	57.9	64.2	61.9	65.6	69.0		69.6	67.2	70.2	70.6
≥ 2560 ≥ 2000	18.4	30.5	36.4	42.7 42.9	45.3 46.0	51.7 52.7 52.8	61.1	65.5	65.5	70.6 75.8	70.3	70.3 71.7 71.9	70.9	70.9	71.5 72.9	73.2
≥ 1800 ≥ 1500 ≥ 1200	18.8	31.0 31.5 32.0	37.2	43.6	46.1 47.1 47.8	53.8	62.5 63.7	67.1 68.9 70.3	67.1 68.9 70.3	72.8	71.9 73.8 75.8	73.8 75.8	72.5	72.5 74.5 76.4	73.1 75.1 77.1	73.5 75.4 77.5
≥ 1000	18.9	32.2	38.3	44.3	48.3	55.6	66.0	71.7	71.7	76.2	77.2		76.4	77.8	78.7	79.1
≥ 800	18.9	32.8		45.5 45.5	48.7 49.2 47.2	56.1 56.8	66.6 67.8	74.9	72.8 74.0	78.8	78.5 80.0	80.0	79.1 80.8	80.8 82.0	80.0 81.7 82.9	80.4
≥ 600	19.1	32.8		45.8	49.4	57.5	69.8	75.5 78.3	75.5			82.2	86.3	82.9	83.9	64.3
≥ 500 ≥ 400 ≥ 300	19.2	33.2	39.7	46.7	59.5	59.1	717	80.1	80.3 82.1			88.1 90.8	89.7 91.8	89.5 91.8		90.3
2 200 2 100	19.2	33.2	39.7	46.9	50.7	59.4	72.6	82.2	62.4		93.5	93.0	94.2	94.3	95.4	
2 0	1 - 2		39.7	46.9	50.7	59.4	72.6	82.3		90.7	93.5		94.7	94.6		00.0

USAF ETAC FORM 0-14-5 (OL. A) PREVIOUS EDITIONS OF THIS FORM

### CEILING VERSUS VISIBILITY

POTAC AN DEATHER SERVICE/MAC

HO GAM MACTZBAUCY 25

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

2922-1100

CEILING							VIS	IBILITY ST.	ATUTE MIL	Es						
FEET	≥10	≥6	≥ 5	≥4	≥ 3	≥2 ⁊	≥:	≥1:	≥1.	≥1	ين ≤	≳ >n	≱ 7	25 16	≥ .	≥0
NO CEILING ≥ 20000	15.9	25.8 31.8	27.4 32.9	30.8 36.7	32.5 39.1	16.7 44.1	38 • 7 45 • 5	39.3 47.1	39.3 47.1	39.7 47.5	39.7 47.5	39.7 47.5	39.7 47.5	39.7 47.5	39.7 47.5	1 7 7 1
≥ 18000 ≥ 16000	17.7	3 8	32.9 32.9	36.7 36.7	39.2 39.2	44.4 44.4	46.7	47.3 47.3	47.3 47.3	47.7 47.7	47.7 47.7	47.7	47.7	47.7	47.7	47.7
≥ 14000 ≥ 12000	.7.7	31.1 32.5	33.3 34.7	37.1 38.6	39.6 41.4	45.0 46.8	47.3 49.3	48.3 49.9	48.7 49.9	48.3 50.4	48.3 50.4	48.3 50.4	48.3 50.4	48.3 50.4	48.3 50.4	48.3 50.4
≥ 10000 ≥ 9000	19.9	35.0	37.5 37.6	41.4	44.5	5 ?• 1 50• 2	52.8 52.9	53.4 53.6	53.4 53.6	53.9 54.1	53.9 54.1	53.9 54.1	53.9 54.1	53.9 54.1	53.9 54.1	53.9 54.1
≥ 8000 ≥ 7000	19.7	35.8	38.3 38.6	42.4 42.8	45.5 45.0	51.1 51.7	53.8 54.4	54.5 55.1	54.5 55.1	55.0 55.6	55.5 55.6	55.0 55.6	55.0 55.6	55.5 55.6	55.0 55.6	55.C 55.6
≥ 6000 ≥ 5000	19.5	36.2 37.1	38.9 4 \ 2	43.1	46.4	52.2 54.5	54.9 57.5	55.7 58.5	55.7 58.5	56.2 59.0	56.2 59.0	56.2 59.0	56 • 2 59 • 0	56.2 59.0	56.2 59.0	59.5
≥ 4500 ≥ 4000	19.8	37.5 37.4	41.	45.5 47.8	51.9	55.6 58.3	58.7 61.6	59.7 62.5	59.7 62.5	63.0	60.2 63.0	60.2 63.0	63.2 63.0	60.2 63.0	60.2	
≥ 3500 ≥ 3000	21.9	41.7	44.3 45.7	48.8 50.3		61.9	63.4	66.7	64.4	67.2	64.9	64.9 67.2	67.2	64.9	67.2	67.2
≥ 2500 ≥ 2000	25.0	46.2	47.8 50.8	52.7 56.0		64.9	68.4 72.4	70.3 74.3	70.0	70.5	70.5		70.5	70.5 74.9	73.5	74.9
≥ 1800 ≥ 1500	25.7		52.3	57.5 57.8	65.8	70.7	74.5 78.4	76.4 80.3	76.5	77.0 81.0	81.7	77.0 81.0	77.3 81.3	77.0 81.0	77.0 81.0	81.0
≥ 1200 ≥ 1000	27.2	51.7	56.1 57.1	62.5		77.6 79.1	84.1	86.4	86.5	84.8 87.C	87.0	84.8	84.8	84.8	87.7	
≥ 900 ≥ 800	27.4	52.2	57.5 57.2	63.8		79.9	85.0 36.2	87.5	88.9	89.6	89.6	88.4	89.4	88.4	89.6	89.6
≥ 700 ≥ 600	27.4	52.8	58.6 58.6	64.5 65.3	71.9	82.6	87.1 88.6	92.1	90.1 92.2	93.0		90.9	91.0	91.0	91.0	93.2
≥ 500 ≥ 400	27.7	53.2	58.7 59.1	65.4		83.2	91.0	93.9	94.2	95.1	95.2	95.2 97.7		95.3	95.3 97.2	97.2
≥ 300	27.7	53.2	59.1	66.1	73.1	84.2	91.6	96.4	96.8	98.3	98.6	98.6	98.8	98.8		
≥ 100	27.7	,	5° • 1	66.1	73.1	84.2 84.2	91.6		96.8	98.4	99.C	99.0	I .	99.8	1	(

L - AL CLIMATOLOGY BRANCE t REATHER SERVICE/MAG

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥3	≥2 7	≥ 2	≥1 2	≥١.	≥1	≥ 54	≥ '•	≥ ;	≥5 16	2.	≥0
NO CEILING	16.8	22.5	24.7	36.1	2: •4	27.7	28.6	29.0	29.0	29.1	29.1	29.1	29.1	29.1	29.1	29.1
≥ 20000	25.7	23.8	_		33.9		36.2	36.6		36.7		36.7	36.7	36.7	36.7	
! ≥ 18000 ≥ 16000	27.7	28.8		32.9	33.9	35.1	36.2	36.6	36.6		36.7	36.7	36.7	36.7		36.7
	25.7	29.8	3, 6		33.9		36.2	36.6	36.6	36.7	36.7	36.7		36.7	36.7	
≥ 14000 ≥ 12000	20.3	29.0	1	33.2		35.4	36.5	36.8	- 1	37.0	37.0	37.0		37.0		37.0
	21.9	31.1	33.2	35.3			38.8		39.2		39.3	39.3		39.3	_	39.3
≥ 10000	23.0	33.9	36.2	33.4	4".1		42.5	42.8	42.8	43.0	43.0	43.0		43.0		43.0
<del></del>	23.7	34 . C	36.4	36.6				43.5	43.C		43.1	43.1	43.1	43.1	43.1	43.1
≥ 8000 ≥ 7000	23.1	35.1		48.1	41.9	43.1		44.6	44.6	44.7	45.4	44.7	44.7	45.4	44.7	
≥ 6000	23.5	35.6		40.6	42.6	43.9		45.5	45.5	45.7	45.7	45.7	45.7	45.7	45.7	
≥ 5000	24.6	37.0		42.4	44.4	46.0		47.7	47.7		47.9	47.9		:	47.9	
≥ 4500	25.5	18.1		43.9	46.1	47.9	49.4	49.9	49.9	50.1	5C-1	50.1	50.1	50.1	50.1	
≥ 4000	18.2	42.4		49.1	51.7		55.4	1 1		56.1	56.1	56.1	56.1	56.1	56.1	- 1
≥ 3500	3 6	46.9	50.5	54.7	57.4			63.3	63.3		63.4	63.4			63.4	
≥ 3000	32.5	5 . 4		59.5	62.9			69.6		69.8	1 - 1	69.8			69.8	
≥ 2500	34.3	55.3		65.7	70.7	75.2	78.C	78.8	78 . 8				78.9	78.9	78.9	
≥ 2000	35.4	58.4	65.5	7:.6		81.9		85.9	85.9	86.0	86.0	86.D	86.0	86.0	86.0	86.0
≥ 1800	35.6	59.4	66.6	72.1	78.6	84.1	87.1	88.4	88.4	88.5	88.5	88.5	88.5	88.5	88.5	88.5
≥ 1500	35.7	67.0	67.2	73.1	83.0	25.9	89.1	90.3	90.3	90.5	90.6	90.6	90.6	90.6	90.6	90.6
≥ 1200	36.0	60.8	68.2	74.7	81.9	88.6	92.0	93.4	93.4	93.5	93.8	93.8	93.8	93.8	93.8	93.8
≥ 1000	36.2	61.2	62.7	75.4	82.6	89.4	93.1	94.9	94.9	95.0	95.3	95.3	25.3	95.3	95.3	95.3
≥ 900	36.4	61.7	69.3	76.0	83.2	90.0	94.0	95.8			96.3	96.3		96.3	96.3	96.3
≥ 800	36.4	61.7	69.3		83.2			96.0	96.C		96.5	96.5	96.5	96.5	96.5	96.5
≥ 700	36.5	61.9	69.5	76.4	83.6	90.6		96.9	96.9		97.4	97.4		97.4		97.4
≥ 600	36.7	62.3		76.7	84.0				97.4		98.0				98.0	
≥ 500	36.7	62.4	70.0	76.9			96.2	98.3					99.0		99.0	1 1
≥ 400	36.7	62.4	70.0	77.0		91.4	96.9	99.0			99.6			99.8		
≥ 300 ≥ 200	36.7	62.4	77.1		84.3		97.1	99.1		99,4	99.8			00.0		T
	36.7	62.4	70.0		84.3		97.1				99.8			100.0		
≥ 100	36.7	62.4		77.1				99.1	,	99.4	99.8	-		00.0		
ر ت	36.7	62.4	73.0	7/.1	84.3	91.6	97.1	99.1	99.1	99.4	99.8	99.8	1 (1 1 0 D	100.0	L 10 e u	100.3

JE BAL CLIMATOLOGY BRANCH L S. FET≱C A. LEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	BILITY ST	ATUTE MIL	E5-						
FEET	≥ 10	≥6	≥ 5	≥4	≥ 3	≥2 7	≥ 2	≥17	≥1%	21	≥ ½	≥ `a	≥ 1	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	19.8 23.7	26.7 34.9	23.7 37.7	30.5 39.7	32.1 41.8	33. 7 44.5	34.9 45.7		35.0 45.8	35.C 45.8	35.0 45.8	35.0 45.8		35.5 45.8	35.0 45.8	
≥ 18000 ≥ 16000	24.1 24.1	35.4 35.4	38.2 38.2	41.02 4.02	42.3	45.0 45.0	46.2 46.2	46.3 46.3	46.3	46.3 46.3	46.3	46.3	46.3	46.3	46.3	46.3
≥ 14000 ≥ 12000	24.4	35.8 37.5	39.6 43.9	43.6	42.6 45.3	45.3 46.0	46.6	46.7	46.7	46.7 4°.6	46.7	46.7	46.7	46.7	46.7	46.7
≥ 10000	25.0 26.0	39.5 39.7	43.5	45.5		50.6 51.2	51.8 52.5	52.2 52.8	52.2 52.8	52.8	52.2 52.8	52.2 52.8	52.2 52.8	52.2 52.8	52.8	52.7 52.8
≥ 8000 ≥ 7000	26.9 27.5		44.7	47.4	49.9 50.6	52.7 53.4	53.9 54.7	54.3 55.0	\$4.3 55.3	54.3 55.3	54.3 55.3	54.3	55.3	54.3 55.3	54.3 55.3	55.3
≥ 6000 ≥ 5000	27.6 28.6	41.7	47.5	5:1.6	53.2	54.2 57.0	55•4 58•5		56.0 59.1	56.0 59.1	56.D 59.1	56.7 59.1	56.3 59.1	56.0 59.1	56.0 59.1	59.1
≥ 4500 ≥ 4000	35.5	46.0 51.6	57.5	53.7 61.3	56.3	67.4	62.0 71.3	62.5 72.1	62.7 72.3	62.7 72.3	62.7 72.3	62.7	62.7 72.3	72.3	62.7 72.3	72.3
≥ 3500 ≥ 3000	34.4	55.0 57.8	61.3 65.0	65.4	60.6 73.8	74.3	76.1 80.8	77.1 81.7	77.3 82.0		77.3 82.0	77.3 82.0	77.3 82.0	77.3 82.5	7 3 62.C	82.C
≥ 2500 ≥ 2000	36.3 37.6	62.4	69.5 71.1	75.2	80.8	86.3	89.1 91.8	90.1 92.8	90.3	90.4	91.6	90.6	99.6	90.6	93.3	93.3
≥ 1800 ≥ 1500	37.7	63.4	71.6	77.6	83.3	89.6 93.8	92.9	95.3	94.1	94.2		94.4	95.5	95.8	95.8	
≥ 1200	38.7	63.7	72.8	79.0	84.9	91.2	94.5	95.8 96.2	96.4	96.2	96.3	96.3	96.3			96.7
≥ 900 ≥ 800	38.1	64.1	73.4	79.4	85.2 85.5	91.8	95.1 95.5		96.7	96.9 97.3	97.4	97.4			97.1 97.5	97.5
≥ 700 ≥ 600	33.2 35.2	64.2	73.5	79.8	85.5 85.7 86.2	92.5	96.1	97.5	97.8	98.0		98.0 98.2 99.0		98.3	98.3 98.1	
≥ 500 ≥ 400 ≥ 300	33.2	64.7 64.7	74.0 74.0	80.4 80.5	86.3	93.4	96.8 97.4	98.3 99.1	98.5 99.4	99.5	99.9	99.9	100.0	00.0	30.0	200
≥ 200	33.2	64.7	74.0	80.5	26.3	93.4		99.1	99.4	99.8		99.9	30.0		30.5	00.0
≥ 100	38.2	64.7	74.	80.5	36.3	93.4	97.4		99.4		1	- '		00.3		

USAF ETAC FORM 0-14-5 (OL A) MEVIOUS EDITIONS OF

LL SAL CLIMATOLOGY BRANCH SERVICEZMAC

### CEILING VERSUS VISIBILITY

TOUNGSTOWN MAP OH

73-61\_\_

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1800-2000

CEILING					_		VIS	(BILITY -ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	217	≥≀`.	≥1	≥ 1.	≥ >•	≥ ;	≥5 16	≥.	≥0
NO CEILING ≥ 20000	25.6 29.8	36.7	49.2	4/•0 51•9	45.2 54.4	48.2 58.2	49.8 63.8	49.8 61.0	49.8 61.0		49.8 61.0	49.8 61.0	49.8 61.0	49.8 61.0	49.8	49.8
≥ 18000 ≥ 16000	35.3	44.9	49.7	52.5 52.5	55.1 55.1	56.8 58.8	61.4	61.6	61.6 61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6
≥ 14000 ≥ 12000	30.3	45.2	49.9 51.6	52.9 54.7	55.4 57.5	59.4 61.5	62.0 64.1	62.2 64.3	62.2 64.3	62.2 64.3	62.7 64.3	62.2 64.3	62 • 2 64 • 3	62.2 64.3	62.2 54.3	62.2 64.3
≥ 10000 ≥ 9000	32 • 5 32 • 9	49.3	54.6 54.7	58.1 58.2	61.3	66.1 66.3	63.7 58.8	69.4 69.5	69.4	69.4	69.4 69.5	69.4	69.4	69.4	69.4	69.4
≥ 8000 ≥ 7000	33.0 34.0	51.0 51.9	56.3 57.1	59.9 60.9	63.3	58.2 69.2	70.8 71.7	71.6 72.7	71.6 72.7	71.7 72.8	71.7 72.8	71.7 72.8	71.7 72.8	71.7 72.8	71.7 72.8	71.7 72.8
≥ 6000 ≥ 5000	34.7 \$5.5	52.7 54.3	53.0 60.4	51.8 54.6	65.2 69.1	73.3 73.8	72.8 76.5	73.9 77.7	73.9 77.7	74.1 77.8	74.1 77.8	74.1 77.8	74 • 1 77 • 8	74.1 77.8	74 • 1 77 • 8	74.1 77.8
≥ 4500 ≥ 4000	57 · 1	56.2 59.6	62.7 64.7	66.7	77.3 73.3	76.4 79.8	79.2 82.6	80.4 83.9	80.4	80.5 84.0	80.5 84.0	89.5 84.0	80.5 84.0	80.5 84.0	84.5	80.5 84.7
≥ 3500 ≥ 3000	39.2 39.3	59.9 6 .6	66.3 67.2	71.6 73.0	75.5 76.9	82 <b>•1</b> 83 <b>•9</b>	85.3 87.5	86.6 68.8	86.6 88.8	86.7	86.7 88.9	86.7 88.9	86.7	86.7 88.9	86.7	86.7 88.9
≥ 2500 ≥ 2000	30.8 23.0	61.5	63.1 65.7	74.2 74.8	78.6 79.3	86.0 87.2	89.5 90.7	91.0 92.4	91.0 92.6	91.1 92.7	91.1 92.7	91.1 92.7	91 • 1 92 • 7	1	91.1 92.7	91.1 92.7
≥ 1800 ≥ 1500	40.0	61.6	69.3 70.7	75.5 76.4	81.1	88.1	91.8 93.1	93.8 95.1		95.6	95.6		94 • 2 95 • 6	95.6	94.2	94.2 95.6
≥ 1206 ≥ 1000	40.5 13.5	52.6 62.5	70 • 3 70 • 4	76.7	81.5	89.9 90.0	93.8 94.0	96.1 96.5		96.6 97.1	97.1	96.6 97.1		97.1	96.6 97.1	96.6 97.1
≥ 900 ≥ 800	40.0 40.7	62.6 62.7	70.5	76.7 76.9	81.6		94.0		96.7 96.8		97.4	97.2	97.2 97.4	97.4	97.2 97.4	97.2
≥ 700 ≥ 600	40.0	62.7	70.5	77.1		90.4	94.5	97.2	97.4	97.8 98.1	98.2		97.9 98.2	98.2	97.9	97.9
≥ 500 ≥ 400	40.3	63.0 63.0	71.0		82.5 82.5	91.0	95.0 95.6	98.1	97.7		99.1	98.4	98.4	98.4	98.4	98.4
2 300 2 200	10.7	63.0	71.0			91.0	95.9	98.4	98.7					99.6		
2 100 2 0	40.3	63.0 63.J	71.0 71.0	77.6 77.6	82.5 82.5	91.0 91.0	96.0 96.0	98.5	98.8					00.0		

TOTAL NUMBER OF OBSERVATIONS...

HELMAL CETMATOLOGY PRANCH REATHER SERVICE/MAC

#### CEILING VERSUS VISIBILITY

TOUNGSTONG MED OH

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

2130-2300

CEILING							VIS	BILITY IST	ATUTE MIL	ESi						
+EET	≥10	≥ 6	≥ 5	≥ 4	≥ 3	≥27	≥ 2	≥15	≥1'•	≥;	≥ ¾	≥ '₃	≥ 7	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	25.7	35.6 45.3	43.4 40.9	48.2 55.1	10.9 53.0	52.4 59.7	53.3 61.2	53.4 61.9	53.4 61.9	53.7 62.2	53.9 62.5	53.9 62.5	54.1 62.6	54.1 62.6	54.1 62.6	54.2 62.7
≥ 18000 ≥ 16000	20.0	45.3	49.9	55.1 55.1	58.0 58.0	59.7 59.7	61.2	61.9 61.9	61.9	62.2 62.2	62.5 62.5	62.5 62.5	62.6	62.5 62.6	62.6	62.7 62.7
≥ 14000 ≥ 12000	29 <b>.</b> 4	45.7 46.2	5".4 51.3	55.8 57.0	58.7 59.8	61.4 61.5	61.8 63.0	62.6 63.8	62.6 63.8	62.9 64.0	63.1 64.3	63.1 64.3	63.3	63.3 64.4	63.3	63.4
≥ 10000 ≥ 9000	32.0 32.1	51.0 51.3	56.4 56.7	62.3 62.6	66.3	68.1 68.4	69.7 69.9	70.5 70.7	70.5 70.7	70.7 71.9	71.0 71.3	71.5 71.3	71.1 71.4	71.1 71.4	71.1 71.4	71.3 71.5
≥ 8000 ≥ 7000	32.? 32.2	52.1 52.4	57.9 58.3	63.9 64.3	67.7 68.1	70.1 70.5	71.9 72.3	72.7 73.1	72.7 73.1	73.0 73.4	73.2 73.5	73.2 73.6	73.4 73.8	73.4 73.8	73.4 73.8	73.5 73.9
≥ 6000 ≥ 5000	32.5 33.3	52.7 55.0	58.8 61.4	65.0 67.8	68.9 71.8	71.7 74.5	73.5 76.4	74.7 77.6	74.7 77.6	74.9 78.1	75.2 78.3	75.2 78.3	75.3 78.5	75.3 78.5	75.3 78.5	75.5 78.6
≥ 4500 ≥ 4000	34.3 35.4	57.2 58.5	63.5 65.1	70.3 72.0	74.4	77.2 79.1	79.0 81.0	80.2	80.2 82.2	80.7	81.F 82.9	81.0 82.9	81.1 83.1	81.1	83.1	81.2
≥ 3500 ≥ 3000	35.6 36.1	58.3 63.1	65.4 67.2	72.4 74.7	76.9 79.7	79.8 82.7	81.8	83.1 86.1	83.1	83.6 86.6	85.9 86.9	83.9 86.9	84.0 87.0	84.0	84.0	
≥ 2500 ≥ 2000	36.7 36.7	61.3	68.5	76.4	81.6	84.8	86.7	88.2 90.3	9 .3	88.7 90.8	89.0 91.1	91.1	89.1 91.2	89.1 91.2	89.1 91.2	91.3
≥ 1800 ≥ 1500	36.7 36.7	62.3	7:1.2	78.7	84.0	87.5	97.3	91.2	91.2 91.7	91.7	92.0 92.5	92.0 92.5	92.1 92.7	92.1 92.7	92.1	92.3
≥ 1200 ≥ 1000	36.9	62.6	70.9	79.7 80.2	85.D 85.7	88.7	91.1	92.7	92.7	93.2	93.4	93.4	93.6	93.6	93.6 94.8	
≥ 900 ≥ 800	37.0 37.0		71.8	80.6	85.8	89.6 90.0	92.1 92.5	93.8	94.4	94.5	94.8	95.4	94.9	94.9	94.9	
≥ 700 ≥ 600	37.	63.0	71.8	80.6	86.4 36.4	90.2	92.8	94.5	94.6		95.8 95.8	95.8	95.9	95.9 95.9	95.9	96.1
≥ 500 ≥ 400 ≥ 300	37.0	63.4	71.8 72.2 72.2	87.8 81.5	86.6 87.5	90.6 91.6 91.6	93.2 94.5	95.1 96.7 97.0	95.3 96.9 97.1	96.2 97.9 98.2	96.7 98.4 98.7	96.7 98.4 98.7	96.9 98.6 98.8	96.9 98.6 96.8	96.9 98.6 98.8	
≥ 200	37.0		72.2	81.5	87.5 87.5	91.9	94.9	97.4	97.5	98.7	99.2	99.2	99.3	99.3		99.5
≥ 100	37.0		72.2	81.5	87.5		95.3		97.6		99.6	99.6	99.7	99.7	39.7	

JE-BAL CLIMATOLOGY PRANCH

### **CEILING VERSUS VISIBILITY**

YOUNGSTONN MAP OH

AT- MEATHER SERVICE/MAC

73-61

MONTH.

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

ALL HOURS IS

CEILING							VIS	BILITY -ST	ATUTE MIL	£5						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥1 7	≥1.4	≥1	≥ ¼	≥ '∘	≥ ;	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	19.2	26.8 33.9	31.7 37.5	35.3 41.4	37.3 43.9	39.7 46.8	42.0 49.5	42.7 50.6		43.4 51.3	43.5 51.5	43.5 51.5	43.6 51.6	43.7 51.6	43.8 51.8	43.9 51.9
≥ 18000 ≥ 16000	21.9	34.D 34.J	37.6 37.6	41.6 41.6	44.1	47.0 47.0	49.7 49.7	50.8 50.8	-	51.5 51.5	51.7 51.7	51.7 51.7	51.8 51.8	51.8 51.8	52.7 52.7	52.1 52.1
≥ 14000 ≥ 12000	?2•1 ?2•°	34.3 35.7	37.9 39.6	41.9 43.7	44.4 46.3	47.4	50 • 2 52 • 0	51.2 53.2	51.2 53.2	51.9 53.9	52.1 54.1	52.1 54.1	52.2 54.3	52.2 54.3	52.4 54.4	52.5 54.6
≥ 10000 ≥ 9000	24.1	38.5 38.8	42.7 43.1	47.1 47.4	50.1 50.4	53.4 53.7	56.3 56.7	57.6 57.9		58.3 58.7	58.5 58.9	58.5 58.9	59.7 59.0	58.7 59.1	58.8 59.2	59.5 59.4
≥ 8000 ≥ 7000	24.6	39.8 40.4		46.8	51.9 52.8	55.3 56.3	58.4 59.4	59.7 60.7	59.7 60.7	61.5 61.5	60.6	63.6 61.7	61.8	60.8 61.9	61.0 62.1	61.1
≥ 6000 ≥ 5000	25.2 25.2	42.3	47.1	50.2 52.4	53.4 55.8	57.D 59.7	60.2	51.6 64.6	64.6	62.5 65.5	62.7 65.7	62.7 65.7	62.8 65.8	62.8 65.8	63.D	63.1
≥ 4500 ≥ 4000	26.7 28.2	43.5 46.0	48 · 6 5 · 4	54.0 57.1	57.5 61.1	61.6	65.1 69.1	70.8	66.7 70.8	67.5 71.7	67.7 71.9	67.7 71.9	67.9 72.0		68.1 72.2	72.4
≥ 3500 ≥ 3000	29.9	47.5	53.1 55.3	59.1 61.6	63.2	67.8 70.7	71.7	73.4	73.5	74.4	74.6 77.8	74.6	74.7		74.9	75.0 78.4
≥ 2500 ≥ 2000	30.6	51.0 52.2	57.6 59.1	64.3	71.2	74.4	78.7 81.2	83.3	80.7	81.6	81.8	81.8	82.0 84.7	82.0	82.2	85.0
≥ 1800 ≥ 1500	31.2	53.3	59.7 60.5	66.9	72.0	77.8	82.2	84.4	84.5	85.4	85.6 87.3	85.6	85.8 87.5		86.0 87.7	
≥ 1200 ≥ 1000 > 900	31.6 31.7	53.9 54.2	61.2 61.6	68.9 59.5	74.4 75.0 75.3	83.5 81.3	95.2 96.2 86.6	87.7 88.8	87.8 88.9	90.0 90.6	89.1 90.3	99.1 99.3	90.4 91.1	89.3 90.5	89.5 93.7 91.3	89.6 90.8 91.5
≥ 800	31.3	54.5	62.1	70.0	75.6 76.0	82.7	87.2	90.0		91.3	91.6	91.6	91.8	91.8	92.1 93.0	92.2
≥ 700 ≥ 600 ≥ 500	31.9	54.9	62.6	70.7	76.5	83.2	85.6	91.6	91.7	93.0	93.4	93.4	93.6	93.6	93.9	94.3
2 400 ≥ 300	31.9	55.1	63. ?	71.4	77.2	84.2	90.6	93.8	93.9	95.5	96.0	96.9	96.2	96.3	96.5	96.6
2 200	31.9	55.1 55.1	63.0	71.5 71.5	77.4	84.4	90.8	94.8	95.0	96.9	97.6	97.6	98.0	98.5	98.4	98.5
2 0	31.9	55.1	63.0	71.5	77.4	84.5	90.9	94.9	95.1	97.2	98.0	98.0	98.5	98.6		00.3

TOTAL NUMBER OF DESERVATIONS

632

USAF ETAC JULIA 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE DESCRIP

HET FAL CETHATOLOGY BRANCH DATERE AL BEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

25 YOUNGSTOWN MAP OH

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

<u>ามีวิดี-ดิราย</u>

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥4	≥ 3	≥2 7	≥ ?	≥1.4	≥1′₄	≥1	≥ ¼	≶ ,₄	≥ ,	≥ 5 16	≥ .	≥0
NO CEILING	52.3	44.4	46.5	48.6	49.8	50.9	52.3	52.3	52.3	52.3	52.4	52.4	52.7	52.7	52.7	52.8
≥ 20000	33.7	46.4	49.5	51.9	53.4	54.4	55.9	55.9	55.9	55.9	56.C	56.J	56.3	56.3	56.3	56.4
≥ 18000	34 . 1	46.6	49.8	52.2	53.6	54.7	56.	56.1	56.1	56.1	56.3	56.3	56.5	56.5	56.5	56.7
≥ 16000	34. )	46.6	9.0	52.2	53.6	54.7	56.1	56.1	56.1	56.1	56.3	56.3	56.5	56.5	56.5	56.7
≥ 14000	34 . 3	46.9	5 - 1	52.4	53.9	54.9	56.4	56.4	56.4	56.4	56.5	56.5	56.8	56.8	56.8	56.9
≥ 12000	35.2	47.8	51.	53.4	54.8	55.9	57.3	57.3	57.3	57.3	57.4	57.4	57.7	57.7	57.7	57.8
≥ 10000	.3.°	51.5	54.5	57.4	58.9	59.9	61.4	61.4	61.4	61.4	61.5	61.5	61.5	61.8	61.8	61.9
≥ 9000	36.7	<u>52.0</u>	55.3	58.0	59.4	60.5	61.9	61.9	61.0	61.9	62.1	62.1	62.3	62.3	62.3	62.5
≥ 8000	79.5	54.3	57.6	60.2	61.8	62.8	64.3	64.3	64.3	64.3	64.4	64.4	64.7	64.7	64.7	64.8
≥ 7000	47.1	55.7	57.7	61.9	63.5	64.6	66.D	66.0	66.9	66.0	66.1	66.1	66.4	66.4	66.4	66.5
≥ 6000	4 1 . 1	55.7	59.	51.9	63.6	64.7	66.1	66.1	66.1	66.1	66.3	66.3	66.5	66.5	66.5	66.7
≥ 5000	4 . ?	57.6	61.3	64.6	66.3	67.3	68.9	68.9	68.9	68.9	69.0	69.0	69.3	69.3	69.3	69.4
≥ 4500	41.4	59.4	63.6	67.2	68.9	73.0	71.5	71.5	71.5	71.5	71.7	71.7	71.9	71.9	71.9	72.1
≥ 4000	44.4	63.5	67.7	71.5	73.3	74.3	76.0	76.0	76.0	76.0	76.2	76.2	76.4	76.4	76.4	76.5
≥ 3500	45.1	65.1	70.1	74.2	76.3	77.5	79.2	79.2	79.2	79.2	79.3	79.3	79.6	79.6	79.6	79.7
≥ 3000	46.4	66.9	72.2	76.3	76.4	79.6	81.3	81.3	81.3	81.3	81.4	81.4	81.7	81.7	81.7	81.9
≥ 2500	46.3	67.9	73.4	77.5	79.8	81.0	82.7	82.7	82.7	82.9	83.0	83.7	83.3	83.3	83.3	83.4
≥ 2000	47.0	66.4	74.3	78.7	81.0	82.3	84.2	84.6	84.6	84.8	85.7	85.0	85.2	85.2	85.2	85.4
≥ 1800	47.2	60.8	74.4	79.2	81.6	92.9	84.7	85.2	85.2	85.5	85.6	85.6	85.9	85.9	85.9	86.0
≥ 1500	17.8	59.4	75.1	80.1	82.5	83.8	85.6	86.2	86.2	86.6	86.7	86.7	87.0	87.0	87.0	87.1
≥ 1200	47.8	77.1	75.9	31.4	84.1	85.4	87.4	88.0	88.0	88.4	88.5	88.5	88.8	88.5	8.88	88.9
≥ 1000	48.1	71.8	76.5	82.1	84.7	86.2	98.1	88.8	88.8	89.2	89.3	89.3	89.6	89.6	89.6	89.7
≥ 900	48.5	71.4	77.2	82.7	85.4	86.8	88.8	89.5	89.5	90.0	90.1	90.1	90.4	90.4	90.4	90.5
≥ 800	48.5	71.9	77.9	83.5	86.2	87.6	89.6	90.3	90.3	90.8	90.9	90.9	91.2	91.2	91.2	91.3
≥ 700	48.5	72.1	78.	83.7	86.3	87.7	89.7	93.4	90.4	90.9	91.0	91.0	91.3	91.3	91.3	91.4
≥ 600	43.5	72.2	73.5	84.3	87.1	88.5	90.6	91.3	91.3	92.0	92.1	92.1	92.4	92.4	92.4	92.5
≥ 500	48.5	73.0	79.3	85.5	88.3	95.1	92.2	92.9	92.9	93.5	93.7	93.7	94.3	94.3	94.3	94.5
≥ 400	49.5	73.0	79.6	85.9	88.9	93.9	93.0	93.7	93.7	94.6	94.7	94.7	95.4	95.4	95.4	95.5
≥ 300	48.5	73.1	87.3	87.Q	90.5	92.6	95.3	96.2	96.2	97.2	97.4	97.4	98.2	98.2	98.2	98.4
≥ 200	48.5	73.1	80.0	87.0	90.5	92.6	95.3	96.2	96.2	97.4	97.5	97.5	98.4	98.4	98.7	98.9
≥ 100	48.5	73.1	80.0	97.0	90.5	92.6	95.3	96.2	96.2	97.4	97.5	97.5	98.4	98.7	98.9	99.2
≥ 0	49.5	73.1	80.0	87.0	90.5	92.6	95.3	96.2	96.2	97.4	97.5	97.5	98.6	98.8		100.0

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC JULIA 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OSSOURTE

ST PAL CLIMATOLOGY BRANCH CLEFETAG

WEATHER SERVICE/MAC

T

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	IBILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	و∵ا≤	≥1 .	21	≥ ≒	≥ >1	≥ :	≥5 16	2.	≥0
NO CEILING ≥ 20000	24.7	35.3 37.6	38.4	41.5	44.3	45.2 48.6	47.3 50.9	1	47.7 51.2	47.7 51.4	47.8 51.5	47.8 51.5	48.4 52.0	48.4 52.0	43.6	49.5 52.7
≥ 18000 ≥ 16000	26.4 26.4	37.7 37.7	41.3	44.8	47.8	48.8	51.0 51.0	51.4 51.4	51.4 51.4	51.5 51.5	51.6 51.6	51.6 51.6	52.2 52.2	52.2 52.2	52.4 52.4	52.8 52.8
≥ 14000 ≥ 12000	26.5 26.4	37.8 33.1	41.7	44.9	48.0	48.9	51.1 51.4	51.5 51.8	51.5 51.8	51.6 51.9	51.8 52.3	51.8 52.0	52.3 52.6	52.3	52.6 52.8	53.0 53.2
≥ 10000 ≥ 9000	29.7	42.4	45.5	50.1 50.6	53.4	54.8	56.5 57.0	56.9 57.4	56.9 57.4	57.0 57.6	57.7 57.7	57.2 57.7	57 <b>.7</b> 58.2	57.7	58.5 58.5	
≥ 8000 ≥ 7000	30.9	44.5	49.1	52.7 53.5	56.1 56.9	57.0 58.0	59.3 60.2	59.7 60.6	59.7 60.6	59.8 60.7	59.9 60.8	59.9 60.8	67.4	60.4	60.7 61.6	61.1
≥ 6000 ≥ 5000	31.9 33.9	46.1	50.7 53.6	54.3 57.4	57.7 61.0	58.7 62.0	61.0	61.4	61.4	61.5 65.0	61.6	61.5 65.2	62.2	62.2	62.4	62.8
≥ 4500 ≥ 4000	34.8 35.7	5 7.2 52.7	55.3 57.8	59.3 61.9	62.9 65.7	64.0 66.9	66.4	67.0 70.0	67.0 70.0	67.1 70.2	67.3 70.3	67.3 70.3	67.8 73.8	67.8	68.1 71.1	68.5 71.5
≥ 3500 ≥ 3000	36.9 38.1	54.8 57.7	67.4 63.6	64.5 67.7	68.7 72.0	69.9 73.2	72.4 75.7	73.3 76.6	73.3 76.6	73.5 76.9	73.6 77.0	73.6 77.3	74.1 77.5	74.1 77.5	74.4 77.8	74.8 78.2
≥ 2500 ≥ 2000	38.9 39.4	59.8 60.7	66.0 67.3	70.4 71.9	75 • 2 76 • 7	76.3 77.9	78.8 80.6	79.8 81.6	79.8 81.6	80.0 81.9	80.2 82.0	80.2 82.0	80.7 82.5	80.7 82.5	80.9 82.8	81.3 83.2
≥ 1800 ≥ 1500	39.6 39.5	61.0 61.5	67.5 68.1	72.1 72.9	77.0 77.8	78.2 79.0	80.8	81.9 82.7	81.9	82.1 82.9	82.3 83.0	82.3 83.0	82.8 83.6	82.8 83.6	83.7 83.8	
≥ 1200 ≥ 1000	39.9 45.1	62.4	69.3	74.4 75.8	79.4 81.1	80.8 82.8	83.4 85.4	84 • 8 86 • 7	84.8 86.7	85.0 87.0	_	85.2 87.1	85.7		85.9 87.9	86.3
≥ 900 ≥ 800	40.5 41.5	64.1	71.5	76.3 76.6	81.6	83.3	86.3		87.4	87.6 88.4		87.8	88.3	89.1	88.6	89.0 89.8
≥ 700 ≥ 600	40.6 40.6	64.5	71.9 72.:	77.8	82.9 83.3	84.6 85.2	87.8 88.4			90.5		90.3 98.7		91.2	· <del></del>	91.2
≥ 500 ≥ 400	40.6 40.6	64.8	72.7	79.1	85.3 85.5	87.1 87.9	97.5	93.6	92.2	92.9	94.5	93.0	93.6 95.1	95.1		
≥ 300	47.6 40.6	64.8	72.8	79.2	85.9		92.9 93.3		94.7	95.5	96.5	95.8	96.3	97.2	96.7	97.1
≥ 100 ≥ 0	43.6		72.8 72.8	79.4 79.4			93.3 93.3		95.5 95.5	96.6		97.1	97.9		98.4	98.8

GERAL CLIMATOLOGY BRANCH CLIFTAC AT VEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

TOUNGSTOWN MAP OH

73-81

MONTH.

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

<u>~630-5603</u>

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥4	≥3	≥2 7	≥ 2	≥1 ′2	≥1%	≥1	≥ 1,	≥ 3-9	≥ 7	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	20.2	25.2 27.7	28.2	36.9 34.0	32.5 35.9	34.8 38.2	39.3 43.2	40.6	4D.6	41.7 46.0	42.5	42.6	42.9	43.1	43.2	43.3
≥ 18000 ≥ 16000	21.2	27.7	31.7 31.7	34.0	35.9 35.9	38.2 38.2	43.2 43.2	45.0 45.0	45.0 45.0	46.1	47.0 47.0	47.0 47.0	47.4	47.5 47.5	47.6	47.7 47.7
≥ 14000 ≥ 12000	20.5 20.5	23 • 2 28 • 5	31.5 31.7	34.6 35.0	35.6 37.0	39.3 39.4	44.1 44.5	45.8 46.3	45.8 46.3	47.5	47.9 48.4	47.9 48.4	48.2	48.4	48.5 49.0	46.6
≥ 10000 ≥ 9000	23.3	31.7 32.4	35.4 36.0	38.9 39.5	41.1 41.8	43.6	49.D	51.0 51.8	51.0 51.8	52.1 52.9	53.0 53.8	53.0 53.8	53.4 54.2	53,5 54.3	53.7 54.4	
≥ 8000 ≥ 7000	23.2	34.6 35.3	38.8 39.3	42.6	45.2 45.8	47.9 48.5	53.5 54.3	55.5 56.3	55.5 56.3	56.7 57.4	57.6 58.3	57.6 58.3	57.9 58.7	58.1 58.8	58.2 58.9	
≥ 6000 ≥ 5000	24.8 26.1	35.9 37.7	39.9 41.7	43.7	46.5	49.2 51.4	55.0 57.4	57.2 59.6	57.2 59.6	58.3 60.8	59.2 61.8	59.2 61.8	59.6 62.2	59.7 62.3	59.8 62.5	59.9 62.6
≥ 4500 ≥ 4000	26 • 8 27 • 8	33.7 39.9	42.8 44.5	46.9	49.7 51.9	52.8 55.7	58.8	61.1	63.6	62.3	65.9	63.4 65.9	63.9 66.5	64.0 66.6	64.1	64.2 66.9
≥ 3500 ≥ 3000	28.5	43.9	45.6 47.7	49.7 52.0	53.3 55.7	56.5 58.9	62.7	65.2 68.0	65.4	66.8	67.9 71.3	67.9 71.3		69.6 71.5	68.8 71.9	68.9 72.0
≥ 2500 ≥ 2000	29.7 30.7	43.5	48.5 51.0	53.1 55.9	56.9	69.5 63.6	70.9	70.2 73.6	70.3	72.0	73.3 76.8	73.3	73.9	74.1	74 • 2 77 • 7	77.8
≥ 1800	31.7	46.2	51.9	56.5	60.8	64.2	72.3	74.2	74.3	76.2	77.5 78.2	77.5	78.8	78.2	78.3	78.5 79.2
≥ 1200	72.2 32.2	43.2	53.1 53.7	59.1	62.2	66.2	74.1	76.7	76.8 78.5	78.7 80.4	80.0	80.0	80.6	80.7	82.5	81.0 82.6
≥ 900 ≥ 800 ≥ 700	32.4 22.4	45.4 43.7 49.1	53.9 54.4 54.8	59.3 59.8	63.7 64.2	67.9 68.6	75.9 77.0 77.7	78.8 80.1	79.1 80.4	81.1	82.4	82.4	83.0	83.1	83.2	84.6
≥ 600	32.5	49.4	55.3 55.7	60.3 61.1	65.6	70.4	78.7	80.9	81.1 82.1	83.2 84.3	84.5 85.5 88.9	84.5 85.5	85.1 86.1 89.5	85.3	85.4 86.4	85.5
≥ 500 ≥ 400 ≥ 300	32.5	49.9	56.3 56.3	62.3	67.5	72.8	83.0	84.1	84.5 87.3	90.4	93.1	93.1	93.7	89.7 93.8 95.8	94.3	89.9 94.1 96.1
≥ 200 ≥ 100	32.5	49.9 51.2	56.3 56.4	62.3	67.5	72.8	83.2	88.0	88.5	92.1	95.6 96.1	95.7	96.7	96.9	97.4	97.5
2 0	:2.5	50.0		62.5		72.9	83.4	88.2	88.5	92.4	96.1	96.2	97.2	97.4	98.1	100.0

TOTAL NUMBER OF OBSERVATIONS.

794

USAF ETAC 1014 0-14-5 (OL A) MEVIOUS COITIONS OF THIS FORM ARE DESCRIPT

UL HAL CLIMATOLOGY BRANCH SEFETAC FATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	IBILITY -ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥5	≥ 4	≥3	≥2 7	≥ 2	واخ	≥1'4	≥1	≥ ¼	ه, ≥	≥ :	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	18.9	27.2 32.1	29.3 34.8	31 • 2 36 • 9	33.6 39.3	36.5 42.8	37.7 44.3	37.8 44.5	37.8 44.5	37.9 44.7	37.9 44.7	37.9 44.7	37.9 44.7	37.9 44.7	37.9 44.7	37.9
≥ 18000 ≥ 16000	2.2	32.1 32.1	34.3 34.8	36.9 36.9	39.5 39.5	42.9 42.9	44.4	44.7 44.7	44.7 44.7	44.8 44.8	44.0 44.8	44.8	44.8 44.8	44.8 44.6	44.8 44.8	44.8
≥ 14000 ≥ 12000	22.5	32.6 33.5	35.3 36.2	37.7 38.7	41.4	43.8 44.8	45.3 46.3	45.6 46.6	45.6	45.7 46.7	45.7 46.7	45.7 46.7	45.7 46.7	45.7	45.7 45.7	45.7
≥ 10000	25.5 25.9	37.7 38.1	40.6 41.0	43.3 43.7	46.3	49.9 50.3	51.5 51.9	51.8 52.2	51 • 8 52 • 2	51.9 52.3	51.9 52.3	51.9 52.3	51.9 52.3	51.9 52.3	51.9 52.3	51.9 52.3
≥ 8000 ≥ 7000	27.0 27.0	39.6 39.8	43.3	45.9 46.2	49.5 49.7	53.4 53.9	55.1 55.6	55.3 55.8	55.3 55.8	55.5 56.0	55.5 56.0	55.5 56.0	55.5 56.9	55.5 56.0	55.5 56.3	55.5 56.0
≥ 6000 ≥ 5000	27.2 27.7	4 7 • 7 4 7 • 7	43.7 44.5	46.3 47.3	50.0 51.0	54•2 55•2	56.0 57.0	56.2 57.2	56.2 57.2	56.3 57.4	56.3 57.4	56.3 57.4	56.3 57.4	56.3 57.4	56.3 57.4	56.3 57.4
≥ 4500 ≥ 4000	29.3 29.7	42.3 43.7	46.2 47.6	49.0 50.5	52.7 54.6	56.9 59.3	58.6 61.0	58.9 61.3	58.9 61.3	59.0 61.4	59.0 61.4	59.0 61.4	59.0 61.4	59.0 61.4	59.0 61.4	59.0 61.4
≥ 3500 ≥ 3000	30 • 3 2 <b>2 • 4</b>	44.3	43.2 51.3	51.1 54.3	55.2 58.5	63.3	61.8 65.2	62.1 65.5	62.1 65.5	62.2 65.6	62.2 65.6	62.2 65.6	62.2 65.6	62.2 65.6	62.2 65.6	62.2 65.6
≥ 2500 ≥ 2000	35.3 38.7	51.3 55.7	55.7 60.3	58.8 63.3	63.2 68.0	68.4 73.4	70.7 75.8	71.1 76.1	71.1 76.1	71.2 76.3	71.2 76.3	71.2 76.3	71.2 76.3	71.2 76.3	71.2 76.3	71.2 76.3
≥ 1800 ≥ 1500	39.7 41.6	56.° 58.8	61.4 63.8	64.5 66.9	69.2 71.6	74.5 77.0	17.0 79.8	77.4 80.3	77.4 60.3	77.5 80.5	77.5 60.5	77.5 80.5	77.5 80.5	77.5 93.5	77.5 80.5	77.5 80.5
≥ 1200 ≥ 1000	41.9	61.2	67.6	70.1 71.2	75.0 76.8	90•8 82•7	83.8 35.7	84.4	84.4	84.6 86.8	84.6 86.8	84.6 86.8	84.6	84.6 86.6	84.6	84.6
≥ 900 ≥ 800	42.1 42.4	62.7	63.9	71.7 72.6	77.4 79.3	83.4	86.4	87.3 88.3	87.3 88.3	87.6 88.6	87.6 88.6	87.6 88.6	37.6 88.6	87.6 88.6	87.6 88.6	87.6 88.6
≥ 700 ≥ 600	42.4	63.5		73.2 73.6	79.3 79.7	86.3	88.7	89.7 91.1	89.7 91.1	90.2	90.2 91.8	90.2 91.8	90.2 91.8	90.2 91.8	90.2 91.8	90.2 91.8
≥ 500 ≥ 400	42.4	63.6	69.9 70.3	73.7 74.1	80.2 80.6	87.2 87.6	91.5 92.3	93.1	93.1	94.3	94.3 96.4	94.3	94.3 96.4	94.3 96.4	94.3 96.4	94.3
≥ 300 ≥ 200	42.4	63.7	70.3 70.3	74.1 74.1	80.7 30.7	37.8 87.9	93.1	95.7	95.8 96.1	97.7 98.J	98.1 98.6	98.1 98.6	98.2 98.7	98.2 98.7	98.2 98.9	98.2 98.9
≥ 100 ≥ 0	42.4	63.7 63.7	70.3 70.3	74 • 1 74 • 1	80.7 80.7	87.9 87.9	93.3 93.3	96.2 96.2	96.3	98.4	99.1	99.1	99.2	99.2 99.2	99.5	99.7

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC 108M 0-14-5 (OL A) PREVIOUS ESTRONS OF THIS FORM ARE OF

LES AL CLIMATOLOGY BRANCH LILTAC A . SEATHER SERVICE/MAC

#### CEILING VERSUS VISIBILITY

HO HAP NWOTEDHUCY

73-91

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1200-140C

CEILING							۷ıŞ	BILITY ST.	ATUTE MIL	<b>E</b> S						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥1:	21.	≥1	≥ :4	≥ '•	. ≥ -	≥ 5 16	≥.	≥0
NO CEILING ≥ 20000	22.3	27.4 36.5	30.3 39.7	31.2 39.7	31.8	32.5 41.7	32.6 42.0	32.6 42.0	32.6 42.0	32.6 42.0	32.6 42.0	32.5 42.J	32.6 42.3	32.6 42.3	32.6 42.0	32.6 42.0
≥ 18000 ≥ 16000	28.9	₹6.7 36.7	39. 39.	4 1. 0 40.0	40.9	42.0 42.0	42.2	42.2 42.2	42.2	42.2	42.2		42.2		42.2	42.2
≥ 14000 ≥ 12000	29.0	37.6 38.0	39.8 40.2	41.6	41.7	42.9	43.1	43.1	44.1	43.1	44.1	44.1	44.1	44.1	43.1	43.1 44.1
≥ 10000 ≥ 9000	31.3	41.0	43.5	45.1	46.1	47.2	47.6		47.9	47.6	47.9		47.9	47.9	47.6	47.6
≥ 8000 ≥ 7000	3.1 33.0	43.2	46.7 46.5	47.7	49.7	50.3	51.3			50.6 51.3		57.6 51.3	-		50.6	50.6
≥ 6000 ≥ 5000	35.7	44.0	46.7	48.5 50.0	42.5 51.1	52.9	51.6 53.4		53.4	51.6	51.6	51.6 53.4	53.4	51.6	51.5	51.6
≥ 4500 ≥ 4000	37.3 49.3	48.5 52.4 56.4	51.4 55.4	53.3			51.4	56.9 61.5	61.5	56.9		61.5	61.5	56.9 61.5	56.9 61.5	56.9
≥ 3500 ≥ 3000 ≥ 2500	47.4	61.4	64.2	61.5 67.2 72.9		71.3	65.7 72.1 78.4	65.8 72.4 78.8	72.4 78.8	65.9 72.4 78.8	72 . u	72.4 73.8	65.8 72.4 78.8	72.4	72.4	72.4 78.8
≥ 2000	52 ~	73.2	74.3	77.7	70.9 62.6	83.7	84.1	84.5	84.5	34.5 87.1	87.1	84.5	84.5	84.5	64.5 97.1	84.5 87.1
≥ 1500	3.6	72.6	78.3	81.8	34.2	P7.3		99.3	89.C	89.j	89.7 91.4	89.0 91.4	-	89.5	89.0	1
≥ 1000	53.7	73.2	77.2	34.5	85.8	98.9	92.1	92.7	92.7	92.7		-	92.7			92.7
≥ 800	54.4	73.3	8 . 5	85.3		91.5	93.5 95.1		94.1	94.1	94.1	94.1	94.1	94.1		94.1
≥ 600	54.7	74.7	81.1	35.6 36.1	89.1	93.6	95.7		96.6	96.7		96.9	96.9	96.9		96.9 98.0
≥ 400	54.°	74.8 74.8		86.3 36.6	97.2	94.2		98.9	99.4	99.7	99.9	99.4		99.9		99.4
≥ 100 ≥ 100	54.7 54.9	74 . B		86.6	°0.2	94.2	98.5		99.5	99.9	100.0	700.0	30.0	0.051	100.0	100.0
2 0	54.3	74.3	81.8	36.6			98.5						100.0	,	i	I

USAF ETAC 101 M 0-14-5 (OL A) MENOUS EDITIONS OF THIS FORM ARE ORBOLETE

RESTAL CLEMATCLOGY ERANCH CAPITAT CT VEATHER SERVICE/MAC

 $\Box$ 

### CEILING VERSUS VISIBILITY

HO PAR MACTERALUCY

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	BILITY ST	ATUTE MIL	ŧ5						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 -	≥ 2	≥	≥1.	≥1	≥ .	≥ .	2	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	20.3 35.0	35.5 43.7	37.2	37.4 46.8	39.3		39.5	7e.5				39.5	39.5	38.5		36.5
≥ 18000 ≥ 16000	35.7	43.9	46.7		43.6	45.7	49.1	49.0	47.7	49.0	49.	49.0	49.0	49.0		49.7
≥ 14000 ≥ 12000	37.1 35.1	42.2 47.0	47.5		49.9	5 '• 1	57.4	50.4	50.4	50.4	50.4 52.7	57.4	57.4	50.4	50.4	
≥ 10000	40.7	53.8 51.1		34.5	55.8	50.1	56.6 57.3	56.6	56 • €	56.6	56.6	56.6	56.5	56.6	56.6	
≥ 8000 ≥ 7000	42.3		55.9 56.6	56 . 7	58.1	59.0	59.6	59.6	59.6	59.6	59.6	59.6	59.6	59.6	39.6	59.6
≥ 6000 ≥ 5000	43.3 45.3		57.6	58.8	67.4	61.2	61.9 54.5	61.9	51.9	61.9	61.9	61.9	61.9	61.9		61.9
≥ 4500 ≥ 4000		59.3 62.1		63.9			67.6 71.5			67.6	67.6	67.6 71.5	67.6 71.5		67.6	
≥ 3500 ≥ 3000	52.3 54.7	67.7 69.9	71.5 74.7	73.7 77.3		77.4	78.2 32.2	78.2 92.2			78.2 82.2		1	78.2 62.2	78.2 32.2	78.2
≥ 2500 ≥ 2000	,	72.6 74.9	77.8 80.4	81.1			₹6.5 ₹1.2			86.5 91.2	86.5 91.2	86.5			86.5	86.5 91.2
≥ 1800 ≥ 1500	57.5 39.3		81.2 82.2	35.4 86.4		91.0 92.7	92.0 93.7		92.0 93.7		92.5 93.7	-	97.7	93.7		92.7
≥ 1200 ≥ 1000	53.7 28.7	77.1 77.3	83.7 83.1	37.2 37.4	91.2 91.3		94.8 95.3	(	95.1 95.6	1	95.1 95.6				95.1 95.6	
≥ 900 ≥ 800	9	77.7	83.5 83.6	37.8 38.0		94.4 94.8	96•2 96•6	96.8	96.5 96.6	96.5 96.8		96.5 96.8	96.5 96.8		96.5	1
≥ 700 ≥ 600	50.7 50.0	77.9	83.7	83.3	92.4	95.2 95.7		98.8	98.0			98.3	97.2 98.0		97.2 98.0	
≥ 500 ≥ 400	59.7	78.2		88.5 88.5	92.6	96.1	97.9 98.1		99.	98.6 99.1		99.1	99.1	98.6	98.6	
≥ 300 ≥ 200	59.7	78.2 79.2	84.5		92.6	96.3	98.1		99.4	99.7	99.9	99.9	99.9		99.9	
≥ 100 ≥ 0	30.1	78.2 78.2	84.0 84.0	88.5 88.5	1	- 1	98.1 98.1	1			99.9				30.0 30.0	

TOTAL NUMBER OF OBSERVATIONS,

USAF ETAC 10164 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS POR

18 SAL CLIMATOLOGY BRANCH FATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

18:2-2006

CEILING	j						VIS	BILITY ST	ATUTE MIL	.ES						
FEET	≥10	≥ 6	≥ 5	≥ 4	≥ 3	≥2 :	≥ 2	≥1;	≥1.	≥1	≥ ¼	5 ,•	≥ :	≥ 5 16	≥ .	≥0
NO CEILING	.'0•2	44.4	46.6	43.0		44.5	50.0	°0.0	50.0	50.0	50.0	50.0	55.0	50.0	50.0	50.0
≥ 20000	45.5	44.0	52.8	54.5	55.1	56.5	57.3	57.4	57.4	57.4	57.4	57.4	57.4	57.4	57.4	57.4
≥ 18000	42.6	5 . 4	53.3	55.0	55.6	57.7	57.8	57.9	57.9	57.9	57.9	57.9	57.9	57.9	57.9	57.9
≥ 16000	42.6	5 .4	53.3	55.0	55.6	57.0	57.8	57.9	57.9	57.9	57.9		57.9		57.9	1
≥ 14000	+3.2	51.1	54.	55.0	56.4	57.8	58.5	58.6	58.6	58.6	58.6	58.6	58.5	58.6	58.6	<del></del>
≥ 12000	. 4 . 4	52.5	55.5	57.9	58.5	59.9	60.8	60.9	60.9	60.9	60.9	60.9	60.9	63.9	60.9	60.
≥ 10000	46.5	55.3	54.5	66.8	61.4	62.9	63.8	63.9	63.9	63.9	63.0	63.9	63.9	63.9		63.
≥ 9000	47.4	56.1	59.5	61.7	62.3	63.8	54.7	64.6	64.9	64.3	64.8	64.5	64.8	64.8	64.5	64.
≥ 8000	~ద.3	57.6	61.2	63.2	63.8	65.5	66.4	66.5	66.5	66.5	66.5	66.5	66.5	66.5	<del></del>	66
≥ 7000	45.9	58.9	62.4	64.5	65.2	67.0		68.0	68.0	68.3	68.0	68.0	68.0	68.0	68.0	68.
≥ 6000	43.7	59.9	63.4	65.5		68.3		69.3	69.3	69.3	69.3		67.3		~~~	
≥ :000	51.8	64.4	63.	72	77.8	73.1	73.0	74.1	74.1	74.1	74.1	74.1	74.1	74.1	74.1	
≥ 4500	57.8	66.	77.5	72.3	73.3	75.6	76.4	76.6	76.6	76.6	76.6	76.6	76.5			74.
≥ 4000	4.4	53.5	72.9	75.3		75.9	79.8	79.9		79.9		79.9		76.6	76.6	76.
≥ 3500	55.0	7 . 6	75.1	77.8	79.3	82.0	53.0	93.1	83.1	83.1		83.1	79.9	79.9	79.9	79.
≥ 3000	57.0		73.2	31.3	82.6	86.C	87.7	97.1	87.1	87.1	87.1	87.1	83.1		63.1	
≥ 2500	58.6		37.5	33.3	85.7	38.7	89.8	90.1	90.1	93.1	90.1			27.1	87.1	£7.
≥ 2000	29.7	76.1	81.5	55.2	87.0	9:.7	91.9	92.1	92.1	92.1		93.1	97.1	90.1		
≥ 1800	. C . U		87.1	95.8	87.7	91.5		92.9			92.1	92.1	92.1	92.1	92.1	
≥ 1500	= 7 - 3	77.1	83.0		88.7	92.9	92.6		92.9	92.9	92.9	92.5		92.0		
≥ 1200	50.9	77.3	83.3	96.6			94.0	94.2	94.2	94.2	94.2	94.2	94.2	94.2	94.2	
≥ 1000	. 9 . 9	77.3			1	c 3 . 9	95.2	95.6	95.6	05.6	95.6	95.6	95.6	95.6		95.
> 900	59.9		83.5	37.5	89.3	94.1	95.6	96.1	96.1	96.2	96.4	96.4	96.4	96.4	96.4	
≥ 900 ≥ 800		1	83.5	67.5	89.3	94.1	95.7	96.2	96.2	96.4	96.5	96.5	96.5	96.5	96.5	
	50.9	77.4	83.0	87.6	89.5	94.4	96.0	96.6	96.6	96.9	97.0	97.0	97.0	97.C	97.0	97.
≥ 700 ≥ 600	59.9	77.8	54.1	58.1	9. • 3	95.2	96.7	97.7	97.7	98.3	98.1	98.1	98.1	98.1	98 - 1	98.
	59.9	77.9	84.2	98.3	97.2	05.5	97.1	98.0	98.7	98.2	98.4	98.4	98.4	98.4	98.4	38.
≥ 500 ≥ 400	20.3	77.9	84.7	38.3	90.2	95.5	97.2	98.1	98.1	98.4	98.5	98.5	96.5	98.5	98.5	98.
	59.0	77.7	84.2	36.3		95.7	97.5	98.6	98.€	98.9	99.0	99.0	99.3	99.5	99.7	99.
≥ 300	59.9	77.9	84 • ?	33.3	90.2	95.9	97.6	98.9	98.9	99.1	99.4	99.4	99.4	99.4	99.4	99.
≥ 200	53.3	77.9	84.2	€8 • 5	90.4	96.C	97.7	99.0	99.C	99.4	99.6	99.6	99.7	99.7	99.7	
≥ 100	59.9	77.9	84.2	98.5	92.4	96.0	97.7	99.0	99.0	99.4	99.6	99.6	99.7	09.7	99.7	
≥ 0	55.9	77.9	84.2	35.5	90.4	96.3	97.7	99.0	99.0	99.4	99.6	;	00.01		123.0	130.

TOTAL NUMBER OF DESERVATIONS\_

USAF ETAC  $\frac{r_{\text{ORM}}}{r_{\text{NLOM}}}$  0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

AL CLIMATOLOGY REANCH. VEATHER SERVICE/MAC

HC RAM PACTEDANO

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

73-81

2130-2300

CEILING							VIS	SIBILITY ST	ATUTE MIL	.ES						
FEET	≥10	≥6	≥ 5	≥4	≥ 3	≥2 ;	≥ ?	≥(:	≥1.	≥1	≥ '•	≥.•	2	≥5 '6	≥ .	≥c
NO CEILING	35.7	44.5	45.9	42.8	40.2	4 5	50.1	50.1	50.1	50.4	50.6	50.6	57.6	57.6	50.8	50.8
≥ 20000	37.7	47.9	5 • 4	52.5		53.9	54.8	54.8	54.8	55.1	55.3	55.3	55.3	55.3	55.5	55.5
≥ 18000	37.7	48.1	5 `• 5	52.6	53.4	54.0	54.9	54.9	54.c	55.2	55.5	55.5	55.5	55.5	55.6	55.6
. ≥ 16000	37.7	49.1	5 1 . 5		53.4		54.0	54.9	54.9	55.2	55.5	55.5	55.5	55.5	55.6	55.6
≥ 14000	37.0	48.3		52.0	53.6	54.3	55.2	55.2	55.2	55.5	55.7	55.7	55.7	55.7	55.8	55.B
≥ 12000	33.4	5.00			55.3			57.0		57.3	57.5	57.5	57.5	57.5	57.7	57.7
≥ 10000	41.7		55.5	57.9	58.7	59.9	67.8	60.8	<b>6.0</b> 4	61.0	61.3	61.3	61.3	61.3	61.4	61.4
≥ 9000	42.9	54.3	57.1	59.2	67.0	61.2	52.1	62.1	62.1	62.3	62.6	62.6	62.6	62.6	62.7	62.7
≥ 8000	44.5	57.3	67.1	62.3	63.1	64.3	65.2	65.2	65.2	65.5	65.7	65.7	65.7	65.7	65.8	65.6
≥ 7000	45.5	59.7	67.9	65.1	65.8	67.0	67.9	67.9	67.9	68.2	68.4	69.4	65.4	68.4	63.6	68.6
≥ 6000	45.7	6 6	63.8	66.1	66.9	63.1	69.N	69.3	69.0	69.2	69.5	69.5	69.5	69.5	09.6	69.6
≥ 5000	46.5	53.5	67.1	69.5	70.3	71.6	72.5	72.5	72.5	72.7	73.0	73.0	73.0	73.0	73.1	73.1
≥ 4500	48.2	55.7	69.9	72.3	73.1	74.4	75.3	75.3	75.3	75.6	75.8	75.8	75.8	75.8	76.0	76.5
≥ 4000	5 5	68.7	73.1	75.1	77.5	79.3	79.2	79.2	79.2	79.5	79.7	79.7	79.7	79.7	79.9	79.9
≥ 3500	51.3	7 .9	75.3	78.2	79.5	6 i. 8	81.7	81.7	81.7	81.9	82.2	82.2	82.2	82.2	32.3	82.3
≥ 3000	>3.0	73.6	78.2	81.6	83.2	24.7	85.6	P5.6	85.6	85.8	86.1	86.1	86.1	86.1	86.2	86.2
≥ 2500	53.2	75.3	83.1	83.8	85.5	87.7	88.1	38.1	88.1	88.4	88.7	88.7	88.7	88.7	88.6	88.3
≥ 2000	53.9	76.4	81.5	85.8	87.8	89.5	90.5	90.5	90.5	90.9	91.2	91.2	91.2	91.2	91.3	91.3
≥ 1800	<b>94.3</b>	77.0	82.3	86.6	88.6	90.3	91.3	91.3	91.3	91.7	91.9	91.9	91.9	91.9	92.1	92.1
≥ 1500	4 . 5	77.4	62.9	97.1	87.1	90.9	91.9	91.9	91.9	92.3	92.6	92.6	92.6	92.6	92.7	92.7
≥ 1200	34.5	77.5	83.2	£7.5	80.5	91.3	92.5	92.6	92.6	93.0	93.2	93.2	93.2	93.2	93.4	93.4
≥ 1000	54.7	78.2	84.2	88.6	90.5	92.3	93.6	93.8	93.8	94.2	94.4	94.4	94.4	94.4	94.5	94.5
≥ 900	54.0	73.7	84.7	89.4	91.3	93.1	94.4	94.5	94.5	94.9	95.2	95.2	95.2	75.2	95.3	95.3
≥ 800	55.1	79.	84.9	89.6	91.6	93.4	94.7	94.8	94.8	95.2	95.5	95.5	95.5	95.5	95.6	95.6
2 700	55.1	79.1	85.1	89.9	91.8	93.8	95.1	95.2	95.2	95.6	95.8	95.8	95.8	95.8	96.0	96.0
≥ 600	55.2	79.7	85.7	9 . 6	92.6	94.8	96.1	96.2	96.2	96.6	96.9	96.9		96.9	97.0	97.0
≥ 500	75.2	79.9	85.2	91.0	93.0	95.6	97.3			97.9	98.2			98.2	98.3	
≥ 400	55 • 2	79.9	85 • 8	71.0	93.0	95.6	97.4	97.7	97.7	98.2	98.4	98.4	98.4	98.4	98.6	[
≥ 300	55.2	79.9	85.1	91.4	93.4	96.0	97.8	98.1	98.1	99.0	99.4	99.4	99.4	99.4	99.5	99.5
≥ 200	55.2	79.9	86.1	91.4	93.4	96.0	97.8	98.1	98.1	99.1	99.5	99.5	99.5	99.5	99.6	- 1
≥ 100	25.2	77.9	86.1	91.4	93.4	96.0	97.8	98.1	98.1	99.1	99.5	99.5	99.5	99.5	99.6	
≥ 0	35.2	79.9	86.1	91.4	93.4	96.0	97.8	96.1	98.1	99.1	99.5	99.5	99.7	99.9	10.0	0.00

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC TOTAL 0-14-5 (OL A) PREVIOUS EPITIONS OF THIS FORM ARE OF

HE FAL CLIMATOLOGY SPANCH FETAC F FLATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH 73-31

PERCENTAGE FREQUENCY OF OCC

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING			,				VIS	BILITY ST.	ATUTE MILI	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥1 -	≥1.	≥1	≥ ¼	≥'₃	≱ :	≥5 16	2.	≥0
NO CEILING ≥ 20000	27.5 10.9	35.6	37.9	39.6 45.1		42.1	43.4	43.6 49.8		43.8	44.0 50.2	44.0		1	44.2 50.4	44.3 50.5
≥ 18000	31.0	43.4	43.2	45.3	46.9	43.2	49.8		50.1 30.1	50.3	50.5	52.5	5 € • 6	50.6		50.6
≥ 14000 ≥ 12000	31.5 32.2	4 1.9	43.9		47.5		50.5	50.8	50.6	51.0	51.2	51.2	51.3	51.3	51.4	51.5
≥ 10000 ≥ 9000	34.4	45.4 46.	48.6	51.0		54.2	55.8	56.2	56.2	56.4	56.6	56.6	56.7	56.7	56.8	
≥ 8000 ≥ 7000	30.2	48.0		53.9	55.7	\$7.5		59.6	59.6	59.8	59.9	59.9	o∂.1	00.1	60.2 61.4	60.2
≥ 6000 ≥ 5000	37.1 25.4	49.5		55.6	57.5 60.2	59.4	61.2		61.5	61.7	61.9	61.9	62.1	62.1		62.2
≥ 4500 ≥ 4000	39.7	53.7		65.4	62.5	64.5	66.4	66.8	66.8	67.0	67.2	67.2	67.4	67.4		67.5
≥ 3500 ≥ 3000	43.1		63.1	66.3		71.1	73.0	73.5	73.5	73.8	74.0	74.0	74.2	74.2	74.2 78.1	74.3
≥ 2500 ≥ 2000	46.2	54.°	60.	72.6		78.1	80.3	30.9	80.9	81.2	81.5	81.5	81.6	81.6	81.7	
≥ 1800 ≥ 1500	47.9	67.4	72.2	76.3	70.4 8 .6	82.3	84.6	85.3	85.3	85.6	85.9	85.9	86.0	56.1	86.1	86.2
≥ 1200 ≥ 1000	4 - 6	58.3 63.8		78.7		85.1	87.7	88.6	88.6	89.0	89.2	89.2	89.4	89.4	89.5 90.8	89.5
≥ 900 ≥ 800	49	69.1	75.2	79.9		96.7	89.6	90.5	90.5	90.9	91.2	91.2	91.4	91.4	91.4	91.5
≥ 700 ≥ 600	49.1	69.7	76. 75.3	80.8		88.1	91.0	92.0	92.1	92.6	92.9	92.9	93.1	93.1	93.1	93.2
≥ 500 ≥ 400	49.2	77.2		81.7	85.7	89.6	93.7	94.2	94.3	95.1	95.4	95.4	95.6	95.7	95.7	95.8
≥ 300 ≥ 200	40.2	75.3		82.2	86.3	93.4	94.06	96.2	96.3	97.5	98.1	98.1	98.4	98.4	98.5	98.6
≥ 100 ≥ 0	49.2	70.3	76.9 76.9	82.2	86.4	90.5	94.7	96.5	96.6	97.9	98.6	98.6	99.7	99."	99.3	99.5

OTAL NUMBER OF OBSERVATIONS \_\_\_\_\_\_626.2

USAF ETAC 101 M 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE DESCRET

L RAL CLIMATOLOGY BRANCH LEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

TOUNGSTOAN MAP OH

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING					<del></del> -		· vis	IBILITY ST	ATUTE MIL	ES			_			
FEET	≥10	≥ 6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	217	≥1.4	≥1	≥ '•	≥`•	≥ :	≥5 16	≥ .	≥c
NO CEILING ≥ 20000	32.7	01.5 42.1	42.4	44.J 46.1	44.8 46.9	45.2	45.3 47.4	45.3 47.4	45.3 47.4	46.7 48.7	46.7	46.7 48.7	46.8 48.8	46.8 48.8	47.0 49.1	47.2
≥ 18000 ≥ 16000	33.3 33.5	42.1 42.2	44.5	46.1 46.2	46.0 47.0	47.3	47.4 47.5	47.4 47.5	47.4 47.5	48.7	48.7 48.3	48.7	48.8 49.0	48.8 49.7	49.1 49.2	49.2
≥ 14000 ≥ 12000	34.1	4?.2 43.2		45.2 47.2	47.F		47.5 48.5	47.5 48.5		48.8	48.8	48.8	49.0	49.0	49.2 50.2	40.3
≥ 10000 ≥ 9000	35.5 37.2	46.2	48.6 49.5	50.2 51.2	51.0 52.0		51.5 52.5	51.5 52.5		52.8 53.8	52.8 53.8	52.8 53.8	53.° 53.9		53.2 54.2	53.3 54.3
≥ 8000 ≥ 7000	38 • 7 39 • 2	49.2 51.0	51.6 53.7	53.2 55.3	54.1 56.2	54.4 56.6	54.5 56.7	54.7 56.8		56.1 58.4	56.1 58.4	56.1 58.4	56.2 58.5		56.5 58.8	56.6 58.9
≥ 5000 ≥ 5000	39.4 41.5	51.5 54.4		55.9 58.9	56.8 59.9	57.2 60.4	57 <b>.3</b> 63.5	57.5 60.6		59.0 62.2		59.0 62.2	59.2 62.3		59.4 62.5	59.5 62.7
≥ 4500 ≥ 4000	43.5	57. ) 6 6	59.6 63.3	61.6 65.5	62.5 66.4	63.3	63.2 67.0	63.3 67.2		64.8 68.7	64.8	64.8 68.7	65.0 68.8	65.0 68.6	65.2 69.1	65.3 69.2
≥ 3500 ≥ 3000	49.0 31.5	64.1 67.8	66.8 79.5	69.2 73.2	7' • 3 74 • 3	7 .8	77.9 74.9	71.0 75.0	71.3 75.3	72.6 76.6	72.6 76.6	72.6 76.6	72.7 76.7	72.7 76.7	73.0 77.0	73.1 77.1
≥ 2500 ≥ 2000	52.8 54.4	69.9 73.2	73.0 76.2	76.0 79.5	77.1 20.6	77.6 31.1	77.7 81.2	77.8 81.3	78.1 81.6	79.4 82.9	79.4 82.9	79.4 82.9	79.5 83.0	79.5 83.0	79.8 33.3	79.9 83.4
≥ 1800 ≥ 1500	5 <b>5°</b> 4	74.3 75.5	77.3 79.5	90.6 81.9	81.7	82.3 93.8	82.4 83.9	82.5 84.0	82.8 84.2	84.1 85.6	84.1 85.6	84.1 85.6	84.2 85.7	84.2 85.7	84.5 85.9	84.6 86.1
≥ 1200 ≥ 1000	55." 56.4	76.7 77.3		83.5 34.5	84.7 85.7	85.3 86.3	86.5	85 • 6 86 • 8	85.8 87.0	87.2 88.4	87.2 88.4	87.2 88.4	87.3 88.5	87.3 88.5	87.5 88.7	87.6 88.8
≥ 900 ≥ 800	56.4 50.4	77.6	81.	84.7	86.1 86.3	86.7	86.9 87.4	87.2 87.6	87.4 87.9	88.7	88.7	88.7	88.8 89.5	88.8 89.5	89.1 89.7	89.2 89.8
≥ 700 ≥ 600	5 2 • 5 5 2 • 5	77.9 78.3	81.9	85.5	87.0 88.1	88.8	88.2	88.5 90.1	88.7 90.3	90.2	91.9	90.2	90.3 92.0	90.3 92.0	90.5 92.2	90.7
≥ 500 ≥ 400	56.6 55.5	79.3	83.0 83.6	87.6 88.5	89.6 90.9	91.9	91.2 92.8	91.6		93.5	93.5 95.2	93.5	93.6 95.3	93.6 95.3	93.8 95.5	93.9 95.6
≥ 300 ≥ 200	56.5 50.6	79.4	84.0	89.0 39.3	91.9	93.3	94.7	95.2	95.4	98.3	97.1	97.1 98.5	97.2	97.2	97.5	97.6
≥ 100	56.6 56.6	79.4 79.4	84.	89.3 89.3		94.2 94.2	95.6 95.6	96.5 96.5	96.7 96.7	98.5 98.5	98.8 98.8	98.8	99.0 99.0	99.0 99.0		99.4

USAF ETAC NIL 64 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OSSIGNETE

L'HAL CLIMATOLOGY PRANCH METAC EATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

HO PAM NACTSONUOY

73-81

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							ViS	IBILITY ST	ATUTE MIL	ES-						
FEET	≥10	≥6	≥ 5	≥4	≥ 3	≥27	≥ 2	≥1/2	≥1′4	ا ≤	IV E	≥ '•	≥ '>	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	24.1	34.7	37.7	39.8 42.9		41.3	41.9 45.0		42.1	42.5		43.3	43.5	43.5	43.5	44.2
≥ 18000 ≥ 16000	25.1	37.2 37.2	47.8 47.8	42.9 42.9	43.7	44.3	45.0	45.2	45.2 45.2	45.6	46.1	46.1	46.6	46.6	46.6	47.3
≥ 14000 ≥ 12000	20.7	37.2 35.6	42.4	42.9	43.7 45.3	44.3	45.0 46.6	45.2	45.2 46.8	45.6	46.1	46.1	46.6	46.6	46.6	47.3
≥ 10000 ≥ 9000	24.2	41.5	45.2 45.8	47.3	48.2 48.8	43.8	49.4 50.0	49.6	49.6 50.2	50.0 50.6	50.5 51.1	52.5 51.1	51.J	51.°	51.C	51.7 52.3
≥ 8000 ≥ 2000	20.5 20.7	43.1	46.4	49.3 50.4		50.7 51.8	51.4 52.5	51.6 52.7		52.0 53.1	52.5 53.6	52.5 53.6	53.7 54.1	53.C 54.1	53.2 54.1	
≥ 6000 ≥ 5000	71.2 33.4	43.1	48.8 52.0	51.5 34.7	52.5 55.8	53.1 56.7	53.7 57.3	53.9 57.5		54.4	54.9 58.5	54.9 59.5	55.4	55.4 59.0	55.4 59.0	,
≥ 4500 ≥ 4000	35 • 3 30 • 3	5 i • 7	53.0 58.5	56.7 51.2	57.8 62.3	58.6 63.2	59.2 63.8	59.5 64.0		60.0 64.5	60.5 65.0	60.5 65.J	61.0 65.5		61.°	61.7 66.3
≥ 3500 ≥ 3000	42.	51.9 62.2	63.1	66.1 69.8	67.2 7.9	68.2 72.J	68.8 72.8	69.1 73.□		69.6 73.5	70 • 1 74 • 0	70 • 1 74 • 3	70.6 74.5	70.6 74.5		71 • 3 75 • 2
≥ 2500 ≥ 2000	45.3 46.4	65.3 67.5		73.2 75.7	74.3 76.8	1	76.1 78.9	76.4 79.2		76.8 79.7	77.3 87.2	77.3 80.2	77.8	77.9 80.7	77.8 60.7	78.6 81.4
≥ 1800 ≥ 1500	46.9	69.2 69.7	72.5 73.3	76.5 77.1	77.6 78.4	78.7 79.6	79.7	79.9 80.8		85.4 81.3		80.9 81.8	81.4 82.3	81.4	81.4 92.3	82.1 83.7
≥ 1200 ≥ 1000	47.8	69.6	73.9 75.2	76 • 2 79 • 9	77.6 81.4	83.7 82.5	81.7	81.9 63.9	-	82.4 84.4	82.9	82.9	83.4	83.4 85.3	83.4	84.1 86.1
≥ 900 ≥ 800	48.3	71.6	76.2 76.8	8 .9	83.4	83.5 84.5	94.5	84.9 86.3	86.1	85.3 86.5	85.8 86.9	85.8	86.3 87.4	86.3 87.4	36.3 87.4	87.1 88.2
≥ 700 ≥ 600	48.5	72.8	78.4		84.7 85.5	85.8	86.9	88.3	88.4	87.8 88.8	88.3	88.3	89.8	89.8	88.8	89.5 90.5
≥ 500 ≥ 400	48.5 48.5	73.5	79.7						91.7				91.7 93.3		91.7 93.3	92.5 94.1
≥ 300 ≥ 200	48.5	74.0	87.2	86.7	89.5	91.7		93.1		94.1			95.2		95.2 97.5	95.9 98.3
≥ 100 ≥ 0	48.5 48.5	74.1	80.2 80.2	57.1 87.1		91.9	1	94.7		95.9 95.9			98.0 98.0	1	78.3 98.3	· •

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC ILLE 0-14-5 (OL A) MEMOUS EDITIONS OF THIS FORM A

1 1 .

....RAL CLIMATOLOGY RRANCH ...FETAC A weather service/mac

#### CEILING VERSUS VISIBILITY

NO GAM MAD STOWN

73-81

MONTH

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

670-0600

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥27	≥ 2	≥17	≥1.4	≥1	≥ ¼	≥ 's	≥ :	≥ 5 16	2 4	≥c
NO CEILING ≥ 20000	15.4	26.6 23.8		33.3 35.4	34 • 7	35.9 38.7	37.1 40.3	37.7 40.9	37.7 40.9	38.0 41.1	38.5 41.6	38.5 41.6	39.3 42.6	39.3	39.7 43.7	1 7 7 2 1
≥ 18000 ≥ 16000	19.5	23.8 28.9		35.6 35.7	37.6 37.7	39.3 39.1	40.5 40.7	41.1 41.3	41.1	41.4	41.9 42.0	41.9 42.0	42.8 43.0	42.6 43.0	43.2	43.6
≥ 14000 ≥ 12000	19.3	29.1 31.1	31.4 33.4	36.0 38.1	38.1 40.3	39.4	41.0 43.2	41.6 43.8	41.6 43.8	41.9	42.4	44.5	43.3 45.5	43.3	43.7 45.9	44.1 46.2
≥ 10000 ≥ 9000	23.2	33.5 33.7	36.3 36.5	41.3 41.5	43.4 43.7	44.8 45.0	46.4	47.0	47.0 47.2	47.2 47.5	47.7 47.9	47.7 47.9	48.7	48.7	49.0 49.3	49.4
≥ 8000 ≥ 7000	24.4	35.2 36.0			45.3	47.0	48.7	49.3 50.2		49.5 50.5	50.0 51.7	50.0 51.0	51.0	51.°	51.3 52.3	52.7
≥ 6000 ≥ 5000	25.5 28.3	37.4	40.4	45.6	47.9 51.6	49.6 53.3	51.5 55.2	52.1 55.8	52.1 55.8	52.3 56.1	52.8 56.6	52.8 56.6	53.8 57.5	53.8 57.5	54.1 57.9	58.3
≥ 4500 ≥ 4000	31.5	42.1	45.5 48.2	51.0 53.6	53.5	55.5 58.4	57.4 60.3	58.1	58 • 1 61 • 0	58.4	58.9	58.9	62.9	62.9	63.2	63.6
≥ 3500 ≥ 3000	34.2	47.6 51.7	51.1 55.5	56.7 61.0	59.2	65.9	63.3	68.8	68.8	69.1	65.0 69.7	65.0	70.6	70.6	71.0	
≥ 2500 ≥ 2000	39.6 +0.4	56.8	59.7 60.6	66.3	69.1	69.5 71.6	71.8	73.1	73.1	73.5	74.2	74.2			75.5	
≥ 1800	40.9	58.3	63.5	67.8 69.2	70.6 72.0	73.2	75.7	77.1 78.6	77.1	77.5	78.2	78.2	79.1 80.8	83.8	79.5	79.9
≥ 1200 ≥ 1000	41.7 42.5	61.7	65.9	70.6	75.0	76.3 77.9 79.0	79.1 80.9	80.6 82.5	80.7 82.6	81.2 83.1 84.5	81.8 83.7 85.1	81.8 83.7	82.8	84.7	83.1	83.5
≥ 900 ≥ 800 ≥ 700	43.1	61.9 62.5	65.7 67.5	73.1 73.8 74.9	76.7 76.7	79.9	83.1	83.9 84.7	84.0 84.8 86.2	85.3 86.7	86.0	86.0	86.0 87.0 88.3	86.5 87.0 88.3	86.4 87.4 88.7	86.8 87.7 89.1
≥ 600	43.2	63.5	66.7	75.1	78.3 78.9	81.8	95.3 86.9	87.1 89.0	87.3	87.9	98.6	88.6	89.6	89.6	89.9	90.3
≥ 400 ≥ 300	43.2	63.6	68.9	76.0 76.2	79.6	84.0	88.1	90.5	90.7	91.4	92.4	92.4	93.3	93.3	93.8	94.2
2 100	43.2	63.6	69.1	76.3	80.2	84.8	89.2	92.4	92.5	94.5	95.9	95.9	97.1	97.1	97.8	98.2
2 0	43.2	63.6		76.3	80.2	34.8	89.2		92.7	94.8	96.1	96.1	97.5		98.3	

TAL NUMBER OF OBSERVATIONS 82

USAF FTAC HUMA 0-14-5 (OL A) PRIVIOUS COTTONS OF THIS FORM ARE CONDUCT

FELFAL CLIMATOLOGY BRANCH FELTAC 1 - FRATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

CUNSSION MAP OH

73-81

CCT

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

<u>េទចិនី-វិវាធប</u>

CEILING							VIS	BILITY -ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥3	≥2 7	≥ 2	≥17	≥1%	≥1	≥ ¼	≥ >₁	≥ >	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	24.2	31).c	33.° 36.9	35.2 39.8	36.8 41.7	38.0 42.9	38.4 43.2	36.6 43.5	38.9 43.7	38.9 43.7	38.9	38.9	38.9 43.7	38.9	38.9 43.7	38.9 43.7
≥ 18000	24.5	34.7	37.3 37.3	47.3 40.3	42.1 42.1	43.4	43.7 43.7	44.D	44.2	44.2	44.2	44.2	44.2	44.2	44.2	44.2
≥ 14000 ≥ 12000	25.1 25.9	35.3 36.8	37.9 39.7	40.9 42.8	42.9 44.8	44.1 46.0	44.5	44.7 46.7	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9
≥ 10000 ≥ 9000	27.0 27.2	38.9 39.1	42.3 42.5	45.3 45.6	47.7	48.7	49.1	49.3	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6
≥ 8000 ≥ 7000	28.0 29.1	41.3	44.8	48.1 49.0		51.9 52.7	52.3 53.1	52.5 53.3	52.7 53.6	52.7 53.6	52.7 53.6	52.7 53.6	52.7 53.6	53.6	52.7 53.6	52.7 53.6
≥ 6000 ≥ 5000	37.9	42.4	46.3 48.8	49.6 52.4	52.0 54.8	53.7	54.1 57.1	54 • 3 57 • 4	54.6 57.6	54.6 57.6	54.6 57.6	54.5 57.6	54.6 57.6	57.6	54.6 57.6	57.6
≥ 4500 ≥ 4000	32.0 33.5	45.2	51.3	53.6 55.5		58.5	59.2 60.9	59.4	59.7 61.5	59.7 61.5	59.7	59.7 61.5	59.7 61.5	61.5	59.7 61.5	59.7 61.5
≥ 3500 ≥ 3000	36.1	50.8 55.5	59.8	58.8 63.7	61.3	63.6	64.3	69.8	64.9 70.0	54.9 70.0	70.0	70.0	70.0	70.0	70.0	70.0
≥ 2500 ≥ 2000	43.2	57.8 63.8	64.1 68.1	72.1	70.5 74.5	73.D 77.1	74.1 78.2	74.4	74.7 78.8	74.7 78.8	74.7 78.8	78.8	74.7 78.8	74.7 78.8	78.8	74.7 78.8
≥ 1800 ≥ 1500	47.3	65.4	71.3	74.2	76.6 78.0	79.4 80.8	80.9 82.2	81.2	81.5	81.5 82.9	81.5	81.5	81.5	81.5	81.5	81.5
≥ 1200	49.8	69.4 69.9	73.6	78.3 79.0	81.7	84.0 85.4	85.7	86.2	86.5	86.7	86.7	86.7	86.7	86.7	86.7	86.7
≥ 900 ≥ 800	49.5	7:.3	74.9 75.3	79.8 80.3	82.6	86.4 87.5	88.3	88.8	89.2 99.3	90.6	90.6	90.6	90.6	90.6	90.6	90.6
≥ 700 ≥ 600	49.6	71.1	76.4	81.0 81.5 82.3	85.1	88.9	90.9	91.6 93.4 95.7	93.8	92.4	92.4	92.4	94.3	92.4	92.4	92.4
≥ 500 ≥ 400 ≥ 300	49.8	72.1	77.3	82.7	36.6 87.0 87.2	91.6 92.3	94.5 95.7	96.7	96.1 97.1	96.6 97.8	96.6 98.1	96.6 98.1 98.8	96.6 98.1	96.6 98.1 98.9	96.6 98.1 98.9	96.6 98.1 98.9
≥ 200 ≥ 100	49.8	72.1	77.3	82.7	87.2	92.3	95.4	97.3	97.7	98.4	98.9	99.S	99.1	99.3	99.3	99.3
\$ 0	40.8	72.1	77.3	32.7	87.2	92.3	95.4	97.3	97.7	98.4	99.0	99.1	99.3	99.4	99.5	100.0

AL NUMBER OF ORSERVATIONS \_\_\_\_\_\_\_82

USAF ETAC NILM 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS PORM ARE DESCRIPT

.

----

• •

• ,

•

. TAL CLIMATOLOGY BRANCH SELTAC FATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1200-140C

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 7	≥1:	≥1 .	≥1	≥ 1 <sub>4</sub>	≥ >u	≥ ;	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	24.4	31.4 36.8	32.6 38.3	33.5 39.3	34.1 39.9	34.7	34.7	34.7 40.5	34.7 40.5	34.7	34.7 40.5	34.7 40.5	34.7 40.5	34.7 40.5	34.7 40.5	34.7 40.5
≥ 18000 ≥ 16000	20.9	37.º	38.4 38.4	39.4 39.4	40.0 47.0	40.6 40.6	40.6 43.6	40.6	40.6 40.6	40.6 40.6	40.6 40.6	40.6 40.6	40.6 40.6	40.6 40.6	40.6	40.6 40.6
≥ 14000 ≥ 12000	29.5 31.3	37.7 30.6	39.1 41.1	4~•1 42•0	47.7 42.6	41.3	41.3 43.2	41.3 43.2	41.3	41.3	41.3 43.2	41.3	41.3 43.2	41.3 43.2	41.3	41.3
≥ 10000 ≥ 9000	2.1 -2.5	42.0	42.3	43.4	44.C 45.2	44.6	44.6	44.6	44.6 45.8	44.6 45.8	44.6 45.8	44.6 45.8	44.6	44.6 45.8	44.6	44.6
≥ 8000 ≥ 7000	3.3	43.4	44.5	46.6 47.0	47.2	47.3	47.8 48.3	47.8 48.3	47.8	47.8 48.3	47.8 48.3	47.8	47.8 48.3	47.8 48.3	47.8 48.3	47.8
≥ 6000 ≥ 5000	36.7	44.4	45.C	47.7 51.7	52.5	49.D 53.3	49.0 53.3	49.0 53.3	49.0 53.3	49.0 53.3	49.0 53.3	49.0 53.3	49.3 53.3	49.G 53.3	49.8 53.3	49.0 53.3
≥ 4500 ≥ 4000	38.4	49.8 54.1	56.	53.6 58.1	54.5 58.9	55.3 59.8	55.3 59.9	59.9	55.3 59.9	55.3 59.9	55.3	55.3	55.3 59.9	55.3 59.9	55.3 59.9	55.3 59.9
≥ 3500 ≥ 3000	47.3 51.7	65.3	63.5	54.5 70.8	65.3 71.6	72.8	72.9	72.9	72.9	72.9	72.9	72.9	72.9	72.9	72.9	72.9
≥ 2500 ≥ 2000 > 1800	56.5	71.9 77.9	74.5 83.8	77.3 83.6	78.1	79.6 85.9	79.8 86.2	79.8 86.2	79.8 86.2	79.8	79.8	79.8	79.8 85.4	79.8 86.4	79.8 86.4	79.8
≥ 1800 ≥ 1500 ≥ 1200	61.1 52.4 93.2	81.5	84.8	98.0 89.5	88.9 90.6	90.6	88.3 90.9	88.3 91.1 92.8	88.3 91.1 92.8	88.5 91.3 93.1	91.3	88.5 91.3	88.5 91.3	91.3 93.1	91.3	91.3
≥ 1000 ≥ 900	63.5	83.7	87.3	90.9	92.3	94.1	94.4	94.8	94.8	95.2 96.0	93.1 95.2 96.0	95.2	95.2 96.0	95.2 96.0	93.1 95.2 96.0	95.2 96.3
≥ 800	63.6	84.5	88.2	91.9	93.2	95.2 95.5	95.5 96.C	96.5	96.0	96.4	96.4	96.4	96.4	96.4	96.4	96.4
≥ 500	63.8	84.3	88.4	92.3	93.6	95.8	96.9	97.5	97.5	97.8	97.8	97.8	97.8	97.8	97.8	97.8
≥ 400	63.9	85.0	88.5	92.8	94.4	96.9	98.2 98.2	98.9	98.9 99.5	99.3	99.3	99.3	99.3	99.3	99.3	99.3
≥ 200	63.9	85.C	88.8	92.8	94.6	97.0	98.3	99.2	99.2	99.8	99.9	99.9		00.0	20.0	100.0
2 0	63.4	85.0	88.8	92.8	94.6	97.0	98.3	99.2	99.2	99.8	99.9	99.9	100.0	00.0	0.00	00.0

828

USAF ETAC HILLS 0-14-5 (OL A) MEVIOUS BOIL

BECHAL CLIMATOLOGY PRANCH WILESTAG ATT HEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

TES YOUNGSTOWN MAP OH

73-81

OCT

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1520-1700

CEILING		· · · · · · · · · · · · · · · · · · ·					VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥3	≥2 7	≥ 2	≥1 :	≥1.	≥1	≥ ¼	5 ,4	≥ 7	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	25.7	31.8	32.0	33.1	73.5	34.2	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	
≥ 18000	32.	39.2	45.3	40.8	41.2	41.9	42.1	42.1	42.1	42.1 42.1	42.1 42.1	42.1	42.1 42.1	42.1	42.1	42.1
≥ 16000 ≥ 14000	32.4	39.2	47.3	40.8	41.2	41.9	42.4	42.4	42.4	42.1	42.4	42.4	42.1	42.4	42.4	42.4
≥ 12000	34.0	41.7	42.8	43.3	43.6	44.4	44.5	44.5	44.5	44.5	44.5	44.5	44.5	44.5	44.5	
≥ 10000 ≥ 9000	36 • 4	44.4	45.5	46.6	46.6	47.8	47.4	47.4	47.9	47.4	47.4	47.4	47.4	47.4	47.4	47.4
≥ 8000 ≥ 7000	37.8	46.5	47.6	48.4	45.9	49.6	49.8	49.8	49.8	49.8	49.8	49.8	49.8	49.8	49.8	49.8
≥ 6000	38.9	47.8	48.9 50.1	51.1	50.4	51.1 52.3	51.2 52.4	51.2 52.4	52.4	51.2 52.4	51.2 52.4	51.2 52.4	51.2 52.4	51.2		51.2 52.4
≥ 5000 ≥ 4500	47.8	54.3	55.5 59.7	56.5	57.0	57.7 62.1	57.8 62.2	58.2	58.2	58.2 62.5	58.2	58.2 62.6	58.2 62.6	58.2 62.6	58.2	58.2
≥ 4000	55.0	65.8	67.2	68.2	68.7	69.7	70.0	70.4	70.4	70.4	70.4	70.4	70.4	70.4	70.4	70.4
≥ 3500 ≥ 3000	58.1	69.7	71.1 76.3	72.1 77.4	72.6 77.9	73.6	74.0	74.3	74.3 79.7	74.3 79.7	74.3 79.7	74.3 79.7	74.3	74.3	74.3. 79.7	74.3
≥ 2500 ≥ 2000	65.5 68.7	79.0		82.5 86.8		84.1	84.7	85.1 89.5	85.1	85.1	85.1	85.1 89.6	85.1	85.1 89.6	85.1	85.1
≥ 1800 ≥ 1500	69.4	84.4	87.2	88.5	89.0	90.3	91.1	91.4	91.4	91.6	91.6	91.6	91.6	91.6	91.6	91.6
≥ 1200	7:.4	85.3		89.5 90.8		91.4	92.2	92.5	92.5	92.7	92.7	92.7	92.7	92.7	92.7	92.7
≥ 1000	70.4	86.7	89.5	91.2		93.8	94.9	95.2	95.2 95.2	95.4	95.4	95.4	95.4	95.4	95.4 95.4	95.4
≥ 800	70.4	96.9	89.7	91.4	92.3	94.1	95.4	95.7	95.7	95.8	95,8	95.8	95.8	95.8	95.8	95.8
≥ 700 ≥ 600	70.5	87.2 37.2	90.2	91.9	92.8	94.9	96.5	96.8	96.8	96.9		96.9	96.9		96.9	96.9
≥ 500 ≥ 400	70.7 70.7	87.5 97.5	90.6	92.4	93.4	95.6	97.6	98.3	98.3	98.4	98.4	98.4	98.4	98.4	98.4	98.4
≥ 300	70.7	87.5	90.6	92.4	93.5	96.1	98.3	99.4	99.4	99.6	99.6	99.6	99.6	99.6	99.6	99.1
≥ 100	70.7	87.5	90.6	92.4	93.5	96.2	98.4	99.5	99.5	99.9	99.9		99.9		99.9	99.9
≥ 0	73.7	87.5		92.4	93.5	96.2			}				0.00			

TOTAL NUMBER OF OBSERVATIONS \_\_\_\_\_

USAF ETAC FORM 0-14-5 (OL A) PREVIOUS ENTITIONS OF THIS PORM ARE DISOLET

HE HAL CLIMATOLOGY BRANCH FEETAC A REATHER SERVICE/MAC

#### CEILING VERSUS VISIBILITY

HOUNGSTOWN MAP OH

73-81

OCT

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1837-2300

CEILING						· · ·	VIS	BILITY ST.	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥3	≥2 7	≥ 2	≥1 2	≥1 a	≥1	≥ 3.	5,₁	≱ ;	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	31 · ·	39.8 45.9	39.8 47.9	40.4 43.7	47.8 47.1	41.0 49.7		41.4 50.1	41.4 50.1		41.4 50.1		41.4 50.1	41.4 50.1	41.4 50.1	41.4 50.1
≥ 18000 ≥ 16000	37. 1	46.9 46.9	47.9 47.9	48.7 48.7	49.1 49.1			50.1 50.1	50.1 50.1		50.1 50.1	50.1 50.1	50.1 50.1	50.1 50.1	50.1 50.1	
≥ 14000 ≥ 12000	37 • ¹ 3€ • 2	46.9 49.2	47.9 49.2	48.7 57.1	49.1 57.4	51.0	51.3	50.1 51.4	50.1 51.4		5C.1 51.4	50.1 51.4	50.1 51.4	50.1 51.4	50.1 51.4	50.1 51.4
≥ 10000	40.7	51.2 52.3	53.2	54.1	53.4 54.5	54.8 55.1	55.3		54.3 55.4		54.3 55.4	54.3 55.4	54.3 55.4	54.3 55.4		
≥ 8000 ≥ 7000	41.9	53.5 54.9	54.6 56.2	55.4 57.3			58.5			58.6	56.8 58.6	56.8 58.6	56.8 58.6	56.6 58.6	56.8 58.6	56.8 58.6
≥ 6000 ≥ 5000	44.1		57.6	58.9 65.2		66.2	66.4	60.2 66.5		66.5	60.2 66.5		66.5			66.5
≥ 4500 ≥ 4000	56.5	71.1				75.6	75.8		75.9		71.3 75.9		75.9	75.9		75.9
≥ 3500 ≥ 3000	57.9 60.4	73.1 76.9	74.8			78.7 82.3	82.5			82.8	78.5 82.8	82.8	78.5			82.8
≥ 2500 ≥ 2000	64.2	90.3	82.2			85.8	89.5			89.7			89.7	86.3	86.3	89.9
≥ 1800 ≥ 1500 ≥ 1200	55.7	84.6 84.9	86.7	88.5 89.0		90.4	91.1	90.8		91.3	91.3		91.3			
≥ 1000 ≥ 1000 ≥ 900	66.1	86.9	89.4	90.2 91.6 91.6	91.2 92.7 92.8	92.2 93.9	94.3	93.0 94.9	93.0 94.9	94.9	93.0 94.9 95.0	93.0 94.9 95.0	94.9	93.0 94.9 95.0		95.0
≥ 800	6.1	86.9	89.4		93.3		94.9		_	95.5		95.5		95.5		95.6
≥ 600 ≥ 500	66.1	97.5	1	92.6	94.0	95.4	96.7	96.8		96.9	96.9	96.9	96.9		96.9	97.1
≥ 400 ≥ 300	66.1		90.1		94.7		97.3	98.5	98.5	98.8	98.8	98.8	98.8	98.8		
≥ 200	66.1 56.1		90.1 97.1		94.9	96.8		99.0	99.0	99.3	99.4	99.4	99.5		99.5	99.6
٥ څ	66.1	87.4	97.1	93.0		96.8					99.8					

TOTAL NUMBER OF DESERVATIONS\_

619

USAF ETAC NICH 0-14-5 (OL A) PREVIOUS SERTIONS OF THIS FORM ARE OSSOLET

SE HAL CLIMATOLOGY BRANCH STORYTAG AT SEATHER SERVICE/MAG

### CEILING VERSUS VISIBILITY

YOUNGSTON'S MAP OH

73-81

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

2100-2300

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥4	≥3	≥2.2	≥ 2	≥1%	≥1 .	≥1	≥ <sup>1</sup> u	≥ %	≥ 7	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	32.9 35.2	42.0 46.5	43.4 47.9	44.4	44.7	45.1	45.1 49.6	- 1	45.6 50.1			46.0 50.5				46.0 53.5
≥ 18000 ≥ 16000	35.2 35.2						49.6	- (		50.4 50.4		50.5 50.5		1 -		50.5 50.5
≥ 14000 ≥ 12000	35.2 36.0			48.9			49.6 50.5				50.5 51.3			50.5 51.3	50.5 51.3	
≥ 10000 ≥ 9000	39.9			54.6	54.9	55.3	55.3 55.9	55.6	55.8	56.1	56.2 56.8		56.2 56.8		56.2 56.8	56.2 56.8
≥ 8000 ≥ 7000	42.6			55.5 59.0			59.2 59.7						60.6		60.1	60.1
≥ 6000 ≥ 5000	47.7			60.7 64.7			61.8			- 1	1	62.6	62.6	( 1	62.6	62.6
≥ 4500 ≥ 4000	50.5 52.7	65.C 68.3					69.3 72.8			70.0 73.5			72 • 1 73 • 7	1	73.1	
≥ 3500 ≥ 3000	54.3		1	74.6	75.0	75.5		76.0	76.2		76.6		76.6		76.6	76.6
≥ 2500 ≥ 2000	57.6	_		32.2	82.5	83.0	33.3 86.3	83.5	83.7	84.0	84.1		84.1	84.1	84.1	84.1
≥ 1800 ≥ 1500	59.7		84.5 86.2		86.9	87.4	87.7	88.1		88.6 90.5			88.7 90.7		88.7	
≥ 1200 ≥ 1000	50.8 60.8	84.7	87.4	89.9 90.8	90.3	90.9	91.3	91.6	91.9	92.1	92.2	92.2	92.2	92.2	92.2	92.2
≥ 900 ≥ 800	60.9			91.4	91.7	92.5	92.8	93.2	93.4	93.7	93.8	93.8	93.8	93.8	93.8	93.8
≥ 700 ≥ 600	01.2	85.9 66.3	89.3	92.4						95.0					95.1 96.0	
≥ 500 ≥ 400	61.2	86.9	97.2		04.4	95.5	95.9	96.4	96.6	96.8	97.C	97.0	97.0	97.0	97.0	
≥ 300 ≥ 300	61.2 61.2		90.7 90.7	94.4 94.5									ł		98.9	
≥ 100 ≥ 0	51.2		90.7 90.7	94.5 94.5											99.8	

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC 101 M 0-14-5 (OL A) PREVIOUS PORTIONS OF THIS FORM ARE ORIGINATE

LERAL CLIMATOLOGY REANCH 1. STATHER SERVICE/MAG

 $\Box$ 

#### CEILING VERSUS VISIBILITY

TOUNGSTONN MAP OH

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

ALL HOURS IS!

CEILING							vis	BILITY ST	ATUTE MIL	<b>E</b> S						
feet	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥1;	≥174	≥1	≥ ¹a	≥ 'n	≥ :	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	26.6	34.5 39.0	36.3 41.0	37.9 42.7	38.7 43.6	39.4 44.4	39.8 44.7	39.9 44.9	47.0 45.5	40.3 45.3	40.4 45.4	40.4 45.4	45.6	40.6 45.6	40.7 45.7	40.8 45.8
≥ 18000 ≥ 16000	29.6	39.1 39.1	41.0 41.0	42.8 42.9	43.7	44.5	44.8 44.9	45.0 45.1	45.1 45.1	45.4 45.4	45.5 45.5	45.5 45.5	45.7 45.7	45.7 45.7	45.8 45.8	45.9
≥ 14000 ≥ 12000	29.3 31.0	39.3 4.).8	41.3	43.1	44. 45.6	44.8	45.2 46.8	45.3 46.9	45.4 47.0	45.7 47.3	45.8 47.4	45.8 47.4	46.0	46.0 47.6	46.1	46.2
≥ 10000 ≥ 9000	33.4 33.4	43.6	45.7	47.6 42.3	48.6 49.3	49.4 50.0	49.7 50.4	49.9 50.6	50.0 50.7	50.3 50.9	50.4 51.1	50.4 51.1	50.6 51.3	50.6 51.3	50.7 51.3	53.8 51.5
≥ 8000 ≥ 7000	34.7 35.3	46.0 46.9	48.2 49.3	50.3 31.5	51.3 52.5	52.1 53.3	52.5 53.7	52.7 53.9	52.8 54.7	53.1 54.3	53.2 54.4	53.2 54.4	53.4 54.6	53.4 54.6	53.5 54.7	53.6 54.8
≥ 6000 ≥ 5000	35.9 39.0	48.0 51.7	50.4 54.3	52 • 6 56 • 6	53.7 57.8	54.5 58.7	55.0 59.2	55.2 59.4	55.3 59.5	55.6 59.8	55.7 59.9	55.7 59.9	55.9 60.1	55.9 60.1	56.0 60.2	56.1 60.4
≥ 4500 ≥ 4000	41.3	54.4	56.9 61.7	59.4 63.5	63.6 64.7	61.6 65.8	62.1 56.3	62.4 66.6	62.5 66.7	62.8 67.8	62.9 67.1	62.9 67.1	63.1 67.3	63.1 67.3	63.2 67.4	63.3 67.6
≥ 3500 ≥ 3000	47.3 50.3	61.9 66.1	64.0 69.1	67.3 71.9	69.5 73.1	69.7 74.4	70.2 75.0	70 <b>.5</b> 75 <b>.3</b>	70.6 75.4	70.9 75.7	71.1 75.8	71.1 75.8	71 • 3 76 • 9	71.3 76.0	71.3 76.1	76.3
≥ 2500 ≥ 2000	52.3 54.9	69.9 73.3	72.9 76.5	75.9 79.6	77.2 87.8	78.5 82.2	79.2 83.0	79.5 83.3	79.7 83.4	80.0 83.7	80.1 83.9	80.1 83.9	80.3	80.3 84.1	84.2	80.5 84.3
≥ 1800 ≥ 1500	55.6 55.3	74.6	77.9	81.0	82.3	83.7	84.6 86.0	84.9	85.0 86.5	85.4	85.5 87.0	85.5	85.7	85.7 87.2		$\overline{}$
≥ 1200 ≥ 1000	56 • 9 57 • 1	76.9	81.3	93.9 85.0	85.3	36.9 88.2	87.8	88.3	88.4	88.8 90.3	89.0 90.5	89.0 90.5	89.1 90.7	89.1 93.7	90.8	95.9
≥ 900 ≥ 800	57.2 57.3	78.1 78.3	81.8	85.6	87.1	88.8	89.9 90.6	90.5	90.6	91.0 91.7	91.9	91.9	91.4	91.4	91.4	
≥ 700 ≥ 600	57.4 57.4	78.7	82.9	87.1	88.4	90.4	91.6	92.2	92.3	92.8	93.0	93.0	93.2	93.2	93.2	93.4
≥ 500 ≥ 400 ≥ 300	57.5 57.5	79.4 79.5	83.5 83.7	88.3 88.4	89.9 90.5	92.2 93.0 93.5	93.8 94.7 95.4	94.7 95.8 96.6	94.8 95.9 96.7	95.3 96.5 97.5	95.5 96.7 97.8	95.5 96.7 97.8	95.7 96.9	95.7 96.9	95.8 97.0 98.1	95.9
≥ 200	57.5 57.5	79.5	83.8	88.5	91.0	93.8	95.8 95.8	97.1 97.2	97.2	98.1	98.5 98.8	98.6	98.9	98.9	99.0	99.2
≥ 100 ≥ 0	57.5			88.5							-	98.8				100.0

6571

USAF ETAC TOTAL 0-14-5 (OL A) PREVIOUS SOTTONS OF THIS FORM ARE ORBIGUETE

SE MAL CLIMATOLOGY BRANCH SYSTEMAC ASSESSMENT SERVICE/MAC

### CEILING VERSUS VISIBILITY

HC PAM NeCTEDAUSY

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	BILITY ST.	ATUTE MILI	ES						
FEET	≥ 10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥1 -	≥1%	≥1	≥ ¼	≥ '•	≥ ;	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	21.7	28.4	29.5	30 · d	31.0 33.8	31.1	31.1		31.1	31.2	31.5 34.4	31.5	32.3 34.9	72.F	32.1 35.0	
≥ 18000 ≥ 16000	2.	31.1	32.5 32.5	33.8 33.8	33.9	34.0 34.0	34.7	34 • D	34.C	34.3	34.5	34.5	35.0	35.0		35.3 35.3
≥ 14000 ≥ 12000	22.4	31.2 32.0	32.5 33.5	33.9 34.8	34.7	34.1	34.1 35.3	34.1 35.0	34.1	34.4	34.6	34.6	35.1 36.0	35.1 36.0	35.3	
≥ 10000 ≥ 9000	24 • 7 24 • 7	35.1 35.1	36 • 7 35 • 7	37.9 37.9	38.1 38.1	38.2 33.2	38.2	38.2 38.2	38.2 38.2	38.4	38.7	38.7	39.2 39.2	39.2 39.2	39.3 39.3	39.4
≥ 8000 ≥ 7000	26.0 26.5	37.2 38.3	36.7 39.9	39.9 41.2	40.1 41.3	40.3	40.3 41.8	40.5	40.5 42.0	40.7 42.2	41.° 42.5	41.0	41.5 43.0	41.5 43.0	41.6	41.7 43.2
≥ 6000 ≥ 5000	26 • ° 29 • 7	39.1 43.7	41.	42.2 47.0	42.4 47.2	42.6	42.9	43.0 47.8	43.0 47.8	43.2 48.0	43.5	43.5	44.5	44.0 48.8	44.1	44.2
≥ 4500 ≥ 4000	37.4 34.1	44.8	47.3 52.0	48.5 53.2	43.7 53.4	48.9 53.6	49.2 53.9	49.3 54.0	49.3 54.C	49.6	49.8	49.8	50.3 55.0	50.3 55.0	50.4	50 • 6 55 • 2
≥ 3500 ≥ 3000	36 • 9 40 • 5	54.1 59.5	56.8 62.3	58. 64.2	58.2 64.6	58.4 65.0	58.7 65.2	58 · 8 65 · 4	58.8 65.4	59.0 65.6	59.3 65.9	59.3 65.9	59.8 66.4	59.E	59.9 56.5	60.1
≥ 2500 ≥ 2000	43.7	64.3	67.3 71.6	58.6 72.9	69.0 73.3	59.4 73.7	69.7 74.0	69.8	69.8 74.1	70.0 74.3	70.3 74.6	77.3	7°.8 75.1	70.8 75.1	70.9 75.2	71.0 75.3
≥ 1800 ≥ 1500	47.9	70.3 73.5	73.6 76.9	75.2 78.9	75.6 79.5	76.0 79.9	76.2 80.4	76.4 80.7	76.4 80.7	76.6 80.9	76.9 81.2	76.9 81.2	77.4 61.7	77.4 81.7	77.5 81.8	77.6 81.9
≥ 1200 ≥ 1000	55.4 31.1	76.4 77.5	80.9 82.6	83.2 85.2	83.9 86.	84.5 86.6	85.3 87.7	85.7 88.1	85.7 88.1	86.0	86.2 88.6	86.2 88.6	86.7 89.1	86.7	86.9	87.1 89.4
≥ 900 ≥ 800	51.2 51.3	73.1	33.4 84.5	36.1 87.7	87.0 88.6	67.5 89.1	88.6 90.5	89.0 90.9	89.0 90.9	89.3 91.2	89.5 91.4	89.5 91.4	90.0 91.9	90.G 91.9	92.0	90.3 92.2
≥ 700 ≥ 600	51.5 51.5	80.7	86 • 1 86 • 5	89.5 90.1	9 '.6 91.5	92.4	92.7 93.9	93.0 94.3	93.C 94.3	94.6	93.6	93.6	94.1 95.3	94.1 95.3	94.2 95.4	94.3
≥ 500 ≥ 400	51.5 51.5	81.2 81.3	87.2 87.6	90.8 91.4	92.2 92.8	93.3	94.9	95.3 96.5	95.3 96.5	95.6	95.8 97.0	95.8	96.3 97.5	96.3 97.5	96.5 97.6	96.6
≥ 300 ≥ 200	51.5 51.5	81.4	87.7	91.8		94.8	96.5 96.6			97.2			98.5 98.5	98.0 98.5	98.1 98.6	98.2 98.7
≥ 100 ≥ 0	51.5 51.5	81.4	87.7 87.7	91.9	93.3	94.9	96.6 96.6	97.3 97.3		97.7	98.0 98.0		98.6 98.6		99.2	99.4

USAF ETAC TOTAL 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OF

1 TAL CLIMATOLOGY BRANCH - PETAC . PLATHER SERVICEZMAC

### CEILING VERSUS VISIBILITY

YUUNGSTOWN MAP OH

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							vis	BILITY ST	ATUTE MIL	ES	-					
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥1 7	≥1.	<u>≥</u> 1	≥ 4	≥`•	≥ :	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	17.8 13.7	28.4	28.5 29.4		32.1 31.6	30.2 31.3	1	30.4 32.1		30.7 32.4	31.2 32.9		1	31.2		31.7
≥ 18000 ≥ 16000	18.7	28.4 28.4	29.3		31.6	31.3		72.1 32.1	32.1 32.1	32.4 32.4	32.9 32.9		32.9 32.9	32.9 32.9	32.9 32.9	
≥ 14000 ≥ 12000	; 3.7 ] H. 9	26.4 29.2		31.2 32.5	31.6 32.9	31.3	1 1	32.1 33.4	32.1 33.4	32.4 33.6	32.9 34.1	32.9 34.1	32.9 34.1	32.9 34.1	32.9 34.1	
≥ 10000	19.9	31.5 31.8	33.6 34.0	34.9 35.3	35.3 35.7	35.5 35.9	35.7 36.1	35.8 36.2		36.4	36.6 37.€	35.6 37.7	36.6 37.0	36.6 37.0	36.6 37.0	37.1 37.5
≥ 8000 ≥ 7000	22.5	34.1 35.3	36.3	37.6 36.5	38.0 34.9	39.3	38.5 39.4	38.7 39.6		39.9	39.5 40.4	39.5 40.4	39.5 40.4	39.5 40.4	39.5 40.4	40.C 40.9
≥ 6000 ≥ 5000	23.7 26.3	36.2 40.2		40.5	49.4	40.8 45.0		41.2	45.4	45.7	46.2	41.9 46.2	41.9 46.2	41.9	46.2	46.7
≥ 4500 ± 4000	27.2	41.5	44.5	46.2 5°.1	46.5 50.5	46.9 53.9	51.0	47.3 51.3	51.3	51.5	48.1 52.0	48.1 52.0	49.1 52.0	48.1 52.0	48.1 52.0	48.6 52.6
≥ 3500 ≥ 3000	33.5	54.2	54.3	56.0 59.7	55.4 6 - 1	56.8 63.5	56.9 63.6	57.2 60.9			57.9 61.8	57.9 61.8	57.9 61.8	57.9 61.8	57.9	62.3
≥ 2500 ≥ 2006	33.7 41.3	59.2 63.6	67.4	55.1 7:.1	65.6 71.7	71.1	71.2	71.6	71.6	71.9	67.3 72.5	67.3 72.5	72.5	67.3 72.5	72.5	73.0
≥ 1800 ≥ 1500	43.4 44.0 45.0	55.7 67.5	71.5	72.5	73.1	73.7	73.8	74.2	76.2	76.5	75.1	75.1 77.1	75.1	75.1	75.1 77.1	77.6
≥ 1200 ≥ 1000 ≥ 900	46.1	71.9 74.0 74.7	76.6 77.3	80.4 83.9 84.5	81.1 84.5 85.2	81.8 55.3	82.2 85.9 86.8	82.6 86.3 87.2	86.4		83.5 87.3 88.2	83.5 87.3 88.2	83.5 87.5 88.4	83.5 87.5 88.4	83.5 87.5	84.0 86.7 88.9
≥ 800	47.2	75.4	81.7	85.4 87.2	86.2	87.0	38.C	88.4 90.5	88.5	26.9 91.0	89.5	89.5	89.6	89.6 91.6	89.6	90.2
≥ 600	47.3	77.4	83.4	89.5	89.4	91.2	91.3	91.7	91.8	92.2	92.5	92.8			93.0	
≥ 400 ≥ 300	47.6	77.7		90.4	91.8	92.8	94.1	94.5		95.7	95.7		95.8	95.8	95.8	96.3
≥ 200 ≥ 100	47.5	77.7	84.0	90.9	92.3	93.4	94.6 94.6	95.3	95.4	95.8	96.8	96.8	97.1	97.2	97.4	
≥ 0	47.6	77.7	84.()	₽C•9	92.3	93.4	94.6	95.3	95.4	95.8	96.9	96.9	97.2			100.0

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC TOTAL 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE ORBOLITE

THE SAL CLIMATOLOGY BRANCH A. JEATHER SERVICE/MAC

#### CEILING VERSUS VISIBILITY |

HO PER NACTEONUCE

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

-630-360C

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥ 10	≥6	≥ 5	≥ 4	≥ 3	≥2 ₪	≥ 2	≥1 ;	≥1.	≥1	≥ 14	≥ '•	≥ ÷	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	13.5	19.9	21.9 26.3	72.8 27.3	23.6 28.2	24 • 3 28 • 8	24.7	24.9 29.4	24.9 29.4	25.2 29.7	25.2	25.2 29.7	-		25.4 30.2	25.5
≥ 18000 ≥ 16000	16.9	24.3 24.3	26.4 26.4	27.4 27.4	28.3 28.3	28.9 28.9		29.6 29.6	29.6 29.6	29.8 29.8	29.8	29.8 29.8	33.1	30.1 30.1	30.3 30.3	
≥ 14000 ≥ 12000	17.1	24.4 26.4	25.5 28.6	27.5 29.6	26.4 3~.4	29.1 31.1	29.7 31.7	29.7 31.7	29.7 31.7	29.9 31.9	29.9	29.9 31.9	30.2 32.2	30.2 32.2	30.4 32.5	30.6 32.6
≥ 10000	18.7 18.7	28.8 28.8	31.3 31.3	32.5 32.5	33.3 33.3	34.11 34.0	34.6 34.6	34.6 34.6	34.6 34.6	34.8 34.8	34.8 34.8	34.8	35.1 35.1	35.1 35.1	35.7	25.5
≥ 8000 ≥ 7000	19.4	30.6 31.2	33.1 33.7	34 • 2 34 • 8	35.1 36.1	35.7 36.7	36.4	36.4 37.4	36.4 37.4	36.6 37.6	36.6 37.6	36.6 37.6	36.9	36.9	37.1 38.1	37.2
≥ 6000 ≥ 5000	25.4	32.5 36.1	35 • 2 39 •	36.4 40.4	37.6 41.8	38.2 42.4		38.9 43.1	38.9 43.1	39.1 43.4	39.1	39.1 43.4	39.4 43.6	39.4 43.6	39.6	
≥ 4500 ≥ 4000	24.3	37.7 41.4	44.5	42.1	43.5	44.2 48.3	44.9	44.9	44.9	45.2	45.2	45.2 49.3	45.4	45.4	45.7	
≥ 3500 ≥ 3000	29.6 32.3	44.4	47.9 52.2	49.8 54.2	51.2 55.7	51.9 56.5	52.7 57.5		52.7 57.5	53.0 57.7	53.0 57.9	53.0 57.9	53.2 58.1	53.2 58.1	53.5	
≥ 2500 ≥ 2000	35 e 3 3 = 9	59.5	57.9 63.8	66.0	61.5 67.8	62.6 69.1	63.9 70.4	64.8 70.6	70.6	64.3 70.9	64.4 71.1	64.4 71.2	64.7 71.4	64.7	64.9 71.7	
≥ 1800 ≥ 1500	41.0	61.5	67.8	68.6 70.6	70.4	74.0	73.2 75.5	73.3 75.7	73.3 75.7		73.8 76.4	74.7 76.5	74.2 76.7	1	74.5 77.C	
≥ 1200 ≥ 1000	44.2	65.9	70.6	73.7	75.6 73.2	77.2 93.0		<del></del> +		79.9 82.6		87.3	80.5 83.4	80.5 83.4	87.8 83.6	80.9
≥ 900 ≥ 800	44.5	69.8	74.	77.4 79.0	79.4 81.0	81.3	83.3 85.0	83.6 85.8		84.2	84.5	84.7	84.9 87.2	1	85.2 87.4	85.3
≥ 700 ≥ 600	44.5	71.4	76.7	50.8 81.5	84.0	<del></del>	87.7 88.6			89.1 90.1		89.9	90.3	91.4	90.6	90.7 91.8
≥ 500 ≥ 400	44.8	71.9	77.5	82.3	85.4	37.7	89.6 99.7	<del></del> +		91.3 92.7	93.7	92.5	92.8 94.5	94.5	93.1 94.7	94.8
≥ 300	44.8	71.9		83.4 83.4	85.9 85.9	88.4		93.1			96.4	95.5	96.1	97.4		
≥ 100 ≥ 0	44.8	71.9	77.6	83.4	85.9	38.4	92.2	93.3		94.8	1	96.5	97.4	97.4	97.7	78.6

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC HILLS 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OR

1 .

 $\Box$ 

### CEILING VERSUS VISIBILITY

TOUNGSTOWN MAP OH

73-61

NOV

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

2900-1100

(EILING							VIS	IBILITY ST.	ATUTE MIL	E5						
FEE:	≥ 10	≥ 6	≥ 5	≥ 4	≥ 3	22:	≥ 2	≥١,	≥1.	≥1	≥ ∙a	≥ `•	≥ :	≥5 16	≥ .	≥c
NO CEILING ≥ 20000	11.3 15.3		17.2 23.2	15.7 24.6	19.8	_	21.8		22.1 28.2	22.2	22.2 28.3	22.2	1	22.2	22.2 28.3	22.4
≥ 18000 ≥ 16000	16.3	22.2		25.2	26.3		28.3	28.6 28.7	28.6	28.8	28.7 28.8	28.7 28.8	1 -	28.7 28.8	28.7	28.9
≥ 14000 ≥ 12000	10.7	23.1	24.4	26.2	27.3	23.1		29.6	29.6	29.7 32.5	29.7 32.5	29.7	2°.7 32.5	29.7	29.7	29.9
≥ 10000 ≥ 9000	10.4 14.5	27.6	29.3	31.5	32.6	33.3	34.6 35.2	34 · 8 35 · 5	34.8	35.0 35.6	35.€ 35.6	35.0		35.C 35.6	35.5 35.6	35.2
≥ 8000 ≥ 7000	20.4 20.7	29.4	31.5	33.7	34.8	35.6 36.1	37.0 37.5	37.2 37.7		37.3 37.8	37.3 37.8	37.3 37.8	37.3	37.3	37.3	
≥ 6000 ≥ 5000	27.1	3 . 7	3?.∂	35 • 3 38 • 2	35.5 39.3	37.2	38.6	36.8	38.8 42.0	39.D	39.0 42.1	39.C	39.5	39.0	39.0 42.1	39.2
≥ 4500 ≥ 4000	24.4	35.	37.3 40.6	4 - 4	41.5	42.2 45.6	44.0	44.2	44.2	44.4	44.4 48.0	44.4	44.4	44.4	44.4	44.6
≥ 3500 ≥ 3000	79.4	41.7	44.4	47.5 52.1	48.7 53.4	49.5	51.4	51.8 56.4	51.8	51.9	51.9 56.6		51.9	51.9	51.9	52.1 57.G
≥ 2500 ≥ 2000	37.5	52.0		58.8	60.3 67.2	61.2	63.2	63.7	63.7	63.8	63.9	63.9	64.0 71.8	64.0		64.3
≥ 1800 ≥ 1500	42.7	59.1 61.8	62.0	66.5	53.9	70.3	72.8 75.7	73.3 76.2	78.3	73.4 76.3	73.6	73.6 76.6	73.7 76.7		73.7	73.7
≥ 1200 ≥ 1000	45.6	64.3	68.2	72.1	74.6 77.1	70.1 78.8	79.3 82.6	79.9 83.3	79.9	80.2	3C.6	80.6	37.7 84.2	83.7	80.7	
≥ 900 ≥ 800	46.6	66.8	7~.8	74.9 75.6	77.9 78.7	79.9	83.7 84.9	84.7	84.7	85.6 87.2	96.€ 87.6	86.0 87.6	86.1	86.1	86.1	86.3
≥ 700 ≥ 600	46.6 45.7	67.4	72.1	76.3 77.1	79.4 8J.5	82.1 83.2	86.1	87.5 89.2	87.5 89.2	88.8	89.5	89.5	89.7	89.7	89.7	90.3
≥ 500 ≥ 400	46.7	67.8	72.7	77.3	80.7	83.5	88.3 89.8	90.6	90.6 92.4	92.0 94.1	92.9	92.9	93.1	93.1 95.7	93.1 95.9	93.4
≥ 300 ≥ 200	46.9	67.9	72.8 72.8	77.7 77.7	81.2	84.3	90.1 90.1	93.5	93.5 93.5	95.4 95.7	97.0 97.6	97.3	97.4	97.4 98.2	97.5	97.7
≥ 100 ≥ 0	46.9	67.9		77.7 77.7	81.2		90.1 90.1	93.5 93.5		95.7 95.7	97.6 97.6	97.6 97.6	98.2 98.2	98.2 98.2	98.5 98.5	99.9 130.0

USAF ETAC TOTAL 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE ORGOLETE

. .

\_\_\_\_

GLERAL CLIMATOLOGY BRANCH STETAC A HEATHER SERVICEZMAC

### CEILING VERSUS VISIBILITY

1 25' YOUNGSTOWN MAP OF

73-61

MONTH.

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1230-1400

CEILING							VIS	BILITY ST.	ATUTE MIL	F5						
-PEET-	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2.7	≥ 2	<b>≥</b> 1 ;	≥1 .	≥1	≥ ¼	≥ 'a	≥ ;	≥ 5 16	≥ .	≥0
NO CEILING	15.4	72.3	23.4	24.2	24.7				24.9		24.9	24.9	24.9	24.9	24.9	24.9
≥ 20000	21.7	28.7		30.5	31.0			31.3			31.3	31.3		31.3	31.3	تعفتا
≥ 18000	21.7	28.7		3 - 5	31.n	31.3	31.3	31.3	31.3	31.3	31.3	31.3	31.3	31.3	31.3	31.3
≥ 16000	21.3	28.8	29.9	3: . 7	31.2	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4
≥ 14000	□2 • ''	23.0	37.2	35.9	31.4			31.7				31.7	31.7	31.7	31.7	31.7
≥ 12000	23.0	30.3	31.4	32.2	32.7	32.9	32.9	32.9	32.9	32.9	32.9	32.9	32.9	32.9	32.9	32.9
≥ 10000	23.5	31.8	33.2	34.2	34.7	34.9	35.€	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0
≥ 9000	24.7	32.2	33.7	34.9	35.4	35.7	35.8	35.8	35,8	35.8	35.8	35.8	35.8	35.8	35.8	35.8
≥ 8000	24 . 2	32.5	34.3	35.7	36.2	36.4	36.5	36.5	36.5	36.7	36.7	36.7	36.7	36.7	36.7	36.7
≥ 7000	25.7	33.7	35.5	36.9	37.4	37.7	37.8	37.8	37.8	37.9	37.9	37.9	37.9	37.9	37.9	37.9
≥ 6000	25.5	34.7	36.5	37.9	38.4	38.7	38.8	38.8	38.9	38.9	38.9	38.9	38.9	36.9	38.9	38.9
≥ 5000	27.4	37.5	39.5	45.05	41.4	41.8	41.9	41.9	41.9	42.1	42.1	42.1	42.1	42.1	42.1	92.1
≥ 4500	29.2	39.5	41.6	43.1	43.6	43.9	44.1	44.1	44.1	44.2	44.2	44.2	44.2	44.2	44.2	44.2
≥ 4000	31.7	43.4	45.8	47.6	49.1	48.6	48.7	48.7	48.7	48.8	48.8	48.8	48.8	48.8	48.8	48.8
≥ 3500	34 .	46.4	49.1	51.8	51.3	51.8	51.9	51.9	51.9	52.1	52.1	52.1	52.1	52.1	52.1	52.1
≥ 3000	39.4	51.8	54.4	56.3	56.8	57.4	57.6	57.6	57.6	57.7	57.7	57.7	57.7	57.7	57.7	57.7
≥ 2500	45.9	61.1	64.	65.8	66.6	67.5	67.6	67.6	67.6	67.7	67.7	67.7	67.7	67.7	67.7	67.7
≥ 2000	50.3	67.6	7 7.7	72.8	74.0	75.6	76.0	76.0	76.0	76.1	76.1	76.1	76.1	76.1	76.1	76.1
≥ 1800	52.3	70.2	73.3	75.7	76.B	78.5	79.0	79.0	79.0	79.1	79.1	79.1	79.1	79.1	79.1	79.1
≥ 1500	33.7	72.3	75.7	78.1	79.2	31.1	81.7	81.7	81.7	82.1	82.1	82.1	82.1	82.1	82.1	82.1
≥ 1200	54.7	74.8	78.6	81.2	22.4	84.4	85.2	35.4	85.4	86.1	86.1	86.1	86.1	86.1	86.1	86.1
≥ 1000	75.1	75.2	79.3	82.0	83.1	85.5	86.7	87.2	87.2	38.0	88.0	88.3	88.0	88.0	88.0	88.0
≥ 900	-5.1	75.5	87.1	82.9	84.1	86.7	88.0	88.6	88.6	89.5	89.5	89.5	89.5	89.5	89.5	89.5
≥ 800	55.2	76.1	8 . 9	A3.6	84.9	87.7	89.1	69.7	89.7	90.7	90.7	90.7	90.7	90.7	.99.7	93.7
≥ 700	55.4	76.3	81.9	85.0	36.4	89.5	91.5	92.2	92.2	93.5	93.5	93.5	93.5	93.5	93.5	93.5
≥ 600	55.4	76.8	81.9	85.€	86.6	89.7	92.7						1		1 1	94.6
≥ 500	55.6	77.1		95.4		93.1							96.7			
≥ 400	5.5		82.4													,
≥ 300	55.6	77.1	82.5	45.9		90.7		96.4					99.2			
≥ 200		77.1		35.9												
≥ 100			82.5				94.5									
≥ 0	-		82.5													

OTAL NUMBER OF ORSERVATIONS.....

799

JSAF ETAC 101 64 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE DEEDLE

SE JAL CLIMATOLOGY BRANCH

 $\Box$ 

CEILING VERSUS VISIBILITY AT VEATHER SERVICE/MAC YOUNGSTOWN MAP OH

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

73-81

1530-1700

CEILING							VIS	IBILITY ST	ATUTE MIL	£5						
FEET	≥10	≥6	≥ 5	≥.4	≥3	≥2 7	≥ 7	≥17	≥1.4	≥1	≥ ¼	≥ '~∎	≩ ;	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	39.8	32.6	26.3	76.4 33.5	26.4	26.5 33.6	26.6	26.6	26 · f 33 · 7	26.6	26.6	26.6	26.6 33.7		26.6	
≥ 18000 ≥ 16000	25.1 25.1	32.8	33.6 33.6	33.7	33.7		34.0	34.0	34.0	$\overline{}$	34.0	34.0		34.0	34.0	34.0
≥ 14000 ≥ 12000	27.3	33.7	34.5	34.6	34.6		34.8		34.8	34.8	34.8	34.8	34.8	34.8		34.8
≥ 10000 ≥ 9000	29.3	37.9	39.0	39.3	39.3	39.5	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	
≥ 8000 ≥ 7000	31.7	40.4	41.8	42.0	42.0 43.3	42.3	42.6 43.8	42.6	42.6	42.6	42.6	42.6	42.6 43.8	42.6		42.6
≥ 6000 ≥ 5000	33.9	43.2	44.6	44.8	1	45.3	45.6	45.6		45.6	45.6	45.6	45.6	45.6	45.6	45.6
≥ 4500 ≥ 4000	35.7 38.8	47.3 51.5	48.9	49.1	47.2		50.	50.1	50.1	50.1 54.5	50.1	50.1	50.1	50.1		50.1
≥ 3500 ≥ 3000	41.7 46.5	55.7	57.3	57.7	57.8		58.7	58.7	58.7	58.7		58.7	58.7	58.7	58.7	
≥ 2500 ≥ 2000	52.1	63.7	70.6	71.2	72.0	73.1	73.4	73.6	73.6	73.6 8G.7	73.6	73.6	73.6	73.6	73.6	
≥ 1800 ≥ 1500	57.3 58.3	75.6 78.3	79.2	80.4	81.3	82.7	83.3	83.7	83.7	83.7				83.7	83.7	83.7
≥ 1200 ≥ 1000	58.7	79.5	82.8	84.5		87.0	88.4	88.9	88.9	89.1	89.1	89.1		89.1	89.1	
≥ 900 ≥ 800	59.2	81.3	83.8	85.9	86.7 87.6	88.5	89.9 91.4	90.5	90.5	91.2	91.2		91.2	91.2		91.2
≥ 700 ≥ 600	59.6	81.4	85.1	87.2	88.1 88.5	91.3	93.3		94.3	95.2	95.2	95.2	95.3	95.3	95.3	95.3
≥ 500 ≥ 400	59.7	81.8	85.7	88.0 88.3	89.0	92.8	95.3	96.7	96.7	98.1 99.0	98.5	98.5	98.7		98.7	
≥ 300 ≥ 200	59.7 59.7	91.8	85.7	88.3	89.5	93.4	96.D	97.6	97.6	99.2	99.6	99.6	99.9	99.9		99.9
≥ 100 ≥ 0	59.7	81.8	85.7	88.3		93.4	96.0	97.6	97.6	99.2	99.6	99.7	00.0	00.0	00.7	00.3

USAF ETAC NIL 64 0-14-5 (OL A) MEVIOUS COTTONS OF

SECRAL CLIMATOLOGY BRANCH SCOTETAC As SEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-91

MC.Y

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1800-2006

CEILING							V15	BILITY ST	ATUTE MIL	ES						
(FEET)	≥10	≥6	≥ 5	≥ 4	≥ 3	≥27	≥ 2	≥≀∵,	≥1.	≥1	وا ≤	≥ 'יי	≥ 7	≥5 16	2.	≥0
NO CEILING ≥ 20000	22.1	1	27.6 33.5	38 • 2 34 • 5				28.7 35.2		28.7 35.2	28.7 35.2	28.7 35.2	28.7 35.2	28.7 35.2	28.7 35.2	28.7 35.2
≥ 18000 ≥ 16000	26 • 6 26 • 6	33.5 33.5	34.2 30.2	34.9 34.9	35.0 35.0	35.5 35.5	35.5 35.5	35.5 35.5	35.5 35.5	35.5 35.5	35.5 35.5	35.5 35.5	35.5 35.5	35.5 35.5	35.5 35.5	35.5 35.5
≥ 14000 ≥ 12000	27.4 28.3	34.º 36.3	35.4 37.	36.2 37.9	36.3 38.0		36.8 38.5	36.8 38.5		36.8 38.5	36.8 38.5	36.8 38.5	36.8 38.5	36.8 38.5	36.8	36.8
≥ 10000 ≥ 9000	31.2 31.7	39.4 40.0	40.1 40.8	41.6	41.1	42.5 42.6	42.0 42.6	42.0	42.0 42.6	42.0	42.5	42.0 42.6	42.0	42.5 42.6	42.0 42.6	42.0
≥ 8000 ≥ 7000	32.3	44.1	42.5 45.0			46.9		46.9		46.9		46.9	46.9	44.4	46.9	
≥ 6000 ≥ 5000	34 • ? 36 • 2	44.9	45.9	49.5	46.9	50.7	47.8 50.9	47.8 50.9	47.8 50.9	47.8 50.9	47.8 50.9	47.8 50.9	47.8 50.9	47.8 50.9	50.9	
≥ 4500 ≥ 4000 ≥ 3500	37.7 41.5	49.1 54.1 55.4	57.2 55.4		51.6 56.7 62.3	57.7				52.7 57.9 63.5	52.7 57.9 63.5	52.7 57.9 63.5	52.7 57.9 63.5		52.7 57.9 63.5	57.9
≥ 3000	50.1	66.1	67.3		69.1	70.1	70.2		70.2 76.2	70.2	75.2 76.2	70.2 76.2	70.2 76.2	_	70.2 76.2	70.2
≥ 2000	56.5	74.2	, ;	78.6	79.4	80.7	80.8	1	80.6	85.8	80.8	83.8	87.8	80.8	83.8	85.8
≥ 1500	57.1	77.7	[	83.3	1	85.5	85.7			85.8	85.E	85.8	85.8	85.8	85.8	85.8
≥ 1000	58.2		84.7	88.4	89.4	99	91.0	91.3		91.9		91.5	91.5		91.5	91.5 91.9
≥ 800 ≥ 700	58.5				91.8		92.8	·		93.4		93.4	93.4	95.4	93.4 95.1	93.4
≥ 500	59.5	83.5	87.3	92.3	93.4	95.6	95.0 96.0	96.8	96.9		97.3	96.1 97.3	96.1		96.1	
≥ 300	58.9	83.9	87.8	93.1	94.8	97.1	98.0	98.9		99.4	99.6	98.8	98.8	99.6	98.8	98.8
≥ 100	58.9	83.9	87.8	93.1	94.8	97.1	98.0	98.9	99.0	99.4	99.6	99.6	99.9	99.9	99.6	99.9
≥ 400 ≥ 300 ≥ 200	58.7 58.7 58.9 58.9	83.5 83.7 83.9 83.9	87.3 87.5 87.8 87.8	92.3 92.8 93.1 93.1	93.4 94.1 94.8 94.8	95.6 96.4 97.1 97.1	96.0 97.1 98.0 98.0	96.8 98.0 98.9 98.9	96.9 98.1 99.0 99.0	97.0 98.5 99.4 99.4	97.3 98.8 99.6 99.6	97.3 98.8 99.6 99.6	97.3 98.8 99.6 99.6	97.3 98.8 99.6 99.6	97. 98. 99. 99.	3 8 6 6 9

OTAL NUMBER OF OBSERVATIONS 802

USAF ETAC JULIAN 0-14-5 (OL A) PREVIOUS ENTROPS OF THIS FORM ARE OSSOLET

GL EAL CLIMATOLOGY BRANCH CAFETAC 47- FEATHER SERVICE/MAC

¢

### CEILING VERSUS VISIBILITY

25 YOUNGSTOWN MAP OH

73-61

NOV

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

2130-2300 Rous (3100

CEILING							VIS	IBILITY -ST.	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥4	≥ 3	≥2 7	≥ 2	≥17	≥1.	۱ ج	≥ 1,4	≥ '⁄a	≥ ;	≥ 5 16	≥ .	≥0
NO CEILING	21.3	28.3	28.3	78.4	28.9	29.2	29.2	29.2	29.2	29.3	29.3	29.3	29.3	29.3	29.3	29.3
≥ 20000	23.2	31.4	32.2	32.3	32.8	33.1	33.2	33.6	33.6	33.7	33.7	33.7	33.7	33.7	33.7	33.7
≥ 18000	23.2	31.4	32.2	32.3	32.8	33.1	33.2	33.6	33.6	33.7	33.7	33.7	33.7	33.7	33.7	33.7
≥ 16000	23.2	31.4	32.2	32.3	32.8	33.1	33.2	33.6	33.6	33.7	33.7	33.7	33.7	33.7	33.7	33.7
≥ 14000	23.3	31.7	32.4	32.6	33.1	33.3	33.5	33.8	33.8	34.0	34.0	34.0	34.0	34.0	34.0	34.0
≥ 15000	24.1	33.6	34.3	34.5	35.0	35.2	35.4	35.7	35.7	35.9	35.9	35.9	35,9	35.9	35.9	35.9
≥ 10000	27.0	37.9	1	38.8		39.5	39.7	40.1	40.1	40.2	40.2	40.2	40.2	40.2	40.2	40.2
≥ 9000	27.6	38.5	39.3	39.4	39.9	40.2	40.3	40.7	40.7	40.8	40.8	40.8	40.8	40.8	40.B	40.8
≥ 8000	28.6	40.1	40.9	40.9	41.4	41.7	41.8	42.2	42.2	42.3	42.3	42.3	42.3	42.3	42.3	42.3
≥ 7000	30.2	42.0	42.8	43.0	43.5	43.7	43.9	44.2	44.2	44.4	44.4	44.4	44.4	44.4	44.4	44.4
≥ 6000 ≥ 5000	31.1	43.5	44.4	44.5	45.0	45.4	45.5	45.9	45.9	46.D	46.0	46.5	46.0	46.0	46.0	46.0
<u></u>	33.1	45.8	46.6	46.8	47.3	47.8	47.9	48.3	48.3	48.4	48.4	48.4	48.4	48.4	48,4	48.4
≥ 4500 ≥ 4000	34.9	48.5	49,4	49.6	5^.1	50.6	50.7	51.1	51.1	51.2	51.2	51.2	51.2	51.2	51.2	51.2
≥ 4000	33.1	53.0	54.7	54.2	54.8	55.5	55.6	56.0	56.0	56.1	56.1	56.1	56.1	56.1	56.1	56.1
≥ 3500	40.9	57.7	58.7	59.2	59.7	63.5	60.6	61.0	61.0	61.1	61.1	61.1	61.1	61.1	61.1	61.1
≥ 3000	47.3	65.5	66.7	67.3	67.8	68.6	68.7	69.1	69.1	69.2	69.2	69.2	69.2	69.2	59.2	69.2
≥ 2500	50.4	71.5	72.8	73.5	74.7	74.8	74.9	75.3	75.3	75.4	75.4	75.4	75.4	75.4	75.4	75.4
≥ 2000	52.0	74.7	76.0	77.3		78.7	79.0	79.3	79.3	79.5	79.5	79.5	79.5	79.5	79.5	79.5
≥ 1800	52.6	76.4	77.9	79.5	87.7	80.9	81.2	81.6	81.6	81.7	81.7	81.7	81.7	81.7	81.7	81.7
≥ 1500	53.9	78.5	87.1	31.7	82.4	83.3	83.8	84.3	84.3	84.5	84.5	84.5	84.5	84.5	84.5	84.5
≥ 1200	55.7	80.7	82.5	84.4	85.0	86.1	86.7	87.2	87.2	87.5	87.5	87.5	87.6	87.6	87.6	87.6
≥ 1000	55.4	82.0	84.3	86.6	87.3	88.3	89.1	89.6	89.6	89.9	89.9	89.9	90.0	90.0	90.0	90.0
≥ 900	55.6	82.5	85.3	97.6	88.3	89.4	90.2	90.7	90.7	91.0	91.0	91.0	91.1	91.1	91.1	91.1
≥ 800	55.9	82.9	85.8	89.1	89.9	91.9	92.0	92.5	92.5	92.8	92.8	92.8	92.9	92.9	92.9	92.9
≥ 700	56.1	83.1	86.1	89.7	90.6	92.1	93.3	93.8	93.8	94.0	94.0	94.0	94.2	94.2	94.2	94.2
≥ 600	56.3	83.7	86.7	90.7	91.6	93.2	94.6	95.2	95.2	95.4	95.4	95.4	95.6	95.6	95.6	95.6
≥ 500	56.5	84.5	87.7	91.9	92.8	94.3	95.9	97.0	97.0	97.2	97.2	97.2	97.3	97.3	97.3	97.3
≥ 400	56.5	85.0	88.3	92.8	94.0	95.8	97.5	98.5	98.5	98.7	98.7	98.7	98.9	98.9	98.9	98.9
≥ 300	56.5	35.2	88.5	93.0	94.3	96.1	98.0	99.2	99.2	99.5	99.5	99.5	99.6	99.6	99.6	99.6
≥ 200	56.5	85.2	88.5	93.0	94.4	96.2	98.1	99.4	99.4	99.6	99.6	99.6	99.7	99.7	99.7	99.7
≥ 100	56.5	65.2	88.5	93.0	94.4	96.3	98.4	99.6	99.6	99.9	99.9	99.9			00.0	
≥ 0	56.5	85.2	88.5	93.0	94.4	96.3	98.4	99.6	99.6	99.9	99.9	99.9	100.0	00.0	00.0	00.C

TOTAL NUMBER OF DESERVATIONS.

789

USAF ETAC FORM 0-14-5 (OL A) PREVIOUS REPTIONS OF THIS PORM ARE GREGAT

GERAL CLIMATOLOGY BRANCH SAFETAC 4.- VEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

HO PAN PHOTESTUDY CS 151

73-81

NOV

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

HOURS

CEILING							VIS	BILITY (ST	ATUTE MIL	ES.						
FEET	≥10	26	≥ 5	≥ 4	≥ 3	≥2 י	≥ 2	≥1'7	≥)'a	ا≾	يد ≤	≥ '-,	د. ₹	≥5 16	≥.	≥0
NO CEILING ≥ 20000	17.7	24.4	25.3 30.1	26.1 31.0	26.6 31.4	26.9 31.8	27.2 32.1	27.2 32.2	27.2 32.2	27.3 32.3	27.4 32.4	27.4 32.4	27.5 32.5	27.5 32.5	27.5 32.5	27.7
≥ 18000 ≥ 16000	21.3	29.0 29.1	30.3	31 - 1 31 - 2	31.6 31.6	31.9 32.0	32.2 32.3	32.3 32.4	32.3	32.5 32.5	32.5 32.6	32.5 32.6	32.6 32.7	32.6 32.7	32.7 32.7	32.8
≥ 14000 ≥ 12000	21.7 22.5	29.5 31.0	37.8 32.4	31.6	32.1 33.8	32.5 34.1	32.7	32.8 34.5	32.6 34.5	33.0 34.6	33.C 34.7	33.0	33.1 34.8	33.1 34.8	33.2 34.9	33.3
≥ 10000 ≥ 9000	24.3 24.5	33.7 34.1	35.2 35.7	36 • 2 36 • 7	36.7 37.2	37.1 37.6	37.4 37.9	37.5 36.0	37.5 38.0	37.7 38.2	37.8 38.3	37.8 38.3	37.9 38.4	37.9 38.4	37.9 38.4	38.D 38.5
≥ 8000 ≥ 7000	25.6 26.3	35.8 37.0	37.4 38.6	38 • 4 39 • 7	38.9	39.4 43.7	39.7 41.1	39.8 41.2	39.8	39.9 41.3	40.5	40.0	40.1 41.5	40.1	40.2	40.3
≥ 6000 ≥ 5000	27.0 29.1	38.1 41.2	39.9	41.0	41.5 44.8	42.0 45.4	42.4 45.8	42.5 45.9	42.5	42.6 46.0	42.7	42.7	42.8 46.2	42.8	42.9	43.0
≥ 4500 ≥ 4000	30 • 5 3 <b>3 •</b> 5	43.D 47.1	45.0	46.3 50.6		1	47.8 52.3	48.0 52.4			48.2 52.6	48.2 52.6	48.3	48.3 52.7	48.3 52.8	48.5 52.9
≥ 3500 ≥ 3000	36.4 40.5	51.3 56.6	53.6 59.1	55.1 60.7	55.7 61.3	56.3 62.0	_	56.9 62.6		57.1 62.6	57.2 62.9		57.3 63.0	57.3 63.0		57.4 63.2
≥ 2500 ≥ 2000	44.7		70.5	72.6	73.6				75.6		69.8 75.9	75.9	76.0	70.0 76.0		70.1 76.2
≥ 1900 ≥ 1500	49.2		74.9	77.4		79.7		80.9	80.9	78.3	81.3	78.5 81.3	78.6 81.4	78.6	78.6	78.8
≥ 1200 ≥ 1000	51.5 52.0		77.9	82.8	82.0 64.0	83.3	84.5	84.8	84.8		85.3 87.9	85.3	85.5	85.5 88.1	85.5	85.6
≥ 900 ≥ 800	52.2	76.0	81.1	84.7	84.8	86.3	87.7	88.3			89.3 90.7			89.1 90.8	90.9	89.3 91.0
≥ 700 ≥ 600	52.5 52.5		82.5		87.3 88.1	90.2	92.1		93.1	92.5	92.8 94.1	94.1	94.3	93.0	94.4	93.2
≥ 500 ≥ 400 ≥ 300	52.7 52.7	78.2 78.3 78.4	83.2 83.3	87.7		91.0	94.4				95.7 97.1	97.1				
≥ 200	52.7 52.7	78.4	83.3			92.3					98.0		98.3	98.3		
≥ 100 ≥ 0		- 1	83.3		1	- 1	95.0 95.0	- 1			98.4		98.9	98.9	99.2	: :

TOTAL NUMBER OF ORSERVATIONS

\_\_\_\_ 6341

USAF ETAC FORM 0-14-5 (OL A) PREVIOUS ESTITIONS OF THIS FORM AND ORDIGITE

SE RAL CLIMATOLOGY RRANCH .14FETAC Ale Reather Service/Mac

## CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-51

DEC

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

3989-3288

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥4	≥ 3	≥2 7	≥ 2	≥1 7	≥1%	≥1	≥ ¼	≥ '⁄a	≥ 7	≥5 16	≥ .	≥0
NO CEILING	13.7	18.4	19.	19.1	19.2	19.2	19.2			19.2		19.2	19.2	19.2	19.2	19.2
≥ 20000	15.7	21.5	22.2	22.3	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4
≥ 18000	15.7	21.5	22.2	22.3	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4
≥ 16000	15.7	21.5	22.2	22.3	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4
≥ 14000	15.3	22.3	22.7	23.0	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.1
≥ 12000	17.1	23.1	23.7	23.8	24.0	24.0	24.9	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
≥ 10000	19.5	26.4	27.1	27.2	27.4	27.4	27.4	27.4	27.4	27.4	27.4	27.4	27.4	27.4	27.4	27.4
≥ 9000	20.0	26.8	27.5	27.6	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7
≥ 8000	22.4	29.5	30.3	30.5	30.6	30.6	30.6	30.6	30.6	30.6	30.€	30.6	32.6	30.6	30.6	30.6
≥ 7000	24.2	31.4	32.1	32.3	32.4	32.4	32.4	32.4	32.4	32.4	32.4	32.4	32.4	32.4	32.4	32.4
≥ 6000	24.5	31.7	32.4	32.9	33.1	33.1	33.1	33.1	33.1	33.1	33.1	33.1	33.1	33.1	33.1	33.1
≥ 5000	26.4	34.4	35.1	35.7	35.8	35.8	35.8	35.8	35.8	35.8	35.8	35.8	35.8	35.8	35.8	35.8
≥ 4500	27.5	35.8		37.2	37.3		37.3	37.3					37.3			37.3
≥ 4000	28.8	37.5	38.3	38.9	39.0	39.1	39.1	39.1	39.1	39.1	39.1	39.1	39.1	39.1	39.1	39.1
≥ 3500	30.0	37.6		41.3	41.4	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5
≥ 3000	32.3	43.7	45.2	46.2	46.4	46.5	46.5			46.5	46.5	46.5	46.5		46.5	46.5
≥ 2500	35.3	48.4	50.8	52.1	52.2	52.3	52.3			52.3		52.3	52.3		52.3	
≥ 2000	39.2	55.8	59.0	60.8	61.C	61.3	61.4			61.4	61.4	61.4	61.4		61.4	61.4
≥ 1800	40.2	58.1		64.0	64.4	64.6	64.8	65.0		65.0			65.0			65.7
≥ 1500	-1.5	60.9	65.3	68.0	68.5		69.4	69.9			69.9	69.9			69.9	69.9
≥ 1200	42.5	65.3	70.5	74.1	74.7	75.1	76.6	77.2		77.2		77.2	77.2		77.2	77.2
≥ 1000	+3.5		73.2	77.2			80.0			87.6		80.6		80.6	80.6	80.6
≥ 900	43.9	63.4	74.2	78.3			81.2			81.8		81.8	81.8		81.8	81.8
≥ 800	43.8	68.8	74.8	79.3						82.8		82.8		82.8		82.8
≥ 700	44.1	73.5	76.9	81.4	82.2	82.7	84.4	į		85.4	85.5	85.5	85.5	85.5	85.5	85.5
≥ 600	44.2			83.4							88.9					88.9
≥ 500	44.2	71.8	78.5	84.1	86.0	86.8	89.1	91.0	91.3	91.3		91.9	91.9	91.9		91.9
≥ 400	44.2	72.0		85.0						93.0		93.6		93.6	1	93.6
≥ 300	44.2	72.3	79.2	85.7	88.7		92.6	95.0				96.1	96.2		96.2	96.4
≥ 200	44.2	72.3		85.8					96.2					97.5		98.1
> 100	44.2	72.3					93.2			97.0				98.9		99.8
≥ 100	44.2			85.8										98.9		1
ــــــــا	7702	1203	1702	03.0	9793	7003	7306	70.2	70.5	7100	200 L	400 T	70.3	70.7	7703	

OTAL NUMBER OF OBSERVATIONS \_\_\_\_\_\_\_\_826

USAF ETAC FORM 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE CORDLET

GERRAL CLIMATOLOGY BRANCH CIFETAC AL MEATHER SERVICEZHAC

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-81

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

3300-0500 1008-131

CEILING							vis	BILITY :ST	ATUTE MIL	E5:						
-FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	وااخ	≥1%	≥1	یا خ	≥ >η	≥ 7	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	12.3	15.7	17.1	17.8	18.5	18.5	18.5	18.5	18.5	18.5	18.5	19.5	18.5	18.5	18.5	18.5
≥ 18000 ≥ 16000	13.9	17.1	19.4	20.2	27.8 27.8	20.8	20.8	20.8	20.8 20.8	20.8	20.8 20.8	20.8	20.8 20.8	20.8	20.8	20.8
≥ 14000 ≥ 12000	15.3 15.3	27.3	21.7	21.4	22.6	22.0	22.0	22.0	27.0	22.0	22.0	22.C	22.0	22.0	22.0	22.0
≥ 10000 ≥ 9000	17.8	23.9	24.4	25.2	26.D	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.D
≥ 8000 ≥ 7000	20.4	27.3	27.8	25.3	29.5	29.5	29.8	29.8	29.8	29.9	29.9	29.9	26.1	29.9	29.9	26.1 29.9
≥ 6000 ≥ 5000	21.9	29.9	30.4	30.5	31.2	31.2	31.5 32.3	32.3	31.5	32.5	32.5	32.5	32.5	32.5	31.6	32.5
≥ 4500 ≥ 4000	24.2	33.3	33.1	34.3	35.8	35.8	35.3 36.0	35.3 36.0	35.2 36.0	36 • 2	36.2	36.2	36.2	36.2	35.4 36.2	36.2
≥ 3500 ≥ 3000	25.5 27.1	35.3	36.5	41.1	42.2	42.2	38.9 42.4	38.9 42.4	38.9 42.4	39.0 42.6	39.0 42.6	39.0 42.6	42.6	39.0 42.6	39.0 42.6	39.0 42.6
≥ 2500	32.2	41.8	43.7 50.9	53.0	54.2	54.2	47.7 54.6	47.G	47.C	47.1 54.7	47.1 54.7	47.1 54.7	47.1 54.7	47.1 54.7	47.1 54.7	54.7
≥ 1800	36 • 3 37 • 3	55.2 58.3	58.9 62.6	65.4	66.9	66.9	67.4	67.4	63.1 67.4	63.2 67.5	67.5	67.5	63.2 67.5	63.2 67.5	63.2 67.5	63.2 67.5
≥ 1500	39.7	61.5	66.7 71.5	75.6	71.5	71.6 78.0	72.2	72.2	72.2 79.0	72.3 79.1	72.3	72.3	72.3 79.2	72.3	72.3 79.2	72.3 79.2
≥ 1000	43.7	68.9	74.8	78.5 79.1	80.6	80.8	82.2 82.9	82.4	82.4	82.5 83.3	82.7	82.7	82.7	82.7 83.4	82.7	82.7
≥ 800	40.8 41.0	70.8	76.6	82.7	83.1	83.5	87.0	85.5 87.3	85.5 87.3	85.6 87.5	85.7	85.7 87.6	85.7	85.7	85.7 87.6	85.7
≥ 600 ≥ 500	41.0	71.7	78.7	84.0	86.7	87.1	88.8	89.2 92.5	89.2 92.6	89.4 93.0	99.5	89.5 93.2	89.5 93.5	89.5 93.5	89.5 93.5	89.5 93.5
≥ 400	41.0		80.6	86.1	89.4 90.3	90.3	92.6	94.1	94.2	94.6	94.8	94.8	95.1	95.1	95.1 96.7	95.1
≥ 200	41.0		80.6	86.7	90.7	91.9	94.5	96.4	96.9	97.5	97.8	97.8	98.J	98.C	98.2	98.3
≥ 0	41.1	72.3		86.8			94.6	96.6	97.0		98.2	98.2		98.9		00.0

USAF ETAC FORM 0-14-5 (OL A) MENIOUS EDITIONS OF THIS FOR

LEMAL CLIMATOLOGY BRANCH STAFETAC ASSENTATIONS SERVICE/MAC

### CEILING VERSUS VISIBILITY

25 YOUNGSTOWN MAP OH

73-81

DEC

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1600-C300

CEILING							vis	IBILITY :ST.	ATUTE MIL	£5						
FEET	≥10	≥6	≥5	≥ 4	≥ 3	≥2 7	≥ 2	د. و	≥17•	≥1	₹ ¼	هر ≥	≥ ;	≥5 16	≥ ₄	≥0
NO CEILING	12.	16.7	17.3	17.9	18.C	13.4	19.6	18.6	18.6	18.6	18.6	18.6	18.6	18.6	18.6	18.6
≥ 20000	14.1	18.5	19.1	10.3	20.0	20.3	50.6	20.6	23.6	20.6	20.6	20.6	20.6	20.5	20.6	20.6
≥ 18000	14.5	13.9	19.5	29.2	27.3	23.7	27.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	23.9	
≥ 16000	14.5	18.9	19.5	22	20.3	20.7	27.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9
≥ 14000	14.6	19.0	19.6	50.3	20.4	20.8	21.0	21.0	21.0	21.0	21.0	21.0	21.0	,	21.0	21.0
≥ 12000	15.4	20.3	20.9	21.6	21.8	22.1	22.4	22.4	22.4	22.4	22.4	22.4	22,4	22.4	22.4	22.4
≥ 10000	17.7	23.2	23.9	24.7	24.8	25.2	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4
≥ 9000	18.4	23.9	24.7	25.4	25.5	25.9	26.1	26.1	26.1	26.1	26.1	26.1	26.1	26.1	26.1	26.1
≥ 8000	19.5	26.2	27.0	27.9	28.1	28.4	28.7	28.7	28.7	28.7	28.7	28.7	28.7	28.7	28.7	
≥ 7000	20.1	28.1	28.8	29.7	29.9	30.2	30.5	30.5	30.5	30.5	30.5	30.5	30.5	30.5	30.5	30.5
≥ 6000	27.0	29.0	29.7	30.7	30.8	31.2	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4
≥ 5000	22.5	31.9	32.6	33.6	33.7	34.1	34.3	34.3	34.3	34.3	34.3	34.3	34.3	34.3	34.3	34.3
≥ 4500	23.2	33.3	34.2	35.2	35.3	35.7	35.9	35.9	35.9	35.9	35.9	35.9	35.9	35.9	35.9	35.9
≥ 4000	75.2	35.8	36.9	38.0	38.1	38.5	38.7	38.7	38.7	38.7	38.7	38.7	38.7	38.7	38.7	38.7
≥ 3500	27.1	38.9	40.7	42.2	42.3	42.7	42.9	42.9	42.9	42.9	42.9	42.9	42.9	42.9	42.9	42.9
≥ 3000	28.8	42.1	44.4	46.1	46.3	46.9	47.2	47.2	47.2	47.2	47.2	47.2	47.2	47.2	47.2	47.2
≥ 2500	31.4	47.4	50.7	53.1	53.4	54.1	54.7	54.7	54.7	54.7	54.7	54.7	54.7	54.7	54.7	54.7
≥ 2000	35.6	54.5	58.4	60.9	61.5	62.3	63.1	63.6	63.6	63.8	63.8	63.8	63.8	63.8	63.8	63.8
≥ 1800	37.1	57.6	61.9	64.8	65.4	66.1	67.C	67.5	67.5	67.8	67.8	67.8	67.8	67.8	67.8	67.8
≥ 1500	37.7	60.3	65.2	68.4	69.3	70.3	71.1	71.6	71.6	71.9	71.9	71.9	71.9	71.9	71.9	71.9
≥ 1200	38.8	63.1	68.9	73.2	74.4	75.7	76.8	77.9	77.9	78.4	78.5	78.5	79.5	78.5	78.5	78.5
≥ 1000	39.2	64.2	71.0	74.6	76.2	77.8	79.1	80.7	80.7	81.1	81.3	81.3	81.3	81.3	81.3	81.3
≥ 900	39.4	65.2	71.7	76.3	78.0	79.8	81.3	83.1	83.1	83.6	83.7	83.7	83.7	83.7	83.7	93.7
≥ 800	39.7	66.5	73.0	77.6	79.3	81.1	82.7	84.5	84.5	85.1	85.4	85,4	85.4	85.4	85.4	85.4
≥ 700	39.7	67.C	73.8	78.8	80.7	82.5	84.3	86.2	86.2	86.8	87.1	87.1	87.1	87.1	87.1	87.1
≥ 600	39.8	67.7	74.5	79.9	81.7	83.6	85.6	87.5	87.5	88.1	88.4	88.4	88.4	88.4	88.4	88.4
≥ 500	39.3	68.3	75.8	81.6	83.7	85.5	87.7	90.0	90.D	91.1	91.3	91.3	91.3	91.3	91.3	91.3
≥ 400	39.9	68.8	76.3	82.7	85.0	87.1	89.8	92.4	92.4	93.7	94.0	94.0	94.0	94.0	94.0	94.0
≥ 300	39.9	68.9	76.5	83.2	85.7	87.8	90.9	93.6	93.6	95.4	95.9	95.9	96.0	96.0	96.3	96.0
≥ 200	39.9	69.0	76.7	83.4	86.1	88.3	92.1	95.2	95.2	97.5	97.9	97.9	98.1	98.1	98.2	98.2
≥ 100	39.9	69.0	76.7	83.6	96.2	88.4	92.3	95.3	95.3	97.7	98.3	98.3	98.5	98.5	98.9	98.9
≥ 0	39.9	69.0	76.7	83.6	86.2	88.4	92.3	95.3	95.3	97.7	98.5	98.5	98.9	98.9	99.6	100.0

TOTAL NUMBER OF OBSERVATIONS.

827

USAF ETAC HI ME 0-14-5 (OL A) MENOUS EDITIONS OF THIS FORM ARE ORNOLE

RECRAL CLIMATOLOGY BRANCH TRETAC 478 \*FATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-81

DEC

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

~850-1100

CEILING			-				VIS	BILITY ST	ATUTE MIL	ES-						
FEET	≥10	≥6	≥ 5	≥ 4	≥3	≥2 7	≥ 2	≥179	≥1%	≥1	<u>≥</u> ½	≥ ′″a	≥ 7	≥5 16	≥.	≥0
NO CEILING ≥ 20000	10.7	14.1	14.7	15.0	1	15.4	15.5				15.5	15.5	_	15.5	15.5	
	15.2	27.3	21.	21.6	21.7	22.2	22.3	22.3	22.3		22.3	22.3	22.3	22.3	22.3	22.3
≥ 18000	15.3	20.3 20.4	21.0	21.6	21.7	22.2	22.5	22.3	22.5		22.5	22.5	22.3	22.5	22.3	22.3
≥ 14000	15.9	21.0	21.7	22.3	22.5	22.9	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.1
≥ 12000	16.5	22.3	23.1	23.7	23.8	24.3	24.4	24.4	24.4	24.4	24.4	24.4	24.4	24.4	24.4	24.4
≥ 10000	17.8	24.5	24.9	25.5	25.6	26.1	26.2	26.2	26.2	26.2	26.2	26.2	26.2	26.2	26.2	26.2
≥ 9000	18.4	24.3	25.6	26.2	26.3	26.8	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9
≥ 8000	20.0	26.9	28.0	28.6	28.9	29.6	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7
≥ 7000	20.1	27.7	28.8	29.5	29.7	30.5	30.6	30.6	30.6	35.6	30.6	30.6	30.6	30.6	30.6	30.6
≥ 6000	20.5	28.3	29.6	30.3	30.6	31.3	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4
≥ 5000	22.1	30.2	31.7	32.4	32.6	33.4	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5
≥ 4500	22.8	31.2	32.6	33.4	33.6	34.5	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6
≥ 4000	24.4	33.5	35.1	35.9	36.4	37.3	37.4	37.4	37.4	37.4	37.4	37.4	37.4	37.4	37.4	37.4
≥ 3500	76.1	35.6	37.4	38.2	33.8	39.7	40.D	40.0	40.0	40.C	40.0	40.0	40.0	40.C	40.C	40.0
≥ 3000	28.2	38.5	40.7	41.6	42.2	43.1	43.8	43.9	43.9	43.9	43.9	43.9	43.9	43.9	43.9	93.9
≥ 2500	30.5	42.2	44.5	45.8	46.6	47.6	48.9	49.0	49.6	49.0	49.0	49.0	49.0	49.0	49.0	49.0
≥ 2000	34.0	46.8	49.9	51.6	52.4	54.2	55.8	56.3	56.3	56.6	56.6	56.6	56 .6	56.6	56.6	56.6
≥ 1800	35.7	49.0	52.4	54.4	55.2	57.0	58.7	59.3	59.3	59.6	59.6	59.6	59.6	59.6	59.6	59.6
≥ :500	37.4	52.5	56.2	58.7	67.0	62.4	64.7	65.9	66.0	66.5	66.5	66.5	66.5	66.5	66.5	66.5
≥ 1200	34 . 2	55.6	59.7	62.9	64.4	67.2	70.8	72.7	72.8	73.4	73.4	73.4	73.4	73.4	73.4	73.4
≥ 1000	₹8 • 3	56.3	67.4	64.1	66.D	69.5	73.4	75.6	75.7	76.6	76.9	76.9	76.9	76.9	76.9	76.9
≥ 900	38.5	57.0	61.2	64.8	67.0	70.5	74.6	77.1	77.2	78.3	78.6	78.6	78.6	78.6	78.6	78.6
≥ 800	38 . 6	57.8	61.9	65.7	68.2	72.1	76.3	78.9	79.0	80.3	81.6	81.6	81.7	81.7	81.7	61.7
≥ 700	38.6	58.9	63.3	67.6	70.3	74.4	79.0	82.2	82.3	84.0	85.4	85.4	85.6	85.6	85.6	85.6
≥ 600	38.6	59.1	63.7	68.3	71.1	75.2	80.0	83.4	83.5	85.2	86.8	86.8	86.9	86.9	86.9	86.9
≥ 500	38.6	59.5	64.3	58.9	71.8	76.5	81.6	85.6	85.8	88.2	89.8	89.8	90.5	90.5	90.5	90.5
≥ 400	38.6		64.3	69.3	72.3	77.3	82.8	87.4	87,7		92.2	92.2	93.0	93.E	93.0	93.0
≥ 300	38.6	59.5	64.3	69.4	72.8	77.8	83.5	58.3	88.7	92.0	93.8	93.8	95.4	95.4	95.6	95.6
≥ 200	38.6	59.5	64.3	69.4	72.8	77.8		88.7	89.1		95.3		97.5	97.5	97.7	97.7
≥ 100	38.6		64.3	69.4	72.8	77.8		88.7	89.2	, ,	95.6				99.2	99.2
≥ 0	38.5	59.5	64.3	69.4	72.8	77.8	83.5	38.7	89.2	93.1	95.6	95.6	98.7	98.7	99.3	100.0

TOTAL NUMBER OF OBSERVATIONS

LISAF FTAC BULGE De 14-5 (OL. A.) SERVICIES ENTROPES CE TRES FORM AND CONTROL

<u>[</u>]

\* SAL CLIMATCLOGY RRANCH \*FUTAC \*\*TATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OF

73-81

DEC

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1200-1400

CEILING	!	-					VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 ;	≥ 2	≱:;	≥1.	≥1	≥ :₄	ور ≲	≥ .	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	12.5 17.7	15.2	15.6 22.3	15.9 22.7	15.0		16.0 23.0	16.0 23.6		16.1 23.2	16.1 23.2	15.1 23.2	16.1	16.1	16.1	16.1
≥ 18000 ≥ :6000	17.°	21.9	22.5	22.9	23 <b>.2</b> 23 <b>.2</b>	23.3	23.3 23.3	23.3	23.3	23.4	23.4	23.4	23.4	23.4	23.4	23.4
≥ 14000 ≥ 12000	18.2 20.3	22.4	23. 24.d	23.4 25.2	23.6 25.5	23.8 25.6	23.8 25.6	23.8 25.6		23.9 25.7	23.9	23.9	23.9	23.9	23.9	
≥ 10000 ≥ 9000	21.5	25.7 26.7	26.5 27.5	26.9 27.9	27.2 28.1	27.3 28.2	27.3 28.2	27.3 28.2	27.3 28.2	27.4 28.4	27.4 28.4	27.4 28.4	27.4 28.4	27.4 28.4	27.4	27.4
≥ 8000 ≥ 7000	23.2	28.1 28.8	29.0 29.7	29.3 30.1	29.6 30.3	29.7 30.4	29.7 30.4	29.7 30.4	- 1	29.8 30.5	29.8 37.5	29.8	29.8	29.8 30.5	29.8 30.5	29.8
≥ 6000 ≥ 5000	23.3 24.4	29.1 31.5	30.1 32.7	30.4 33.1	30.7 33.5	30.8 33.6	30 · 8 33 · 6	30.8 33.6	30.8 33.6	30.9 33.7	30.9 33.7	30.9 33.7	30.9 33.7	30.9 33.7	30.9 33.7	, 1
≥ 4500 ≥ 4000	25.8	32.4 33.2	33.6 34.4	33.9 34.8	34.3 35.2	34.4 35.3	34.4 35.3	34.4 35.3	- :	34.5 35.4	34.5 35.4	34.5 35.4	34.5 35.4	34.5 35.4	34.5 35.4	
≥ 3500 ≥ 3000	27.4 30.2	34.° 38.1	36.1 39.3	36 • 5 39 • 6	37.0 4 .1	37.1 43.5	37.1	37.1 46.6	37.1 40.6	37.2 40.7	37.2 40.7			37.2 40.7	37.2 40.7	
≥ 2500 ≥ 2000	35.5 01.2	45.0 54.2	45.5 56.5	47.0 57.5	47.8 58.4	48.4 59.3		48.7 60.0		49.0 60.4	49.E	49.0 60.4		49.0 60.4	49.0 60.4	
≥ 1800 ≥ 1500	42.2 43.5	56.4 60.4	59.2 64.0	60 • 4 65 • 7	61.3	62.3	62.9 69.7	63.0 70.5	63.0 70.5	63.4 70.9	63.4 70.9	63.4 70.9	63.4 70.9	63.4 70.9	63.4 70.9	63.4 70.9
≥ 1200 ≥ 1000	44.2	63.2	67.2 69.7	69.5 70.4	71.3	73.0	74.8 76.1	76.1 77.9	76.1 77.9	76.8 79.2	77.1 79.4	77.1 79.4	77.1	77.1 79.4	77.1 79.4	
≥ 900 ≥ 800	44.7	64.5	70.1	71.5	74 • 1	76.1 77.5	79.1 79.4	79.9	79.9	81.1	83.8	81.3	81.3	81.3	81.3	83.8
≥ 700 ≥ 600	45.7	65.8	70.8	73.6	76.5	79.5	80.8	85.3	83.9	85.2	86.2	86.2	86.3	86.3	86.3	88.6
≥ 500 ≥ 400	45.7 45.3	56.7 66.7	72.0 72.0	74.9 75.2	77.9 78.5	81.1	84.2	87.9	88.1 90.2		91.6	91.6		92.0	92.0	
≥ 300 ≥ 200 > 100	45.0	66.7	72.0	75.2 75.2	78.7	82.4 82.4	86.4 86.4	90.7 91.2 91.2	90.9 91.4	94.9	95.6 97.0	95.6 97.0	96.4 98.2 98.4	96.4 98.2 98.4	98.2	
≥ 100 ≥ 0	45.0	66.7	72.0				86.4		91.4		97.5	97.0		98.4	98.8	- 1

TOTAL NUMBER OF DESERVATIONS.....

825

USAF ETAC 1014 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE GREGALET

HELTAL CLIMATOLOGY BRANCH A. SATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

TOUNGSTOWN MAP OH

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1520-1700

CEILING							VIS	BILITY ST	ATUTE MILI	ES						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥) -	≥1.	≱1	≥ ¼	רי ≤	≵ :	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	1	13.4	13.7	13.8 20.5	14.0		14.D 20.8		14.6 20.8	14.0 20.8	14.0 20.8	14.7 23.8		14.3 20.8	14.7 20.8	14.5 20.8
≥ 18000 ≥ 16000	15.5 15.5	21.6	21.3 21.3	21.2 21.2	21.5	21.5 21.5	21.5 21.5		21.5		21.5 21.5	21.5		21.5		
≥ 14000 ≥ 12000	16.5 17.2	20∙8 21•7	21.1	21.4 22.5	21.6	21.6	21.6 22.7	21.6			21.5 22.7	21.6	21.6	21.6	21.6	21.6
≥ 10000 ≥ 9000	19.8	24.1 24.9		-,	25 • 2 26 • 1	-		75.2 26.1	25.2 26.1		25.2	25.2 26.1	25.2 26.1	25.2 26.1	25.2 26.1	25.2 26.1
≥ 8000 ≥ 7000	21.9	27.5 28.6		29.5	20.8	28.7 29.8	29.8		29.8	29.8	28.7 29.8	29.8	28.7	28.7 29.8	28.7 29.8	79.8
≥ 6000 ≥ 5000	22.3	29.1 31.3	32.1	32.4	3C • 3 32 • 7	32.7	32.7	30.3 32.7	32.7	30.3 32.7	32.7	30.3 32.7	32.7	30.3 32.7	30.3 32.7	33.3
≥ 4500 ≥ 4000	24.5	32.5 34.8	35.9	36.3	34.1	34.1 36.6	34.1 36.6	34.1 36.6		34 • 1 36 • 6	34 • 1 36 • 6	34.1 36.6	34 • 1 36 • 6	34.1	36.6	34 • I 36 • o
≥ 3500 ≥ 3000	27.2 30.3			43.3	36.5 43.7		43.7		43.7	43.7	38.5 43.7	38.5 43.7	36.5 43.7	38.5 43.7	43.7	38.5
≥ 2500 ≥ 2000	35.5 42.6	57.5	59.7		50.7	61.7		50.9 62.3	62.3	51.0 62.4	51.0 62.4	51.7 62.4	62.4	51.5 62.4	62.4	
≥ 1800 ≥ 1500	45.4	63.4	66.7	64.5 68.4	64.8	69.7	71.7					66.4 72.3	72.3	72.3	72.3	
≥ 1000	46.6	65.1	70.3		72.3	75.7	79.2	77.0 80.5	80.5		77.8 81.8	77.8	81.8	81.8	77.8	51.8
≥ 900 ≥ 800	45.6 46.8	67.5	71.2	74.5	75.3 76.6	78.0		61.8 83.4	83.5		83.3 85.8	83.3	85.8	85.8	85.8	95.8
≥ 700 ≥ 600	46.7	68.0 68.4		76.3 76.9	78.0	80.3	85.1	85.3 87.2	87.3							90.5
≥ 500 ≥ 400 ≥ 300	46.9 47.0	69.1 69.1	74.4	78.3 78.3	79.2 79.4			89.3 90.5 91.1	90.6		92.9 94.9 96.1	94.9		93.0 95.0 96.2	95.0	95.1
≥ 200 ≥ 100	47.3	69.1	74.4	78.3 72.3	70.4	82.3	88.2	91.3 91.3	91.5	95.6	97.4	97.6	97.9	97.€	98.7	08.2
ž 0	47.	69.1	74.4	79.3	79.4			91.3			97.6		98.2	98.2		00.0

TOTAL NUMBER OF OBSERVATIONS.

USAF ETAC 101.64 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE ORECLETE

TAL CLIMATOLOGY BRANCH TELTAC TATHER SERVICE/MAC

 $\Box$ 

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-81

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

13.7-2005

CEILING							VIS	BILITY ST.	ATUTE MILI	E5						
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥);	≥1.	≥1	<u> </u>	≥ .	2	≥5 16	≥ .	≥0
NO CEILING	12.5				- 1	15.8	16.9		16.9						16.7	
≥ 20000	14.	19.9	2 -1	2:.3		20.6	20.7		20.7					20.7		
. ≥ 18000	15.1	2 1.1	24.3	2∵∙6	2 . 6	23.8		20.9	20.9	23.9				20.9		
. ≥ '6000	15.1	7 .1	2^.3	21.6		7/1.8		20.9		20.9		20.9			20.9	20.9
≥ 14000	15.1	30.1	27.3	2" • 6		2 - 8	27.9			20.9		-	50.0		20.9	
<u> </u>	15.7	23.7	2 . 9	71.2		21.4	21.5				21.5		21.5		21.5	
! ≥ 10000	17.3	24.0		24.5		24.7	24.8	24.8	24.8	24.8	_	24.8	24.8			24.8
	18.3	24.8	25.1	25.3		25.5	25.7	25.7			25.7			25.7		25.7
≥ 8000	10.0	27.1	27.4	27.6		27.8	28.0	28.0	28.0		28.0	28.0	28.0	i :		28.0
<b></b>	.1.5			29.4		29.7	29.8	29.8			29.9	29.8			29.8	
≥ 6000 ≥ 5000	12.2	29.5		30.3	- 1	30.3	33.4	30.4	30.4	l J	30.4	30.4		33.4		30.4
	24.2	3 . 5		33.3		33.5	33.7	33.7		33.7			33.7		_	33.7
≥ 4500 ≥ 4000	24.0	34.	34.5	34.9		35.1	35.2	35.2		35.2			35.2	,	ı	35.2
ļ	75.1	25.6		36.7			37.2		37.2							
≥ 3500 ≥ 3000	38 • [	9 ،8د	1	4:1-1	4 • 1	46.3	4 .6	40.6	47.6	40.6	40.6	40.6	40.6			40.6
	1.2			46.1		40.4	46.6				46.6		46.6		45.6	
≥ 2500 ≥ 2000	34.5			55		51.9	52.2	52.2	52.2	52.2		52.2	52.2			52.2
	47.1			62.8			63.8	63.8	63.8	63.6		63.6	63.8		63.8	
≥ 1800 ≥ 1500	41.7		1	66.7		67.6	67.9	67.9	67.7	68.0	68.0	68.0	68.0	i .	68.0	
<u> </u>	13.1		68.6	77.9		72.0	72.4	72.6	72.6	72.5		72.9	ĺ		72.9	
≥ 1200	14.1		70.9	73.8		75.4	76.0	76.6	76.6	77.1		77.1	77.1		77.1	77.1
	1,4.3		73.2	76.4		78.1	79.3	80.1	80.1	81.6		81.0			81.0	
≥ 900 ≥ 800	44.3			77.4		79.1	80.3		81.1	82.1		82.1	82.1		62.1	
<b></b>	44.4			78.7		20.3	82.1	83.1	83.1	84.1	84.1	84.1	84.1		84.1	84.1
≥ 700 ≥ 600	44.6		75.6	79.8		82.0	83.9	85.1	85.1	86.2		86.2			86.2	86.2
	44.3	71.2	76.5	8 6	82.1	83.1	85.C	86.7	86.7	88.0	88.0	88.0			88.0	
≥ 500 ≥ 400	44.0	71.7	77.1	91.5		84.9	87.4	89.5	89.5	91.2		91.2	91.2		91.2	91.2
	44.5	72.	77.6			87.2			92.5		95.0	95.7			95.2	
≥ 300	44.4	72.0		83.4		87.5	90.6	93.2	93.2	96.0		96.4	96.5		96.6	96.6
≥ 200	44.5	72.0		83.7		97.9	91.3		94.2	97.3		98.1	98.4		98.7	
≥ 100 ≥ 0	<b>44</b> • 8	72.0				87.9	91.3			97.3				,		99.5
ــــــــــــــــــــــــــــــــــــــ	44.8	72.0	11.6	83.7	85.8	87.9	91.3	94.2	74.2	97.3	78.4	98.4	99.7	99.	79.5	00.0

USAF ETAC FORM 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE DESCRETE

PERSON CLIMATOLOGY BRANCH FELTAC AT LEATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

HO MAN MAP OH

73-81

DEC

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

2107-2307

CEILING							VIS	BILITY ST	ATUTE MIL	ES		<del></del>	•			
FEET	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	≥1 7	≥1.	≥1	≥ ≒.	≥ 'n	≥ :	≥ 5 16	≥ .	≥0
NO CEILING ≥ 20000	14.1	17.5	18.3 21.9	13.5		1	18.6	18.6	18.6	18.6	18.6	18.6	15.6	18.6	18.6	1
≥ 18000 ≥ 16000	15.6 15.6	21.7	21.9 21.9	22.0	22.0 22.0		22.1	22.1	22.1	22.1	22.1	22.1 22.1	22.1 22.1	22.1	22.1 22.1	22.1 22.1
≥ 14000 ≥ 12000	15.5	21.5	21.9 22.5	22.0 22.6	22.0 22.6		22.1	22.1	22.1	22.1 22.7	22.1 22.7	22.1	22.1	22.1 22.7		
≥ 10000 ≥ 9000	18.3	24.7	25.6 26.2	25.7 26.3	25.7 26.3	1	25.8	25.8 26.4	25.8 26.4	25.8 26.4	25.8 26.4	25.8	25.8 26.4			25.8 26.4
≥ X00 ≥ 7000	21.5		29.6 31.1	29.7 31.2	29.7 31.2		29.8 31.3		-	29.8 31.3			29.8 31.3	29.8 31.3		29.8 31.3
≥ 6000 ≥ 5000	24.0 25.9	31.1 33.9	31.9 34.8	32.2 35.1	32.2 35.1	i	32.3 35.2	32.3 35.2				32.3 35.2	32.3 35.2			32.3 35.2
≥ 4500 ≥ 4000	26.2 27.3	$\overline{}$	37.2		37.5	37.7		35.6 37.7	37.7	37.7	35.6 37.7	37.7		37.7	37.7	35.6 37.7
≥ 3500 ≥ 3000	28.1 30.6		43.4	39.7	44.11	44.1	39.9	44.1	44.1	44.1	39.9 44.1	44.1		44.1	44.1	39.9
≥ 2500 ≥ 2000	35.5		58.4	59.9	51.6	6.1.3	60.4		63.5	60.6	51.7 60.6	60.6	60.6		60.6	51.7 60.6
≥ 1800 ≥ 1500	41.1		65.8		63.8	68.3			69.1		69.2	69.2		69.2	69.2	69.2
≥ 1200 ≥ 1000	43.4		71.9	_	75.8	76.3		78.2	78.2	78.5	75.7 78.5	78.5	78.5		78.5	76.5
≥ 900 ≥ 800	43.5	68.8		76.9		78.4	79.8		80.8	81.1	79.7 81.2	81.2	81.3		81.3	79.7
≥ 700 ≥ 600 > 500	44.5	77.9	75.0	87.2	79.6 86.8	81.9	83.7	85.3	85.3	83.6 85.6	85.7	85.7	85.8	83.9 85.8	85.8	
≥ 500 ≥ 400 ≥ 300	44.7	71.9	77.4	83.4	65.2	87.3	86.9 89.9 91.1	92.2	92.2	93.0	93.4	93.4	93.6	89.6 93.6		93.6
≥ 200	44.7	72.0		84.0		88.4	91.7	94.4	94.4		96.9	96.9	97.2		97.6	97.6
≥ 100 ≥ 0	44.7	- 1	77.6				1	1		1	97.8					30.0

USAF ETAC TOTAL 0-14-5 (OL A) PREVIOUS SOTTIONS OF THIS FORM ARE ORNOLLY

()

\*

\_\_\_\_

٦.

SE MAL CLIMATOLOGY BRANCH AFETAC AL LEATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

YOUNGSTOWN MAP OH

73-81

DEC

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

CEILING							VIS	BILITY ST	ATUTE MIL	E5						
FEE1	≥10	≥6	≥ 5	≥ 4	≥ 3	≥2 7	≥ 2	<b>≵</b> 1.7	≥1.	≥1	≥ 4	≥ 1/8	≥ ;	≥5 16	≥ .	≥0
NO CEILING ≥ 20000	12.4	16.0 25.2	15.5 29.d	16.6 21.2	17.0 21.4	17.1	17.2	17.2	17.2	17.2	17.2 21.5	17.2	17.2	17.2	17.2	17.2
≥ 18000 ≥ 16000	1 . 6	20.4	21.0	21.4	21.6	21.7	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8
≥ 14000	15.0	25.9	21.5 21.4	21.4	21.6 22.0	21.7	21.8	21.8	21.8	21.8	21.8	22.2	21.8	21.5	21.8	21.8
≥ 12000	10.7	?1.9 24.5	22.4	22.8	23.0 25.8	23.2	23.2 26.0	23.2	23.2	23.3	23.3 26.0	23.3	23.3	23.3	23.3 26.0	
≥ 9000	19.2	25.1	25.	26.2	26.4	26.6	26.7	26.7	26.7	26.7	26.7	26.7	26.7	26.7	26.7	26.7
≥ 8000 ≥ 7000	21.1	27.7 24.1	28.4 29.8	28.9 31.3	29 • 1 30 • 5	29.3 33.7	29.4 30.8	29.4 30.8	29.4 30.8	29.4 30.6	29.4 30.€	29.4 30.8	29.4 30.8	29.4 30.8	29.4 30.8	29,4 30.8
≥ 6000 ≥ 5000	22.6	2°.7	39.5 33.2	31.0	31.2	31.4	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31-5	31.5 34.3
≥ 4500 ≥ 4000	24.8	33.3	34.3	34.8 37.0	35.1	35.3 37.5	35.4	35.4	35.4	35.4	35.4	35.4	35.4	35.4	35.4	35.4
≥ 3500 ≥ 3000	27.5	37.5	36.3	39.6	43.0	40.2	40.4	40.4	40.4	4C.4	40.4	40.4	47.4	40.4	47.4	40.4
≥ 3000 ≥ 2500	3.9	41.4	49.3	50.5	51.0	51.4	44.9 51.7	45.C	45.0 51.8	45.D	45.7 51.8	51.9	45.0 51.8	45.0 51.8	45.0 51.8	45.C
≥ 2000	38.6	54.9	57.8	59.5	67.1	60.7	61.2	61.4	61.4	61.5	61.5	61.5	61.5	61.5	61.5	
≥ 1500	41.2	67.8	64.7	67.2	68.2	69.0	70.0	70.5	70.5	7C.7	70.7	70.7	70.7	70.7	70.7	70.7
≥ 1200 ≥ 1000	42.1 42.6	63.9 65.5	68.4 70.2	71.7 73.8	72.9 75.1	74.0 76.3	75.6 78.4	76.5 79.5	76.5 79.5	76.9 80.1	77.0 80.3	77.0 60.3	77.0 80.3	77.C	77.0 80.3	77.0 80.3
≥ 900 ≥ 800	42.7 42.3	56.1 66.3	71.1	74.7	76.2 77.5	77.5	79.6 91.2	80.9	80.9 82.6	81.6	81.7	81.7	81.7	81.7	81.7	81.7
≥ 700 ≥ 600	43.0 43.1	67.7	73.3	77.4 72.4	79.1	80.5	93.1 84.7	84.8	84.9	85.8	86.3	86.3	86.3	86.3	86.3	86.3
≥ 500 ≥ 400	43.1	68.8	74.8	79.6	81.7	83.8	86.9	89.3	89.4	90.8	91.4	91.4	91.6	91.6	91.6	91.7
≥ 300	43.1	69.1	75.3	80.4	82.8	85.9	89.6	92.6	91.6	93.2	95.7	94.3	94.3	96.2	94.3	96.3
≥ 100	43.1	69.1	75.3 75.3	80.8 90.8	83.5 83.6	86.1 86.2	90.1	93.4	93.6	96.2	97.5	97.6	97.8	98.6	98.0	
2 0	43.2	69.1	75.3	80.8	83.6	86.2	90.1	93.5	93.7	96.3	97.6	97.7	98.6	98.8		ina.a

GEREAL CLIMATOLOGY PRANCH //ETAC A' - TATHER SERVICE/MAG

YOUNGSTOWN MAP OH

### CEILING VERSUS VISIBILITY

HOURS 131

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

73-81

CEILING							VIS	BILITY ST	ATUTE MIL	ES						
FEET	≥10	≥6	≥5	≥ 4	≥ 3	≥2 2	≥ 2	≥1/2	≥1'.	≥1	وز 1	≥ '*	≥ 5	≥5 16	≥.	≥0
NO CEILING ≥ 20000	23.? 26.6	30.1 35.0	31.7 37.0	33.2 38.7	34.0		35.3 41.2		35.5 41.5	35.7 41.7	35.7 41.8	35.7 41.8	35.8	35.8 91.9	35.9 41.9	
≥ 18000 ≥ 16000	26.5 25.7	35.1 35.1	37.1 37.1	36.8 38.8	39.8 39.8	40.6 40.6	41.3 41.3	41.6 41.6	41.6 41.6	41.8 41.9	41.9	41.9 41.9	42.0		42.1 42.1	42.1 42.2
≥ 14000 ≥ 12000	26.°	35.5 36.8	37.5 38.6	39 • 2 4 · • 6	40.2 41.7	41.0 42.5	41.8 43.3	42.1 43.6	42.1 43.6	42.3 43.8	42.4 43.9	42.4 43.9	42.4	42.5	42.5 44.0	42.6 44.1
≥ 10000 ≥ 9000	29.6	39.3 39.8	41.6 42.1	43.5 44.0	44.6	45.6 46.1	46.4	46.7	46.7	46.9 47.5	47.0 47.6	47.0 47.6	47.1 47.7	47.1	47.2 47.7	47.2 47.3
≥ 8000 ≥ 7000	31.n 31.5	41.5 42.6	43.9 45.0	46.0	47.2	48.2	49.1 57.3	49.4 50.7	49.4 50.7	49.6 50.9	49.7 51.0	49.7 51.0	49.8 51.1	49.8 51.1	49.9 51.1	50.0 51.2
≥ 6000 ≥ 5000	3.8	43.2 46.0	45.7	47.9 50.9	49.1 52.3	50.2 53.4	51.1 54.4	51.5 54.8	51.5 54.8	51.7 55.1	51.8 55.2	51.8 55.2	51.9 55.3	51.9 55.3	52.0 55.3	52.0 55.4
≥ 4500 ≥ 4000	35.5 37.1	47.7 50.8	50.5 53.8		54.2 57.9	55.5 59.2	56.5 60.3	56.9 60.7	56.9 60.7	57.1 61.0	57.2 61.1	57.2 61.1	57.3 61.2		57.4 61.3	57.5 61.3
≥ 3500 ≥ 3000	35.8 40.9	53.2 56.4	56.4 59.9	59.1 62.8	68.7 64.6	62.2 66.1	63.3 67.3	63.7 67.8	63.7 67.8	64.3 68.1	64.1 68.2	64.1 68.2	64.2 68.3	64.2 68.3	64.3 68.4	64.4 68.5
≥ 2500 ≥ 2000	43.2	67.1 63.9	68.1	67.2 71.7	69.1 73.8	70.8 75.7	72 • 1 77 • 2	72.7 77.8	72.7 77.8	73.0 78.2	73.1 78.3	73.1 78.3	73.2 78.4	73.2 78.4	73.3 78.5	73.3 78.5
≥ 1800 ≥ 1500	46.1 46.9	65.3 67.9	69.8	73.5 75.6	75.6 78.3	77.6 80.1	79.2 31.9	79.8 82.6	79.9 82.6	80.2 83.0	80.3 83.2	80.3	80.4	80.5 83.3	80.5 83.4	80 · 6
≥ 1200 ≥ 1000	47.5	68.7 69.4	73.6 74.6	78 • 1 79 • 3	87.5	82.9 84.4	34.9 36.6	85.9 87.7	85.9 87.8	86.4	86.6	86.6	86.7	86.7 88.7	86.8	86.8
≥ 900 ≥ 800	47.9 49.7	69.9 70.3	75.2 75.7	80.0 80.7	82.7 83.4	85.3 86.2	87.6 88.6	88.8	88.9 90.0	89.5 90.7	89.8 91.0	89.8 91.0	89.9	89.9 91.1	89.9 91.2	90.0
≥ 700 ≥ 600	48 • 1 48 • 1	73.7	76.3 76.6		84.3	87.1 67.9	89.7 90.7	91.2 92.2	91.2 92.3	92.0 93.1	92.3 93.5	92.3 93.5	92.5 93.7		92.5 93.8	
≥ 500 ≥ 400	48.1 49.2	71.2 71.3	77.0 77.2	92.5 82.9	85.6 86.1	96.8 89.5	92.8	93.6 94.8		94.6 96.0		96.5	95.3 96.8			95.4 97.0
≥ 300 ≥ 200	48.2	71.4	77.3 77.3		86.4		93.6		95.9	97.5		98.3		98.7		
≥ 100 ≥ 0	48.2 48.2	71.4	77.3 77.3	93.1 83.1	86.5		93.6 93.6	95.9 95.9			98.4 98.5		99.0	99.1	99.3	

USAF ETAC FORM 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE ORDINET

PART D `

#### SKY COVER

Stations that report both synoptic and airways observations have had their sky cover reports converted into airways. The synoptic hours have significantly lower observation counts than the airways, hence, a small percentage of observations were reported in the 1/10, 4/10, 5/10, 6/10, and 8/10 categories. In order to use this data more beneficially we have combined:

1/10, 4/10, and 5/10 into the 3/10 (scattered) category
6/10 and 8/10 into the 9/10 (broken) category
0/10 is the clear category
10/10 is the overcast category

GLCBAL CLIMATOLOGY BRANCH USAFETAC Al- WEATHER SERVICE/MAC

**SKY COVER** 

12:25:

YOUNGSTOWN MAP OH

\_73-81

STATION

STATION NAME

PERIOD

MONTH

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS	<u> </u>			PERCENTAG	E FREQUENC	CY OF TENT	HS OF TOTA	L SKY COVER	!			MEAN TENTHS OF	TOTAL NO OF
MONIA	(L.S.T.)	0	1	2	3	4	5	6	7	8	9	10	SKY COVER	NO OF OBS
ب• ۾ ر	10-02	15.3			7.2						9.9	67.6	7.9	821
	·3-65	14.4			5.3						7.2	73.1	8.1	810
	6-08	8.1			7.9						8.6	75.3	8.5	82
	19-11	4.0			10.4						15.1	70.6	8.7	810
	12-14	2.4			10.3						19.9	67.3	8.8	823
_	15-17	4.4			9.5						18.0	68.0	8.7	820
	13-20	8.7			11.1						14.3	65.9	8.2	826
	21-23	11.8			8.0						12.8	67.4	8.1	829
	ļ										-	ļ		
									<b> </b>					
									<del> </del>		<del>                                     </del>			
TO	TALS	8 • 6			8.7	<del></del>				<del>                                     </del>	13.2	69.4	8.4	6550

FORM ALE 44 8-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE. USAFETAC

GLOBAL CLIMATOLOGY BRANCH OSAFETAC Al- Heather Service/Mac

**SKY COVER** 

72.257

YOUNGSTOWN MAP OH

73-81

FEB

STATION

STATION NAME

PER OD

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS				PERCENTAGE	FREQUENC	Y OF TENT	HS OF TOTAL	SKY COVER				MEAN TENTHS OF	TOTAL NO OF
	(L,S.7.)	0	1	2	3	4	5	6	7	8	9	10	SKY COVER	OB5
FEB	0-02	20.3			9.2						10.1	60.4	7.2	750
	03-05	17.5		<u> </u>	7.2						9.8	45.5	7.6	733
	n6-08	13.2			7.7						14.2	64.9	8.0	744
	:9-11	8.9			14.7						16.8	59.6	7.9	730
	12-14	5.9			13.4	,					24.3	56.5	8.2	749
	15-17	6.3			14.5						21.0	58.2	8.2	752
	18-20	11.8			15.4						17.1	55.7	7.6	748
	71-23	17.1			10.8						14.8	57.2	7.4	748
	<del> </del>	{		ļ				ļ			ļ			
				<del></del>			 			<del> </del>	<del> </del>			<del></del> -
	<del> </del>			<del> </del>				<del> </del>			<del> </del>			
τO	TALS	12.6		<del> </del>	11.6						16.0	59.8	7.8	595

USAFETAC FORM AR 44 D-9-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

\*

.

.

, 1

GLUBAL CLIMATOLOGY BRANCH USAFETAC ATR HEATHER SERVICE/MAC

**SKY COVER** 

/25**25**0

2

YOUNGSTOWN MAP OH

73-81

MAR

STATION

PERIOD

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS				PERCENTAG	E FREQUEN	CY OF TENT	HS OF TOTA	L SKY COVER				MEAN TENTHS OF	TOTAL
MONTH	(L.S.T.)	0	1	2	3	4	5	6	7	8	9	10	SKY COVER	NO OF OBS
MAR	00-02	19.5		}	10.3						11.0	59.2	7.2	817
1	3-05	20.4			6.6						11.0	62.0	7.4	799
	76-08	13.6			12.4						11.3	62.6	7.7	821
	79-11	10.6			10.9						19.1	59.4	8.0	822
	12-14	10.0			10.4						19.4	60.2	8.1	816
	15-17	9.4			12.0						16.5	62.1	8.1	816
	18-20	12.1			12.7						17.3	58.0	7.7	821
	21-23	18.3			11.5						12.1	58.2	7.2	820
то	TALS	14.2			17.9						14.7	60.2	7.7	6534

USAFETAC 6-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

GLOBAL CLIMATOLOGY BRANCH JSAFETAC AIR WEATHER SERVICE/MAC

SKY COVER

725**25** i

YOUNGSTOWN MAP OH

73-81

APR

STATION

STATION NAME

MONTH

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS				PERCENTAGE	FREQUENC	Y OF TENT	HS OF TOTA	L SKY COVER			_	MEAN TENTHS OF	TOTAL NO OF
MONIN	(L.S.T.)	0	1	2	3	4	5	6	,	В	9	10	SKY COVER	OBS
APR	00-02	28.4	! 	<u> </u>	11.3						11.6	48.7	6.2	79!
	03-05	28.1			12.6						11.7	47.5	6.2	783
	06-08	18.2			17.2						17.6	46.9	6.8	79:
	19-11	14.5			14.8						18.4	52.4	7.3	800
	12-14	11.4		1	15.4						21.9	51.3	7.6	796
	15-17	11.2			17.8						22.0	49.1	7.4	797
	18-20	16.0			16.8						19.5	47.6	7.0	791
	21-23	26.3		ļ	12.3						12.3	49.0	6.4	794
	ļ										<del></del>			
	<del> </del>			<del> </del>				<del> </del>			<del>                                     </del>	<del> </del>		
<del></del> -														
10	TALS	19.3			14.8						16.9	49.1	6.9	6360

USAFETAC PORM 6-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIM WEATHER SERVICE/MAC

**SKY COVER** 

/25**25**0

YOUNGSTOWN MAP OH

73-81

HAY

STATION

STATION NAME

Pt (IOD

MONTH

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

to	TALS	21.2			16.5						18.5	43.8	6.5	642
			i <u> </u>											
	21-23	27.0			15.4						13.6	72.5	3.0	
	21-23	29.6		<del> </del>	15.4		<b></b> -	<del>                                     </del>	<del> </del>	<del> </del>	13.6	41.3	5.8	78
	18-20	16.3	-	<b></b>	20.5						20.5	42.7	6.7	82
	15-17	12.2			20.2						21.8	45.8	7.1	81
	12-14	8.7			18.3						28.9	44.1	7.6	82
	09-11	16.7			14.9						20.2	48.2	7.1	81
	:6-08	22.0			13.9						18.6	45.4	6.6	82
	13-05	31.6			13.6			<u> </u>			12.8	41.9	5.8	76
YAY	10-02	32.3			15.0						11.9	40.8	5.6	77
MONTH	(L.S.T.)	0	1	2	3	4	5	6	7	8	9	10	SKY COVER	OBS
MONTH	HOURS				PERCENTAG	FREQUEN	CY OF TENT	HS OF TOTA	L SKY COVER				MEAN TENTHS OF	TOTAL NO OF

USAFETAC PORM NIL 44 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

GLOBAL CLIMATOLOGY BRANCH JS4FETAC AL: JEATHER SERVICE/MAC

SKY COVER

/2:25 )

YOUNGSTOWN MAP OH

73-81

JUN

STATION NAME

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

HTHOM	HOURS				PERCENTAGI	FREQUENC	Y OF TENT	HS OF TOTAL	SKY COVER				MEAN TENTHS OF	TOTAL NO OF
	(L.S.T.)	0	1	2	3	4	5	6	7	В	9	10	SRY COVER	085
JUN	10-02	35.6			17.8						16.1	30.5	5.0	707
	03-05	31.7			19.0						14.8	34.4	5.4	688
	06-08	20.8			20.8						22.1	36.3	6.2	79
	19-11	15.0			19.6						28.8	36.6	6.8	781
	12-14	5.9			22.6						37.2	34.3	7.5	801
	15-17	7.1			26.6						30.3	35.9	7.1	78
<del></del>	18-20	15.1			27.9						24.9	32.2	6.3	796
	21-23	25.9			25.7						15.0	33.4	5.5	734
	<del> </del>			<del> </del>										
	<del> </del>				1					<del> </del> -	<del> </del>			
τO	TALS	19.6	<del></del>		22.5		<u> </u>			<del></del>	23.7	34.2	6.2	6086

USAFETAC FORM B-9-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

GLEBAL CLIMATOLOGY BRANCH USAFETAC AIR MEATHER SERVICE/MAC

**SKY COVER** 

2

... 25" YOUNGSTOWN MAP OH

73-81

JUL

STATION NAME

PERIOD

MONTH

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS				PERCENTAGE	FREQUENC	Y OF TENT	HS OF TOTAL	SKY COVER				MEAN TENTHS OF	TOTAL NO OF
	(£,5,†.)	0	1	2	3	4	5	6	7	8	9	10	SKY COVER	OBS
JUL	0-02	45.3			15.5						12.9	26.3	4.3	727
	3-05	39.5			16.6				}		14.0	29.9	4.7	70
	6-08	23.9			23.9						20.9	31.3	5.7	804
	79-11	15.6			27.1						27.4	29.8	6.3	81
	12-14	6.9			24.8						35.9	32.4	7.2	822
	15-17	8.7			31.1						29.1	31.1	6.7	817
	18-20	20.8			28.1						26.3	24.8	5.7	821
	21-23	33.3			25.4						16.7	24.5	4.7	75
				ļ										
	ļ													
			<u> </u>	† <del></del>							<del>                                     </del>			
101	TALS	24.3			24.1						22.9	28.8	5.7	628

PORM 0-9-5 (OL A) USAFETAC PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

2

BLUBAL CLIMATOLOGY BRANCH USAFETAC AIR MEATHER SERVICE/MAC

SKY COVER

12.25 STATION YOUNGSTOWN MAP OH

STATION NAME

73-81

PEP OD

AUG

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS				PERCENTAG	FREQUENC	Y OF TENT	S OF TOTAL	L SKY COVER				MEAN TENTHS OF	TOTAL NO OF
MONTH	(L.S.T.)	0	1	2	3	4	5	6	7	8	9	10	SKY COVER	085
AJG	-0-02	34.0			16.4						12.3	37.3	5.3	72
	03-05	29.4			15.4			<u> </u>			10.5	44.8	5.9	70
	16-08	15.4			20.0						20.1	44.4	6.9	81
	9-11	11.8			21.4						24.2	42.6	7.1	80
	12-14	3.5			20.4						36.9	39.1	7.8	81
	15-17	5.5			23.2						34.9	36.4	7.5	81
	18-20	15.6			25.1						25.2	34 • 1	6.4	81
	21-23	27.6			20.2						18.8	33.4	5.6	75
		-				i	 <del> </del>				-			
<del></del>	<del> </del>		<del></del>	<del> </del>	-				<del> </del>		+			
				+		· 					+			
τO	TALS	17.0		<del> </del>	20.3		<del></del>				22.9	39.0	6.6	624

USAFETAC FORM 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE DESOLETE.

.

•

,

GLEBAL CLIMATOLOGY BRANCH USAFETAC A15 WEATHER SERVICE/MAC

**SKY COVER** 

2-252 YOUNGSTOWN MAP OH STATION

2

**(**:

0

0

73-81

FROM HOURLY OBSERVATIONS

SEP

PERCENTAGE FREQUENCY OF OCCURRENCE

STAT ON NAME

MONTH	HOURS				FURCENTAG	E FPEQUEN	CY OF JENT	HS OF TOTA	L SKY COVER	!			MEAN	TOTAL
MONTH	(L.5.T.)	0	1	2	3	4	5	6	7	8	9	10	→ TENTHS OF SRY COVER	NO OF
5£ P	0-02	35.4		!	15.2		İ				14.1	35.4	5.3	75
	3-05	33.3			13.2		!				13.8	39.7	5.6	74
	1-6-0B	23.0			17.7						17.2	42.1	6.3	78
	r9-11	17.4			16.3		1				23.2	43.1	6.9	78
	12-14	9.9			18.0						29.5	42.6	7.5	79
	15-17	12.1			22.0						27.5	38.4	7.0	79
	18-20	23.5			22.2						19.5	34.8	5.9	79
	-1-23	35.2			13.5						13.7	37.6	5.4	76
						<del></del>					-			
101	'ALS	23.7	== <del>:::==</del>		17.3						19.8	39.2	6.2	622

FORM JUL 44 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE. USAFETAC

GLIBAL	CLIMATOLOGY	BRANCH

SAFETAC A: \*EATHER SERVICE/MAC

**SKY COVER** 

2.5 STATION

YOUNGSTOWN MAP OH

73-81

OCT

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

нтиом	HOURS				PERCENTAGE	FREQUENC	Y OF TENT	HS OF TOTAL	L SKY COVER				VEAN	TOTAL NG OF
MUNIH	(LST)	0	1	2	3	4	5	6	7	8	9		SK+ COLER	OBS
JCT	00-02	34.1			9.5						11.3	45.1	5 • 8	81
	n3-05	33.0			9.0	·					11.9	46.2	6.0	801
	06-08	20.2			16.4					1	19.0	44.4	5.6	81
	9-11	15.5			19.2						19.7	45.7	6.9	81
	12-14	11.5			17.5						22.1	48.9	7.4	828
	15-17	13.1			17.1			ļ 			22.7	47.1	7.3	81
	16-20	21.4			17.4						19.0	42.2	6.5	82
	21-23	29.8			13.6						12.2	44.3	5.9	82
<del></del>								ļ						
τo	TALS	22.3			15.0			<del>                                     </del>			17.2	45.5	6.6	654

GLURAL CLIMATOLOGY BRANCH USAFETAC AT- MEATHER SERVICE/MAC

**SKY COVER** 

2

2-25" YOUNGSTOWN MAP OH

73-81

NOV

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	POURS	•			PERCENTAGE	FREQUEN	CY OF TENT	HS OF TOTAL	L SKY COVER				UEAN :	*O*AL
MONIH	(L.S.T.)	0	1	2	3	4	5	6	7	8	9	10	SAY COVER	OB5
NOV	20-01	18.8			11.1		į				9.8	69.3	7.2	786
	3-05	19.0			8.3						10.6	62.2	7.4	775
	6-08	14.5			9.5						13.6	62.9	7.8	793
	09-11	9.5			11.1						16.0	63.4	8.1	796
	12-14	7.3			14.6						15.9	62.2	8.1	799
	15-17	8.8			13.6						18.1	59.5	8.0	792
	18- <b>2</b> 0	16.6			9.5						15.0	59.0	7.5	802
	21-23	19.5			8.0						10.3	62.3	7.4	798
						·				-				
	1													
10	TALS	14.2			17.7						13.7	61.5	7.7	6333

0 9 1 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSCIETE.

2

GLIBAL CLIMATOLOGY BRANCH USAFETAC AID WEATHER SERVICE/MAC

**SKY COVER** 

TO 25 YOUNGSTOWN MAP DH OITERS

73-81

0 E C

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

HTMOM	HOURS				PERCENTAGE	FREQUENC	Y OF TENT	HS OF TOTAL	SKY COVER				MEAN	TOTAL NO OF
	(L.S.T.)	0	1	2	3	4	5	6	7	8	9	10	SET COTES	385
DFC	a-c2	10.7			7.6						9.9	71.8	8.3	82
	03-05	12.0			5.8						9.3	72.9	8.3	81
	06-08	7,7	~		10.4						10.5	71.3	8.4	82
	9-11	5.8			8.4						13.6	72.2	8.7	82
	12-14	4.4			8.5						18.9	68.3	8.8	82
	15-17	3.0			7.2						18.0	71.8	9.0	82
	16-20	7.7			7.1						14.3	70.8	8.6	82
	21-23	8.9			7.2						11.1	72.8	8.5	81
											<del> </del>			
					-						1			
													8.3 8.3 8.4 8.7 6.8 9.0 8.6	
101	TALS	7.5			7.8						13.2	71.5	8.6	658

USAFETAC POEM 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

. .

GLUBAL CLIMATOLOGY BRANCH
US 4FETAC
A1- 4EATHER SERVICE/MAC

**SKY COVER** 

125**2**5

YOUNGSTOWN MAP OH

73-81

ALL

STATION

STATION NAME

PER:OD

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS			_	PERCENTAGE	FREQUEN	CY OF TENT	HS OF TOTA	L SKY COVER			<u></u>	MEAN	TOTAL
MONTH	(L.S.T.)	0	1	2	3	4	5	6	7	8	9	10	SKY COVER	NO OF
JAK	ALL	8.6			8.7						13.2	69.4	8.4	6558
FEB		12.6			11.6						16.0	59.8	7.8	5954
w E D		14.2			10.9						14.7	60.2	7.7	6534
APR		19.3			14.8						16.9	49.1	6.9	6360
~ A Y		21.2			16.5						18.5	43.8	6.5	6421
JUN		19.6			22.5						23.7	34.2	6.2	6086
JUL		24.3			24.1						22.9	28.8	5.7	6284
AUb		17.9			20.3						22.9	39.0	6.6	624
SEO		23.7			17.3						19.8	39.2	6.2	6228
uct		22.3			15.0						17.2	45.5	6.6	6540
NOV		14.2			10.7				1		13.7	61.5	7.7	6333
DEC		7.5			7.8						13.2	71.5	8.6	6586
101	ALS	17.1			15.0				T		17.7	50.2	7.1	76129

USAFETAC FORM ARE 0.9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

. .

U S AIR FORCE ENVIRONMENTAL TECHNICAL APPLICATIONS CENTER

#### PART E

#### PSYCHROMETRIC SUMMARIES

In this section are presented various summaries of dry- and wet-bulb temperatures, dew points, and relative boundity. The order and manner of presentations follows:

- 1. Cumulative percentage frequency of occurrence derived from daily observations and presented by month and annual for all years combined. These tabulations provide the cumulative percentage frequency to tenths of temperature by 5-degree Fahrenheit increments, plus mean temperature, standard deviations, and total number of observations in three separate tables as follows:
  - a. Daily maximum temperatures
  - b. Daily minimum temperatures
  - c. Daily mean temperatures

MOTE: Beginning in January 1964, daily maximum and minimum temperatures are routinely selected from tourly observations recorded on surface observing forms or from automated data collections for all Air Force operated stations. For those stations observing less than 24 hours per day, and where maximum and minimum temperatures are required but not recorded, these are also selected from hourly data from as early as January 1949 and later. Please refer to notations on summary pages and Station History for further information on reporting practices of individual stations.

- 2. Extreme values derived from daily observations with the extreme value selected for each year and month of record available. An annual (ALL MONTES) value is selected when all months for a year have valid extremes. Means and standard deviations are computed for months and annual when four or more values are present for any column. Two tables of daily extremes are prepared:
  - a. Extreme maximum temperature
  - b. Extreme minimum temperature

NOTE: The following symbols are used in the extreme data blocks:

- (1) \* indicates the extreme was selected from a month with one or more days missing.
- (2) # indicates the extreme was selected from a month in which hourly temperatures were available for less than 24 hours for at least one day in the month.

" "Tailues for means and standard deviations do not include measurements for incomplete meaths.

Continued on Reverse

- 3. Bivariate percentage frequency distribution and computations of dry-bulb versus wet-bulb temperature.

  This tabulation is derived from hourly observations and is presented by month and annual, all hours and years combined. The following information is provided:
  - a. The main body of the summary consists of a bivariate percentage frequency distribution of wet-bulb depression in 17 classes spread horizontally; by 2-degree intervals of dry-bulb temperature spread vertically. Also provided for each of the dry-bulb intervals is the percentage of observations with dry-bulb and wet-bulb temperature combined; and again for dry-bulb, wet-bulb, and dew-point temperatures separately. Total observations for these four items is also provided in two lines at end of each tabulation table, which may be continued on several pages.

NOTE: A percentage frequency in this table of ".0" represents one or more occurrences amounting to less than .05 percent.

- b. Statistical data for the individual elements of relative humidity, dry-bulb, wet-bulb, and dev-point temperatures are shown in the section at the bottom left of the forms. These consist of the sum of squares  $(\Sigma X^2)$ , sums of values  $(\Sigma X)$ , means (X), and standard deviations  $(\sigma X)$ . The number of observations used in the computation for each element is also shown.
- c. At the lower right of the form are given the mean number of hours of occurrence for six ranges of dry-bulb, wet-bulb, and dew-point temperatures, and total number of hours possible in the period represented. Mean number of hours is shown to tenths and indicates mean number of hours per year in the annual summary, or mean number of hours per month in the tabulation by month.
  - NOTE: Wet-bulb temperature usually was not reported prior to 1946. Relative humidity usually was not reported prior to 1949, nor subsequent to June 1958; and was computed by machine methods for observations recorded during these periods. All values of dew-point temperature and relative humidity are with respect to water, unless otherwise indicated.
- 4. Means and standard deviations These tabulations are derived from hourly observations and present the mean, standard deviation, and total number of observations for the eight standard 3-hour groups, by month and annual and again at the bottom for all hours combined. Records for all years combined are presented in the following three tables; DRY-BULB TEMPERATURE, WET-BULB TEMPERATURE, and DEW-POINT TEMPERATURE.
- 5. Cumulative percentage frequency of occurrence of relative humidity This summary is derived from hourly observations and presents the cumulative percentage frequency of occurrence of relative humidity by increments of 10% classes, plus the mean relative humidity and total number of observations in two tables.
  - a. Table 1 is prepared by month and annual, all years combined, with month being the vertical argument.
  - b. Table 2 is prepared by month by standard 3-hour groups, with the hour groups being the vertical argument and a separate page for each month. All years are also combined for this summary.

GLUBAL CLIMATOLOGY BRANCH
USAFETAC
AL HEATHER SERVICE/MAC
77-257 YOUNGSTOWN MAP OH
STATION NAME

**DAILY TEMPERATURES** 

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM DAILY OBSERVATIONS)

MAXIMUM

	TEMP (*F)	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL	AUG	SEP.	OCT.	NOV.	DEC.	ANNUAL
	100							•1						
	25				-		• 3	• 6	. 5	. 5				• 2
	9.0	·	•			• 5	4.5	8.4	4.2	2.2				1.7
	85 *	•	•		. 4	4.5	22.4	31.1	22.5	8.9	. 6			7.6
	8 '	•		• 2	4.2	16.3	46.7	65.2	57.0	24.9	4.1	•1		18.4
	75 ~	•		• 9,	10.8	33.1	69.0	87.1	82.2	43.5	13.1	• 3		28.5
	7.7	• 1	•	3.0	20.1	49.6	84.8	96.9	95.1	64.4	26.8	2.5		37.2
		• 2	- 6	7.8	30.8	65.2	94.1	99.3	99.2	82.7	41.5	9.7	. 5	44.5
	62	1.2	1.4	13.5	46.1	78.8	98.1	99.9	99.9	94.3	58.5	18.1	3.2	51.3
	5.5	4.7	5.1	21.7	58.3	90.8	99.5	100.0	100.0	98.2	74.1	29.5	8.2	57.8
	55	9.4	10.2	33.3	72.0	96.3	100.0			99.8	87.0	43.1	13.6	64.0
	4.5	15.0	19.1	44.7	84.0	99.1		· ····		100.0	94.2	58.2	20.5	69.8
	4, "	25.8	30.3	59.1	93.5	99.9		•			98.5	72.2	32.8	76.2
	<b>3</b> 5	39.9	48.0	75.1		100.0				·· — · <del>- •</del>	99.8	85.7	49.9	83.2
	30	56.6	67.5	88.7	99.6	=-=			· · · - · <del>+</del>		100.0	95.3	69.5	89.8
	25	72.8	80.4		100.0							99.1	85.4	94.5
	20	84.1	89.3	99.0	2 No. 1 No. 1 No. 1	· <del>-</del>	+					99.7	93.9	97.2
	ĨŠ.	93.0	95.4	99.8					· · · ·			100.0	98.1	98.9
	10	97.9		100.0	· · •				+				99.4	99.7
	- Š·,	99.3	99.8	- 3 - 3 - 5				· · · · · · · · · · · · · · · · · · ·					100.0	99.9
	- <del>-</del> - <del>-</del>		100.0		— ·—··		- ·		+			+		100.0
	-5	170.0	.,,,,,											100.0
	- * •													
		•	+											
				~								<del>+</del>		
		• • • •	+											<b>-</b>
	-· - ,	+ +											· - <del>  </del>	
		<b>.</b>	·									+		· · · · · · · · · · · · · · · · · · ·
		·	+									+		
											<del>-</del>			
												+		
		···	🛊											
			4											
		<u> </u>												
	<del></del>	++												
~ <sub>E</sub> .	MEAN	31.9	14 5		E7.6	68.7	77.8	81.3	80.0	72.9	61.8	47.6	35.8	57.8
	S. D.	12.208	1.678	2.700	12.479		7.929	6.067	5.939	8.671	0.684	11.781	1.317	20.610
:	TOTAL OSS.	989	904	992			960	992	992	960	992	960	992	11685

USAFETAC FORM 0-21-5 (OL 1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

DAILY TEMPERATURES

SAL CLIMATOLOGY BRANCH
SAFETAC
AT FEATHER SERVICE/MAC
TO THE STATION MAP OH
STATION STATION

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM DAILY OBSERVATIONS)

MINIMUM

	TEMP (*F)	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	oct.	NOV.	DEC.	ANNUAL
:	74	<del></del>					• 1	.1						
	7						1.2	3.2	2.6	• 3			1	•
:	65	*				. 4	13.9	23.8	17.2	7.5	• 2		1	5.
2	<b>5</b> 7	+ +			1.8	7.4	34.3	51.0	45.4	19.7	2.5	. 4		13.
≥	5 <b>5</b>			. 2		19.4	55.1	75.8	70.9	36.6	9.3	2.0	. 1	23.
<u>.</u>	5 7		. 1	1.9		36.2	76.5	92.8	88.6	56.4	18.2	4.7	. 8	32.
2	45	.6	1.0	4.0	22.5	52.0	90.4	98.8	98.0	76.6	34 . 6	10.4	1.6	41.
≥	ä	1.7	2.3	10.7	36.5	72.8	97.5	100.0	100.0	90.9	56.8	21.5	3.8	49.
≥	<b>3</b> 5	5.8	7.1	20.5	53.4	90.0	99.8	!		99.1	79.8	37.5	10.7	58.
≥	33	8.7	10.5	25.9	62.6	94.3	99.9			99.7	85.7	45.8	15.6	62.
≥	35	15.4	19.0	36.9	76.0	98.6	100.0			99.9	93.7	62.1	25.4	69.
	25	31.2	33.0	57.2	92.4	99.8				100.0	98.9	83.0	43.3	78.
<u>≥</u> ≥	20	45.7	50.4	75.7	98.1	100.0					100.0	93.2	63.6	85.
2	15	58.6	64.2	89.1	99.8							97.2	77.5	90.
≥ .	17	73.5	77.2	95.6	100.0							98.5	88.0	94.
≥		83.9	86.0	98.4								99.7	94.8	96.
≥		93.0	92.8	99.8								100.0	97.7	98.
2	<b>-</b> 5	97.2	97.3	100.0									99.5	99.
≥	-10	99.1	99.4										100.0	99.
≥	-15	99.9	100.0											100.
≥	-21	100.0											1	100.
≥		* :												
≥														
≥		•	+											
≥		• •												
_		<i>+</i>	•											
_		<b>.</b> -	• • •										T	
_ ≥		+ .	· - · •											
-		-												
-			•											
_			•											
- ≥		*												
-		• •												
		<b>*</b>	• • •											
<u>-</u> ≥		<del>*</del>												
Ξ	MEAN	17.3	18.4	26.5	36.9	45.9	55.4	59.4	58.2	51.3	41.7	32.5	22.4	38.1
	5 D	11.905		9.998	9.055	8.885	7.888	6.333	6.575	8.568	8.566		0.535	17.48
	TOTAL OBS.	989		992	960	992	960	992	992	960	992	960	992	11665

USAFETAC FORM 0-21-5 (OL 1) MEMOUS REMINIS OF THIS FORM

()

GLOBAL CLIMATOLOGY BRANCH USAFETAC

AI- WEATHER SERVICE/MAC
721250 YOUNGSTOWN MAP OH
STATION STATION NAME

### **DAILY TEMPERATURES**

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM DAILY OBSERVATIONS)

MEAN

	TEMP (°F)	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	ANNUAL
-	€5						. 2							• 0
:	8					i	1.8	3.9	2.7	. 7				. 8
:	75					1.5	15.2	27.1	16.4	7.0			i	5 • 6
:	7 1				2.5	10.3	39.4	59.1	50.4	20.0	2.4	. 1	I	15.5
:	6.5	. 1		. 3	7.6	24.4	63.3	84.4	80.6	38.7	8.4	• 5		25.9
	63			1.9	15.4	42.6	82.8	98.3	95.3	62.4	21.5	3.5	.2	35.
	5 <b>5</b>	• 3	. 4	5.7	27.0	62.3	94.1	99.9	99.9	83.1	38.8	9.3	. 8 .	43.
	5 G	1.0	1.7	12.1	41.4	79.8	99.0	100.0	100.0	95.0	59.4	17.8	2.7	51.
	4.5	4 • D	5.4	20.1	55.4	92.6	99.9			99.4	78.5	33.3	7.7	58.
	ų j	10.2	11.3	31.9	76.1	99.D	100.0			100.0	92.3	51.2	16.0	65.9
	35	20.0	25.0	51.2	90.6	99.9					97.9	69.6	29.7	73.9
	··· <del>7</del> '	36.0	41.3	70.9	97.7	100.0		1			99.8	87.3	48.3	81.9
:	25	52.8	58.2	85.0	99.4						100.0		69.2	88.4
:	20	66.7	74.7		100.0							98.5	82.8	93.1
	15	79.9	85.0	98.3								99.6	92.2	96.
-	10	90.3	92.3	99.8								99.9	97.2	98.
		96.2	97.0	99.9								100.0	99.1	99.4
		98.7		100.0								2000	99.9	99.1
•	-5	99.8	100.0										100.0	100.0
<u>:</u>	-1 <u>c</u>	100.0												100.0
					+							·		
:		<del> </del>			+									
		<del>-</del>												
_		<del>+</del> · - · - · +	+											
_		<del> </del>	+									-		
		<del> </del>	· ·									<del></del>		
		++										<del>                                     </del>		
_		<del>-</del>				-						<del></del>		<del></del>
	· · · · · · · ·	+ +			+									
		<del>+</del> +										<b></b>		
		+			-								—— <del>—</del>	
		• +			<del></del> +									
		• · <del>-</del>			+							<del></del>	<del></del>	
		<b></b>	+	<del>-</del>	<del></del> +									
		<del> </del>									<u> </u>		<del></del>	
_	MEAN	24.9	26.6	35.6	47.6	57.6	66.8	70.6	69.3	62.3	52.0	40.3	29.3	48.
	S. D.	11.561			10.510	8.837	7.261	5.498	5.516	7.939		10.0471		18.71
	J. U.	A B O D D D D			7 A 4 3 7 A		70474	39470	30376	10737	G . G / 3	# 0 0 0 0 1 X	. ひきマジア	100/17

USAFETAC NIL M. 0-21-5 (OL 1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR MEATHER SERVICE/MAC

#### EXTREME VALUES

HAXIMUM TEMPERATURE

725250 YOUNGSTOWN MAP OH STATION NAME

49-64, 66-81

WHOLE DEGREES FAHRENHEIT

MONTH	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	ALL MONTHS
49	<b>*</b> 58	63	71.	77	90	92	96	93	8.5	87	73	62	9
50	71	47	76	71	8.5	90	88	92	82	81	79	54	9:
51	61	62	67	80	84	88	88	91	86	87	66	63	9
5.2	62	5.3	66	80	78	99	94	89	95	85	69	64	9
53		58	67	75	84	92	90	97	96	84	69	61	9.
54	5 T <sub>1</sub>	65	68	84	85	92	100	90	99	8.3	70	55	100
55	57	55	68	77	86	86	92	95	90	78	70	60	9!
56	48	56	64	79	86	92	90	88	85	80	71	66	92
5 <b>7</b>	54	65	69	8 5	82	91	91	91	90	72	65	58	9:
58	45	53	58	82	83	87	88	86	85	78	72	51	81
59	59	62	70	77	87	92	91	92	92	82	67	58∄	9:
60	56	56	72	85	82	86	88	87	88	79	65	60	81
61	50	67	72	74	8 3	8.8	89	89	8.8	79	80	60	8
62	54	56	75	83	92	88	90	90	87	81	63	61	9
ί3	47	47	76	81	88	91	90	82	8 3	8 4	63	45	9:
64	5 3	4 5	65	81	88	90	91	87	92	79	71	63	9:
6 <b>6</b>	52	51	76	77	84	92	97	86	87	77	66	65	9
67	62	56	75	77	87	92	86	86	80	81	62	64	9
68	4 3	51	72	76	74	8 9	90	92	85	80	73	57	9
69	5.8	48	69	80	87	91	88	89	85	83	59	38	9
70	52	51	54	8 5	8 5	87	88	89	88	77	62	62	8
71	5.3	60	67	79	85	95	90	88	88	81	70	69	9
72	62	52	67	75	8 3	8 5	90	87	82	71	62	60	91
73	59	57	70	77	77	8.8	91	93	90	76	65	60	9
74	59	52	72	82	84	87	92	85	78	74	72	46	9
75	60	59	65	74	86	8.8	92	93	76	81	74	6.2	9
76	49	66	80	87	80	8.8	8.8	86	87	74	61	52	8
77	30	62	80	82	88	87	93	89	88	79	75	58	9
78	47	36	60	79	86	88	92	8.8	93	75	70	58	9
79	59	47	72	81	8.8	85	8.8	86	8 5	80	70	61	8
MEAN													
\$. D.								1				l	
TOTAL OBS		40750		50.00	1556			1	1	1			

NOTES \* (BASED ON LESS THAN FULL MONTHS)

0-88-5 (OLA) (AT LEAST ONE DAY LESS THAN 24 OBS) USAF ETAC

()

()

.()

GLURAL CLIMATOLOGY BRANCH USAFETAC A11 WEATHER SERVICE/MAC

C

#### EXTREME VALUES

MAXINUM TEMPERATURE

(FROM DAILY ORSERVATIONS)

72:25 YOUNGSTOWN MAP OH STATION

49-64. 66-81

#### WHOLE DEGREES FAHRENHEIT

MONTH	JAN.	FEB.	MAR.	APR.	мау	JUN.	JUL.	AUG.	SEP.	ост.	NOV.	DEC.	ALL MONTHS
30	5 2	51	59	74	85	89	92	86	89	74	66	58	9;
31	47	59	74	79.	85	91,	94	85,	8 5		67	50	91
			į				· ;					i	
	7								!	]		į	
	+				+						<del></del>		
		<del></del>											
											:		
			j	ļ			[	į	f	i			
			···		+								
		<del>-</del>		<del></del>							·		
			ì			i	į			}			
									į				
MEAN	54.0	55.3	69.3		84.6	89.6	90.8	89.0	87.2	79.0	58.3		92.
\$. D.	7.592				3.653	3.005	2.985				5.071		3.03
TOTAL OBS	989	904	992	960	992 LESS 1	960		992	960	992	960	992	1168

NOTES # (BASED ON LESS THAN FULL MONTHS

USAF ETAC TOUN DAMES (OLA) (AT LEAST ONE DAY LESS THAN 24 OBS)

SLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

#### EXTREME VALUES

MINIMUM TEMPERATURE

(FROM DAILY OBSERVATIONS)

72525 YOUNGSTOWN MAP OH STATION NAME

49-64, 66-81

#### WHOLE DEGREES FAHRENHEIT

MONTH YEAR	JAN.	FEB.	MAR.	APR.	MAY ,	JUN.	JUL.	AUG.	SEP.	ост.	NOV.	DEC	ALL MONTHS
49	* (3)	7	10	22	30	35	55	45	36	26	13	10	*
50	1.1	4	3	11	28	36	51	4 3	37	32	6	-7	-
51	4	-11	15	26	37	44	49	44	37	32	9	-9	-1
52	3,	10	11	28	33	44	50	43	37	21	10	12	
53	7	5	11	24	39	44	44	45	35	27	16	5	
54	O <u>I</u>	7.	10	16	31	4.5	46	47	35	28	23	8	. 4
5 <b>5</b>	- 3	- 3	9	23	34	46	52	4 8	39	29	6	8	-
56	3	8	1 3	22	30	44	50	47	3.3	29	_ 13	12	
57	-12	11	15	22	29	44	48	48	29	27	18	9	-1:
58	5 <sub>(</sub>	- 7	18	20	34	35	51	42	39	29	1	-5;	-
59	- 4	-4	11	22	32	42	4.8	47	30	27	8	9	
63	13	9	2	21	34	44	46	49	39	27	19	5	
61	-10	-11	11	20	29	4 1	46	47	34	32	23	- 5	-1
62	9[	-4	2	18	34	44	46	46	36	25	19	-5	-
63	-18	-11	11	26	25	40	44	44	35	29	20	-5	-1
54	-6	6	10	14	35	37	48	4 5	35	26	11	8	-
ó <b>6</b>	-7	3	6	27	24	33	47	48	35	27	16	1	_
67	1	- 5	1	19	30	4 0	48	42	34	2.2	15	7	_
68	~ 9	-9	9	19	26	38	42	46	39	28	25	5	_
69	0	4	8	22	30	40	44	43	35	20	15	4	
70	-7	-6	9	22	24	40	46	48	35	30	13	10	-
71	-6	-8	12	20	30	44	44	42	36	35	4	12	-(
72	-11	-7	4	15	33	30	44	44	37	22	22	11	-1
73	5	~ 3	19	23	32	46	46	4 3	33	35	24	12	-
74	2	5	3	18	31	46	45	48	34	28	16	14	
75	6	- 6	10	19	37	4 4	49	45	39	21	22	6	-(
76	-6	-6	15	20	30	48	51	41	35	24	1	-6	-(
77	-15	-9	15	17	31	36	47	4 4	43	30	12	-2	-19
78	2	-9	-1	23	25	37	44	52	35	26	20	12	
79	-6	-14	8	22	30	37	43	42	37	2.2	21	9	-10
MEAN											I		
\$. D.													
TOTAL OBS													

NOTES + (BASED ON LESS THAN FULL MONTHS)

TOTAL DES THAN 24 OBS) USAF ETAC

()

SLOBAL CLIMATOLOGY BRANCH USAFETAC AI: WEATHER SERVICE/MAC

#### **EXTREME VALUES**

MINIMUM TEMPERATURE

(FROM DAILY OBSERVATIONS)

72°253 YOUNGSTOWN MAP OH STATION NAME

49-64, 66-81

\_\_ .-\_---

#### WHOLE DEGREES FAHRENHEIT

MONTH.	JAN.	FEB.	MAR.	APR.	MAY	JUN	JUL	AUG.	SEP.	ост.	NOV.	DEC	ALL MONTHS
30		-2 -7	-2		32	35		50	38	28			-
81	<u>-7</u>	<del>-</del> +		25	32	42	47	41	35	27	20	10	
4												į	
1			į			1	1					į.	
		1											
1	į	i				!	,	:				1	
	<del></del>												
				į		:	į			!			
		+	——— <del>i</del>						+		<del></del>	<del></del>	
ĺ	,	į	i	1	:		į			!		ŀ	
+					<del></del>			<del>+</del>	<del>+</del>				
j		i	-			:	;	i	į		!		
1	!										<u>†</u>	i	
						1							
#	i	ļ	ì	1	:		į						
			<del></del>		$\longrightarrow$								
ĺ.						1		İ			Ì	1	
											<del> </del>		
Ņ.	1	}	}	1	}	-	}	1	1		į	Į.	
			ļ										
MEAN	-2.3	-2.0	9.0	20.8	31.0	40.7	47.1	45.3	35.8	27.2	15.0	4.4	-6
5. D.	7.542		5.285	3.793	3.676	4.484	2.983	2.774	2.705	3.816	6.720		5.4
TOTAL OBS	989	904	992	960	992	960	992	992	960	992	96Q	992	. 116

USAF ETAC FORM O-88-5 (OLA) (AT LEAST ONE DAY LESS THAN 24 OBS)

750

GLCBAL CLIMATOLOGY BRANCH USEFETAC AL- LEATHER SERVICE/MAC

72.25 YOUNGSTOWN MAP OH

## **PSYCHROMETRIC SUMMARY**

																			HOURS (L.	_
Temp.							TEMPER					τ					TOTAL		TOTAL	
(F)	0 1 - 2	3:4		7 - 8	9 - 10	111 - 12	2 13 - 14	15 - 16	17 - 18	19 - 20	21 - 22	23 . 2	4 25 -	26 27 - 2	28 29 .	30 > 31	D.B. W.B. D		Wet Bulb De	ew 1
/ 59			• ?														2	2		
<u>5 / 55.</u>		4				· · · · ·			<u> </u>		4	+						3.	+	
1/ 53									:										3	
									· 				+				1.	1.		
5 / 49	•1 •1	. 4	• 1	• 1							:		1				. <b>7</b> .	7	1	
· / 47	<u>•2,</u>			<u> </u>			·		<b>.</b>							_+	4.	4.	4	
4 / 45	•1 •1		• 6	• 6						:							12	12	4	
4/ 43		• 1	1.			+	<del></del>				i 				-	<del></del>	5,	5.	4	
27 41	•4 •7		• 2		• 1												12	12	9.	
45/ 33	<u>•1; 1•1.</u>	-, 2.	. 6			+			·	·				·	<u> </u>		19.	19	17	
3 / 37	.2 1.3	• (1	. 4						,				i	i	į		19	19	16	
' / 35	.1 3.5		. 4				<b></b>					<u>.                                    </u>		<b></b>	+		41.	41	18	
3 / 33		1 • m	1.0					i		•			i	Í			40	40	35	1
6/ 31	3.8		_ 1				<u> </u>					<b>-</b>			-+		44	44	41,	
7 / 29	4.7	2.2											1	İ			57	57	44	
1 27	.5 5.7	.7	• 2				1										59	59	70	
/ 25	6.2	. 7						,						,			57	57	58	- 1
21/23	.1, 2.6	.6				 								_i	<u>.</u>		27	27	58	
2/ 21	.5 2.7	.7					i !	i		i				1		i	32	32	41	(
/ 19	.2 4.9	1.1				•	<u> </u>						1				51	51	32	
1 / 17	1.2 4.7	. 1		1		i	1							į			44	44	49	
1 / 15	.1, 4.7						1Ì			` 			<u>.</u>				40	40	40	
1 ./ 13	.4 4.D	. 1					; !	. 1				1		1			. 37	37	38	
1 / 11	1.7 4.7						ii						. i.			:	5.3	53	52	
/ .	1.6 4.5						1						1	:		T	50	50	60	-
1 7	.4 2.2						1					i				i	21	21	35.	
/ 5	.7 .2		-	į									ī		i	<del>.</del>	8	8	14	- (
1 3	.5 1.5		· .		_	L	li			1	_	i .		_1			16	16	7	
. / 1	1.8 1.7														1		29	29	31	
/ -1	1.3 .2	i		1			: 1					ĺ				İ	13,	1.3.	18	:
- / -3	•5 •2					i	1						,			-	6	6	8.	
/ -5	. 7	i	j			l	1					i .					_ 6	6.	6	
- / -7	• 1:																1	1	1	
- / -9								_						_i_			11			
lement (X)	z <sub>x</sub> ,		Z	X	$\mathbf{I}$	X	7.		No. Ob	s				Mean	No. o	f Hours wi	m Temperatui	•		
tel. Hum.					$\perp$			$\Box$			2 0	F	± 32 F		67 F	≥ 73 F	≥ 80 F	a 93 F	Ter	tol
Dry Bulb							<u> </u>	$\Box$		$\Box$										
Vet Bulb					$\perp$									$\bot$						
Dew Paint					1		1			T							1	]	I	

EIAL NOW 0.26-5 (OLA) HTM

GLEBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** JSSETAC A . LEATHER SERVICE/MAC 12:2 YOUNGS TO AN MAP OH MONTH PAGE 2 WET BULB TEMPERATURE DEPRESSION (F) TOTAL 0 1-2 3-4 5-6 7-8 9-10 11-12 13-14 15-16 17-18 19-20 21-22 23-24 25-26 27-28 29-30 +31 D.B./W.B. Dry Bulb Wet Bulb Dew Poin / -11 .1 1 -1-/-15 1-1-17 - 2/-23 823 823 0.26-5 (OLP 6 12 Element (X) No. Obs. USAFETAC = 32 F Rei. Hum. 20F 823 4377045 62743 76.210.677 17962 16624 21.812.457 20.211.689 Dry Bulb 519586 823 3.7 74.4 Wet Bulb 448114 823 80.2 4.5 Dew Point 323669 12571 10.4 86.3

UNCLASSIFIED	MAT 62	EVISED UNIFORM SUMMARY OF S SB1-AD-E850 193	NL
4.°.,5		351-45-650 173	
6+ 0+ 1			
			-

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIS MEATHER SERVICE/MAC

73-81

JAN

PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 . 2 3 . 4 5 . 6 7 . 8 9 - 10 11 . 12 13 . 14 15 . 16 17 . 18 19 - 20 21 . 22 23 - 24 25 . 26 27 . 28 29 - 30 a 31 D.B./W.B. Dry Bulb Wet Bulb Daw Point / 57 / 55 4/ 53 . 1 5 / 49 3 4 .6 / 47 • 2 - / 45 . 2 • 1 4/ 43 10 2/ 41 • 5 • 1 11 11 13 5 10 10 3 / 37 17 17 .4 1.1 . 4 16 / 35 29 3 / 33 .1 3.9 42 42 <u>37</u> 30 2/ 31 47 47 38 10/ 29 .5. 5.7 1.2 60 63 45 .5 4.9 1.0 / 27 54 72 26 ~ / 25 5 . 7 47 49 43 47 • 1 2 / 23 3.4 49 22/ 21 .9 3.3 1.1 46 1/ 19 .2 5.2 1.2 54 35 . 7: 3.6 38 1 / 17 35 54 32 37 /\_15 .5 3.4 37 49 -/ 13 .5 4.1 26 5.0 52 49 34 1.0 3.2 34 1.1 2.5 44 28 3Q1 25 33 5 20 20 24 22 1.2 1.8 16 50 1 1.5 18 10 20 - 3 14 24 10 • Z Element (X) =67 F = 73 F = 80 F + 93 F 107 s 32 F Rel. Hum. Dry Bulb Wet Bulb

0-26-5 (OL

72-250 YOUNGSTOWN MAP OH

Dew Paint

GLOBAL CLIMATOLOGY BRANCH USAFETAC **PSYCHROMETRIC SUMMARY** AT: WEATHER SERVICE/MAC 72 25 YOUNGSTOWN MAP OH MONTH 0300-0500 HOURS (L. S. T.) PAGE 2 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL Temp. 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 1 :C/-11 1\_/-13 -1 /-15 6 1-17 - 2/-23 2-/-25 TOTAL 16.467.911.7 2.6 1.4 .1 812 812 (OL A) 0.26.5 Element (X) Rel. Hum. 4894039 62503 77.010.112 812 10F 1 32 F → 93 F 17437 21.512.821 20.012.067 75.5 507753 4.7 812 441686 16210 812 80.6 Dew Paint 325344

GLOBAL CLIMATOLOGY BRANCH USAFETAC Al- REATHER SERVICE/MAC

## PSYCHROMETRIC SUMMARY

725257 YOUNGSTOWN MAP OH 73-81 JAN 0600-0800 PAGE 1

<del></del>																				HOURS IL	. 3. 1./
Temp.			<del></del> -	-			BULB								T	T-: -		TOTAL		TOTAL	
(F)	0	1 - 2		5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22	23 . 24	25 - 26	27 - 28	29 - 3	0 + 31	U.B./W.B.		Wer Buib	Dew Pain
5 / 55	!	;	• 2							1				i			- [	2	2		
4/ 53		- 2	<del></del>		1				· 	<del> </del>	<del> </del>	4		<del></del>	Ļ		<b>—</b>	3	3	<b>.</b>	
2/ 51	,	• 5	• 2	• 1	• 1	:			ł	1	:	i		i	!	ì	1	. 8	8	3	2
5 / 44		• 1	•1							<u> </u>	<b></b>	+		ļ		ļ	+	2	2	<u>. 6</u> ,	2
6 / 47		• 1		• 1						-	:			1	1	1	-	2	2	1	5
4 / 45		. 6		• 4	. 4	L				L	<del></del>			-	<del></del>		<del></del>	13	13	. 6	
4/ 43		• 6	• 1							-	1			l r	1			6	6	7	7
12/ 41		. 2		• 2				<u> </u>		<del></del>	<del> </del>			<del></del>		<del>  </del>	<del>-i</del>	<u> </u>		1.	4
1C/ 39		. 9								į	-	.		1	ļ	ĺ	:	16	16	10	9
3 / 37		1.3			-						<del></del>			<del>-</del>	ļ	ļ.,	<del></del>	15	15		10
3-7-35		1.9	• 6						!	,	;				ļ		:	23	23		8
3 / 33		5.2		• 1					-	<u> </u>	<u> </u>	+		<del></del>		1		46	46		18
2/ 31			2.2	ì				,	i		i				ì		1	45	45		26
7 / 29			1.1	. 4						ļ	<b></b>	<u> </u>		<b>_</b>	<u> </u>	-	<u> </u>	62	62		39
2 / 27		4 . 3	• 6	. 4			.			i	i			i		İ		48	48		25
1 25		5.4	• 1;								1	-		<u> </u>	ļ	<u> </u>	<u> </u>	46	46		35
24/ 23		3.7			'						ŀ	1 1		İ	1			30	30	56.	34
2/ 21		3.7	.7								ļ	1		<b>i</b>		<u> </u>	<u> </u>	41	41		56
	1.1	4.9	• 4,	ļ						ļ				!	i			52	52		65
1 / 17		4.6	. 1									1		<u> </u>	!	<u> </u>	1	41	42		43
1:/ 15	1.3		'		i		!				1					i		42	42	1	35
1 / 13	. 9									L	<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>	↓	43	43		40
1 / 11	1 . 8			i			1				l	1 1		-	1	l	1	48	48		40
. / 9	1.2													L	<u> </u>			31	31		52
/ 7	1.1			ļ	i					ì		1 1			]	i		31	31	21	46
./ 5	1.7	. 9	-							l		1		<u> </u>	<u> </u>		<u> </u>	21	21	34	37
-/ 3	2 . 4	1.6			}						1				ļ			33	33	: .	37 35
/ 1	1.8	1.0								<u>.</u>	1			ļ	L			23	23		36
/ -1	1.1	• 2	1	İ	j													11	12	12	36
- / -3	. 6	• 6								<u> </u>	<u> </u>	L 1						10	10	9	19
-1/-5	1.5	7	T												]			12	12	15	11
- 1 -7	. 1		i							1	<u> </u>			1	L			1	1	1	15
/ -9	• 1	T	i															1	1	1	9
-1-/-11	. 4	1		1						L		$\perp$ . 1		<u>i                                      </u>	L		1	3	3	3	3
Element (X)	Ì	X²			ž X		X	7,		No. O	bs.				Meen	No. of I	tours wit	h Temperet	ure		
Rel. Hum.												201		s 32 F	* 67	F	• 73 F	- 80 F	× 93	F	etal
Dry Bulb																			1		
Wet Bulb									$\neg$										1		
Dew Point						_			_				_			<del></del>		1			

AA ... 0-26-5 (OL A)

OSAFETAC

GLOBAL CLIMATOLOGY BRANCH USAFETAC **PSYCHROMETRIC SUMMARY** AIR WEATHER SERVICE/MAC 721257 YOUNGSTOWN MAP OH PAGE 2 0080-0800 HOWS IL. 5. TO WET BULB TEMPERATURE DEPRESSION (F)

1 - 2 | 3 - 4 | 5 - 6 | 7 - 8 | 9 - 10 | 11 - 12 | 13 - 14 | 15 - 16 | 17 - 18 | 19 - 20 | 21 - 22 | 23 - 24 | 25 - 26 | 27 - 28 | 29 - 30 | = 31 | D.B./W.B. Dry Bulb | Wer Bulb | Dew Pein WET BULB TEMPERATURE DEPRESSION (F) -1 /-13 -1:/-15 -1./-17 2 -1:/-19 2/-23 5 2.1-25 20.369.2 8.2 1.7 .6 821 No. Obs. Element (X) Rel. Hum. 78.4 9.306 ± 32 F 5120565 64387 821 Dry Bulb 484668 17044 20.712.657 823 9.7 76.8 93 Wet Bulb 19.412.022 821 93 428538 15954 5.0 81.7 323431 12291

1-

ACCES (O. A) BEYASE REMOVE SERIOUS OF

JSAFETAC POPE A 2

GLCBAL CLIMATOLOGY BRANCH USAFETAC A!: "AEATHER SERVICE/MAC

#### **PSYCHROMETRIC SUMMARY**

72525 YOUNGSTONN MAP OH 73-81 7900-1100 HOURS IL. S. T.I WET BULB TEMPERATURE DEPRESSION (F) TOTAL D.B./W.B. Dry Bulb Wet Bulb Dew Point 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 1 57 5 / 34 1 / 47 4. / 45 . 2 • 1 1.5 15 4/ 43. . . . 6 13 13 1.2 3 / 37 1.8 19 6 .4. 2.1 27 27 3 / 33 4.2 .6 29 40 401 72/ 31 5.3 2.8 68 .2 4.4 1.1 46 .4 4.5 46 2:/ 25 .2 4.8 44 44 51 50 45 1.1 2.7 35 35 / 19 1.0 5.8 60 38 14/ 17 .5 4.9 38 .4 5.2 13 45 45 39 43 1.2 4.5 47 3.3 30 30 42 46 .9 1.2 5 .5 1.8 19 1.1 1.3 19 20 20 38 1 1.0 • 9 15 7 35 15 17 20 14 -./ -3 . 6 • 1 Rel. Hum. ± 32 ₱ 2 0 F \* 67 F \* 73 F \* 80 F Dry Bulb Wet Bulb

0-26-5 (OL A) BETTED FRETTON

IC 10 0.26

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIR WEATHER SERVICE/MAC 725 25 9 YOUNGSTOWN MAP OH PAGE 2 TOTAL WET BULB TEMPERATURE DEPRESSION (F) TOTAL D.B./W.B. Dry Bulb Wet Bulb Dew 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 1 /-11 ./-13 3 -1-/-15 1-21 21-23 2: /-25 815 815 (OLA) () 12 ZX, No. Obs. Element (X) Mean No. of Hours with Temperature USAFETAC 77.4 9.940 22.512.086 21.011.516 Rel. Hum 63106 ± 32 ₱ 4966768 815 Dry Bulb 75.1 531113 18329 815 Wet Bulb 467744 17129 79.3

GLCRAL CLIMATOLOGY BRANCH USAFETAC AI- WEATHER SERVICE/MAC

## PSYCHROMETRIC SUMMARY

TO 25 YOUNGSTOWN MAP OH 73-81 YEARS MONTH

PAGE 1 1200-1400 HOURS (L. S. Y.)

Temp.					WET	BULB	TEMP	ERAT	VRE	DEPR	ESSION	(F)						TOTAL	1	TOTAL	
(F)	0 1-2	3 - 4	5 - 6	7 - 8									23 - 3	24 25 - 2	6 27 -	28 29 -	30 + 31	D.B./W.B.	Dry Bulb W	et Bulb	Dew Poin
/ 59		<del></del>	• 1			1		-				†				$\top$		3	+		
-/ 57	1	-	-		. 2		!				-	1	!	į	ĺ	į	Į.	. 2	Z.	1	
5 / 55		• 1		• 1		-							:		-			2	2	1	1
4/ 53	i	. 1	. 1	.2			1				1	!	1		İ	-	İ	4	ű.	ĩ	î
2/ 51		2 .2		. 1	:	-					!		+				1	5	5	1	
5 / 49		2 . 1	. 5	. 1	. 1	.i					:		:			1	i	9	9	5.	1
4 / 47	.1 .	5 • 2	• 1	. 4		}	•						•					11	11	9	6
4 / 45	1.	9: • 1	4	• 1		.i.	:				4				Ì.	1	_i	. 13	13.	10:	•
4/ 43	•	6 .4	• 1	• 2	. 1		,	•						7	Ţ			12	13	12	5
2/ 41	.1.1.	19	2				i										<b></b>	19	19	11.	6
4 / 39	1.	5 • 4	• 5	• 1		1	-				1		•	7	Ţ	ļ	.,	20	20	20	11
3 / 37	.1, 1.	7 . 7	1			<u> </u>	-					•	<u>.</u>					24	24.	21.	12
3 / 35	.1 2.	4 1.3	• 6	. 2			-				1					:		39	39	24	23
3 / 33	3.						. 1					+		<del>_</del>	<u> </u>		·	48	48	32	17
2/ 31	4.	8 3.3	• 2	. 1	i		İ						•	1			•	69	69	48	37
3 / 29	.1 3.						<u> </u>				+		<u>.</u>	· .	<u> </u>			54		65	3.3
2 / 27	.4 3.	9 1.7	• 1			1			1			!	-		1			50	50	56	30
21/ 25		6 1.5			<u> </u>	L					<u>.                                    </u>	<b></b>	<u> </u>		$\perp$		<u> </u>	50	5.0	57	4.5
2.1 23	2.	4 1.9	,		!	ļ	ļ	-				!				ĺ		36	36	56	29
2/ 21	.6 4.					<u> </u>						<u> </u>	į	<u> </u>	-			56	56	49	4.8
7 / 19	.2 6.			i		1	į	i	i			į	!	i		i	ĺ	59	59	51	54
1 / 17	.1 5.					<u> </u>	<u> </u>	Ĺ_			<u> </u>	<u> </u>	<u>i                                    </u>	<u> </u>	1	<del>-</del>		48	48	64	57
1 / 15	5.	0 .7		,		ļ		- {			į	i	1	1				47	47	51	36
14/13	5.					i	<u> </u>	$\perp$			1	<del></del>	1	<u> </u>	J			45		40,	
1 / 11	.2 4.					1	i					1		-		į		35	35	51	70
1/3	1.					<del></del>	<u> </u>				ļ		1		<del></del>			16	16	29.	4
-/ 7	.1 1.	2			į	!	!		- 1			1	'	İ				11		14	4
./ 5	•2 1.							_	i		<u> </u>	┿	<del> </del>	<del>_</del>	<u> </u>		<del>_</del> i	12	12	16,	
/ 3	• 2	7	,	į	İ	į	1	Ţ	į			-	1				ļ	8	8	10	32
	.2	<u> </u>	i i			ļ	4_				<del></del>	<del></del>	ļ		<b>-</b>			2	2		30
/ -1	. 1	5	.				1		i		1			į			İ	5	5	1	12
/ -3	- 1	<u> </u>	<del>                                     </del>			<u> </u>	<del></del>	$\perp$			-	<b></b> _	↓			┿-		1	1	<b>S</b> ,	
-4/ -5	• 1	2		,	!	1			i		1							3	3	2	13
-/-7		1	<del>                                     </del>		<u> </u>	<u> </u>	+-		$+$ $\perp$		Ļ.,	<u></u>	Ц.	1	1	ᆜ.		<u> </u>	نـــا	1	
Element (X)	2 X'		<del> </del>	ž <sub>X</sub>	$\dashv$	X	+	<u>*</u> 1	+	No. O	DS.			- 20 -				th Tempere		<del>-</del>	
Dry Bulb							+		+			= 0	-	± 32 F	+-	67 F	≥ 73 F	- 80 F	• 93 F	+-'	otel
Wat Bulb			<del> </del>		-+-		+		+-				-+		<del> </del>			<del>                                     </del>	+		
Dow Point			-				+		+				$\dashv$		+			<del> </del>	<del></del> -		
			<u> </u>		Щ.,				4												

FETAC FORM 0.26-5 (0) A) SENSED REVIOUS EDITION

SLUBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC ATO WEATHER SERVICE/MAC 72.757 YOUNGSTOWN MAP OH STATION NAME PAGE 2 1200-1400 WET BULB TEMPERATURE DEPRESSION (F)

1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.B./W.B. Dry Bulb Wer Bulb Dew - / <del>-</del>9 1 /-15 1-17 /-19 ^TAL 3.967.021.7 4.8 2.2 822 821 0-26-5 (OL A) Mean No. of Hours with Temperature 1 32 F + 67 F + 73 F + 80 F + 93 F 4310448 71.511.869 821 2 0 F Dry Bulb 25.511.491 23.310.819 642915 20961 822 69.0 Wat Bulb 541115 76.2 19117 821 374409 17.312.565

GL(BAL CLIMATOLOGY BRANCH USAFETAC AIF WEATHER SERVICE/MAC

# PSYCHROMETRIC SUMMARY

72-25 YOUNGSTOHN MAP OH 73-81
STATION STATION NAME

PAGE 1 1500-1700

												PAGE		HOURS IL.	5. (.)
Temp.						TURE DEPR						TOTAL		TOTAL	
(F)	0 1-2 3-4	5 - 6	7 - 8 9	- 10 11 - 1	2 13 - 14 1	5 - 16 17 - 18	19 - 20	21 - 22 23	- 24 25 - 26	27 - 28 29	- 30 = 31	D.B./W.B.	Dry Bulb	Wet Bulb D	ew Pois
- / 59		• 1	į	• 1.			İ					2	2		
-/ 57		. 2:		. 1,			<u>.                                    </u>					3,			
5 / 55	• 1	1	• 2	• 2				1				5	5		
.4/ 53	<u>_</u>	1	• 2				<b></b> -	+		·			3		
2/ 51	• 4	• 1	• 4				1		1	1 !		7	7	6	
5 / 67	.41		• 1		+		·					5.	<u>5</u> ,		4
0 / 47	•1. •5		• 6					1000	ŧ	į.	*	12	12	6	5
4./ 45			• 5.		<del></del>		<del></del>	i		<b>-</b>		. 14,		9	5
4/ 43	.5 .2	• 7.	• 2	• 2:	1	i			1	! .		16	16	10:	1
2/ 41	1.1 .2		•1	• 2	++		+	<del></del>	-	<del></del>		. 15.	15.	12	1
4 / 39	.1 1.0 1.2	-	• 1		1				į			21	21	21	14
3 / 37	1, 2.2, 1.2	,	•5		+		-	+ +-		<del></del>		. 36.	36.	24:	13
· / 35	1 2.8 2.7		- 1			1	,	· i	i	t (		49	49	30	17
3 / 33	•1, 2•1, 2•7		1	<del></del>	-		•	+		<del> </del>		49	49.	40,	_20
12/ 31	•1, 2•8 2•8	- 1	• 1		1					!!		50	50	47	32
3 / 29	4.7 2.9	-	i_		+ <del>-</del>		<del></del>	<del></del>		<del> </del>	+	67	<u>67</u> .	<u>55.</u>	41
2 / 27	2.7 1.6				1 1				-		i	36	36	58.	32
25	4.5 3.7				<del>   </del>		+	<del> </del>		-	-+-	68	68	<u>56.</u>	33
2 / 23	3.9 3.7						i	1		i	!	62	62		29
2/ 21	.1 1.8 1.7		<del></del>		+		+	<del></del>			<del></del>	42	30		48
1./ 17	.2 3.4 1.5 3.8 1.7	ļ	1	:			į	!	ļ		!	45.	42°	28 <sup>-</sup> 39.	67
1 / 15	5.5 1.3	++			<del>!+</del>	<del></del>	<del></del>	+ +-		<del></del>	<del></del> +	56	57	48	<u>55</u>
1 / 13		. '	-		; ;			1	ļ			36	36	6D:	45
1 / 11	•1 4•7 •2 •1 3•3 •1				+		+	+ +-		<del>                                     </del>		29	29		- <del></del>
. / 9	2.1 .2	. !	İ		1		i				1	19	19		51
7 7	2.0			<del>-  </del>	-		<del> </del>	† <u>†</u>			+	16	16		35
1 5	. 9				1 1	!	İ			1	-	7	7	10.	26
-/ 3	.5				1		1					4	4	8	49
/ 1	. 4					}	}	!	•	1 1		3	3	4	31
/ -1	<del>- + +</del>				1 - 1		1							1	18
- / -3	. 4		;							]		3	3	3	14
/ -5	.1 .1						1					2	2	2	7
- 0/ -7	- 4		i	1	1				† 1		l	3	3	3	i
Element (X)	ZX'	2	X	7 7		No. 0	bs.			Mean No.	of Hours wi	th Temperat	UF#		
Rel. Hum.					1			10 F	1 32 F	= 67 F	▶ 73 F	≥ 80 F	* 93 f	To	tal
Dry Bulb									I						
Wet Bulb									I						
Dew Point				1											

C PORM 0-26-5 (OL.A) REVISED REVIOUS EDITIONS

SECORE CLIMATOLOGY BRANCH USAFETAC PSYCHROMETRIC SUMMARY AI . MEATHER SERVICE/MAC 72 75 YOUNGSTOWN MAP OH STATION NAME MONTH 1500-1700 HOURS (... 3.7.10 TOTAL TOTAL WET BULB TEMPERATURE DEPRESSION (F) 1 . 2 3 . 4 5 . 6 7 . 8 9 . 10 11 . 12 13 . 14 15 . 16 17 . 18 19 . 20 21 . 22 23 . 24 25 . 26 27 . 28 29 . 30 \* 31 D.B./W.B. Dry Bulb Wet Bulb Daw Point - / -9 **/-11**. 1./-13 1-17 /-19 816 816 0-26-5 (OL A) No. Obs. Mean No. of Hours with Temperature 3945672 55792 816 68.412.680 Dry Bulb 21435 19315 26.211.434 23.710.634 669361 817 1.0 66.0 Wet Bulb 549355 74.5 816 357673

SLUBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** US AFETAC ATS REATHER SERVICE/MAC 77 25 YOUNGSTOWN MAP OH 73-81 ---JAN ---1800-2000 HOURS IL. S. T. WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 . 2 3 . 4 5 . 6 7 . 8 9 . 10 11 . 12 13 . 14 15 . 16 17 . 18 19 . 20 21 . 22 23 . 24 25 . 26 27 . 28 29 . 30 . 31 D.B. W.B. Dry Bulb Wer Bulb Dew Point 5 / 55 4/ 53 1 51 . 4 1 47 . 7 11 11 4 4. / 45. 17. 17. 4/ 43 .1 .4 .1 .2 . 4 11 13 10 2/ 41. . 4. . • 4. \_9. 1.3. . . . . 4. . . 2. .1 1.5 1.7 .1, 1.1, 1.3 / 37 24. 26 26. / 35 3.3 1.5 • 6 44 44 19 3. / 33 2.1, 2.3 .1 .2 3.4 3.3 .7 38 2/ 31 • 7 29 63 63 4.5 2.3 .6 .1 4.2 1.1 .1 61 59 2 / 27 46 46 .1, 3.9, 1.7 54. 57 1 25 47 47. 2 / 23 4.5 1.3 48 48 3.6 .8 2/ 21. / 19 44 41 / 17 .2 3.6 46 1 / 15 6.4 .7 59 59 43 1 / 11 49 49 54 .2 5.3 .4 .5 4.4 42 42 47 3.1 26 44 2.3 .2 1.7 21. 16 .6 1.8 20 20 23 • 5 10. 10 • 4' 2 --/ -5 -1/ -9 . 2 Element (X) ≥ 47 F = 73 F = 80 F = 93 F Rel. Hum. 5 0 F ± 32 F Dry Bulb Wet Bulb Dew Point

14

11

35

29

44

23

65

38

57

46

<u> 29</u>

36

44

18

22

15 9 9

ğ

â 12

SUPPLY CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** AL LEATHER SERVICE/MAC 12:25 YOUNGSTOWN MAP OH STATION NAME MONTH -PASE ? 1800-2000 Hours I. S. T. Temp. (F) WET BULB TEMPERATURE DEPRESSION (F) TOTAL 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 - 31 D.B. W.B. Dry Bulb Wer Bulb Dew Poin -1 /-15 \_1-17. /-19 826 826 326 BENNED PREVIOUS EDITIONS OF IMS FORM ARE OSSOCIATE 0-26-5 (OL A) 1 2 Element (X) No. Obs. Mean No. of Hours with Temperature USAFETAC 59335 19689 Rel. Hum. 71.811.538 43 21 1 826 10 F : 32 F Dry Bulb 23.811.590 21.710.8 3 15.812.149 380141 826 1.2 71.5 93 Wet Bulb 486892 17954 826 77.1 93

SLUBAL CLIMATOLOGY BRANCH USFFETAC AI: WEATHER SERVICE/MAC

72.25 YOUNGSTOWN MAP OH STATION NAME

## **PSYCHROMETRIC SUMMARY**

											PAGE		2100-1	5. T
Temp.						URE DEPRESSIO					TOTAL		TOTAL	_
(F)	0 1-2	3 - 4 5 - 6	7 - 8	9 - 10 11 -	12 13 - 14 15	- 16 17 - 18 19 -	20 21 - 22 23	- 24 25 - 2	6 27 - 28 29	- 30 + 31	D.B. W.B.	bry Bulb	Wet Bulb De	P
5 / 55	- 1						1 :	1			1	1		
4/ 53			- <b>+</b>						•		1,	1.	1.	
27 51	• 1								,		1	1	1	
5 / 44	• 1.	.4 .2	2								. 6.	6.	2	
/ 47	• 1	. 5	;			į				•	5	5	3	
4. / 45	2		4								7.	7.	2.	
4/ 43	.1 .7	.5 .1	. 4								15	15	6	
2/ 41	2 7.	.5 .1	L	. 4					<u> </u>		. 16.	16	_ 11	
+ / 3°	.1 1.2	.6 .6	)				,				21	21	15	
3 / 37	.4 1.7	.1 .5	. 1								. 23.	23.	25.	
' / 35	2.6	1.6 .4	,						T		37	37	21	
3 / 33		1.6.1		!			1.0		1	7	30	30	33	
2/ 31	.1 3.3										59	59	37	
1 27		1.9 .4				1				i	6.3	6.3	46.	
1 27	.1 5.5	.7 .2			-						54	54	72	
· / 25	.2.5.0	1.0			1	1			1		51	51	60.	
2 / 23	3.3	. 4		<del></del>					<del></del>		30	30	59	_
2/ 21	.5 3.6	. 9			: 1	1 1	1		1	!	41	41	40	
/ 12	.5 4.9	• 2	+	+			<u> </u>		+		46	46	36	
1 / 17	.1 4.3	• 2				1	1				: 38	38	50.	
1 / 15	.1 6.1		1		<del> +-</del>				· · · ·		51	52	48	
/ 13	1.2 4.5				i	!			i		47	47	45	
1 / 11	2.2 3.5	* *	+						<del>*</del>	<u> </u>	47	48	54	-
/ 0	•6 3•2			'	1		1.		!	į	31	31	43	!
/ 7	.2 1.9		•		<del></del>		_+		+		18	18	21	
. / 5	5 1.5			i	1				i	,	16	16:	19.	-
/ 3			•					<del></del> -	+		29	29	26	
/ 1	1.2 .7		1		1				1		16	16.	20.	
<del>/ -:</del>	1.1		+	<del> </del>	++-		<del>-                                    </del>		+	<del>-+</del> -	9	- 40	13	
- / -3	1 4		! '		1 1	1				1	2	7	13	
- / -5	• 5		+		++		++		<del>                                     </del>	<del></del>	4	4	4	
/ -7			:			1	, 1		: :	i	4,	•	7	
- / -9	<del> -    -</del>		++				+	<del></del>	+		++			
/-11	. 5								1	1			4	
lement (X)	Zg	<del></del>	ZX	X	-	No. Obs.	7		Maga No.	of House wit	h Temperatu			_
el. Hum.		+	<u> </u>	<del></del>		1	2 0 F	: 32 F	• 67 F	+ 73 F	- 80 F	• 93 F	To	tel
ry Bulb				+	+	+	+	- 32 -	+		- 50 F	- 73 5		
er Bulb	<del></del>				+	+	+	<del> </del>	+		+	<del> </del>	$\rightarrow$	
lew Point	<del></del>	+				+	<del> </del> -	<del> </del>	<del> </del>		<del> </del>	+		

NORM 0.26-5 (OLA) NIVIED REMOUS EDITIONS O

FETAC FORM S. S. S. S.

-LOSAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** LSTEETAC AT WEATHER SERVICE/MAC STATION STATION MAP OH MONTH PAGE 2 2100-2300 HOURS (L. S. T.) WET BULB TEMPERATURE DEPRESSION (F)

1 - 2 | 3 - 4 | 5 - 6 | 7 - 8 | 9 - 10 | 11 - 12 | 13 - 14 | 15 - 16 | 17 - 18 | 19 - 20 | 21 - 22 | 23 - 24 | 25 - 26 | 27 - 28 | 29 - 30 | 23 | D.B./W.B. Dry Bulb Wet Bulb Dew Poin -1 /-13 -1\_/-15... - /-17 1-19 /-21 21-23 13.167.913.6 4.1 .9 .4 T ጎሽልፎ ₹ 0.26-5 (OL 1 1 2 2 2 1, Element (X) No. Obs. Mean No. of Hours with Temperature 4711599 74.910.903 2 0 F 1 32 F 61585 822 22.511.978 20.811.217 74.6 Dry Bulb 18516 2.5 534154 824 Wet Bulb 457325 17059 822 79.4 93 2.9

SL.BAL CLIMATOLOGY BRANCH USAFETAC ALE REATHER SERVICE/MAC

#### **PSYCHROMETRIC SUMMARY**

STATION	YOUNGSTOWN	MAP OF	N NAME		73-81	·	Y	E ARS				MON.	N
										PAGE	1	HOURS IL.	1. 5. Y.)
Temp.			WET BU	LB TEMPERAT	URE DEPRESSION	(F)		,		TOTAL		TOTAL	
(F)	0 1-2 3-4	5 · 6 . 7 ·	6 9 - 10 11	- 12 13 - 14 15	. 16 17 - 18 19 - 2	0 21 - 22 23	- 24 25 - 26	27 - 28 29	. 30 = 31			Wet Bulb C	w Po
/ 59	•a •a		• 3,		·	7		1 1	1	7	7	_	
_/ 57.			<u> </u>							<del>9,</del>	9,	<u>l</u> .	
/ 55	• 7 • 1	-	.1 .0							18	18 13	2 12	
4/ 53; 2/ 51			• <del>1</del>					+		31	<u></u>	13	
// 91   / 49	.2 .1	_					!	1		. 44.	44.	23	1
/ 47	3 .1		<u>.</u> 2					*		60	60	42	3
/ 45			4						1	. 98.	98:	4.3:	
4/ 43	6 .2		2 2							83	84	72	3
Z/ 41.	.183		0. 1.						·	102	102	84.	4
/ 39	.2 1.1 .6	. 3	1				7			154	154	120	7
/ 37	.2 1.5 .6	. 2'	. 2					·		179	179	157.	8
/ 35	.1 2.6 1.2	. 4	• 1							289	289	165	11
-/ 33	. 3.2 1.4		0			<u> </u>		<del> </del>		333.	333,	278.	_13
2/ 31	•1 3.6 2.7		• 2	1				1		445	445	327	25
12+	.2 4.7 1.9							·	- f	476	476.	413	26
27	•3. 4•5! 1•n		1 :		i					393	393	515	25
/ 25	.1 5.0 1.1	• J	<del></del>					<del></del>	<del></del>	410	<u>410,</u>	436.	_33
/ 23	.7 3.5 1.1			i i	ļ.			1	1	304	304	479	25
2/ 21	.5 3.2 1.7					<del></del>		<del></del>	<del></del>	315	315	364.	42
/ 19	.5 5.0 .8		1			!			i	408 334	4 (18) 3 3 5:	306 407	34
/ 17,	.4 4.2 .5 .4 5.7 .4					++-		<del> </del>	<del>-                                    </del>	378	380	372	32
1 / 15	.5 4 .6 .1		1	;				i	1	339	339	334:	34
/ 11	1.1 4.2 .7		<del>-++</del> -			++-		<del></del>		353	354	392	90
/ 9	6 3.0 0		1		1 1	1 .		1	1	237	237.	353:	38
7 7						<del></del>				161	161	187	35
/ 5	.6 1.2		1		1 1					119	119	161.	21
: / 3	1.71.4									155	155	146	30
11.	1.1.8							<u> </u>		116	116	136.	30
/ -1	• ? • 2								i	58	59	71	16
/ -3	.5 .2		_ +				<del></del> -			44	44,	51	14
/ -5	.5 .0	!		!				! !	1	39	39	41	9
/ -7	.2 .0		_							13	13	14	8
lement (X)	*x'	ZX		••	No. Obs.	<del> </del>				th Temperatu			
el. Hum.					<del> </del>	10F	± 32 F	≥ 67 F	• 73 F	* 80 F	• 93 6	-	erel .
y Bulb		ļ			<del> </del>	<del> </del>	<del></del>	<del> </del>	<del></del>	<del> </del>			
er Bulb ew Point		<del></del>		-+	<del> </del>	+	<del> </del>	<del> </del>	<del> </del>	<del></del>	<del> </del>	<del>-                                    </del>	

ALC 0-26-5 (OL.A) REVISED PREVIOUS EDITION

AFETAC NOW 0.24-5 (C

SECHAL CLIMATOLOGY BRANCH PSYCHROMETRIC SUMMARY SIFETAC AT- "EATHER SERVICE/MAC 72-25 YOUNGSTOWN MAP OH 73-81 MONTH -PAGE ? HOURS (L. 3. T.) WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 . 2 3 . 4 5 . 6 7 . 8 9 . 10 11 . 12 13 . 14 15 . 16 17 . 18 19 . 20 21 . 22 23 . 24 25 . 26 27 . 28 29 . 30 2 31 D.B./W.B. Dry Bulb Wet Bulb Dew Point - / -9 58 <del>L=11</del>. 1 /-13 . 2 15 15 15 22 1./-15 25 . /-17 14 1-19 8 1-21 2/-23. 7 /-25 6556 6556 Š Element (X) No. Obs. 74.511.409 23.112.206 Rei. Hum. 37198237 488137 6556 Dry Bulb 22.0 582.9 24.5 629.2 75.6 678.7 4469391 151371 6562 794 21.311.444 Wet Bulb 3820769 139357 6556 744 2702263 Dow Point 6556 744

GLUBAL CLIMATOLOGY BRANCH USAFETAC AT- WEATHER SERVICE/MAC

#### **PSYCHROMETRIC SUMMARY**

73-25 YOUNGSTOWN MAP OH 73-81 FEB MONTH
STATION NAME
PAGE 1 DODG-0200

															HOURS IL.	S. Y.1
Temp.				WET 8	ULB TEM	ERATU	RE DEPRE	SSION (F	•)				TOTAL		TOTAL	
(F)	0 1 - 2	3 - 4 5	- 6 7 - 8	9 - 10 1	1 - 12 13 -	14 15 -	16 17 - 18	19 - 20	21 - 22 23 -	24 25 - 26	27 - 28 29	- 30 = 31	D.B. W.B.	Dry Bulb	Wet Bulb D	ew Peint
4/ 53	. 4	. 7		• 1	• 1	1			1	1		I	10	10		
2/ 51	4	. 8.	3	. 7									: 16,	16:	5:	
5 / 40	• 1	• 3	• 1	• 3				1		1		1	6	6	9	4
" / 47	. 7		• 3			1	. i i	1			ii		. 7.	7	<b>7.</b>	8
4 / 45	• 1	• 1	. 4	. 4									. 8	8	5	9
4/ 43	•1. •7.	. 4	. 3 5						;		1	·	. 15	15	8.	8
2/ 41	. 8	. 4	•5 •4				i	7	1	T			16	16	17	3
4 / 39	.1 .3	• 8. 1	1 . 8					1	į		i		23	23:	11	3
7 / 37	.1 .5	. 4	• 9										15	15	12	4
7 / 35	.7 2.8	.7.	• 7.					:		,			. 36:	36.	28:	17
3 / 33	1.2 2.4		• 3					-					43	4.3	47	24
c/ 31	. 3. 1 . 3	1.1	• 7'			1					!	-	25	25	37.	28
3 / 29	.1 1.7	2.1	. 3									-	32	32	24	24
2 / 27	.1 5.2		• 3	i	!	i			:		i i		50	50	29	23
7. / 25	3.1		• 1						- 1			-	42	42	57	26
2 / 23	1.7		· • •		i	1			;	1	:	;	23	23	36	19
2/ 21		1.1					1				! !		34	34	40	49
2 / 19	9 4.8	• 7	1	!		-	1	1				i	4.8	48	37.	34
1 17	4.9	• 9		-						- :	-		44	44	49	42
1. / 15.	.5 5.1	• •		i	1			:	i			i	42	42	5.3	3.2
1./ 13	1.1 4.7												43	43	39	46
1 / 11	1.3 2.4				i		į į	1	i	İ			28	28	39:	63
1 3	1.3 3.9	. 4			<del></del>	_					<del></del>		42	43	44	51
1 7	.8 2.1	• .			!	!	i		Į				22	22	25	43
/ 5							_		-		†		12	12	22	31
. / 3	1.3 1.9				!	1		i	i	1	l i		24	24	20	35
/ 1	1.2 1.1		- + - +	+			_						17	17	21	39
/ -1	1.5	:		1		İ	i 1	1	!		}	j	12	12	14	18
- / -3	.8 .1								1				7	7	7	10
- / -5	. 3	į		1		ļ				1			2	2	2	16
- / -7	-5										1			4	4	12
/ -9	-			į	1	-	1 1		i		1		1	- 1	•	16
/-11	<del>-   -  </del>					<del></del>	+				<del>  </del>		+			X
-1/-13		1				- 1				1					1 1	1
Element (X)	Z x '		Zz		X I	•	No. Ob	<u>. T</u>			Mean No.	of Hours wi	h Temperati	yre		
Rel. Hum.						- <del>*</del>		<del>- t</del>	10 F	± 32 F	2 67 F	▶ 73 F	≥ 80 F	• 93 F	T.	tel
Dry Bulb				_		- +		$\neg \uparrow$				T		1		
Wer Bulb		+-		+							<del> </del> -	<del>                                     </del>	<del>†                                    </del>	<del> </del>		
Dow Point				+	_	+		-+			<del>                                      </del>	+	+	<del> </del>	+	
					1								ــــــــــــــــــــــــــــــــــــــ	1 .		

CLUHAL CLIMATOLOGY BRANCH
US AFETTAC
A1: AEATHER SERVICE/MAC

22:250 YOUNGSTOWN MAP OH STATION NAME
73-81

PAGE 2 MORTH- 2200PAGE 2 MORTH- 2200-

WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL
1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 21 - 12 23 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 - 31 D.B./W.B. Dry Bulb Wet Bulb Dew Point (F) -1 /-15 1-19. TOTAL 1-.157.917.5 5.7 2.1 1.5 .1. 749 748 No. Obs. Element (X) Mean No. of Hours with Temperature 73.012.866 23.113.303 21.112.229 Rel. Hum. 4112676 748 2 0 F ≤ 32 F 54624 Dry Bulb 2.8 749 62.1 17271 530621 Wet Bulb 443254 15748 748 3.0 67.3 11967

SAFETAC FORM 0.26-5 (OLA) REVISED

Theis Pollar

SLCOAL CLIMATOLOGY BRANCH

GLCBAL CLIMATOLOGY BRANCH SEAFETAC ATH WEATHER SERVICE/MAC

#### **PSYCHROMETRIC SUMMARY**

72:25" YOUNGSTOWN MAP OH 73-81 FEB MONTH

PAGE 1 0300-0500 HOURS (L. S. T.)

Temp.	ļ	·				E DEPRES						TOTAL		OTAL	
(F)	0 1 2 3 -	5 - 6   7	- 8 9 - 10	11 - 12 13	- 14 15 - 1	6 17 - 18 1	9 - 20	21 - 22 23	- 24 25 - 26	27 - 28 29	- 30 × 31	D.B./W.B.	by Bulb W	or Bulb De	ew P
5 / 55	•	1		!	ì	1 1	ì					1	1		
4/ 53		4								<u> </u>		6	6		
2/ 51			. 1									1	1	5	
5 / 49		3	.1 1.5			<u> </u>	i					13	13	<b>5</b> .	
. / 47	1.0 .		•5 •3									15	15	1	
4 / 45	1.1	3 . 3.	.4 .1		!	i	i				1	16	16:	9	_
4/ 43	. 8.	1 .1	• 1					i				9	9	10	1
2/ 41	.3 .5 .	1 7.	. 3		1					<u>i i i </u>		14	14.	20	
4 / 39		1 .4	. 4		1			1				8	8	10	
3. / 37	.1. 1.2. 1.	0: 1.1:	• 3		1	.1		:		<u> </u>	· — i	25	25.	13.	
7 / 35	1.6 1.6 1.	7 1.2										35	36	22	
3.7 33	1.0 1.4 2.	3. • 5!	1	j .				j		1 1	1	38	38:	38.	
32/ 31	.5 2.6 2.	0 .3				i '						40	40	38	1
3 / 29	1.1.1.	4	)	j	į	1 1		_1			_i	18	18	33:	
2.1 27	. 4 4.1 1.	1 .4				1	T	•			1	44	44.	32	1
2: / 25	2.9 1.	8	į		j	1 :	1					34	34	40	
2-/ 23	3.1 1.											30	31	34	1
2/ 21	.1. 2.2.	7	i.				1	i	1			21	21	36	•
2 / 19	.7 5.4 .	7										50	51	30	- 3
1 / 17	.8 6.2	1.	į				i	i				5.3	53	62	
1 / 15	.5 4.5	1			i							38	38	53	4
1:/ 13	.8 4.6		i !		ĺ	1 1	1		1			40	40	27	4
1 / 11	1.1 3.7 .	3										37	37	43	•
1 / 9	1.1 3.5			1 1	1		- !			1 1	j	34	34	47	:
./ 7	1.6 1.6											24	25	27	-
+/ 5	.5 1.4											14	14	23	
/ 3	1.4 1.4	1										20	20	18	
1. 1.	1.2 1.6	1 L			j					L 1	1 _	_21	21	21	. 3
/ -1	1.8 .1											14	14	16	7
- / -3	1.4	, ;			l					1		13	13	12	1
- / -5	. 5	-										4	4	5	1
/ -7	. 4											3	3	3	
/ -9	. 4									1		3	3	3	1
· /-11	Lii	1 . 1	1.		ł		. 1			LL		1 1	i .		
Element (X)	Z X '	ZX		X	*.	No. Obs.				Mean No.	of Hours wit	A Temperaty	re		
Ral. Hum.								10F	s 32 F	≥ 67 F	∗ 73 F	- 80 F	• 92 F	Te	ral
Dry Bulb															
Wet Bulb	L														
Dew Paint		1		T						1	1				

SLEBAL CLIMATOLOGY BRANCH USAFETAC **PSYCHROMETRIC SUMMARY** ATS WEATHER SERVICE/MAC 72: 250 YOUNGSTOWN MAP OH STATION NAME FER 73-81 0.300-0500 MOUNS (L. S. T.) WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL

1 - 2 | 3 - 4 | 5 - 6 | 7 - 8 | 9 - 10 | 11 - 12 | 13 - 14 | 15 - 16 | 17 - 18 | 19 - 20 | 21 - 22 | 23 - 24 | 25 - 26 | 27 - 28 | 29 - 30 | 23 | D.B./W.B. Dry Bulb | Wet Bulb | Dew Point -1 /-13 /-17 1-19 736 TOTAL 17.858.414.9 5.2 2.2 1.5 740 0.26-5 (OL Element (X) No. Obs. Mean No. of Hours with Temperature Rei. Hum. 20 F s 32 F 73.712.977 736 4124117 54261 Dry Buib 22.213.527 20.312.482 16420 499578 740 63.3 Wet Bulb 14944 736 917950 66.8 84 Dew Paint 290059 14.713.347 10822 736 89. GLOBAL CLIMATOLOGY BRANCH USAFETAC ATH WEATHER SERVICE/MAC

# PSYCHROMETRIC SUMMARY

73-25 YOUNGSTOWN MAP OH 73-81 FEB MONTH
STATION STATION NAME PAGE 1 COURS (L. S. T.)

Ţ T					WET	BALL C	TEMPER	ATUPE	OFPO	40122	(E)						TOTAL		TOTAL	
Temp. (F)	0 1-2											22	14 25 24	77 70	20 20	> 21		Des Auth	Wet Bulb	Day Pai
			3 - 6	1.8	9.10	11 - 12	13 - 14	113 - 18	17 - 18	19 . 20	21 - 22	23 -	(4 23 - 20	27 - 28	29 - 30	731				
5 / 55	! •	4				•	I		!	1	ì	ļ	1				3	3		_
4/ 53		<del></del>				•			<del> </del>	<b>↓</b>	<del> </del>	<u> </u>					1			
2/ 51				_	i .				1	1	ĺ	i	1	1			1	: 1		2
5 / 49					- 5		<del></del>	<u></u>		<del></del>	<del></del>	<del></del>	<del></del>	<del> </del>		<u> </u>	16	16		
+ / 47	•	a: .	_		• 3					1				1 !			14	14	5	:
41/ 45	<u> </u>				ļ	i — —					<b>└</b>	<del></del>		-			12	12		
4/ 43	•	9¦	• 1			1					1		1	1			8	8	. 8	
2/ 41	·		3, • 9			<b></b>	<u> </u>		<b>.</b>	<del></del>	<del></del>	<u> </u>		<del>i</del> i			12	12		
4 / 39	•			. 4	ļ.		i	1	i					j i			15	15	11	
3:/ 37	. 3	8 .	5, 1.5	-	<b></b> .	<u> </u>	i	<u> </u>		· 	<b></b>	Ļ					23	23	13,	1
3 / 35	• 7, • :	8 1.	5 • 4			í	ĺ		:	1		i	1				25	25	18	10
3 / 33	.9 2.	3 1 . :	2	• 1			<u> </u>	-	<u>.                                    </u>	<u> </u>	<u> </u>			<u> </u>			34	34	34	1
127 31	.8 1.	5 2.	7 . 1	:		1	i	1		i	1		1	1 !			40	40	44	2
7 / 29	.7.1.	7 2.	3 .1	Li			<u> </u>		<u> </u>	<u> </u>	1			<u> </u>			36	36	32	3
2 / 27	. 3: 4.	3 1.	7 . 1	i			İ		1	1	Į.	i	!	1 1			48	48	27	2
/ 25	. 2.	1 2.	3		· 				<u></u>		<u>:</u>	<u> </u>	_i				33	33	57.	3
2./ 23	.1 2.			i		•				i	1						23	23	36	1
22/ 21	.9 2.	9! .	7			i	<u> </u>		<u> </u>	i	i		_i	1			34	34	42	5
7 / 19	1.3 4.					,		I	]	T	Ī						50	50	36	4
1 / 17	.9 3.	2 .	3:		1	i	į	i	!	ı	i		!	1 :			33	33	46.	4,1
11/ 15	.5 5.	9 .	5														52	52	43	3
1 / 13	.8 2	7				i		İ	l	ł	İ		i				26	26	36.	
1 / 11	1.5 3.	3	<b></b>							1				1			36			4
. / 3	1.3 3.	<b>5</b> i	1	;		:	į	1		ļ		į		1 1			36	36	47	4
./ 7	1.1 2.									1	1						27			4
./ 5	.8 1.				1	:	i I	ł	ł	-	ĺ	ł	1	1 1			15	15	18	2
/ 3	1.6									1							17			3
1 1	2.4 2.	* I	;			ľ	ĺ	ĺ	Į.	{	-						37	37		4
/ -1	1.5					<del>                                     </del>		<del></del>	<del></del>								13			Z
- / -3	. 4	-1	į	i				1						1 1			3	3	5	1
- 1/ -5	1.1 .	1	<del></del>			_						_					9	9	9	ī
- / -7	. 8	7	i		i	į				1		[					1			i
- / -9	. 8	<del></del>	+	<del> </del>			<del>                                     </del>			1	<del>                                     </del>	<del>                                     </del>	+	1 - 1			6	6	6	
/-11	. 1	1	į	i !		!	1			1			1	1 1			1 1	1	1	
Element (X)	Zx'	—-	+	Σχ	т-	Ī	1	<del></del>	No. O	ha. 1	<del></del>	<del></del> -		Mean N	le, of H	we wid	Tempere	ture		
Rei. Hum.			+				† <u> </u>				10	-	1 32 F	- 67		73 F	- 00 P	• 93	F 7	orel
Dry Bulb			<del> </del>		+		<del>                                     </del>					<del>·                                    </del>		† <del></del>	<del>`                                     </del>	·	<del></del>	+	<del>-   - '</del>	
Wet Builb			+		-		<del> </del>					-		<del> </del>	+		<del> </del>	<del></del>	+	
Dow Point			+				<del> </del>	_						<del> </del>	-+			+		

GLUBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AT- WEATHER SERVICE/MAC FER 725 257 YOUNGSTOWN MAP OH 73-81 PAGE 2 OS DO - DECO WET BULB TEMPERATURE DEPRESSION (F)

1 1-2 3-4 5-6 7-8 9-10 11-12 13-14 15-16 17-18 19-20 21-22 23-24 25-26 27-28 29-30 ≥ 31 D.B./W.B. Dry Bulb Wer Bulb Dew Peint 21 2 1 /-13 1./-15 /-17 1-19 /-?1 TAL . 22-153-416-5 4-8 2-3 747 747 æ õ 0.56-5 No. Obs. Mean No. of Hours with Temperature ZX, X Element (X) **\***, 4297592 74.812.816 Rel. Hum. 55846 747 10 F 1 32 F ± 73 F - 93 F Dry Bulb 4.5 65.6 21.513.839 747 488875 16077 Wet Bulb 5,2 11,7 413354 14756 19.812.781 747 70.4 84 Dew Paint 290362 10748 14.413.488

GL(-AL CLIMATOLOGY BRANCH USAFETAC AI- REATHER SERVICE/MAC

## **PSYCHROMETRIC SUMMARY**

77.25 YOUNGSTOWN MAP OH 73-81 FER MORTH
STATION STATION NAME

PAGE 1 1909-1100 HOURS (L. S. T. ...

Temp.					RE DEPRESSIO					TOTAL		OTAL	
(F)	0 1-2 3-4	5 - 6 7 - 8	9 - 10 11 - 12	13 - 14 15 -	16 17 - 18 19 -	20 21 - 22 2	3 - 24 25 - 26	27 - 28 29	- 30 = 31	D.B./W.B.	Dry Bulb We	Bulb D	w Point
4/ 67			1	i						1.	1		
1.61.								<u> </u>		1	1		
/ 59			• 1					1	1	1	1		
1 57				<u> </u>				<u> </u>	1	. 3.	3.		
5 / 55		- •	. 4	-	-			1		3	3	1	
4/ 53.			. 4.							. 9.	8.		1
2/ 51	.33	• 1	• 3					1		7	7	4	2
5 / 42.		. 3 . 4	<b>. 3</b>	<b></b>				<del></del>		12.	12	6.	2
- / 47	.9	• <b>1</b>			'					8	8	8	6
4 / 45.	1 15 14	.3 .1								11.	11	15,	6
4/ 43	.1 .3 .1	.4 1.4					1			17	17	12	8
1. 41.	.5 .9	.9 .5						<del></del>		. 22.	22.	_11,	5_
4 / 3:	.5 .4	.5 .4			:		1			14	14	8	9
3 / 37.	. 3 1.5 1.1	•5 •3						· · · · · · · · · · · · · · · · · · ·		27.	27.	_ 26 _	5
7 / 35	.1 .9 1.1	• 9								23	23	24	12
3 / 33	•5, 1.6, 1.8,	• 7						<del></del>		34,	34	33	19
2/ 31	.9 3.1 4.2	• 7						i		66	66	39	30
1 24.	1, 2.0, 2.4	-1		•i				, +		35	35	44	29
2 / 27	.3 2.8 1.1	. 4	i	1					i	34	34	43	20
/ 25.	.4 3.3 1.6	•1	i	<del></del>	-+			+		40	40	49	42
2 / 23	.4 3.0 1.1	i i		l i						3 3	33	46	29
2/ 21.	. 3 4.2 1.4			1	<del></del>			<del>.</del>		43.	43	37	42
/ 15	1.2 3.9 .5	i '		1				2		. 42	42	51	53
117.	•7 5.6 •1			<del></del>	<del></del>			:		47	47	48	47
1 / 15	•3 4•5 •1		i		1	,			ļ	36	36	35	39
11.13.	1.1, 3.9		<del>-</del>	<del></del>	<del>-                                    </del>			·		37,	37	<u> 40:</u>	95
11./ 11	• B. Z • 7 • 3	1 1		) )	1					28	28	31	51
1	1.5 2.7		<del></del>	1		<del></del>		<del></del>		26.	26.	_ 37,_	44
1 7	•7 2.6 •3	i	!	1 1	1 1	i ;			į	26	26	25	41
1 - 5	<u>•4 1•1 •1</u>			<del> </del>		<del></del> _		<del> </del>		12	12,_	18,	-24
1 / 3	.7 1.2	1	1		1 1	1		1	1	14	14!	19	25
	-3 1.2			<del>                                     </del>	-+	$\rightarrow$		<del></del>		15	15,	_13_	_11
1 / 1	• • • • • • • • • • • • • • • • • • • •	1	1	1						4	41	6	16
1-1-1			<del></del>	<del> </del> -	حليجيات			<u> </u>		41	4	4.	_12
Element (X)	5 <sup>X</sup> ,	3 %	I		No. Obs.	<del></del>	T			h Temperat		<del></del>	
Rol. Hum.	<del></del>			<del> </del>		107	± 32 ₱	● 67 F	> 73 F	- 80 F	• 93 F	T.	tal .
Dry Buils				<del> </del>			-	<del> </del>	<b> </b>	<del> </del>	<del></del>	<del> </del>	
Wet Bulb				<b>├</b> ────────────────────────────────────		<del></del>	<del></del>	<del> </del>		<del> </del>	<del></del>	<del> </del>	
Dew Point				<u> </u>					<u> </u>	1	1	1	

SAFETAC TON 0-26-5

SUCHAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** COLFETAC A1- MEATHER SERVICE/MAC STATION STATION NAME STATION NAME FEB ... 2900-1100 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 + 31 D.B./W.B. Dry Bulb Wer Bulb Dew Point \_1. -1. ĬO. 3 -1 /-13 1-15 /-17 \_\_/-19. TOTAL 12.955.919.5 6.5 3.1 1.4 .7 737 737 0-26-5 (OL A) No. Obs. Element (X) Rel. Hum. s 32 F 737 3964470 Dry Bulb 62.1 579106 18302 24.813.012 737 Wet Bulb 478183 16637 22.611.808 737 67.1 89 324420

C NORM 0-26-5 (OLA) REVISIONENDOS FORMON OF THIS NORM ARE CANOLITY

ċ	Li	3 41	L	CL	IMA	TO	LOG	Y	BR.	ANCH	
,	5.4	ŁE.	T A	С							
			<b>-</b> .				<b>-</b>				

# PSYCHROMETRIC SUMMARY

														PAG	E 1	1270-	1400
Temp.	<del></del>		WET	BULB T	EMPERA	TURE DE	PRESSI	ON (F)						TOTAL		TOTAL	
(F)	0 1-2 3-4	5 - 6 7 -	8 9 - 10	11 - 12 1	3 - 14   1.	5 - 16 17	- 18 19	20 21	22 23	. 24 25 -	26 27 -	28 29 -	30 = 31	D.8./W.8.	Dry Bulb	Wet Bulb I	Dew Poin
6/ 65				• 3	1	. 1								3	3		
4/ 63				1.	_ •1_	: 			· ·					2	2.		
./ 61				• 1	• 1						•			2	2		
/ 59			1	3											3.		
4 / 57	• 1		. 4	• 1				F					•	. 5	5		
5 / 55	.17.	• 3.	1	1										12	10		
4/ 53	.4 .3	• 3	. 3			1					1			9	9	9	2
41.51.	.3 .4	. • 1.	.11	<b>.</b>										. 8	8		3
5 / 43	•5 •3	• 5	• 1											11	11	11	7
4 / 47	4		.4 .4											12.	12.	12.	6
4 / 45	•3 •5		•5 •1								1			14	14	8	6
4/ 43	•5 1.5		.2 .4											34	34	12.	\$
2/ 41	.3 1.2	• 7	• 8				*	:						2.2	2 <b>2</b>	11	5
	<u>•1   •7    •7,</u>		• 3		+-									22	22	23.	15
3 / 37	1.7 .7		.4 .1		'	i								34	34	3 <b>3</b>	17
7 / 35	1 1.9 1.5													37	37.	29.	19
3 / 33	•1 •5 2•3		• 3		j									34	34	39	28
2/ 31	.7 1.7 3.2					<u> </u>								54	54,	46.	23
× / 29	.3 2.3 3.2	• 7		ì	ŀ	ì		1						4 8	49	43	22
	3.1, 3.3	• 4												51.	51.	47.	30
/ 25	.1 3.3 4.1	• 3				:	1	1	,					59	59	66	36
2.1.23	<u>•3</u> •8 2•8			<del></del>	+-	+		+						. 29.	29.	. 56.	
2/ 21	3.1 1.7						1	i						36	36	45	51
	1 5.5 3.3									<del>i</del>				67	67.	45	50
/ 17	2.9 1.7					į							!	35	35	54	36
1/15	.3 3.2 .5			·	<del>-</del>				+					30.	30.	45.	45
' / 13	1.9 .5							1	1	:	•			18	18	28	66
1 / 11.	1.93		-+							<del></del>		<del></del>	<del>_</del>	+ 16.	16.	18,	46
· · ·	2.1 .3		1		ì	-					-			18	18	20	34
<del>/-/</del> -	2.0 .3			++								+		17.	17.	17.	37
/ 3	• • •			1	1	1	-	i	1	*		í	1	4	4	14	24
/ 3+	• • • • • • • • • • • • • • • • • • • •	<del></del>	+	<del> +</del>	+				-+-	<del></del>	+	-+	-+		<u>3</u> .	<del>3</del> +	33 25
/ -1)	• A:			1			1	i	1			i	}	1	1		45
Element (X)	2 8,	Z z		7		<del></del>	o. Obs.	<del></del>				. Mo. c	d Hours -	th Temperet			
Rel. Hum.	+					<del></del>		-+	0 F	= 32 1		47 P	+ 73 F	* 80 F	• 93 F	T	0101
Dry Buib						+		<del></del> -		- 34	-			+	+		
Wet Suib				+		+		-+		<del> </del>	-+		<del></del>	+	+	+	
Dew Paint						+		+		<del> </del>				+	+		
														ــــــــــــــــــــــــــــــــــــــ			

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** SEFETAC AT WEATHER SERVICE/MAC STATION STATION NAME OF - FEB PAGE 2 1220-1400 WET BULB TEMPERATURE DEPRESSION (F) (F) 0 1.2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 27.28 29.30 \* 31 D.B. W.B. Dry Buib Wer Bulb Dew Point - / -3 10 10. 8 2 2 1-13. -1-/-15 5 1\_1-17. 3.142.435.811.9 4.1 2.1 1.1 .3 .1 748 PORM AND DRICKETS Element (X) No. Obs. Mean No. of Hours with Temperature Rel. Hum. 48825 21754 19313 10F 1 32 F # 73 F ≥ 93 F 3333327 65.313.996 748 Dry Buib 29.012.176 25.811.018 18.312.787 742722 749 54.6 84 Wet Bulb 589331 748 62.1 84 Dew Point

£ 0-26-5 (OL A)

GLEBAL CLIMATOLOGY BRANCH US4FETAC Al- REATHER SERVICE/MAC

72.25 YOUNGSTOWN MAP OH STATION NAME

#### **PSYCHROMETRIC SUMMARY**

FEB MONTH

										_		PAGE		HOURS IL
Temp.			WETB	JULB TE	MPERAT	URE DEPRE	SSION (F	*)				TOTAL		TOTAL
(F)	0 1 - 2 3 - 4	5 - 6 7 - 8	9 - 10 1	1 - 12 1:	3 - 14 -15	- 16 17 - 18	19 - 20	21 - 22 23	- 24 25 - 26	27 - 28 29	- 30   + 31	D.B. W.B. (	Dry Bulb	Wet Bulb
6/ 65				• 7		• 1						3	3	
4/ 63.	جا بالكا يتكلماني					•1.							<b>. 1</b> .	
/ 61					• 1							1	1	
/ 59		3		5										
· / 57	. 4											9	9	
<u>5 / 55</u> .		3 -5										14.	14.	
4/ 53		• 3	_									2	2	10
<u>/ 51</u> .	<u>. 4.</u>		•.3₊.										<b> </b>	· · · <b>b</b>
5 / 45		• 7 • 1		• 3								9	9	8
	•7. • <u>5</u>		*									23.	20.	12
4 / 45	•4 •7											24	24	9
4/ 43	• 9 • 9	.5 .9										. 28.	28.	17
37 41	1.1 1.2											31	31	19
4/37		<u>. 4' .4</u>						<del>-</del> -		·		19.	19.	25
3 / 37	•3.1•3.1•3			. !								34	34	34
3 / 35		1.3 1.1	<u> </u>	<del></del>					<del></del>	·····		. 38	38.	39
3. / 33	.3.1.9.1.9			:	1							34	34	37
2/ 31.	.7 2.3 2.8		<del></del>			<del></del>	<del></del>					52.	52.	34
7 / 29	1.9 3.7	•7 •3		i		1						49	49	55
<u> </u>	1 2.4 4.3		<del></del>			+		<del></del>		·		61.	61.	37
/ 25	2.0 5.7	• 5		: I								62	62	63
2/ 23. 2/ 21	8. 2 . 4.	·—				-++			<del></del>		··	<u>24.</u> 36	24.	57
/ 13	•1 1•7 2•9 •1 3•1 4•5	• 3:			1	i :						. 60.	36 60.	60 38
/ 17	3.6 2.1	• 3	•	+			+		<del></del>		<del></del>	43	43	48
1./15.	1.3 1.3				i		1		1	:		20.	20.	52
1 / 13	1.7 .5		<del> </del>							<del>                                     </del>		17	17	23
1 / 11	1.2 .5					1 1		1		į !	:	1.3	13.	19
<del></del>	1.2 .5		<del></del>				<del></del>		+			13	13	12
, 1	2.1 .4		1	i	İ	1 !	:			ĺ		19.	19	16
/ 5	• 3		•								<del></del>	2	2	18
1 3	• • •			1			i	1	i	l i		<b>.</b>	-	
/ 1	+ + +										1	+		
/ -1		i	1	i	i		-	i		i	1	1 .		
Element (X)	Zx'	Σχ		¥		No. Ob	e.			Meen No.	f Hours wit	h Temperatu	170	
Rel. Hum.								10F	± 32 ₱	≥ 67 F	= 73 F	- 80 F	→ 93 F	1.
Dry Bulb				1										
Wet Bulb			1									1	1	
Dew Point					·	1					1	1	1	

SEEBAL CLIMATOLOGY BRANCH of SEETAC **PSYCHROMETRIC SUMMARY** AL MEATHER SERVICE/MAC STATION STATION NAME 73-81 FEB PAGE 2 1500-1700 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL

1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 2 31 D.B./W.B. Dry Bulb Wer Bulb Dew Penns - / -3 -\_1 -5. La. - / -7 1 -9 -1 /-13 2 1-1-15. 7.734.041.310.9 6.9 2.8 1.7 .1 .3 751 751 THIS PORM ARE OBSOLETE REVIOUS EDITIONS OF 0-26-5 (OL Element (X) No. Obs. Mean No. of Hours with Temperature +47 F +73 F - 90 F -93 F Rei. Hum. 3148908 47288 63.D15.115 751 2 0 F s 32 F Dry Bulb 30.012.047 751 52.7 784327 22523 44 Wet Bulb 612779 19841 26.410.868 751 59.8 84 Dew Point 84 1 .

SLIBAL CLIMATOLOGY BRANCH
CLAFETAC
ATT REATHER SERVICE/MAC

PSYCHROMETRIC SUMMARY

73-81

FEB

1800-2000 HOURS IL. S. T.1 PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 0 1-2 3-4 5-6 7-8 9-10 11-12 13-14 15-16 17-18 19-20 21-22 23-24 25-26 27-28 29-30 = 31 D.B. W.B. Dry Bulb Wer Bulb Dew Point 4/ 52 . 1 . / 57 •1 • 3 4 \_\_4\_ 5 / 55 4/ 53 • 3 • 1 .3 .3 ./ 51. .7 .3. 14 1 40 • 1 • 1 4 4 7 • 3 12 •7. . . 4 . . 3 13 4 / 45 .7 .1 .3 .1 .4 12 12 4/ 43 1.1. .9 1.2 27 27 12 2/ 41 . 8 . 7 \_\_.5. 9 1 33 .5, 1.6, .9 27 27. 3 / 37 .9 1.2 1.2 . 1 27 27 20 6 •8. Z•1. 1•5. 1•1 42 . / 35 42. 45 47 3 / 33 46 26 .4 3.2 1.5 .9 • 1 46 .3 1.2 2.0 1.7 2.1 / 31 . 4 7 / 27 .3 3.5 2.9 .9 57 57 35. 29 49 · / 25 .7 2.8 2.5 49 56 41 2 / 23 36 36 50. 22 2.4 2.3 33 43 44 2/ 21 2.3 2.1 33 1 19 .5, 6.7, 1.7 67. 42 <u>58</u> / 17 .1 2.0 1.5 27 64 29 43 1 4.0 1.5 42 42 / 13 4.3 . 3 34 34 46 37 .3 2.1 18. 18. 34 17 18 45 2.7 .3 17 18 2. 1.7 13. 13 21 13: 30 1 1 . 5 . 7 1 • 3 37 1 18 - / -3 . 1 Element (X) Mean No. of Hours with Temperature Rel. Hum. 10F Dry Bulb Wet Bulb Dew Point

, 0-26-5 (OLA) mm

77-25 YOUNGSTOWN MAP OH

SAFETAC PORT

SLCBAL CLIMATOLOGY BRANCH L AFETAC A: LEATHER SERVICE/MAC

#### **PSYCHROMETRIC SUMMARY**

STATION	YOUNGSTOWN	STATION HAME		73-81	73-81 YEARS								
	PAGE												
Temp.			T BULB TEMPERA			<del></del> -			TOTAL		TOTAL		
(F)	0 1 - 2 3 - 4	5 - 6 7 - 8 9 - 1	0   11 - 12   13 - 14   1.	5 - 16 17 - 18 19 - 2	0 21 - 22 23 -	24 25 - 26	27 - 28 29	30 = 31	D.B./W.B.	Dr. Bulb	Wet Bulb Dew Po		
- / -7		ı	and the first		1	- i	1	i					
				<del></del>	++-			<del></del>	<del></del>				
-1.7-17.							i						
TTAL	4.752.128.7	9.2 3.8 1.	9 .8 .1		1				<del></del>	746	74		
					<del></del>			<del></del>	746		746		
						!		:	1				
		- • • • • • •	-+		+	<del></del> ;			+				
					1 4			i					
			:		· ·								
									+				
			. i			1	!						
				<del>- +</del>	+	- + +			+				
				į		!	'						
			· · · · · · · · · · · · · · · · · · ·		· <del>·</del> · · · · · · · · · · · · · · · · · ·				+				
		·			·				<u>.</u>				
<del></del>			+++	_+_+	+				<del> +</del>				
		i i			1			į	1				
				-+	<del> </del>				++	<del></del>			
					1	1							
							!						
		· · · · · · · · · · · · · · · · · · ·							<u> </u>				
1	1						ļ			i			
	···· <del>·</del>	<del></del>	+-+-		+	$\rightarrow$		<del>-                                    </del>	<del> +</del>		<del></del>		
						,	ĺ	ĺ		:			
					<del>                                     </del>			1	1				
						Ţ	ļ -						
Element (X)	2 x'	2 2	X ·	No. Obs.	<del> </del>		Mana Ma	Maura - 1	A Temperatu	-	<del></del>		
Rel. Hum.	3517225	50123	67.214.16	<del></del>	1 0 F	1 32 F	2 67 F	≥ 73 F	- 80 F	• 93 F	Tetal		
Dry Buib	661380	20170	27.012.48		• 2	55.6			1	<u> </u>	8		
Wet Bulb	534920	18058	24.211.45	8 746	. 5	62.9					8		
Dew Point	348347	12753	17.113.22	7 746	8.4	74.1					8		

GLOBAL CLIMATOLOGY BRANCH USAFETAC Al- AEATHER SERVICE/MAC

## **PSYCHROMETRIC SUMMARY**

3725	YOUNGSTOWN	STATION NA	ME			73-81 YEARS								
	PAGE 1												1 2120+2 HOURS (L. S.	
Temp.		TOTAL		TOTAL										
(F)	<del>-</del>	5 - 6 7 - 8	9 - 10   11	- 12 13 - 14 1	5 - 16 17 - 1	8 19 - 20 21	- 22 23	- 24 25 - 26	6 27 - 28 29	30 = 31	D.B./W.B. D	ry Bulb	Wer Bulb De	- P
5 / 55	•1 •4				!	: 1	i		1 1	!	4	4		
4/ 53.	.48		1	• 7.		i			+		16,_	16,	2	
2/ 51	•1 •7		. 4		1				4		11,	11	6	
5 / 45,									<del></del>		. 6.	6.	9,	
. / 47	•3 •1 •1				1				1	1	5	5	7	
4 / 45.		<u> </u>		_ <del>`</del>	<del></del>				·		11,_	11.	7	
4/ 43	•1 •8: •4	• -									12	12	11	
2/ 41.	3, •4	<u> 5, 1.1.</u>							+		17.	17.	_16	
4 / 39	.3 1.3 .9	.8 .4							1		28	28	9,	
5 / 37,	.5, 1.6, 1.7	1.2				<del></del>		+	- <del></del>		38.	38.	22	
/ 35	.7 2.6 .5	. 7		,					1		33	3 3	33	
3 / 33	1.3.2.1.2.7	3							<u> </u>		48.	49	59	
2/ 31	•5 <sup>1</sup> 1•1 •9	• 1				F		'			20	20	35	
1 29.	.1; 2.0; 2.6	• 1							· · · · · · · · · · · · · · · · · · ·		36.	37.	29.	
2 / 27	3.6 3.0	• 3									51	51	23	
/ 25	.1 3.2 1.9								i		1 39.	39.	61.	
/ 23	.3 2.6 .7	• 1						i			27	27	40	
2/ 21	.1. 3.99			. i	i i	i i		1			. 37.	37.	37.	4
/ 19	.4 5.4 .7	,			,			,			48	48	42	
/ 17	.4. 4.6. 1.7	•			1	1 .		į			50.	50	46.	
/ 15	4.7 .4					,			***************************************		3.3	33	40	
1 / 13	. 5. 5. ).				1	: :	1			:	1. 41.	41	43	
1./ 11	.9 3.4	*		- 1	1				<del>                                     </del>		32	32	42	
/ 9	.3 3.2		i		į	1 :	i	ſ			26	26.	37.	
7 7	.1 1.9	*			+	1			<del>                                     </del>		15	15	22	
, =	2.6		i			1 1	i	1	1		19	19.	17.	
/ 3	1 1.6			<del>- +                                 </del>	1					+	13	13	16	
/ 1	.5 1.6	.	!		i		1				16	16.	19.	
/ -1	1.3	• • • •		++		+		+	+ +		10	10	12	
. / -3	1		1		1					1	10	10	12	
/ -5	3	+ + + + + + + + + + + + + + + + + + + +				+		<del></del>	+	_+	2	2	2	
/ -7	• •			1			- 1			1	2	2.	٤:	
/ -9	<del></del>	+ + +		++		+ +	$\dashv$		<del></del>	<del></del>	<del>  </del>	1		
/-13		i	•		ĺ		i					i		•
lement (X)	2 2 2	Zx	T X	-	No. C	be.			Mean No.	of Hours wi	th Temperatur			
el. Hum.		<del> </del>	<del>  ^</del>		<del> </del>		± 0 F	≤ 32 F	≥ 67 F	≥ 73 F	≥ 80 F	• 93 F	Ter	rai
ry Bulb			+-				- • •		+	<del></del> -	+ · · · · ·		<del>                                     </del>	
let Bulb	*****	<del>†</del>	+					<del>                                     </del>	+	<del>                                     </del>	+	-	<del></del> -	
lew Point	·	<del></del>	+	<del></del>	+			<del> </del>	+		+			

GLUPAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC ATE WEATHER SERVICE/MAC 12:253 YOUNGSTOWN MAP OH STATION NAME MONTH PAGE 2 2780-3300 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.8./W.B. Dry Bulb Wet Bulb Dew Point 1 /-15 -1./-17. 0.559.522.3 5.0 2.4 .7 .7 TOTAL 747 745 0-26-5 (OL A) 1 2 0 3 Element (X) No. Obs. USAFETAC Rel. Hum. 3436669 53287 71.512.975 745 10 F 1 32 F 24.913.002 22.612.060 Dry Bulb 587501 18565 58.1 747 Wet Bulb 489363 16851 Dew Point

GLEBAL CLIMATOLOGY BRANCH USAFETAC AL- REATHER SERVICE/MAC

# PSYCHROMETRIC SUMMARY

77: 25	YOUNGSTOWN	MAP 0H			73-8	1		YEARS					FE	
314/108		SIAIIUM MAMA	•					12003			PAGE	1	HOURS (L	
Temp.			WET BULB	TEMPERA	TURE DEPRES	SION (F)					TOTAL		TOTAL	
( <b>F</b> )	0 1 - 2 3 - 4	5 - 6 7 - 8 9					2 23 - 24 2	5 - 26 27 - 28	29 - 30	≥ 31		ry Bulb		Dew Poin
6/ 55					٠,٦		,				6	6		
4/ 63.			• 7				· · · · · · · · · · · · · · · · · · ·		<u> </u>	ļ	5	5		
1/ 61			•	n • 01							4	4		
1 59			•0 •	1 <u>.0</u>			+		+		. 11,	11		
- / 57	• 7 • 1	•1 •0	•1' •	1	: "	1				!	21	21		
5 / 55.		•1 •1	<u>•1: •</u>	1				<del></del>	•	-	44:	44	1.	
4/ 53	•3 •3	• 2	• 2	1							61	61	28	. 4
<u>27</u> , <u>51</u> ,			.3	4	<del></del>				<del>-</del>	+	65.	65	39.	13
-	.3 .2	• 3 • 3	• 31 • 1	1		1		•	1		77 93	77	57	35
4 / 47	• • • • • • • • • • • • • • • • • • • •	•3 •4	• 2	+			•		;	+	108	93	<u>63</u> .	<u>47</u>
4/ 43	.1 .8 .4	• 3: • 6:	• ۷,	:					1	į.	140	140	94	53
2/ 41	5 .7	•8 •6		-}			++		+	-	161	161	123	57
4 / 39	1 5 7	• 8. • 5	. 1							!	. 156	156	104	63
3 / 37	•2 1•2 1•7		•1	+		-	·		+	<del> </del>	223	223	173	65
7 / 35	.6 1.8 1.1	1.0 .2	• •						1	Į.	269	270	238	114
3 / 33	.7 1.9 1.9	•6: •1:		+ +				:	•	1	311	312	334	183
727 31	.6. 1.8. 2.4	.7	İ					·	:		328	328	316	229
1 / 29	.2 1.8 2.5	• 3 • 1					;			Ī	287	289	294	219
2 / 27.	.2 3.6 2.3	•5 • 7								<u> </u>	396	396	273	197
' / 25	.2 2.8 2.8	• 2				1					358	358	449	286
2 / 23.	<u> </u>	<b>.</b> _0		+	<del>_</del>		+	<del></del>	<u>.                                    </u>	: +	225	226	355,	178
2/ 21	.3 2.9 1.4			1		•	l i	1			274	274	340	364
114.	<u>•7. 4•9. 1•6.</u>	•2		<del></del>	<del>-  </del>	<del>-</del>	++		<del></del>	<del> </del>	432	433	321.	361
1 / 17	•4 4•1 1•1			1					!	1	332	332	417	306
1/15.				++	++		<del>-   -   -</del>		<del> </del>	L	293	293	350,	325
1 / 13	•5, 3•6, •2		,		1	ļ	1 1				256	256	282	383
1/11	•7 2•6 •2 •7 2•7 •2			+	+++		+		+	<del> </del>	208	208	<u>261</u> . 262	401 338
7.	• 5 2 • 1 • 1		1			!			1	1	166	167	178	314
- / 5+	·Z 1.3			++	-+-+		+		<del> </del> -	<del> </del>	91	91	151	218
1 3	.7 1.1	. :		1 :				1			103	103	111	244
/ 1	.8 1.1	· · · · · · · · · · · · · · · · · · ·		1					_		114	114	122	294
/ -11	-8 -1	i	i		1 1			L.	<u>i</u>	l	54	54		147
Element (X)	2 x'	Zg	X	*A.	No. Obs.			Mean	No. of H	ours wi	th Temperatu	10		
Rel. Hum.						3 (	) F ± 3	2 F ≥ 6	7 🗗 .	73 F	- 80 F	- 93 [	†	erel
Dry Bulb				I										
Wat Builb														
Dew Point				i	1	í	1	- 1	- 1		ĺ	t	1	

NOBIN 0-26-5 (OLA) servato resmous to

GLOPAL CLIMATOLOGY BRANCH CSEFETAC Also REATHER SERVICE/MAC

PSYCHROMETRIC SUMMARY	PS'	YC	HR	OME	TRIC	SUM	MARY
-----------------------	-----	----	----	-----	------	-----	------

STATION	YOUNGSTOWN MAP OH STATION NAME	73-81 YEARS	F F B
		PAGE 2	ALI

Temp.					BULB TI										TOTAL		TOTAL	
(F)	0 1 - 2	3 - 4 5 -	6 7 8	9 - 10	11 - 12 1	3 - 14 1	5 - 16	17 - 18	19 - 20	21 - 22 2:	3 - 24 25 -	26 27 - 20	29 - 30	• 31	D.B./W.B.	Dry Bulb	Wet Bulb	Dew Pe
- / -3	.4 .1		1					1	i			!	1		29	29	30	9
- 1 -5.	.33				<del></del>	<del></del>		<del>-</del>		<del>                                     </del>	· · · · · · · · · · · · · · · · · · ·				. 19.	19.	21	_11
- / -7;	• 2							i i							14	14	14	8
- / -9								<b>_</b>		<del></del>		<del></del>	+		9.	9.	9	
/-11	• 1														1	1	1	2
-1_/-13														•	2	2.	2	1
1 /-15																		2
	··					+-		•		•		- <del></del>	<del></del>	·	<del></del>			2
/-19												i						1
<u> </u>								•		+ +			•	+	•			
I LVE	10.751.72	24.5 7	• 4 3 • 4	1.5	• 6	• 1.	• 1	1			i	1		;		5966		595
					<del>`</del>	+		<b>.</b>				<del></del>	<del></del>	<del>-</del>	. 5958		5958	
					<del>-</del>	-+				<del>+</del>		<del></del> -	<del>†</del>	+	+			
						į		i										
					+			<del> </del>		<del></del>		+	+	•	+			
					-	1											,	
						-		+		<del></del>				•	•			
					!	- !			ı									
				+							•		•	<del></del>	+			
						1						,	_					
												1		+	+	•		
					:	i		1			1	. !		<u>.</u>	1			
					•									I	ī			
	·			i						Li			1.		L			
						Ì		1		1 i	į	- !						
~				·				1						ļ	<u> </u>			
				1		i				1 i	•			[				
								L		<del>                                     </del>			ļ	↓		+		
		•	4 1	į									1	i.		i		
										$\vdash$	<del></del>	$\rightarrow$	—	<b>└</b>	<b>↓</b> i	+		
					1	i							ļ			į		
				i								<u> </u>	<u> </u>	<u>.                                    </u>	اـــــــــــــــــــــــــــــــــــــ			
Element (X)	Z <sub>X</sub> '		ZX		X	"A	_	No. Ob							h Temperet			
Rel. Hum.	30434		4173		70.11			59		5 0 F	s 32 f	_	7 🗗	73 F	→ 90 F	- 93 F		letel
Dry Bulb		1110	1510		25.31			59			4 474				<b></b>	<b></b>		6
Wet Bulb		2134	1361	48	22.91	12.07	11	59			5 522				ļ	<del></del>		_ 6
Dew Point	264	5878	978	24	16.91	3.21		59	58	68.	2 593	-5			<u> </u>	1	L	_63

GURBAL CLIMATOLOGY BRANCH C'AFETAC AIS REATHER SERVICE/MAC

# **PSYCHROMETRIC SUMMARY**

77:25 YOUNGSTOWN MAP OH 73-81 MAR MONTH

> 0000-0200 HOURS IL 5. T. PAGE 1

Temp.					URE DEPRESSION					TOTAL		OTAL	
(F)	0 1-2 3-4	5 - 6 7 - 8 9	10 11 - 12	13 - 14 15	- 16 17 - 18 19 - 2	0 21 - 22 23	- 24 25 - 26	27 - 28 29	30 - 31	D.B. W.B. D.	y Bulb We	t Bulb De	- Point
- / 67			.1 .2		1 :					3	3		
4/ 63			.65		التشاب سوال				- •	. 12.	. 10.	•	
1/ 61		.4 .1	•1 •1							6	6		
/ 59			<u>.11</u>					<b>.</b>		4	4		
' / 57	•2 •5	•4 •2	.1 .4							15	15	1	
5 / 55.	54	<u> 4 </u>	. 44 44.	2.		- + <del>+</del>		·		17_	_ 17	14	2
4/ 53	• 2 • • 5		•1 •1	• 1						15	15	12	2
_ 27_51.		. • 2. • 9	·2. ·2.			<del></del>		++-	·	. 26.	26.	18.	_10
c / 49	•1 •9 •5	• 4 • 1	• 1							17	17	11	12
. / 47	<u> </u>	. 4 .7.								24.	24.	_27	_ 21
u·/ 45	•1 1•2 •1	.6 .4	• #							23	23	27	22
4/ 43	1.7.1.3	<u> </u>						· · · · · · · · · · · · · · · · · · ·		34	34	_29.	23
2/ 41	2.2 1.6									46	46	22	18
4 / 37	<u> </u>	9, . 6								35,	_35	49,	_23
: / 37	.1: 1.6: 2.1	1.2 .1						i		4.2	42	27	27
· / 35	2, 2.6, 2.6	1.8								59_	59.	48.	_24
3 / 33	4.2 3.4	,								75	75	62	34
4/ 31.	1 <u>3.7;_2.0</u>					· • - · · · · · · · · · · · · · · · · ·		<del></del>		53,	58,	71,	. 42
/ 27	3.2 3.1	• 6	,							56	56	64	39
	3.8.2.3					<del></del>		<b></b>		50,	50	56	. 75
/ 25	5.1. 2.9	,								67	67	67	51
2.1.23.	<u>•1, 1•7, 1•6</u>			+		<del></del>		·	<del>+</del>	28	28	69.	
2/ 21	.2 1.7 1.2			!				]		26	26	36	69
1 1 9	<u>•1, 3•1; •5</u>					++-		<del></del>	+	30,	30,	_30	64
1 / 17	1.8 .1					!	1	1	l .	16	17	34	41
1./ 15.				<del></del>		+		<del></del>		8_	8,	_ <b>11</b>	_ <u>5</u> C
1 / 13	• 7	İ	1	· }	!					. 6	6	5	39
1/11.	1.1					<del>                                     </del>		<del></del>		9	9		4.5
/ ?	• 2	: 1	i			1		. !	!	2	2	9	11
-/ 7		<del></del>	$\rightarrow \leftarrow \downarrow$	<del></del>	_+-	+		<del>  - + -</del>	<del>- i</del>	1	1,		9
/ 5			1 1	ĺ	1 1				1	i ·		1	6
<del></del>	_ <del></del>	<del>└──</del>				+	<del></del>		_+	<del> </del>			<u> </u>
/ 1	. 7		!	ļ					İ	6	61	5	5
Element (X)	- 2 z z ·	Z	<del></del>		No. Obs.	<del> </del>			(1)		Zi	3	
Rei. Hum.	• X.	- X	X	<b>".</b>	No. USS.		- 29 -			h Temperatur		•	
Dry Bulb		<del></del>	<del>                                     </del>	<u> </u>	<del> </del>	2 0 F	± 32 ₱	≥ 67 F	+ 73 F	- 80 F	+ 93 F	Ter	-
Wet Suib	···				<del> </del>	<del> </del>	<del> </del>	<del> </del>		<del> </del>		+	
Dev Point	<del></del>		<del> </del>		<del> </del>	<del> </del>	<b>├</b> ──	<del>                                     </del>		<del>├</del>		+	
DES POINT			J			<u> </u>	ــــــــــــــــــــــــــــــــــــــ						

SLUPAL CLIMATOLOGY BRANCH
JSTFETAC
AT MEATHER SERVICITHAC

TO MEATHER SERVICITHAC

TOUS.	YOUNGSTOAN MAP OH STATION HAME	73-81 YEARS	MAR
		5.aa a	2222 2222

																	HOURS	S. T.)
Temp.						TEMPER.									TOTAL		TOTAL	
(F)	<u>0</u> }-	2 3 - 4	5 - 6 7 - 1	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22 2:	3 - 24 25 -	- 26 27	- 28 29	- 30 = 31	D.B./W.B.	Dry Bulb	Wet Bulb	Dew Poin
- / -3				(							:	Į.	1	1		<b>!</b>		1
<u>/-5</u> .			<del>-</del>					<u> </u>		1					-	<b></b>		<u>.</u> 5
- / <del>-</del> 7								1		1		:	İ	ĺ	1			3
/9				<del>-</del>				<u> </u>		 				·	+			2
T/ T/L	2.246	329.4	13.2 4.	3 2.	3 1.5	3: -4				1	:		i	Í		817		816
				<del></del>	<b></b>			-							816		. 816.	
															1			
					<b></b>	<del> i</del>		<del></del>					<del>-</del>	<del></del>	+		· · · · · ·	
								1				i	1	1				
				- <del>-</del>	+	·		<del>-</del>		+								
											i		i					
<del></del>		_+		·	<del></del>	•				+-+	<del></del>	<del>-</del>			+			
										:			!					
						<b></b>		•		<del>+</del> -	+-	<del>-</del> -			+		•	
						1						1	1		i			
				<del></del>		<del> </del> i		<del></del>		+		<del>-</del>			<del> </del>	<del></del>	<b></b>	
						i					:			i	į			
					+	+				<del>i</del>	<del></del>	<u> </u>		+	+		<del></del>	
											i			1				
<del></del> +		-+			+			<del>   </del>	-	<del> </del>		+		<del></del>	+		•	
(						i		. !					1		1			
						+		+		† +		<del>-                                    </del>		+	-	<del> </del>	•	
1						:		1							}			
					<del>-</del>	<del>†</del> †		!!		<del>*</del>		+			<del> </del>		•	
	1		1								ŀ	į	i	!				
				<del></del>		++				<del>                                     </del>		_			!	<del></del>		
						· 1				1 .	'	i		i	1			
1				;		1											· · · · · · · · · · · · · · · · · · ·	
!		L .	:	ı	i					į į				j				
						I												
1						<u> </u>		<u> </u>			_ {			\	i	_ :	i .	
				,	T			1-1										
	i	4	<u>    i                                </u>									_ <u>i</u>						
Element (X)	z×,		ZX		X			No. Ob	6.					of Hours wit	h Tempere	ture		
Rel. Hum.	47	270609	5.7	879	70.9	14.2	39	8	16	± 0 F	s 32	<b>P</b>	2 67 F	= 73 F	≥ 80 F	≥ 93 1	F 1	otal
Dry Bulb		199639	26	375		11.8		8	17		2 41	. 7	3		L			93
Wat Bulb		04329	25	741		10.6		8	16		3 53	. 5			L .		$\bot$	93
Dew Paint		54757	21	019	25.8	11.8	26	8	16	1.	3 68	. 2			I = I			93

L.A.) BEYSED REFYCUS EDITIONS OF THIS FORM ARE ONLOSTEE

	MYSED MEYOUS E
,	0-26-5 (OL A)
(	1
•	<b>USAFETAC</b>
(	S

25 -	YOUNGSTOWN	MAP	OH					73-				YEARS				<b>-</b>	MON	AR
		•													PAGE	1	O3OD:	-05,
emp									SSION (F)						TOTAL		TOTAL	
(F)	0 i · 2 3 · 4	5 - 6 - 7	- 8	9 10 1		3 - 14	15 - 16	17 - 18	19 - 20 2	1 - 22 23	- 24 25 -	26 27 - 2	8 29 - 3	10 + 31	U.B. W.B. D	y Bulb	Wet Bulb	Dew P
/ 67 / 65.	,			. 2	• 1.						:				2	2		
1 61		• 1	• 1	•1					•	-			+		3	3		
/ 59		9	-1		1.				+				<u></u> .		8,	<u> </u>		
/ 57	.1 .9	• 1	• 4	• 1						*	:				14	14		
<u>/ 55.</u>	6 6		-1		_• 2.				•	+-				+	13,.	13		
/ 53	•7 •1		• 5									1	:		14	14	15	
<u> </u>		6			4:							+	<del>-i</del> -		<u> 26.</u>	26.		
1 47	.1 .6 .9		. 6	. 4								1	;		22	22 23	14 26.	
/ 45	.2 1.2 .5 1.6 .9		. 5	•2		+			·		<del>+</del>	<del>-                                    </del>	+	-+	27	27	<u>49</u> .	
/ 43	.1, 1.5, 1.6		1	• 2	i							1	1	1	. 31.	31	25.	
/ 41	1.6 1.2		• 1												27	27	30	
		. 9	.6												33	33,	41,	
/ 37	.6 1.1 2.6	1.2	• 1									1			46	47	27	
/ 35	.4 3.6 2.9		• 5				+		· •						67	67,	28.	$\overline{}$
/ 33	5.4 2.6										i	i i			71	71	74	
/ 31	.2 3.7 2.1		÷						-		<del>-</del>		<del></del>		. 59	59	69.	
/ 29	.1 2.5 2.2				,							!			42	43	58 50.	(
/ 27	.4 3.J 2.1 .6 4.2 2.7				+	+				+-			-+	+	61	61	63	
/ 23	1, 4.6, 1.2					1						1	i	1	48	48	63	
/ 21	.6 1.7 .6								1		+	1		+	24	24	59	
/ 19_	.1 2.4 1.1			_ :							_ i	<u> </u>		<u> </u>	29	29	20.	
/ 17	1.7 .1					-						T			15	15	26	-
/ 15.	1.7												:		14.	14	23.	
/ 13,	. 1 1 . 1		1		1	ļ	,				-	]	j		10	10	-	
/ 11	.2 .6	<b>├</b> ──		<del></del>	<del>-</del>	+	+		<del> </del>			-+	<del></del>	+	+ 7		10,	
/ 9:	.1 .5	; !	•	}	i	ĺ	,					ļ	-		5	5	8	
/ 7	.1 .2			-+	+				<del> +</del>	-+-		-+	<del></del>	+	1		2	
/ 3	. 5	. 1		1	ì	İ	ļ		1			1				A.	<u> </u>	
/ 1	• 1	++-				+						-	+		1	1	1	
1 -11	.1 .1	i		;		j	]			İ_			<u>L</u>		2	2	ī.	
nent (X)	2 7,	2	X		X	<b>7</b>	$\Box$	No. OL	98.			Mean	No. of	Hours wi	h Temperatu	•		
Hum.		1								10F	5 32 (		7 F	≥ 73 F	▶ 80 F	+ 93 1	·   ·	Total
Bulb		<b></b>		-			—				<b>.</b>				<del>                                     </del>			
Bulb		<u> </u>							$-\!\!+\!\!$		<del></del>				<del></del>			
Point		<u> </u>									┴							

SLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** UTAFETAC AI- WEATHER SERVICE/MAC 7.2.5.2.5. YOUNGSTOWN MAP OH 73-81 MAR 0300-0500 HOURS L. S. T. WET BULB TEMPERATURE DEPRESSION (F)

1-2 3-4 5-6 7-8 9-10 11-12 13-14 15-16 17-18 19-20 21-22 23-24 25-26 27-28 29-30 = 31 D.B./W.B. Dry Bulb Wei Bulb Dew Poin WET BULB TEMPERATURE DEPRESSION (F) • 1 - / -3 1 - / -7 • 1 1 -9 /-11 -1 /-15 T TOL 5.948.529.6 8.6 4.7 1.7 1.0 805 802 0-26-5 (OL A) I X 1 No. Obs. Element (X) Σχ Mean No. of Hours with Temperature Rel. Husi 58459 ± 32 F 4414571 72.913.839 802 Dry Bulb 27122 24754 33.711.884 30.910.970 1027336 805 43.4 Wet Bulk 860440 802 54.8 93 Dew Point 20441 802 68.2

GLUPAL CLIMATOLOGY BRANCH USAFETAC ATT REATHER SERVICE/MAC

TATION STATION

## PSYCHROMETRIC SUMMARY

MAR

Temp. (F)	0 1 - 2 3 - 4				B TEMPERA				22 11 25	04/07	20 20 3		TOTAL	9 11	TOTAL	
· · ·	1 - 2 - 3 - 4	3.6.7			12:13 - 14-11	3 . 16 17 .	18 14 - 5	0 21 - 221	23 - 23	- 26 2) -	28 29 - 3			, 50.6	We1 DUID	Dew !
6/ 65			• 1					i	1				3			
<u>-4/ 53.</u>													— — <del>]</del> —			
. / 61		• 2	• 5	_									6	6		
/_ 59								<del></del>					ــــــــــــــــــــــــــــــــــــــ	5.		
. / 57	•7 •2		•6										14	14	2	
5:/_55	24		• 6									-+	11	_11.		
4/ 53	•6 •2	• 9		• ?									16	16	12	
_2/ 51	6.1.3			1.2.									20,	20.		~
5 / 49	1.1 .6		• 6	• 1									24	24	18	
. 1 47	<u>•4 1.9 •2</u>		<u>• Z</u>	•1								<del></del>	25_	25.	29.	
4 / 45	•2 1•5 •5		• 5										23	23	2.2	
4/ 43	• 2 1 • 6 • 6			. 4									28_	28.		,
_/ 41	.1 1.8 .6	• 6	• 6				1						31	31	28	
4 / 3/	.5. 1.67	1.3	• 5					+			-		38	38.	. 23.	
7./ 37	.5 2.7 2.2	-				1		1		1			5 C	50	36	
/ 35	.4 3.8 2.4	. 7	• 2				,						62	62	45.	
3 / 33	4.3 2.2												62	6 <i>2</i>	75	
21 31	.4 4.1 1.9	1.2										<u> </u>	63	63.	61	
. / 50	2.8 4.3	. 4			1								59	59	48	
1 27	.4 3.5 1.7	• 2										-	48	48	63	
. / 25	.9 3.6 2.2				,	:							5 5	55	81	
2 / 23.	.5 3.4 .9						_ i			<u>_</u>			39	39	5.5	
2/ 21	1.1 2.1 1.8	-			, , ,								4 1	42	44	
11-	1.13.5 .1							.i					38.	38	42	
1 17	.1 1.7						1	7		7			9	9	31	
1 / 15.	2 . 3		1.			i		1		. 1			19	19.	. 12.	
/ 13	• 7		,							-	1		6	6	12	
1_(_11,	. 5.						1	:				1	. 4	4	7	
/	.17							1			-	+	7	7	4	
1 7	.1 .4					· .		:		;		į	4	4	8	
/ 5	• 2							+			1	+	2	2	4	
/ 3.	.1 .4				,	!	ţ			į	į	į	, u	ù	7	
/ 1	•2	·			++						+	1	2	2	1	
/ =11	- 2											ł	2	2	2	
Element (#2)	Zy'	Z x		T		Ho.	Obe.	<del>, , , , ,</del>		Mea	n No. of I	Hours wit	h Tomporature			
Rel. Hund				<del>  ^</del>		-		= 01	: 32			• 73 ₹	- 80 F	• 93 F	Ť	Total
Dry Bull				+		<del> </del>		† ·	+	-+-			+			
Wer Buth		<del> </del>		<del></del>		<del></del>		<del> </del>					<del> </del>			
Dew Pernt		<b></b>		<del></del>		+		<del> </del>					<del> </del>			

GLEDAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** AT LEATHER SERVICE/MAC MAR .... T2-25 YOUNGSTOWN MAP OH STATION NAME PAGE 2 DACE-DECE WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 - 31 D.B. W.B. Dry Bulb Wer Bulb Dev - / -3 3 . 1 \_1 -5. - / -7 1 /-11 1.252.125.0 9.0 5.0 1.7 924 823. . . . 823. THIS FORM ARE DESCRETE (OL A) 0.26-5 1 1 2 2 No. Obs. Element (X) USAFETAC 61188 74.313.523 823 4699496 Dry Bulb 45.7 93 1034945 27519 33.411.867 824 30.811.021 25.712.309 Wet Bulb 879814 25336 823 54.5 93 68.0

SLCPAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

72: 25" YOUNGSTOWN MAP OH

# **PSYCHROMETRIC SUMMARY**

MAR \_\_\_\_

										PAGE		HOURS IL	. S. T.
Temp.					URE DEPRESSI					TOTAL		TOTAL	
(F) 0	. 2 3 . 4 5 . 6	7 . 8 . 9	- 10 -11 - 12	13 - 14 15	- 16 17 - 18 19	20 21 - 22 23	- 24 25 - 26	27 - 28 29	30 - 31	D.B. W.B. D.	y Bulb	Wet Bulb	De- P
7 69		. 1	.1 .1			,				3	3		
b-4 67 · · ·			2.								4.		
-6/ 65	.1 .	2 .5	• 1	• 2						10	10		
-4/63		2	-11	1:							7.		
. / 51	•	1 • 4	• 1	• 1						6	6	5	
	2	14.	2 4	2							17.	2	
/ 57	_	6 •1	.4 .4		1					24	24	11	
5:/ 55		2. •1.	4	<b></b>						15	_15.	11.	
4/ 53		6 • 2	•2 •1		i					24	24	21	1
<u> </u>	. <u>• 6</u> . • <u>5</u> . •		• 4 • 2							19	_19.	22.	
	1.2 .5 .		.6 .1						,	27	27	22	3
	2 <u>•4                                    </u>	1 .9	- • 4 • 5		· · · · · · · · · · · · · · · · · · ·					<u>. 32.</u>	30. 44	<u>33.</u> 31	ā
4/ 43 . 1			• 5							. 39.	39.	34.	
2/ 41	1.5 1.6 2.	6 .6	•				<del></del>			51	<u></u> 52	29	
1 / 39 . •2.	1.9 2.2 1.	5. •7.								54.	54.		
	1.3 1.1 1.									41	41	52	
	3.0 2.4 1.	9 1		1						6.3	63.	65	
3 . / 33 • 4								•		66	66	64	
	2.7. 4.0. 1.								f	69.	69.	62.	
1 29	2.3 3.4 .	5								51	51	68	4
1 27	1.6.2.3	1								33.		<u>60.</u>	
1 25 •6	1.9 2.4									41	41	62	
/ 23	1.79	<del></del>				· · · · · · · · · · · · · · · · · · ·			-	21	21.	35.	4
2/ 21	1.59			1	1					19	19	36	4
	1.16.				<del>-</del> -			<del></del>		. 14.	14.	12.	
	1.1 .1			1	1	1		:		10	10	17	•
1: / 15,	<u> </u>			+ \	<del></del>			<del></del>	<del></del>	. 8.	B.	12.	
1/ 13	• 4	1		1	1					3	3	6	1
L <u>/ 11</u>	_•5,		<del></del>			<del></del>		<del></del>		. 4.	4.	4.	4
/ 9	_	1	i					1	1		_	4	1
/ 7		+		<del>                                     </del>		-+		<del> </del>	<del></del>	+			
	•		:	1	1					•		2	
lement (X)	.1	Σx	T	-	No. Obs.	<del></del>		Maco No.	d Hours -1	th Temperature			
el. Hum.	<del>*</del>	- <u>x</u>	<del></del>		No. USE.	± 0 F	: 32 F	# 67 F	≥ 73 F	- 80 F	• 93 F	. T	Fotal
ry Bulb			+	<del> </del>	<del> </del>	+ = 0 F	= 32 F		-/3-	1 - 00 -	- 73 /	<del></del> -	
Wet Bulb			+	<del> </del>	<del>                                     </del>	<del></del>	<del> </del>	<del> </del>		++			
Dew Point			+	+	<del> </del>	<del></del>	<del> </del>	<del> </del>		+		<del></del>	

TAC 1088 0.26-5 (0) A) HUME

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIR WEATHER SERVICE/MAC 72:25 YOUNGSTOWN MAP OH MAR 7900-1100 HOURS IL, S. T.I WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 0 1.2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 27.28 29.30 = 31 D.B. W.B. Dry Bulb Wer Bulb Dew Point 822 823 TOTAL 1.935.931.816.5 6.9 4.3 1.5 1.7 .2 822 822 4 ಠ 0.56.5 56422 68.615.353 Element (X) No. Obs. Rel. Hum. 4066314 822 2 0 F # 32 F +67 F = 73 F = 80 F 31386 38.111.814 28230 34.310.684 31.4 Dry Bulb 823 1311666 93 1063220 34.310.684 43.3 23110 28.112.283 773580 822 63.8 Dew Peint

USAFETAC NOW 0.20-5 (OLA)

G	L	ί	B	A	L		CL	. 1	MA	TOI	0	GY	В	RA	NCH
L	5	å	F	Ε	T	A	С								
A	Ī	¢		d	E.	A	T F	ŧΕ	R	SE	RV.	ICE	1	MA.	С

# PSYCHROMETRIC SUMMARY

725250 YOUNGSTOWN MAP OH PAGE 1 1200-140C

Temp.								EPRES							TOTAL		OTAL	
(F)	0 1 2 3 -	4 5 - 6	7 - 8 9	- 10 1	1 - 12 1	3 - 14   1	5 - 16   1	7 - 18 1	9 - 20 21 -	22 23	- 24 25 -	26 27	28 29	- 30 = 31	D.B./W.B.	Dry Bulb W	et Bulb De	w Point
6/ 75						•1	1	. 1							2	2		
24/ 73					. 2	• 2				· ·					4.	4.		
72/ 71				. 4	. 1	• 2			•					- :	6	6		
1 69				. 4.	. 2	. 2.	. 4	.2	.1				·	:	13.	13		
6-/ 67		. 1	• 2		. 1	• 1		. 1					i	i	6	6		l
6/ 65			<u>. 5</u>	. 5	. 1.		. 9				<u> </u>			<del>- i</del> -	. 16.	16		
4/ 63	•	2 .1	• 6	• 1		• 1	• 2				1				12	12	3	<u> </u>
12/61.		22.	2		. 5	5	_1		<u>_</u>					<del></del>	24.	24.	6	
··· / 59	•1	5 .5	• 2	. 7		• 5									21	21	16	
57.		0 .2	. 9	- 4	1	. 2	1					-+-	i_		27.	27.	15	6.
5 6 / 55	•1 1	. 1	• 4	<b>.</b> 6	• 6	• 1				:			•		24	24	22	11
4/ 53		4	- 6	. 2	5							<del></del>	+	<del>_ '</del>	. 20.	20.	22.	- 17
2/ 51	•1 1•1	2 .2	• 5	<b>.</b> 6.	. 6										28	28	20	19
5./ 49.	, 1.1	92	5	1.2	7_							-+-				39.	45.	_ 25
4./ 47	.2 1.6	4 1.2	1.2	1.5	. 4							i			53	53	27	24
4. / 45	1_1_8	9 1.2	2.1	. 2		<u>.</u>									5.3	53.	41.	30
-4/ 43	1.0	4 1.2	1.5	• 5		- 1									37	37	30	19
2/ 41.	1.3	7 1.2	1.3								<del></del>				38.	38	46.	20
4 / 39	•7 1	6 2.Q	• 9	• 1		1						i		1	4 3	43	54	32
3./ 37	7_1	6 2.6	1.1			<u>-</u>				<del></del>		— <del> </del>			49	50	5.3	24
31/ 35	1.5 2		•2		:	1					:				57	57	41	24
3 / 33.		1 2.8	1		<del>-</del>		-+	<del></del>			<del></del>	<del></del>			58.	58	60.	_27
7 / 31	1.1 3.	2 2.0				1		!			1	İ		i	51	51	69	53
		7 .5						<del>-</del> -	+-	<del></del>		<del></del>		<del></del>	37	37.	69	40
2"/ 27	•4 •7 2		1			- 1					;	- 1	1	1	36	36	49	71
		5 7			+	<del></del>					<del>}</del>			<del>-</del>	18	18	40.	64
2 / 23	•7 1	0 .2	1	1	:			1	1		1		1		16	16	37	53
7 / 19		<del></del>			+	<del></del> +	-+-	<del></del>	+-	-+-		+	-	<del></del>	9	<del>9</del>	15.	- 40
1:/ 17	• • • •	L		!	- ;	j		1				İ		1	•	6	10 13	55
1 / 15			<del>-</del>							+				+	- 3	- 3	3	42 37
4/ 13:					1	ļ	1	1	i		:	1		}	3	2		25
1 / 11	<u>-1</u>	-++				<del>+</del>				+		-+	-	-+-	<del></del>			18
1 / 9	• 1			1		i	i	1				,	i	1	1	I.	1	10
Element (X)	Z <sub>X</sub> ,		x	<del>, i ,</del>	¥ +		<del>, '</del>	No. Obs.				<u></u>	an Na	of Hours w	ish Temperatu			
Rel. Hum.		<del></del>		+'	<del></del> +		<del> </del> '			0 F	2 32		67 F	= 73 F	- 80 F	▶ 93 F	To	
Dry Bulb	·	<del></del>		+	<del></del>		<del> </del>			•••		<del>`-+-'</del>	<del>- •</del>	+ <del></del>	+	+	<del></del> -	<del></del>
Wer Bulb	·	<del></del>		+-			+				+	-+		<del> </del>	+	<del> </del>	+	
Dew Point	<del></del>	<del></del>		+			+				<del> </del>			<del> </del>	+	<del> </del>	+	{
											<u> </u>			1		<u> </u>		

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC ATF WEATHER SERVICE/MAC 72525 YOUNGSTOWN MAP OH PAGE 2 TOTAL TOTAL
D.B. W.B. Dry Bulb Wer Bulb Dew Point WET BULB TEMPERATURE DEPRESSION (F) 0 1.2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 27.28 29.30 = 31 11 .920.227.921.013.1 7.6 4.4 2.6 1.7 .5 .1 TOTAL 816 815 0-26-5 (OL Element (X) 61.416.826 42.512.568 37.210.846 3302368 50036 815 1 32 F ≥ 67 F = 73 F + 80 F + 93 F Rel. Hum. 2 0 F 34696 30295 21.1 93 1604000 Dry Bulb 816 35.8 Wet Bulb 1221967 815 93 Dow Point 824728 23814 29.212.583 815 61.3

SLIPAL CLIMATOLOGY BRANCH

GL(PAL CLIMATOLOGY BRANCH USAFETAC AI WEATHER SERVICE/MAC

# **PSYCHROMETRIC SUMMARY**

72 250 YOUNGSTOWN MAP OH 73-81 MAR STATION NAME VEARS MONTH

PAGE 1 1500-1700

Temp.					URE DEPRES						TOTAL		TOTAL	
(F)	0 1 - 2 3 - 4	5 - 6 - 7 - 8 9 -	10 11 - 12	13 - 14 15	- 16 17 - 18	19 - 20 2	1 - 22 23	- 24 25 - 26	27 - 28 29	- 30 - 31	U.B./W.B. Dr	, Bulb W	et Bulb D	- P
1 79					• 2 • 2	!					4	4		
<u> 7:</u>				1	•1						. 2,	<b>2.</b>		
'4/ 73			• 1	.4	. 4: . 4	1					10	10		
71 71		·	.12.	. 4	4	1_			+		. 12.	12.		
/ 69		• 2'	•5 •2	• 2	•1	. 4					14	14		
6:/ 67.		2 .1	<b>a1</b> . <b>a2</b> .	-1-	. 1 7.						. 14.	14.		
6/ 65		•1 •1	• 1.		.4 .2						. 8	8		
_4/.63.		45	1						·	+	13	_13.	6	
127 51		• 2:	.1 .4	• 6	. 4:						14	14	7	
		4 5	-4 -6	1_	•2				<del>+</del> <del>-</del>		. 21.	21.	14:	
· / 57	.7 .	7 •1 •5	.6 .2	• 2							26	26	20	
5:/ 55.			. 7 6.	. 4.			·		+		29.	.29.	20,	
14/ 53	• 9' •	4 •4 •5	.4 1.5	• 1							33	33	16	:
12/ 51		5 -6 -2 1	7. 2.0						<del></del>	+	+ 48.	48	30,	;
5 / 49	•5 •		. 7	• 2					-		31	31	34	- 7
47.	7. 1.	2 42 145		1							44	44	29	
4-7 45	1.0 1.	D • 4 2 • 1	• 5							ļ	40	40	39	
44/ 43.	1.5 1.1		.5					-	<del> </del>	<del></del>	36.	36,_	40	
42/ 41	1.2 1.	1 1.5 2.6	• 1			:			i (	1	5.3	53	69	7
4 / 39.	5.1.	1 1.7 2.7	. 5.						<del></del>		5.2	52	46	
31/37	.2 1.	1 2.3 1.7			1					İ	4 4	44	34	7
3:1 35.	1.1 2.	8 1.2 .7					<u> </u>		· · · · ·		48	48	54.	:
3~/ 33	.1 1.8 2.	6 1.7 .9			1	ļ	:				5.8	58	68	- 2
12/ 31	1.6 2.	1.0 .4							L		44	44,	7.3	
3 / 29	.2 1.5 2.4	1.7				ł	1	;			4.8	48	54	•
2:1 27.		6 .5							<b></b>	+	22	22	54,	
/ 25	.1 1.	3 .2				1	:			1	14	14	31	
24/ 23.		2						•	<b></b>		<b>5.</b>	<b></b> 5,	31,	
2/ 21	.2 1.	7.			1				1	1	16	16	14	
25/ 19.		7			· · · · · · · · · · · · · · · · · · ·				<b>1</b>		7.			
1// 17						1	!		1	1	! .		14	1
1/ 15	4	· · · · · · · · · · · · · · · · · · ·			· · · · ·				<del>                                     </del>	<del>_</del>	3,			
14/ 13	. 4		1			İ	- 1		' !	ļ	3	3	3	:
1./ 11.				1	_				i1	<u> </u>	<u> 1</u>	1.		
Element (X)	ZX,	Ż <sub>X</sub>	X	<b>*</b> A	No. Obs				Mean No.	of Hours wit	h Temperature			
Rol. Hum.		·	L				10F	s 32 F	≥ 67 F	+ 73 F	- 80 F	• 93 F	Te	tel
Dry Bulb		<u> </u>	<u> </u>										İ	
Wet Bulb														
Dew Point						$\neg$				[			,	

TAC 108 0.26-5 (OLA) #

\_\_\_

....

~>

GLORAL CLIMATOLOGY BRANCH USAFETAC **PSYCHROMETRIC SUMMARY** AIR WEATHER SERVICE/MAC 72.25 ' YOUNGSTOWN MAP OH 73-81 MAR 1500-1700 HOURS IL. S. T.I PAGE 2 WET BULB TEMPERATURE DEPRESSION (F)

1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 | 11 - 12 | 13 - 14 | 15 - 16 | 17 - 18 | 19 - 20 | 21 - 22 | 23 - 24 | 25 - 26 | 27 - 28 | 29 - 30 | a 31 | D.B./W.B. Dry Bulb Wer Bulb Dew Temp (F) 10/ • 1 -/ 19 1 .417.225.416.418.0 7.8 6.6 3.1 2.8 1.8 TOTAL 818 818 EDITIONS OF THIS FORM ANY OBSOLETE Element (X) Rel. Hum. 3043583 47667 58.318.041 818 +67 F +71 F +80 F +93 F 1 32 F 1 0 F 1706136 Dry Bulb 35802 43.813.051 818 18.6 93 1255759 30809 Wet Bulb 37.710.805 818 33.2 Dew Point 805937 23555 28.812.500 618 62.3 93

SEVING 0-26-5 (OL A) 1 1 GLEEAL CLIMATOLOGY RRANCH USAFETAC AI: WEATHER SERVICE/MAC

#### **PSYCHROMETRIC SUMMARY**

121250 HO PAR MEDIZONUCY 73-81 ..... MAR PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) Temp (F) TOTAL 7 - 8 9 - 10 11 - 12 13 - 14:15 - 16:17 - 18 19 - 20:21 - 22 23 - 24:25 - 26:27 - 28:29 - 30: + 31 D.S. W.S. D. ·6/ 75 29/ 73. 1. 7 • 2 71 721 69 \_ 42,

.4 .4 67 . 2 :6/ 65 13. 4/ 63 10 . 1 10 11. 13 11. 59 . . . 13 .5 22/ 57. .... 21. 21. 25 16. 18 5 / 55 . 2 19 19 29. 31 4/ 53. 29. 10 17 21 • 5 . 6 31 <u>16</u> 5./ 49. 34. 34. 31. 4 - 1 47 • 1 .2 1.1 19 • 1 28 28 467 45. ٠Z .Z 1.1 145 44. 46. 35. 18 44/ 43 1.1 1.5 1.0 41 41 23 42/ 41. 42. 1.7. 1.1 1.Q. 141 19 42. 42. 4 / .1 1.2 1.6 1.7 1.2 48 48 48 36 .2 1.0 1.2 2.3 1.3 2.1 1.9 34/ 37. 21 27 33 45 -47. 57. 35 41 50 50 34/ 33. 12/ 31 1 . T. Sat lak \_54. 46 61. 68 3.0 3.2 1.8 68 68 67 1\_29. 242 345 142 49 57. 57. 71. 1.5 70 57 38 38 AG 43 2LI .25. 241 201 23 . . 1.3 14 14 29 ...5 \_21 21. •2 11. 11. 24. 53. 7 / 19 1.0 1.0 16 16 60 42 24 27 33 14 17. מו 16. 11/ 15 11 3 15/ 13, 1 / 11 .. Element (X) Rel. Hum. 107 1 32 F - 73 P . 93 F Dry Bulb

VETAC TOTAL G.26-5 (OL.A)

GLCBAL CLIMATOLOGY BRANCH

GLCBAL CLIMATOLOGY BRANCH USAFETAC AIP MEATHER SERVICE/MAC

# PSYCHROMETRIC SUMMARY

STATION	YOUNGSTON	N MAP OH	;		73-81		YEA	ARS				MONT	<u>R</u>
										PAGE	2	1800-	200 5. T.I
Temp.			WET BULB TE	MPERATURE	DEPRESSION	(F)				TOTAL	- 21	TOTAL	
(F)		5 - 6 7 - 8 9	- 10  11 - 12  13	- 14 15 - 16	17 - 18 19 - 20	21 - 22 23 -	24 25 - 26	27 - 28 29 -	30 - 31			Wet Builb D	
·/ 7 ·/ 5.	• 2 • 1						1	1		2	2	1	1
1/5	• 1				<del></del>	<del>                                     </del>	<del></del> +			· - +			_1
/ 1					1		1	1	!	· .	•	•	
/ -1							-						
- / -3					++	· · ·			<u> </u>	<b>.</b>			
-4/ -5							'			:	• • •		•
JIAL	1.223.131.	511.211.6 C	3.5	302, 103	• • •	<del></del>	<del></del>		<del></del>	821	821	821	82
	•						į	-	3	021		921	
<del>-</del>			<del></del>		+	<del> </del>	<del></del>		+	•			
						: <del> </del>							
			1 1	:	1 i			i	i	i			
				<del></del>	+ +	+	<del></del>		+	<del>                                     </del>			
i	1	4			1	1			1 •				
			+	_+	<del>  +</del>	+	++			<del> </del>	+		
				į			, i		:	j			
<del></del>	·	<del></del>			<del>                  _     _</del>	<del></del>	1	1		1			
					1	<u> </u>				<u>.</u>			
-						[			-			1	
<del>`</del>	<del></del>	·			<del></del>	<del></del>				<del> </del>	—-∔		
		:			1	!	j			i i			
<del></del>		· · · · · · · · · · · · · · · · · · ·	++	_+	+	<del> </del>	<del></del>	<del></del>	<del></del>	<del>  </del>	<del></del>		
						1	i	1	!		i		
									1			-	
					<b></b>	<del>                                     </del>				ļ			
1	(		i i										
		<del>-ii</del>			<del> </del>	<del>                                     </del>	-+		-	ļ	+	+	
-								1		;	:	1	
+		+ + +			<del>                                     </del>	!	<del>-                                    </del>			<del>                                     </del>		<del>-</del>	
				_						ii			
lement (X)	Σχ'	ZX	X	•,	No. Obs.				f Hours wit	<del></del>	ure		
lel. Hum.	343182			792	821	10F	s 32 F	≥ 67 F	∗ 73 F	- 80 F	• 93 F	To	101
ry Bulb	144138			2.456	821		28.2	2.6	• 2				9
fet Bulb New Point	110042				821		42.5		····-	<del>}</del> _	<del> </del>		9
w Foint	72887	1 2236	27.21	C + U / 5	821	. 8	65.1						9

GLCRAL CLIMATOLOGY BRANCH USAFETAC AIM MEATHER SERVICE/MAC

## PSYCHROMETRIC SUMMARY

72525 YOUNGSTOWN MAP OH 73-81 YEARS MONTH
STATION PAGE 1 2100-2300 Hours (L.S.T.)

Temp.			WET BU	LB TEMPERAT	URE DEPRES	SION (F)				TOTAL		TOTAL	
(F)	0 1 2 3 4	5-6 7-8	9 - 10 11	- 12 13 - 14 15	- 16 17 - 18	9 - 20 21 - 27	23 - 24 25 -	26 27 - 28 29	- 30   2 31	D.8./W.8.	Dry Bulb	Wet Bulb D	ew Point
7 / 69	+ · · · · ·		• 1	• 1						2	2	,	
657.67			_ 4							3.	3.		
16/ 65				• 2 • 2					•	4	4		
L:4/ 63		.14	• 7.	4 1						14	14		
12/ 61		.4 .5	. 1						1	8	8		
61/ 59		. 2	1	.2						7.		1	
5 / 57	.4 .5	• 5	. 1	. 1				i	ì	13	13	5.	
5:1 55		2 6	1	.7 .4					<del>_</del> _	22	22	16.	3
4/ 53	1.1 .2	.6 .1	. 6	. 6				i i	i	27	27	18	3
12/ 51	157	.2 .5	2	.1			-			20	20	16,	18
5 / 49	.1 1.7 .6	.6 .4	. 1			;			ĺ	29	29	24	14
4:/ 47		6 6	1	.2			· · ·			22	22	28	22
41/ 45	1.1 .2	.4 1.0			- i		1		İ	26	26	13	16
44/ 43	<u> </u>	1.1 .7						+		94	44	39.	23
42/ 41	1.7 1.1	1.5 .5						i	i	39	39	34	23
4./ 39	2 1.8 1.2	1.5 .6		<del>- +</del>		~····				44	44	45.	26
3-/ 37	2.1 2.0	2.2 .1	• 1.	!	1		. '		:	5 3	53	44	23
3./ 35	. 1.7. 2.9	1.3 .1								50	50,	46.	38
34/ 33	2.6 3.3	1.2		1 1	1		. !		ļ	58	58	57	28
32/ 31	3.5.3.5	_2_1			<del></del>		ļ		_ + _	75	75	63,	40
3 / 29	3.4 3.4	. 6				:	i		f	61	61	58	46
2:1 27		<u> </u>					<del></del>	<del></del>	<del>-                                    </del>	54	54	78	- 58
?c/ 25	.2 2.1 2.6			1		1				40	40	80	64
24/ 23	<u> 5 5 . 1 . 7</u>		+-			<del> </del>	<b></b>	<del></del>		23	23	43	48
22/ 21	1.0 1.7			- i						2.5	22	25	58
2./_19			+-				<del></del>			19	19	29	55
18/ 17			1							16	16	21	50
16/ 15		·		-++	-+-+			++	_	7	7	13	<u>40</u>
14/ 13		1	1			Ì				7	7	6:	34
1411		<b></b>		-++	-++	<del></del>		-+		<del> }</del>			29
1 / 9		! :	j								:	3	20
<u> </u>		<del>                                     </del>	<del></del>	_+	+		<del>                                     </del>	+	_	+ +			17
1/ 5		. : '		1 1			!				, E1		2
4/ 3	21	2 1		-	No. Ob		<u> </u>	Mana Ma	al Hauss -	th Temperet			
Element (X) Rel. Hum.	*X'		<del> *</del>		- THE. USI	10	F : 32 F		≥ 73 F	+ 80 F	- 93 F	Te	rel
Dry Bulb	<del></del>	<del> </del>		<del></del>	+			+	+- <del></del>	+	+	_	
Wet Build		<del></del>	<del></del>	<del></del>	<del>                                     </del>			<del></del>	+	+	+		
Dow Point			<del></del>		+				<del> </del>	+	+		
-JU POINT												_	

C 100m 0-26-5 (OL.A) BENTER REPOUS EBITORS OF THIS FOLK

USAFETAC FOR D.26-5 (O) A

GLUBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AI WEATHER SERVICE/MAC 72:250 YOUNGSTOWN MAP OH STATION NAME PAGE 2 2100-2360 HOURS (L. S. T.) WET BULB TEMPERATURE DEPRESSION (F)

O 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.B./W.B. Dry Bulb Wer Bulb Dew Point + 1 Temp.
(F)

/ 1

/ -1

- / -3
/ -5 TOTAL 1.537.931.315.6 6.6 3.3 2.9 820 820 820 Element (X) No. Obs. Mean No. of Hours with Temperature Rel. Hum. 4003596 55986 68.314.871 820 ≤ 32 F +67 F = 73 F = 80 F ■ 93 F 1220379 30077 Dry Bulb 36.711.961 820 38.0 Wet Bulb 982956 27024 33.010.619 820 49.2 93 Dow Point 696769 21803 820 66.1 93

GLOPAL CLIMATOLOGY BRANCH USAFETAC AIP WEATHER SERVICE/MAC

725.25 YOUNGSTOWN MAP OH

#### PSYCHROMETRIC SUMMARY

PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1.2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 27.28 29.30 = 31 D.B./W.B. Dry Bulb Wet Bulb Dew Point . . . . . 71/ 77 • 0 .0 .0 3 3 16/ 75 74/ 73 -0 -0 15. 25 25 12/ 71 • 1 .1 .0 .0 • 3 . ..Q... 1 69. ٠ū \_ .2. 37. 37. 6-/ 67 • 1 • 1 • 0 . 1 40 40 . Q. :6/ 65. • 2 \_\_2. 67 67 4/ 63 .0 . 1 • 2 • 1 12/ 61 -0 78. 78. 96 96 39 · / 59 . 1 . 3 • 2 154 1.54 5:/ 57. 63 5 / 55 . 3 .6 . 2 . 3 . 3 . 2 150 150 130 36 54/\_53 178. 178 ·I 153 -2/ 51 218 218 118 50/ 49. 223 223 199 143 9. 1. 249 249 218 4-/ 47 . 5 • 5 167 .2 1.2 46/ 45 282 282 231 161 290 .4/ 43 .1 1.4 1.1 290 261 183 327 42/ 41 al 144 141 143 328 . 2 . 0 347 347 343 4 / 39 .3 1.2 1.3 1.4 1.9 216 • 1 370. 372 330 3:1 37 a2 1a3 1a7 1a8 a5 201 456 456 368 218 3// 35 .1 2.3 2.6 1.6 516. 516 518. 231 2.9 3.2 1.5 34/ 33 487 535 '2/ 31 .1 2.9 2.8 1.5 487 385 412 490 3 / 29 all 2.4 3.1 al 328 480 509 327 21/ 27 .2 2.3 2.2 4 2 4 2 2 4 1 319. 319 482 507 .2 1.7 1.1 194 194 362 349 24/ 23 168 169 253 410 2/ 21 159 159 170 7 / 19 .2 1.7 482 79 80 172 353 1:1 17 297 1// 15 65 65 87 .1 37 I, Mean No. of Hours with Temperature Element (X) + 93 F 2 32 F . 80 F Dry Bulb Wet Bulb

73-81

0-26-5 (OL.A) sevido nevicus tossicas os nes sous até os

AFETAC TOME ,

GLUBAL CLIMATOLOGY BRANCH

GLUBAL CLIMATOLOGY BRANCH USAFETAC ATE WEATHER SERVICE/MAC

72-250 YOUNGSTOWN MAP OH STATION NAME

# **PSYCHROMETRIC SUMMARY**

MAR

1 / 11		7 - 8 9 - 10	0 11 - 12	2 13 - 14	15 - 16		20 21 - 22	23 - 24 25 -	26 27 - 28	29 - 30	- 31	34 20 12 4 16 11 16 2 1 1	17 Bulb 1 34 29 12 4 16 11 6 2 1 1 1 1 6 6 5 4 4	39 35. 20 12. 14 10. 6 5. 1	22
(F) 0 1-2 1 / 11								23 - 24   25	26 27 - 28	29 - 30	- 31	34 20 12 4; 16 11 6 2. 1	34 29, 12 4 16 11, 6 2, 1 1	39 35 20 12 14 10 6 5 1	22 13 11 5 4 3 11 2 11
1 / 11												34 20 12 4; 16 11 6 2. 1	34 29, 12 4 16 11, 6 2, 1 1	39 35 20 12 14 10 6 5 1	22 13 11 5 4 3 11 2 11
/ 7 • 1 • 2 · / 5 • • 1 - / 3 • 0 • 2 / 1 • 2 / -1 • 7 • 0 - / -3 • 1 - / -5 • 1 - / -7 • 0 - / -9 • 1 - 1 / -11 - 1 / -15 - 1 / -17		8.8 4.	4 2.8	8 1.4	. 8	• 3	•1					12 4 16 11 6 2 1	12 4 16 11. 6 2 1 1 1	20 12, 14 10, 6, 5, 1	11 5 4 3 1 2 1
./ 5		8.8 4.	4 2.1	8 1.4	. 8	• 3	•1					4, 16 11, 6, 2, 1, 1,	4 16 11, 6 2 1 1	12, 14, 10, 6, 5, 1, 1,	5 4 3 1 2 1
-/ 3 ·0 ·2 / 1 ·2 / -1 ·7 ·0 - / -3 ·1 - / -5 ·1 - / -7 ·0 - / -9 ·1 - / -11 -1 / -15 - / -17		8.8 4.	4 2.8	8 1.4	. 8	•3	•1					16 11 6 2 1 1	16 11. 6 2: 1 1	14 10 6 5 1	1 2 1 1
/ 1 .2 / -1 .7 .0 - / -3 .1 - / -5 .1 - / -7 .3 - / -9 .1 -1 / -15 -1 / -17		8.8 4.	4 2.1	8 1.4	. 8	• 3	•1					11 6 2 1 1	11. 6  2  1 1 1	10 6 5 1 1	3 1 2 1
/ -1		8.8 4.	4 2.1	8 1.4	. 8	• 3	•1					6 2 1 1 1	6544	6 5 1 1	1 1
- / -3		8.8 4.	4 2.5	8 1.4	. 8	• 3	•1					2 1 1 1	2 1 1 1	5, 1, 1,	1
/ -5 •1 / -7 •0 -/ -9 •0 -1/-11 -1/-15 -1/-17	29.014.7	8.8 4.	4 2.5	8. 1.4	. 8	•3	•1					1		1 1	1
/ -5 •1 / -7 •0 -/ -9 •0 -1/-11 -1/-15 -1/-17	29.014.7	8.8 4.	4 2.1	8 1.4	. 8	•3	•1					1		1	1
	29.014.7	8.8 4.	4 2.1	8 1.4	. 8	• 3	•1								
-1 /-11 -14/-15 -14/-17	29.014.7	8.8 4.	4 2.1	8 1.4	. 8	• 3	•1			!	· 				653
-1:/-15 -1:/-17	29.014.7	8.8 4.0	4 2.1	8 1.4	. 8	• 3	•1	• • • • • • • • • • • • • • • • • • • •			<u> </u>				653
1./-17	29.014.7	8.8 4.	4 2.5	8 1.4	. 8	• 3	•1	·	-		: <del></del>				653
	29.014.7	8.8 4.	4 2.1	8 1.4	. 8	. 3	•1	·	<u> </u>		<del></del>				653
CTAL 2.635.27	29.014.7	8.8 4.	4 2.1	8. 1.4	. 8	. 3	•1	<del></del>		-	<b></b>				653
					L	+		<del></del>		<del>-</del>	<del></del>	6537		6537	
		· 		<del></del>	<u> </u>	<del></del>									
			+	+							1				
											<u> </u>				
											i				
				·i		+		·			<u> </u>	<b></b>	+	+	
						'						1			
				+	<del></del> -	+		<del></del>		<del></del>	·				
							1		1		i	1			
	<del></del>				<b></b>	<del></del>		<del></del>		•	+				
						!		i	į.		1				
				4				<del> </del>			+		+-		
	1	1		. !		1	1		1	1		ı			
			<del></del>	<del></del>	<del></del>	+			+	<del></del>	<del> </del>	<b></b>		+	
	* *	*	1	. 1	1	1 1			1	İ	i				
			<del></del>			<del> </del>		<del> </del>		<del> </del>	<del>!</del>			+	
		'	1	. !			i		1			1			
	+ ++-		+	+		<del>                                     </del>		<del>                                     </del>		+	<del> </del> -	<del> </del>			
		:	1	1 ,	1	!!!	}			1					
Element (X) Zy²		<u> </u>	<u> </u>	-		No. Obs.	_	<del></del>	Mean	No. of H	ours with	Temperatur	re	<del></del>	
	2			116.4		6537	10	F = 32			73 F	≥ 80 F	+ 93 F	1 1	otal
	2352	SCARFA		<del>2 2</del>	70	6544		.3 268				•1		+	74
	2352 4	38898	37.	9117.7						- 31	2.7			_ 1	
Dow Point 579	2352 4 5488 2	38898 247824 220955	37.	912.7 811.0		6537		.6 366		-3	2.7		<del> </del>		74

GLUBAL CLIMATOLOGY BRANCH USAFETAC AIR REATHER SERVICE/MAC

## **PSYCHROMETRIC SUMMARY**

TZ:ZST	YOUNGSION MAP OH	73-81 YEARS	MONTH
		PAGE 1	0000 - 0200 HOURS (L. S. T.)

Temp.					E DEPRESSION					TOTAL		TOTAL	
( <b>F</b> )	0 1.2 3.4	5 - 6 7 - 8 9 - 1	0 11 - 12	13 - 14 15 - 1	6 17 - 18 19 - 20	21 - 22 23	- 24 25 - 26	27 - 28 29	- 30 - 31	D.B. W.B.	bry Bulb V	fer Bulb C	ew Po
51/67		• 3	3 . 3	• 3					1	8	8		
6/ 65.		.6. lal	96.	6						31.	31.		
-4/ 63	.1 .9	.3 .6 .	3 .5							21	21		
54/ 611			4 1							. 24	24.	4.	
/ 59	•6 •6	.8 .5 .	3							22	22	16	
/ 57.	86	ـــــ								20,	20.	22.	1
51/ 55	•1 1•9 •9	• 3 •	3: • 6	• 4						28	28	37	1
47. 53	lal_lal		13								. 31.	40	2
2/ 51	1.1 1.1		4 . 1				·			36	36	2 <b>5</b>	2
5 / 49.	1.44		1,						+	28,	28_	23	3
4:/ 47	.3 2.N .4	.8 .5 .	6							36	36	25	3
4:1 45.		1.0.1.5								. 48.	48,	42	2
4/ 43	.3 2.4 1.1									52	52	50	3
-21 41	<u> </u>	1.15			<del></del>					. 38	38.	52.	2
4 / 30	.5 3.0 2.0	1.9 .6								64	64	42	4
30/ 37.	2.8.2.1	1.2								47.	47.	61.	3
3./ 35	.3 4.9 2.5	.83								69	69	55	3
3 / 33.	1.7 2.8 2.3									49	49.	90.	4
72/ 31	.1 3.3 1.9	• 5								46	46	52	8
7/29	.3 1.9 1.6		_+				<del></del> -			35	35	50	6
2 / 27	2.6 .4									24	24	25	4
<u> </u>	1.4 .8				<del></del>					17.	17.	43.	5
2-/ 23	1.14				1		1			12	12	19	2
2/ 21.	45 45				· •				<del></del>	<b>B</b> ,	B.	16.	4
7 / 19	. 5 . 1				1	:			i	<b>3</b>	3	6	3
1:/17.					<del></del>	1				<b></b>			2
1.7 15;				1	1		1 (	1		1			
16/ 13.					<del></del>	<b></b>				<del></del>			1
1./ 11	*			1	1 1		4	!	- 1				
ICIAL .	3.839.523.61	4.310.4 3.	5 3.0	1.9	<del></del>	++	<del></del>			<del></del>	797.		_79
	,		1	ļ		. !	i i			797		797	
+	<del></del>	<del>i</del>			<del></del>	<del></del>							
		1	: 1	i				1					
Element (X)	2 X'	2 7	¥	•	No. Obs.				of Hours wil	h Temperatu	10		
Rel. Hum.	4312588	57248		15.871	797	± 0 ₱	≤ 32 F	≥ 67 F	• 73 F	- 60 F	• 93 F	Ţ	1000
Dry Bulb	1595624	34476		11.446	797		16.4	.9		<b></b>	<u> </u>		9
Wer Bulh	1313838	31356		10.038	797		23.8		<b></b>	<del> </del>	ļ		9
Dow Paint	1022298	27156	34.1	11.040	797		46.4		l	<u> </u>		1	9

#### PSYCHROMETRIC SUMMARY

PASE 1 0300-050C HOURS (L.S. T.)

lement (X)	Zg.	ž <sub>X</sub>	-	T	No. Obs.			Man No	Hours wif	784	•	784	
TAL T	4.645.522.114.	8 7.8 2	4 1.9	. 5	3 .1	· ·			<u> </u>	<del> </del>	785		78
. / 11		+		<u> </u>		+			<u> </u>	<u> </u>			
·/ 15 ·/ 13			+	<del></del>	<del></del>	+		<del>-</del> -	<del></del>	·			
-/ 17	.1					<del></del>			<del></del> -	<u> </u>	— <u>ĭ</u>	4	
2/ 21	•4 1•5 •1 •1 •6				i i		;		:	16	16	14 14	
-/ 23	.3 1.7 .5				· · · · · · · · · · · · · · · · · · ·	+			<del>_ i</del>	19	19	26	
/ 25	2.4					+				19	19	40	
1 27	.8 1.9 2.7 .5 2.8 .4									29	29	35	
2/ 31 / 29		3	+		-+					<u>57</u> 37	58 37	53 61	
/ 33		5								51	51	83	
/ 35	.1 5.1 2.4 .	5	_ •	i						64	64	5.5	
-7 37	.3 2.2 1.3 1.				•					· - 41	41	46	
2/ 41 / 30	.3 2.3 .8 . .6 3.8 2.3 1.									38 70	38 70	47 46	
4/ 43.	2.4 1.0 1.					• •			+	43	43	5.3	
/ 45	2.9 1.1 .								-	43	43	34	
/ 47	.4 2.2 .5 .		1							32	32	19	
1 47	.6 .9 1.	<del></del>	1					•	- +	<u></u> 25	25	26 20	:
4/ 53 2/ 51	1.7 .5 .		1 .4	• 1						19 33	19 33	45	
/ 55	_ <u>1.1</u> 1.2 .		1 8		· · · · · ·		• • • • •			28.	28.	28,	· · ·
/ 57	1.1 1.3 .		. 3	•				-•		27	27	25	-
/ 59	.9 .5 1.		1 1							2.5	25	7	
<u>47.63</u> . 27.61	- · · · · · · · · · · · · · · · · · · ·		8 .3		• · ·				•	. <u>14</u>	. <u>1</u> 4_ 31	. 3	
6/ 65 4/ 63	•	5 •8	. 1	. 4						13	13		
_/ 67.	·			•	· 3.				-	. 2	2.		

USAFETAC NOM 0.26-5 (OLA) MINIED MENOUS HOT

SLOSAL CLIMATOLOGY BRANCH USAFETAC AI WEATHER SERVICE/MAC

## **PSYCHROMETRIC SUMMARY**

726.757 YOUNGSTOWN MAP OH 73-81 0600-0800 HOURS IL. S. T. PAGE 1

												HOURS IL.	
Temp.					RE DEPRESSION					TOTAL		TOTAL	
(F)	0 1-2 3-4	5 - 6 7 - 8 9 - 1	0 11 - 12	13 - 14 15 -	16   17 - 18   19 - 2	0 21 - 22 23	- 24   25 - 26   2	7 - 28 29 -	30   2 31	D.B./W.B. D.	y Bulb	Wet Bulb C	Jew Po
' / 69			1. • 1		. 4		1			5	5		
6 / 67		<u> </u>	5 3	<b>.</b>	_ • •	<u> </u>			<u> </u>	. 8.	8	•	
6/ 65	• 1	.3 .8								9	9		
.4/ 63		1.4.1.3 .	5 5							28,	28.		
. 2/ 61	. 4	1.3 .4	• 5	• 1			1			21	21	3	
/ 59	1.3 1.3	.6 .6	1 .1							. 33.	33	12	
*:/ 57	.9 .6	• 5 • 5		• 3						22	22	35	
5 / 55	.1 .6 .4	.4 .8 .	4 . 6	<u> </u>						. 26	26	35.	2
4/ 53	.3 .4		8 .3							15	15	24	2
2/ 51	1.0 .4	.3 .4 .	8							. 22	22	24.	2
5 / 49	.5 1.9	.8 .	3				-			27	27	16	1
4 / 47	1.1 1.4	.6 .8 .	3				:		1	3.3	33	19	2
4-/ 45	.1 3.3 1.3					·				57	57	44	1
4/ 43	.1 2.3 .8	2.0 .5	1.							46	46	51	2
2/ 41	.3 3.4 2.4									67	67	49	5
4 / 39	.8 4.3 1.8	1.4 .3								67	67.	62	4
3: / 37	.1 2.6 2.7									46	46	77	3
3. / 35	.3 4.3 2.8	• 9		i						65	65	56	4
31/ 33	.4 4.1 2.5	. 4								5.9	60	75	5
72/ 31	.1 3.T 2.4	. 3								46	46.	60.	8
7 / 23	.3 2.5 1.1	· <del></del>								31	31	48	6
2 / 27	.1 1.9 .3									18	18	37	6
/ 25	.1 2.1 .4			·	*				+	21	21	25	4
2-/ 23	1.5 .3									14	14	22	3
2/ 21	.1 .9			·	<del></del>					8	A	12	4
/ 19	.1 .4				1					ŭ		10.	3
1 / 17				·							L	2	1
10/ 15							:					-	•
14/13			·	<del></del>	<del></del>		-++			+		•	
1 / 11					1		•			1			
1 9			<del></del> !	<del></del>	<del></del>	<del></del>	++			<del></del>			
STAL	3.942.124.7	15.0 8.1 3-	9 2.4	• 5	. 4		1			;	799		79
-/		*44	7 7		<del></del>	+				798		798	
1		1							1	, , ,		, , ,	
Element (X)	2 4'	Z <sub>X</sub>	X	· 1	No. Obs.	1	<u>-</u>	Meen No. el	Hours wi	th Temperatur	·		
Rel. Hum.	4457362	58476	73.3	14.705	798	± 0 F	: 32 F	≥ 67 F	∗ 73 F	- 80 F	→ 93 F	Te	etal
Dry Bulb	1554325	34085		11.210	799	1	16.0	1.5					9
Wet Bulb	1289708	31116	39.0	9.792	798	<b>†</b>	24.4			†		<del></del> -	9
Daw Paint	1016151	27229		10.451	798	+	45.2	+		<del></del>			9

GLURAL CLIMATOLOGY BRANCH USAFETAC A!- WEATHER SERVICE/MAC

#### **PSYCHROMETRIC SUMMARY**

2 - 25	YOUNGSTOWN	MAP OH	AME				73-8	1			EARS				A F	
													PAGE	1	DOCE-	
Temp.								SION (F)					TOTAL		TOTAL	
(F)	0 1 2 3 4	5 - 6 7 - 8	9 - 10 1	1 - 12 1	3 - 14 1				- 22 23	- 24 25 - 20	6 27 - 28 2	9 - 30   • 31	D.B./W.B. D	ry Bulb	Wet Bulb	Dew Pe
/ / 79							• 1						4	4		
7.1.77				_ • <u>1</u> _		•1,	• 3						. 4	4.		-
6/ 75				• 4	• 5	. 4	• 1						11	11		
74/ 73			· <del>• 4</del>	• 4	• 3	• 1							. 9.		·	
7/ 71				• 6	. 4	• 3	,	• 1					14	14		
/ 69 5 / 67		. 1 .5	5	• 1	• 8	. 3	1	•1.					21	21		
6/ 65	•	· · · · · ·			• 3		• 1						15	15	,	
4/ 63		+	3	· 3.	• 3	• 1			-		<del></del>		25	25	· _ · · · · 2	
7/ 61	.4 1.5			. 6	.8	• 1							34	34	28	
. / 59	.6 .8			. 9	• 5	. 4				<del></del>			38	38	32	
/ 57	•5 •5			. 9	. 9	• •				1			37	37	39	2
5. / 55	.9 .4			1.9	. 4		+						44	44	26	
4/ 53	.3 .6			1.0	•								35	35	28	3
2/ 51	•5 •8			• 3	• 1	<del></del>	+	+-			!		48	48	22	
. / 49	•3 1•3			• 1		:	!						40	40	27	ī
-/ 47	1.0 1.6			• 1	-							-+-	53	53	46	<u>z</u>
4 / 45	.9 1.3	2.0 1.1		1	i						1		42	42	68	Z
4/ 43	1.3 2.0	1.3 1.5	• 1			-					•	-+	49	49	68	3
2/ 41	2.1 2.1	1.4 1.0	ì .		ı					:	1	1	5.3	5 3	68	3
1 / 30	.1 2.0 2.5	1.5 .8	ļ <del></del>										5.5	55	69	5
3-/ 37	.4 1.8 .6						:					1	42	42	58	
·/ 35	1.4 2.1				1			1			,		40	40	52	7
36/ 33	.4 .8 1.4										<u> </u>		2.3	23	50	4
2/ 31	.1 .5 1.6	. 4											21	21	35	1
/ 29	.5 1.1								i_		1		13	13	29	
7 / 27	.8 .1			!	i	i			1				7	7	24	5
' / 25	•5 •5		· 15 · ·		<u>;</u>		i_				<del>                                     </del>		8	8.	11	4
2-/ 23	•1						i	1			1	,	1	1	7	3
2/ 21		·									+		·		2	2
? / 19				!			:			1		:				Z
1 / 17		·	•					<del>-</del> i	_				<del> </del>			
1c/ 15 1-/ 13			•			}	į.	1			. !			·		1
	Z x²	-	<del></del>			<del></del>	i- 01-	<del></del>			<u> </u>	ad Maura :::ti	A Transit			
lement (X)	-X,	z <sub>X</sub>		K	<b>"</b> A	-├'	No. Obs.		1 0 F	: 32 F	e 67 F		h Temperatu	• 93 F	-	erel
by Bulb		<b>†</b>	<del></del>	<del></del>				-+-	= U P	2 32 F	* 8/ F	1,3 5		* 73 P		
for Bulb		<del>!</del>	_+			+-		$\overline{}$		<del> </del>	+	+	<del> </del>	<del> </del>	+	
Dow Point		<del> </del>	+			+				<del> </del>	+		<del>                                     </del>	<del> </del>		
·	·	<del></del>		<u>.</u>												

USAFETAC NOW 0.26-5 (OLA)

GLOBAL CLIMATOLOGY BRANCH USAFETAC AI: WEATHER SERVICE/MAC PSYCHROMETRIC SUMMARY

721250 STATION	YOUNGSTOWN M	STATION NAME			73-81			YEA	AS				MON	
											PAGE	2 .	HOURS IL	-11
Temp.		WE	TBULB	TEMPERATUR	E DEPRESSI	DN (F)					TOTAL		TOTAL	
(F) 0	1 - 2 3 - 4 5 -	6 7-8 9-10	3 11 - 12	13 - 14 15 - 1	6 17 - 18 19	- 20 21 -	22 23 .	24 25 - 26 2	77 - 28 29 -	30 * 31	D.B./W.B. D	ry Bulb	Wer Bulb	Dow F
1 / 11				1	1	1		-	!	1				
TAL 1	.016.923.418	.515.3 8.	1.8.3	5.0 2.	1 .8	• 5						798		
						1			,		798		798	
<del></del>		· · · · · · · · · · · · · · · · · · ·	+	· · · · · · · · · · · · · · · · · · ·							·			
						1				*				
				<del></del>										
								<del></del>			•			
								1						
					-+			+			•		<del></del>	
					1									
		<del>-</del>			-+			-+				····	· <del>-</del>	
					1			1	;					
	-··· • • - · <del>- · - · - · - · - · - · - · - · - </del>		<del>-</del>	+	+									
	-· + +		<del></del>	-			<del></del>		<del></del>					
					100									
	- • · · -•		+	•		<del></del>								
		•		1						i				
	• • •		+					1						
							-			1				
				<u> </u>	1						i			
								- i		1				
				·	<del></del>			+						
				į			1			į				
			·		<del></del>		<del>- i</del>		<del></del>					
				-	1 :				,	1	i ,			
		-+	-	<del></del>	+			+				+	+	
				1	1 :		1			-				
Element (X)	2 42	ZX	¥	-	No. Obs.	<del>- + -</del>	1		Maga Me a	f Hours with	Toppes		<del></del>	
Rel. Hum.	3347569	49793		17.376	798	<del>.  </del>	0 F	± 32 F	# 67 F	≥ 73 F	- 80 F	→ 93 F	-1	Terei
Dry Buth	2056824	39388	49.4	11.891	798		• -	5.6	8.5				<del></del> -	
Wer Bulb	1561427	34448		9.660	798			12.2				1	+-	
Dew Point	1120991	28671	35.9	10.679	798			38.0				1		
														-

GLCBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

#### **PSYCHROMETRIC SUMMARY**

72525 YOUNGSTOWN MAP OH 73-81 1200-1400 HOURS (L. S. T.) PAGE 1

WET BULB TEMPERATURE DEPRESSION (F) 1 . 2 3 . 4 5 . 6 7 . 8 9 . 10 11 . 12 13 . 14 15 . 16 17 . 18 19 . 20 21 . 22 23 . 24 25 . 26 27 . 28 29 . 30 = 31 D.B. W.B. Dry Bulb Wet Bulb Dew Point (F) -6/ 85 . 1 1 -4/ 83 ·/ 81 . 3 10 10 . 8 . 1 1 79 • 5 . 4 . 4 11 11 7 / 77 11 • 1 6/ 75 74/ 73 . 3 17 17 • 3 17 . 8 • 5 17 . 6 16 16 •1 . 3 .1.1.1 .5.1.1 28 / 69 • 1, . 1 28 6 / 67 .5 .6 . 8 24 24 6/ 65 • 1 . 6 17 17 • 1 4/ 63 . 4 1.0 36 33 . 8 36 • 3 . 4 .6 1.4 1.6 4 9 49 28 / 59 .6 1.3 1.5 1.1 54 54 36 5-/ 57 38 39 34 19 . 1 • 1 .1 1.1 1.4 . 6 5:/ 55 45 27 32 . 4 1.4 1.8 1.8 45 -4/ 53 .6 1.4 2.0 1.1 48 48 33 34 · 2/ 51 5 / 49 . 5 . 8 19 .6 1.5 36 36 31 . 4 1.0 1.1 31 31 22 • 5 • 1 41 4-/ 47 .5 1.1 .4: 1.5 35 74 24 1.5 1.5 1.6 1.3 77 35 44/ 45 56 56 44/ 43 37 37 1.0 .9 .6 1.3 26 . 9 61 1.9 1.9 1.4 1.0 50 50 40 4 / 39 3 / 37 .1 2.0 1.0 1.4 1.4 47 47 38 52 19 20 55 61 .6 36/ 35 . 9 15 15 41 58 34/ 33 '2/ 31 . 5 . 4 . 1 45 59 8 .5 1.3 71 17 17 18 1 / 29 . 4 . 9 10 10 17 34 . 8 22/ 27 8 12 59 2t / 25 12 41 24/ 23 30 '2/ 21 26 2 / 19 32 ZX' žχ Mean No. of Hours with Temperature Element (X) ± 32 F # 47 F # 73 F # 80 F # 93 F Ref. Hum. 2 0 F Dry Bulb Wet Bulb

0.26-5 0 C C C USAFETAC

₹

õ

Dew Point

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** JSAFETAC AIP JEATHER SERVICE/MAC 7250 YOUNGSTOWN MAP OH 73-81 PAGE 2 1200-1400 HOURS (L. S. T.) TOTAL WET BULB TEMPERATURE DEPRESSION (F) TOTAL 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.B./W.B. Dry Bulb Wer Bulb Dew Point 1./ 17 1./ 15 1 / 11 TOTAL ·513.615.011.612.315.711.2 6.7 6.4 4.4 1.8 .9 795 795. 795 ARE ORSOLETE £ (OL A) 0.26.5 Element (X) No. Obs. 2708762 43804 Rel. Hum. 55.119.281 795 \*67 F \*73 F \*80 F \*93 F 2 0 F s 32 F 53.812.694 45.5 9.645 36.310.947 797 Dry Bulb 42846 4.1 15.6 7.9 90 2431622 Wat Bulb 1722129 36199 90 1143992 28876 90

GLCBAL CLIMATOLOGY BRANCH USAFETAC Alm Weather Service/Mac

# **PSYCHROMETRIC SUMMARY**

77525 YOUNGSTOWN MAP OH 73-81 APR
STATION STATION NAME YEARS MONTH
PAGE 1 1500-1700

PAGE 1 1500-1700

Temp.										SSION (						TOTAL		TOTAL	
(F)	0 1-2	3 · 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20		- 24 25 - 2	6 27 - 28	29 - 30	≥ 31	D.B./W.B.	Dry Bulb	Wer Bulb	Dew Po
-8/ 87									1	i	• 1		į	,		1	1		
6/ 85	·	·		<b>.</b>	: •	•			<del></del> -	L	- 3	<del></del>			·		2	<b>.</b> . ⊸•	
4/ 83								_	! _	• 3						2	2		
-// 81		·					<u></u>	• 3			• 3		-+			12	12		
7 7 77						_	• 1		1.0				1			12	12		
6/ 75		·	· · · · · ·			• 3			*	1.0	• 3					15 19	15 19		
4/ 73					. 3				. • •	.5	• 3	ı	1			14	_		
1/ 71		•			3	<u> </u>		• 1	• 5		• 3			<u></u>		19	14		
' / 69				• 6.	_	. 4		• 4	,							23	23		
6:/ 67			• 3			• 1			<del></del>			<del></del>	+			23	23		
/6/ 65	• 3	• 6				. 4				• • •	į	1		. :		36	36		:
4/ 63					.6				+	<del></del>			+			40			
/ 3/ 61			. 4		. •	1.1	1	. "					ĺ	:		44	44	-	
/ 59					. 9				<u> </u>		<del></del>		- <del> </del>			53	53		
5 / 57		1.0			1.5		. 4						!		:	42	42		2
5 / 55		. 4	• 3				. 4		-				+	•		35			2
4/ 53	• 3	. 3	• 9	1.8	. 8	1.3	. 3	:								43	43	. 32	2
12/ 51	. 4	. 4	. 8	1.6	1.6	1.0			<del>†</del>			<del>+</del>		<del></del>		46	46	27	3
5 / 49	. 4	1.0	. 4	1.0	1.3	1.3		! !	i			1	1		1	42	42	60	2
4./ 47	• 5	. 9	1.0	• 1	1.8	. 4										37	37	69	1
44/ 45			. 8	1.4	1.1	. 1		<u> </u>	·				1			48	48	75	1
44/ 43	1.1		1.1	. 4	1.4			1					1			38	38		2
12/ 41	1.4		. 9		• 5											44	44	56	3
4 / 39	•		1.3	• 8	• 3			:	Ì		:				1	32	32		4
31/ 37	1.8		. 5				Ĺ <u> </u>	<del> </del>	<b></b>				1			21	21	66	6
36/ 35	.1 1.5							ļ	1	,	;	1	1 1		1	15	15	40	•
3-/ 33	•1 •3							<u> </u>	<b></b>						+			42	6
/2/ 31	• 9						i	1	}	1			1 1	, ,	i	17	17	15	7
26/ 27		+	• 1	<b></b>					<u> </u>				4				6	14	<u> </u>
/							1	1	1			1		į	1	7	, 7	14	4
71/ 25 74/ 23	<del></del>	<del></del>		<del></del>				<del> </del>	<del> </del>			<del></del>					<del></del>	7	4
2/ 21						;		İ	1				1		1			2	5
Element (X)	Zz'			ZX		<del>-</del>		<del></del>	No. Oh	<del></del> ,			<u> </u>	40.00		·		<del></del>	3
Rel. Hum,	~X'		<u> </u>	<u> </u>		X	<b>"</b> "		No. OL	••		1 32 F	Mean P		73 F	Temperet	<del></del> -		etal
Dry Bulb					-+-						2 D F	2 32 F	+ ***		/3 F	- 60 F	• 93 [	<u></u>	-161
Wet Suib								-+-		<del></del> +		+	+				+		
Dev Point	<del></del>				-+-					+		<del></del>	<del></del>	-+-			+		
															1				

FETAC now 0.26-5 (OLA) Revisore

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC ATH WEATHER SERVICE/MAC 725250 YOUNGSTOAN MAP OH APR 1500-1700 HOURS (L. S. T.) PAGE 2 TOTAL TOTAL WET BULB TEMPERATURE DEPRESSION (F) 1 . 2 | 3 . 4 | 5 . 6 | 7 . 8 | 9 . 10 | 11 . 12 | 13 . 14 | 15 . 16 | 17 . 18 | 19 . 20 | 21 . 22 | 23 . 24 | 25 . 26 | 27 . 28 | 29 . 30 | = 31 D.B./W.B. Dry Bulb Wet Bulb Dew Point / 19 28 / 17. 11 1:/ 15 12 14/ 13 4 1 / 11 795 11.310.714.811.9 7.3 6.5 5.8 3.8 1.1 TOTAL 795 795 BEWALD PREVIOUS EDITIONS OF THIS FOUN ARE OBSOLETE 0-26-5 (OL A) 11 Mean No. of Hours with Temperature No. Obs. 2551479 2510303 795 795 267 F 273 F 280 F Rel. Hum. 42087 52.920.182 1 32 F 1 0 F 54.812.655 45.9 9.503 35.911.205 3.4 5.9 37.7 43527 8.7 2.4 90 16.1 Dry Bulb 36480 90 795 Wat Bulb 1745650 90 1125757

GLGRAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

## **PSYCHROMETRIC SUMMARY**

72125 YOUNGSTONN MAP OH APR 73-81 1800-2000 HOURS IL. S. T.) PAGE 1

Temp.				EMPERATURE						TOTAL		DTAL	
(F)	0 1-2 3-4	5 - 6   7 - 8	9 - 10 11 - 12	13 - 14 15 - 16	17 - 18 19 - 2	0 21 - 22 23	- 24 25 - 26	27 - 28 29 -	30 = 31	D.S./W.S. D	ry Bulb We	. Bulb De-	w Paint
·4/ 83						1	Ţ		1	1	1	,	
1/ 31					<u> </u>	1			_i	1	1_		
/ 79	!			, .1	• 3	T			,	3	3		
7 / 77				.1 .1		1	<u> </u>		1	. 7	7		
6/ 75			• 3	• 6	- 1	7				8	8		
347 73			• 3 • 5	-1 -3	3	1 1			i	12	12		
2/ 71		• 1	.3 .6	.6 .4	•1 •	3 .1			, —	20	20		
/ 69		• 1	•1 • 3	.4 .1						11	11		
6:1 67		.6 .3		• 3	1	1	- 1		!	17	17		
6/ 65	• 5	. 4 . 4	. 3 . 3	.5 .5	<u> </u>	1	· · · · · · · · · · · · · · · · · · ·			25	25		
4/ 63	.4 .5	.3 .4	1.1 .3	.3 1.8		7				33	33	12	
2/ 61	.4 .6		.4 .1	.9 .5	+				_i	33	33	32	1
11/59	.8 1.4	• 5	.4 .6	1.4 .1		,				42	42	22	6
5-1 57	•6 •6		.9 1.6	.4 .3	<u> </u>	ــــــــــــــــــــــــــــــــــــــ				35	35	34	24
54/ 55	• 3 • 6		1.3 .5	. 4		į		1	1	34	34	31	25
E4/ 53	•1 •3	.4 .9	.9 1.1	.4	1	· i · · · · · · · ·				32	32	29	17
2/ 51	.4 1.5		1.14	• 3				i	1	45	45	24	20
5 / 49	.8 1.8		1.3 .8		<b>.</b>				<del>-</del>	56	56	25	22
4-/ 47	2.0 .9	1.3 1.1	1.4 .3	1			i [		ì	55	55	61	26
41/ 45	1.6 1.5	1.0 1.3	•6 •3		L	_ii_			_i	50	50	80	31
"4/ 43	.1 1.4 .8	1.9 1.5	• 5	i	1				1	49	49	57	30
-2/ 41	1.3 .9		. 4		<u> </u>	<del>- i i -</del>				38	38	69	36
4 / 39	1.1 2.4		. 41	1	1 i					52	52	47	50
3c/ 37		1.4 .4	• 1		<del></del>					33	33	72	43
36/ 35		1.3 .6		i		1	1 1		1	33	33	47	49
34/ 33	.3 .5 1.4	<del></del>								25	26	42	55
2/ 31	.1 .6 .8		İ		1		1	i	1	17	17	31	77
1 / 29	.6 .3 1.3			i	<del> </del>					17	18	38,	51
211 27	.5 .6			i	1		1 1			9	9	18	34
26/ 25	• 3					<del></del>				2	2	19	53
24/ 23		1		-				1	ì		i	4	23
2/ 21		<del> </del>			<del>                                     </del>							<u>1</u>	38
7 / 19		! !		:	1 i		1		ļ		i	:	38
1-1 17		<u> </u>	لــــــــــــــــــــــــــــــــــــــ							<u> </u>			14
Element (X)	<u></u>								rs with Temperature				
Rel. Hum.			1			10F	1 32 F	= 67 F	- 73 F	- 80 F	• 93 F	Tore	<u> </u>
Dry Bulb							ļ ļ					↓	
Wet Bulb		ļ				<u> </u>	1					<del></del>	
Dew Point						<u> </u>				<u> </u>		<u> </u>	
												-	

USAFETAC NOW 0.26-5 (OLA)

GLOBAL CLIMATOLOGY BRANCH PSYCHROMETRIC SUMMARY USAFETAC AIR WEATHER SERVICE/MAC 725257 YOUNGSTOWN MAP OH 73-81 1800-2000 HOURS (L. S. T.) PAGE 2 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL
1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 a 31 D.B./W.B. Dry Bulb Wet Bulb Dew Poin 1: / 15 1-/ 13 10 1./ 11 5 TOTAL 1.615.220.316.612.811.8 8.3 6.3 3.6 2.3 1.0 .1 797 795 795 0.26-5 (OL A) Element (X) ZX, No. Obs. Mean No. of Hours with Temperature 3058185 2124962 1567272 46875 Rel. Hum. 795 1 32 F 50.211.979 43.3 9.637 35.011.355 Dry Bulb 40032 797 5.2 9.0 3.6 90 34458 795 12.6 90 Wer Bulb Dew Point 1074912 27806 795

80±€;

GLOHAL CLIMATOLOGY BRANCH OF AFETAC AIR WEATHER SERVICE/MAC

## PSYCHROMETRIC SUMMARY

Temp.						URE DEPR						TOTAL		TOTAL	
(₱)	0 1 2 3	4 5 6 7	8 9 - 10	11 - 12	13 - 14 15	- 16 17 - 18	19 - 20 21	- 22 23	- 24 25 - 2	26 27 - 28 29	. 30 + 31	D.B./W.B.	Dry Bulb	Wet Bulb [	ow P
4/ 73	• •	• • •			• 1		*				7	1	1		
/ 71				. 3	• 1		1	•			i	. 3.	3.		
_/ 69.		•	.1 .	9 9	. 3	• •	•	•				17	17		
6 / 67		. 3	.4	1 .1	• 1							8.	8		
6/ 65		. 5	.5		.6	•	+			+ †-		20	20		
4/ 63	. 4	4 .4	.8 .0	5 . 3	• 1							23	23		
137 61	.4 1	3 4	.5			•	• •					25	25	10	
. / 59	.1 1.8	4 .9	.4	5	• 5							37	37	31	
4 / 57	.8 1	3 .3	3	4 .4	• -	•	• •	+-				26	26	34	
5 / 55	. 4	5 .4	.1	5 1.3	• 5							29	29	25	
4/ 53	, , , , , , , , , , , , , , , , , , ,	1	6 1		3	•		•				23	23	36	
2/ 51	.5.1	1 3	1.1		• • •					1		. 25	25	20	
5 / 49'	2.0 1	6 1 6	11.	i			· ·	· · · · - • · ·		<del></del>	- +	59	59	16	
/ 47	1-4-1	0 1 5	1 . 1	. ••								53	53	37	_ ;
41/45	1 1 8 1	7 1 2	ก		· · +-	<b>+</b> - · · ·	•	- • -		+	+	47	47	49	
4/ 43	.3 2.1 1.	1 1 6	9.	-								49	49	69	
2/ 41		<b>4</b> 1 2 2	· · · · · · · · · · · · · · · · · · ·	<u> </u>		- +	<b></b>					41	41	57	
4 / 30	1 2 7 2	6 7 6	• 6	L						1		60	60	49	- 6
31/37			• 6							<del></del>		<del></del>	62	77	
	5 3 5 6		• 3 • 3	ı						1		62		_	
<u>~</u> / 35.		9 .	• 4	+	+		+			<del>-</del>		48	48	66	
3-/ 33	.4 1.7 2	6 .5								1		36	36	63	
2/ 31	1.8 1.						+			<del></del>		33,	33	25	
1 / 29	.3 1.8 1	.5 .4					•				i	31	31	48	- 1
<u> </u>	.1 1.1 1						+		<del></del>			25	25	32	
. / 25		. 4				,			:			10	10	35	
21/ 23	- ·	. 3	-4							<del></del>		<u> </u>	<u>Z</u> ,	1.6	
2/ 21	•1		1				1		İ			1	1	3	
· / 19			<b>-</b>				<del></del>			1 1		<del></del>		<del></del>	
1-/ 17				Т	!	i					!	1			
11/ 15				_ <del></del>						1 1		<del> </del>			
1-/ 13	- •			,										- 7	
1 / 11					i		) 					11			
1/0												1			
. / 7				i			<u> </u>	L_		<u> </u>		44			
lement (X)	2 g'	2,		I	٠,	No. O	ba			Meen No.	of Hours wi	di Temperet	vr•		
Rel. Hum.								2 0 F	1 32 F	# 67 P	• 73 F	- 80 F	+ 93 F	T	etel
Dry Bulb															
Wat Bulb												1			
Dew Paint		!									1	[	1		

C 108 0.26-5 (OLA) sente revolue sen

GLUBAL CLIMATOLOGY BRANCH USAFETAC **PSYCHROMETRIC SUMMARY** AIR MEATHER SERVICE/MAC YOUNGSTOWN MAP OH 73-81 APR PAGE 2 2100-2300 HOURS (L. S. T.) WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL

1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.B./W.B. Dry Bulb Wer Bulb Dew Point Temp. T. TAL 2.528.027.617.111.0 7.2 4.0 2.6 794 fortions ov (OL A) 0.26.5 12 No. Obs. Mean No. of Hours with Temperature Element (X) ZX ZX' X OSAFETAC ≥ 67 F = 73 F = 80 F 3907166 54100 68.116.694 794 Rel. Hum. s 32 P 45.511.277 40.8 9.902 34.811.371 Dry Sulb 1744904 36130 794 11.6 3.3 . 1 90 1401670 1063592 90 90 794 Wet Bulb 32422 18.2 27624

GLEBAL CLIMATOLOGY BRANCH USAFETAC A1: WEATHER SERVICE/MAC

# **PSYCHROMETRIC SUMMARY**

2 25	YOUNGSTOWN	STATION NAM	Ε			73-8	<u> </u>			EARS			_	MOR	P R
												PAGE	1	HOURS IL	. L 5. 7.
Temp.			WET BULB TE	MPERAT	URE D	EPRES	ION (F	)				TOTAL :		TOTAL	
(F)	0 1 - 2 3 - 4	5 - 6 7 - 8   9	- 10 11 - 12 13	3 - 14 15	- 16 1	7 - 18 1	9 - 20	21 - 22 23	- 24 25 - 26	27 - 28 29	. 30   + 31	D.B. W.B. D	ry Bulb	Wet Bulb	Dew P
8/ 87								• n		,		1	1		
-6/ 85								• C!			· · ·	3	3	1	
4/ 83		± ±					• 1	• 0				6	6	,	
/ 81					• 0.	• 1	• 2	• 0				23	23		
/ 79				• C	• 1	• 2	• 1					30	30		
7 / 77			• 1	• 2	• 2	. 1	• 1		i			37	37	. 1	
6/ 75			• 3	• 2	• 1.	• 1	• 1	• 1				5.5	55		
4/ 73			•1, •3	• 1	• 1	• 1	• 1	• C,				5.3	53		
1 71		•0	•2 •3	• 3	• 1	• 1	• 1	• 0				72	72		
' / 69		•3 •2,	•4 • 3;	• 3	• 1	. 2	• 1	• 0			1	106	106		
6 / 67		.2 .3	.3 .3	•2	.1	.2	.1					102	102	•	
6/ 65	•0 •2	• 4. • 5	• 3: • 3	. 4	• 3	• 2	• 0		•	1		166	166	21	
4/ 63	.2 .4	.7 .5	.5 .3	• 2	• 5.	• 1						220	220	76	
. / 61	.3 .7	.7 .6	.3 .4	• 6	• 5	. 1						261	261	149	
1 59	.7 .9 .8	.7 .4	.5 .6	. 6	• 2	• 1				·		304	304	187	
5. / 57	.7 .8	.3 .3	.6 .7	. 4:	. 1	• D:					,	247	248	248	1
5-/ 55	.0 .6 .6	.3 .6	.8 1.1	. 3	• 7							269	269	245	1
.4/ 53	•5: •5	. 4, . 8	.8: .7:	. 2								246	246	267	1
2/ 51	.7 .8		.9 .3	• 0								291	291	199	1
5 / 49	.8 1.2	.8 1.3	.7 .3				1			,	i	308	308	228	2
4-/ 47	.1 1.4 1.7	<del></del>	.8 .2	+-		-+	<del></del>			+	<del></del>	334	334		1
4. / 45	1 1.8 1.3		.4 .1									391	391	469	1
4/ 43	1 1.7 1.1		•5 • n							<del></del>		363	363		2
2/ 41	.1 1.9 1.5	- I - I - I - I - I - I - I - I - I - I	. 1			1					1	369	369	458	3
4 / 39	.3 2.4 2.0		• 1			-+-				·		447	447	409	3
3 / 37	.1 2.1 1.2	7 1 1	.0	,	j	:	i			•	1	311	312		3
/ 35	.2 2.6 1.7				+	-+-			<del></del>	+		349	349		4
34/ 33	.4 1.6 1.7			!		1			'			258	260	490	4
2/ 31	.1 1.9 1.6			+	-	<del></del> -	-			<del> </del>	<del></del>	254	255		6
7 / 29	.3 1.2 1.2		. !	+	[	1	i	i			;	180	181	305	4
2 / 27	.1 1.4 .5		++++	+	-+	+				+		127	127	197	
2: / 25	.7 .9 .3			ļ	!							78	78	192	3
24/ 23	.1 .6 .2	<del></del>	<del></del>		<del>-+</del>	-+-				+		48	48		2
2/ 21	1, 4 .0		: '	1	- 1		i	į		, '		. 33	33		2
Element (X)	21,	Zz	X	•	┰┤.	to. Obs.	<del>-  </del>			Mana Ma	of Mouse	th Temperatu			
Ref. Hum.					<del>  '</del>			10F	± 32 F	≥ 67 F	≥ 73 F	> 80 F	• 93	F 1	Tetal
Dry Bulb		<del> </del>	+		+		+		- 34 -			+	- /3	<del></del>	-:
Wet Bulb		<del></del>	+		+		-+		<del> </del>	<del> </del>	<del>                                     </del>	+	<del> </del>	-+	
Dew Point		<del></del>	<del>+</del> +		+-		<del></del>		<del> </del>	<del> </del>	<del> </del>	+	<del> </del>		

Date 0-26-5 (OL.A) sevisto resvous sorro

AFETAC NOW 0.26-5 (OL

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC ATE WEATHER SERVICE/MAC 225 YOUNGSTONN MAP OH STATION NAME 73-81 APR PAGE 2 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL TOTAL

101AL / 19 270 1 17 . .0 141 1// 15 86 14/ 13 58 33 1./ 11 7 1 TOTAL 2.226.621 6356 6356 THIS FORM ARE DISOLETE RIVISED PRÉVIOUS EDITIONS OF 0.26-5 (OL A) 1 3 2 3 Z<sub>X</sub>' No. Obs. Mean No. of Hours with Temperature ZX Element (X) I OSAFETAC 64.619.073 ≥ 73 F 410553 Rel. Hum. 28830681 6356 ± 32 F ≈ 67 F . 80 F Dry Bulb 15488568 303240 47.712.755 6362 83.3 55.2 23.5 720 132.2 11832951 720 720 266505 41.910.179 6356 Wet Bulb 8544775 222227 35.011.043 Dew Point 6356

GLUBAL CLIMATOLOGY BRANCH US#FETAC AT- #EATHER SERVICE/MAC

721250 YOUNGSTOWN MAP OH

## **PSYCHROMETRIC SUMMARY**

MAY

STATION	10043310#14	STATION NAME				<u> </u>		YEA	IRS				WON1	
											PAGE	1	HOURS IL.	
Temp.					URE DEPRES						TOTAL		TOTAL	
(F)	0 1 - 2 3 - 4 5 -	6 7 - 8 9 - 10	11 - 12	13 - 14 15	- 16 17 - 18	9 - 20 2	- 22 23	- 24 25 - 26	27 - 28 29 -	30 + 31	D.B. W.B. D.	y Bulb	Wer Bulb C	ew Pa
4/ 73		• 1 • 3									3	3	-	
_ // 71		• 4 • 1			• 1						5	5		
/ 69	. 4	• 3 • 4 •	4	• 3							13	13		
6 / 67	. 8	•8 •8 •			. 4						2.5	25	1	
6/ 65	.8 .9	•5 •5 •	1 .1			_			•		23	23	10	
4/ 63		•6 •5 •		• 1				:			47	47	22	1
17 61	1.2 .9	.6 .8 .	3 .4	• 1							33	33	31	1
/ 59		•5 •5 •									46	46	3.8	2
° / 57	.8 4.0 3.2 1	•3 •3 •	4 .5	. 4							84	84	46	4
5 / 55	A CONTRACTOR OF THE PARTY OF TH	.6 1.3 .	5 • 1	<b>.</b>							45	45	52	4
4/ 53	.3 1.8 1.6 1		3								44	44	67	4
2/ 51	.4 2.7 2.5 1		1 . 1								60	60	5.3	5
5 / 49	.3 3.5 2.3 1	.4 .3 .	4								63	63	48	5
4. / 47	2.9 .4 1										37	37	72	5
4 / 45	2.1 2.6 1	•6 •6	-								5 3	53	65	4
·4/ 43		• 9								1	39	39	31	4
2/ 41	2.6 .9										31	31	55	4
4 / 39	.1 1.6 2.3 1										41	41	47	4
3-/ 37		• 5						,			24	24	32	5
7. / 35		. 3.									28	28	32	4
3 - / 33	1.0 1.2										17	17	37	2
2/ 31	.4 .5				<del></del>						7		17	4
/ 29	_				1		,				_	_	9	3
2 / 27								·			2	2	3	2
' / 25	•1				i :			i .			1	1	_	1
24/ 23			<b></b>	+		<del>-</del> -					L		3	
2/ 21		7			i i	1				1				
1./ 15				<del></del>				+		<del></del>				
14/ 13				· .	1 1									
TAL	3.535.529.116	.0 8.0 4.	2.1	.9	• 5		+	<del></del>				771		77
	3433343274110			• 7		1		1			771		771	' '
	······································	<del>- + +</del>	+	<del>                                     </del>	-+-+			<del></del> -	<del></del>	+			114	
Element (X)	Zx.	2 2	¥	•,	No. Obs		<del></del> -		Mess No. 4	Hours with	Temperatur			
Rel. Hum.	4646225	58693		15.212			2 0 F	± 32 F	+ 67 F	= 73 F	- 80 F	• 93 F	T	prol
Dry Bulb	2133790	39868		9.639		- 1		1.2	5.5	.4			<del></del>	9
Wet Bulb	1829282	36906		9.02				3.9	•1				1	9
Dew Point	1569300	33852		10.38		1		15.7						9

73-81

POR D.26-5 (O. A) seviso nevious tornons or twis road

USAPETAC NOM 0.26-5 (OLA) WINTO MITOUR IDITIONS OF THIS YORK ARE DESCRIPE

GLCHAL CLIMATOLOGY BRANCH USAFETAC Al- HEATHER SERVICE/MAC

# **PSYCHROMETRIC SUMMARY**

725257 YOUNGSTOWN MAP OH STATION NAME 0300-0500 PAGE 1

												HOURS IL	. 3. (.)
Temp.					RE DEPRESSION					TOTAL		TOTAL	
(F)	0 1-2 3-4	5 - 6 7 - 8 9 - 1	0   11 - 12	13 - 14 15 -	16 17 - 18 19 - 2	0 21 - 22 23	- 24 25 - 26 2	7 - 28 29 -	30 - 31	D.B./W.B.	Dry Bulb W	let Bulb I	Dew Point
7 71	• 3					,	·			3.	3		
/ 69		1	1	3		<u></u>					<b>5</b> .		
5 / 67	.7		1	• 1						11	11	2	
6/ 65	•5 1 • 4		<u>. 3</u>	3:						26	26_	2,	
-4/ 63	2.1 1.2		1 .1							36	36	17	6
2/ 61.	1.1.64		5							. 26,	26	32	22
/ 59	•4 3•3 2•5		5 .4							66	66	32	30
	<u>•7</u> , <u>3</u> •3, <u>2</u> •2,		7. • 3							. 62.	62	51;	32
5// 55	•3 •7 1•6	-	3							36	36	50	46
4/ 53	.8 3.3 1.3		3							58.	58	41.	36
2/ 51	.1 4.8 1.2	•	1							58	58.	59	43
5 / 42.	3.4 2.1	.47					<del></del>			50.	<u>50</u> _	58.	54
4-/ 47	.4 3.0 .8	• 4: • 5:								39	39	61	55
4 / 45	2.6 1.3					·				43	43	50.	48
4/ 43	.4 2.8 1.6	1.0 .3		I						46	46	39	30
<u>  27.41.</u>	.1 2.2 1.7	.4.			<del></del>					34	34	43	52
4 / 39	1.7 2.9 2.8	•8 •1;								58	59	56	42
3./ 37	<u> </u>								<del></del>	28	28	46	46
1/ 35	.3 2.5 2.0						1			36	36	35	39
3:/ 33	.3 2.2 .5									23	23	44	40
2/ 31	.1 1.4 .4			1		1	1			15	15	26	55
1 29.	•1 •3										3;	14	34
1 27	•1						į			1	1	2	21
/ 25	<del> </del>				_ <del></del>	+			_+	<del></del>		3_	
2-1 23					í		1 1						13
2/ 21			-+	<u> </u>		1			<del></del> -	+			4
/ 12							· · · · · · · · · · · · · · · · · · ·	- 1		1			3
1 / 17.		<del> </del>		<del></del>	+					<del></del>			
TITAL	5.144.827.3	12.3 6.0 2	9 • 9	• 7	i i		1	[	ĺ	i	764		763
			<del></del> -		<del></del>	+			<del>-</del>	763		763	
						1 1		!	-	1			
<b></b>	···		<del></del>		<del></del>	+				<del>-  </del>			
ŀ			4		!					: !			
<b>-</b>	• • •	<del></del>	<del></del>	<u> </u>	- Luc - Ct -	<del></del> .			4 13	A V			
Element (X)	2 x'	2 x	70 7	7, 007	Ne. Obs.	1-25	<del></del>			th Temperatu			
Rei. Hum.	4950791 1979998	60542 38182		13.887	763 764	10F	2 32 F	2 67 F	≥ 73 F	- 80 F	≥ 93 F	+	93
Dry Bulb		35703		9.700		<del> </del>				<del> </del>	<del> </del>		
Wer Bulb	1735493			9.225	763 763	<del> </del>	5.5 17.3	•2		+	<del> </del>	<del></del> -	93
Dow Paint	1523186	33170	43.5	10.322	103	<u> </u>	1 1 6 5				1		A 2

GLCAAL CLIMATOLOGY BRANCH L'AFETAC AI: "EATHER SERVICE/MAC

## **PSYCHROMETRIC SUMMARY**

72 25	YOUNGSTOWN M	AP OH			73-81		YEA					MA	
STATION		STATION NAME					764	.,		PAGE	1	0600-	080
Temp.		WET	BUI A TE	MPERATUR	E DEPRESSION	(F)				TOTAL		TOTAL	_
(F)	0 1-2 3-4 5	-6 7-8 9-10					24 25 - 26 2	7 - 28 29 -	30 = 31		ry Bulb		• w P
4/ 73		•1 •1	• 1			<del>                                     </del>		+-	+	3	3	<del>-</del>	
77/71	•1	.6 .1 .4				1			1	12	12		
/ 69		•2 •2 •5		•1	<del></del>	·				18	18		
4 / 67	.4 1.3	.9 .5 .4								28	28	6	
6/ 65	1.3 1.6 1	.1 .2 .4	• 2	•1		<del>:                                    </del>				41	41	12	
4/63	1.9 1.5 1	.1 .6 .7	• 5				1	*		. 52	5 <b>2</b>	35	1
2/ 61	2.2 .6 1	.3 1.7 1.7							-+	50	50	45	- 1
/ 59	.2 2.3 2.7	.7 .5 1.0	• 4.							64	64	54	
/ 57	• 4 2 • 7 1 • 7	.9 1.0 1.0								63	63	44	-
5: / 55	.1 1.8 1.0 1	.0 1.2 .9	• 1							50	50	63	
4/ 53	.5 3.2 1.1 1	.3 .9 .4						<del></del>		60	60	51	
2/ 51	.2 2.4 1.6	.9 1.3 .2	1				. !		1	5 <b>5</b>	55	64	:
5 / 49	2.2 2.4 1	.8 1.0 .2			<del> </del>			:		63	63	62	- 7
4 / 47	.2 2.6 .7	• 4 • 7j					i .			38	38	65	9
46/ 45	.1 3.8 1.7 1	•5 •6			<del></del>	<del></del>				63	63	60	
14/ 43	.1 2.6 1.2	. 9					1	!		. 39	39	58	
2/ 41	.2 1.6 2.2	.7 .1				<del>-</del>				40	40	55	-
4 / 39	.2 1.5 1.2	. 4.	-	į						27	27	38	!
3-/ 37	.2 .7 1.0	• 5			1	<del>†</del>				20	20	38	
3(/ 35	.4 1.1 .9		i i			- I	1 1		!	19	19	28	4
34/ 33	.1 .9 .1					1				9	9	26	
2/ 31	.5 .4								i	7	7	9	
7 / 29	······································								<del></del>	+		8	- ;
7-/ 27	•1				'					1.	1		
1 25		+ + +	<del></del>		1	1			1	1		1	
24/ 23		i İ	: :	!		1	1						
2/ 21	· · · · · · · · · · · · · · · · · · ·		1			1			1				
/ 10				į	1 1	1 1		1	i	1			
TOTAL	3.235.525.815	.810.1 6.9	2.4	• 2					1		822	•	8
	. 4	1	1	1	1	<u>L</u> _ L				822		822	_
				i									
				1							1	7	
												<u> </u>	
Element (X)	2x'	Z x	74 03	F 070	No. Obs.					th Temperatur			
Rel. Hum.	4933319	62464	76.01		822 822	± 0 F	1 32 F	≥ 67 F	≈ 73 F	> 80 F	+ 93 1	F To	rel (
Dry Bulb	2398860 2056538	43724	53.2		822		2.0	6.9	• :	<b>-</b>	<del> </del> -	<del></del> -	
Wet Bulb	1773437	37263	45.31		822	<u> </u>	11.0	.7		<del> </del>	<b>├</b> ──	<del></del>	
Dew Point	1113431	3/203	77.7	0.121	066		11.00	• 1		1	<u> </u>		

POBM 0-26-5 (OL.A) REVISED PREVIS

7

----

4

GLUEAL CLIMATOLOGY BRANCH USAFETAC AIF WEATHER SERVICE/MAC

72°25" YOUNGSTOWN MAP OH

#### **PSYCHROMETRIC SUMMARY**

0900-1100 HOURS (L. S. T.) WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 . 2 3 . 4 5 . 6 7 . 8 9 - 10 11 - 12 12 . 14 15 - 16 17 . 18 19 - 20 21 - 22 23 - 24 25 - 26 27 . 28 29 - 30 × 31 D.B./W.B. Dry Bulb Wer Bulb Dew Poin (F) 4/ 33 2 / 31. • 2 18 18 7 / 77 20 6/ 75 1.6 1.5 . 2 41 4/ 73 1.1. .9 35 35 • 5 7./ 71 • 9 . 4 43 .4 1.4 1.0 • 6 • 2 43 •9 1•1 1•C •5 •6 1•2 / 69 49 .7 1.1 .7 .6 5-/ 67 1.0 46 46 • 7 20 6/ 65 62 44 4/ 63 1.3 .5 .5 1.1 1.1 1.2 50 50 51 34 ./ 61 .9 1.2 1.2 .5 . 6 .6 1.6 54 1.1 1.4 .5 .9 1.7 1.4 / 59 59 59 42 48 -/ 57 1.1 1.0 .9 .7 1.4 .7 1.5 1.4 1.1 1.7 1.6 .7 .1 1.1 1.0 48 48 5 / 55 65 52 66 41 -4/ 53 .9 1.1 .6 1.4 12/ 51 .1 1.4 1.5 1.0 .7 .6 .1 67 44 44 44 5 / 49 .7 .9 .2 23 39 69 . 5 . 9 . 9 • 7 30 4-/ 47 30 68 50 4// 45 1.2 1.4 .7 . 6 32 48 45 4/ 43 .7 . 6 18 37 49 2/ 41 13 26 43 39 53 28 3:/ 37 40 37 / 35 40 34/ 33 45 2/ 31 42 2:/ 27 2+/ 25 24/ 23 2/ 21 1-/ 17 Element (X) Mean No. of Hours with Temperature Rel. Hum. : 32 F ≥ 67 F = 73 F Dry Bulb Wet Bulb Dow Point

FORM 0.26-5 (OLA) service memory ton

USAFETAC roum 6.26.5

73-81

GLCBAL CLIMATOLOGY BRANCH USAFETAC AT- WEATHER SERVICE/MAC

725257 YOUNGSTOWN MAP OH

## **PSYCHROMETRIC SUMMARY**

HAY

STATION		STATION NAME					YE	ARS				MONT	H
										PAGE	2	1900-	1100
Temp.	<del></del>	WE	T BULB TEMPE	RATURE DEP	RESSION (F	)				TOTAL		TOTAL	
(F)	0 1-2 3-4 5-	6 7-8 9-1	0   11 - 12   13 - 1	4 15 - 16 17 -	18 19 - 20 7	21 - 22 23	- 24 25 - 26	27 - 28 29 - 3	0 + 31	D.B./W.B.	ry Bulb	Wet Bulb D	ew Po
TAL	0 1-2 3-4 5-	.816.616.	010.3 7.	8 3.7 1	7 1.0	• 2			1	,	812		812
		1				1		1	1	812		812	
		•	<b></b>							•			
								!	1				
							<del>-</del>						
													_
									:		-		
								<u> </u>					
					1								
									<u> </u>	1			
			:						,	i	j	Ţ	
			<u> </u>					<u> </u>	1	· i			
				4	1				į.	1			
		! 	<u> </u>		<u> </u>			L	4	<u>i</u>			
			i					·		1			
				<del>                                     </del>					<u> </u>	<u> </u>			
1				1						. !			
										<del></del>			
										1	1		
	·			<del>- +</del>				·	<del></del>	<del></del>			
			1	1							ł	1	
			-+	<del></del>	+				+	···			
				i	1				i				
			-4	-++				····	<del></del>	<del>                                     </del>			
:	1	1		1					1		1		
			<del></del>	·			+			<del>                                     </del>			
1	1	1			. ,		1 1	i					
			<del></del>	<del></del>	<del>+</del>			<del>-                                    </del>	+	·		<del>`</del>	
		1			1				i	!	1		
	<del></del>			<del></del>	++			·	-i —	<del> </del>	+		
			!							1	,		
	<del></del>	<del>- i</del>	<del></del>	+	$\longrightarrow$				+	+			
:			1		1 1				1				
Element (X)	zx,	Z <sub>X</sub>		'a No.	Obs.			Mean No. of	Hausa wid	Tomorrow			
Rel. Hum.	3346948	50086	61.717.		812	1 0 F	± 32 F	# 67 F	• 73 F	- 80 F	* 93 F	T-	
Dry Bulb	3125613	49705	61.210.		812	- V F	= 32 7	30.0	14.2			<del></del>	9
Wet Bulb	2395448	43542	53.6 8.		812		.2	6.9	.,,,	1	+	+	- ;
Dew Paint	1871925	38009	46.810.		812		9.4	• 3		<del> </del>	<del>                                     </del>		9
PAR LEIUL	10/1723	2007	7010401	9,3	~ 4.6		7 9 9	• • •		1	1		

SLUBAL CLIMATOLOGY BRANCH USAFETAC **PSYCHROMETRIC SUMMARY** AIR WEATHER SERVICE/MAC 72525 YOUNGSTOWN MAP OH MAY 73-81 1200-1400 HOURS IL. S. T.) PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 - 31 D.B. W.B. Dry Bulb Wer Bulb Dew Peint 8/ 87 6/ 85 4/ 83 25 25 1.1, 1.0 1 81; 37. .4 1.0 1.0 / 79 37 37 70/ 77 34 34 6/ 75 .1 .9 1.0 1.0 1.3 44 4/ 73 .7 1.1 1.1 .4 1.2 1.0 1.1 62 62 . 2 .9 1.1 1.3 .7 55 .4 .9 .4 55 / 69 .7 .9 1.0 .2 .2 .5 6 / 67 . 5 . 6 .7. 1.1 41 41: 48 6/ 65 .1 .9 1.3 1.0 1.1 .6 1.6 1.2 69. 69. 58. 4/ 63 .4 .2 1.0 .9 .6 .9 1.1 48 48 . 9 .9 1.3 1.7 40 - 2/ 61, .7 .5 5.3 5 3<sub>1</sub> .4 .6 1.2 .9 . / 59 40 1.1 .4 40 66. . 2 -/ 57 38 5: / 55 1.9 .7 1.3 40 40 59 4/ 53 36, 53 60 .6 1.1 36 .4 .2 1.1 2/ 51 1.2 1.0 38 38. 65 46 5 / 49 47 . 6 . 2 . 6 . 4 45 . 6 41/ 45 4/ 43 .1 11 22 50 2/ 41 4 / 39 51 31/ 37 •1 •1 44 30/ 35 47 '2/ 31 40 / 25 24/ 23 Mean No. of Hours with Temperature Element (X) ± 67 F = 73 F = 80 F = 93 F 10F ≤ 32 F Rel. Hum. Dry Bulb Wet Bulb Dew Point

GLCBAL CLIMATOLOGY BRANCH USAFETAC ATE WEATHER SERVICE/MAC

# PSYCHROMETRIC SUMMARY

STATION	¥0	UNGS	TOWN		HO TATION N	AME	<del>-</del>	<del></del>		73-	81	<u>-</u>		YEAR	5	· . —	PAG	 	1200	
														_				<b>.</b> 2	HOURS II	. S. T.)
Temp. (F)						WE.	BULB	TEMPER	ATUR	E DEPRI	SSION	F)	2/2/	24   22		20 - 21	TOTAL	0 0 1	TOTAL	D
TOTAL	- 7	6.8	9.0	3.0	3 3 - 0	17.	112-	613.5	13 - 16 B - 6	1/ · 18	4 - 1	1 - 6	5	- 20 27	20 24	- 30 - 31	D.B./W.B.	823	WET BUILD	82
			J.,							,							823			
į										1							,			
					+		•	<del></del>		<del></del>	<del> </del> -	++					+			
													ĺ		,	!				
					•	•	•							1			1			
			+		<b></b>												·•		<del>-</del>	
							t							1	1	1				
							•			<del></del>		++				<del></del>		,		
							<b>_</b>		· +		<u> </u>	<b>-</b>				_	·			
								1		,	i			ŀ		i				
					+	L	-+	+	<del></del>			++	<del></del>			+	<del></del>	<del></del> -		
					1			1			i.	1	į	-	i	i				
					-		+	+	-	<del> </del>		+ +		-			1	·		
							<u>.</u>	<u> </u>		<u> </u>	ļ	·					<u> </u>			
,									i I	į	1	1 ;	i		į		1	i		
					<del> </del> -		+	<del></del>	<del> </del>	<del></del>	-	+				-+	<del></del>			
					1				ì		1		!		į	į				
					!			i	! —	1										
							+	<u> </u>		<del> </del>	<u> </u>						<del></del> -			
i	i	į i						t		į			İ	Ì	1	Ì				
							<del></del>	+		<del> </del>				-+		+	1			
		<u> </u>			1		1	1		Ì	Ì									
		_ <del>_</del>							1											
					+	<u></u>	<del> </del>	-		<del> </del>	<u> </u>			-+	-+		<del></del>			
								1	1		İ			1						
							1	_		+				$\neg \uparrow$			1			
		نــــــــــــــــــــــــــــــــــــــ	- 1		نــــــــــــــــــــــــــــــــــــــ		<u> </u>	<u> </u>	L.,	<u> </u>	Ļ.,			نــــــــــــــــــــــــــــــــــــــ						
Rel. Hum.		247	2501		2 x 4 3 8	15	<u> </u>	318.7		No. O	23	2 0 F	1 32		teen No. o	ef Hours wi	th Tempere	+ure + 93 (		rete!
Dry Buib			8670		540			710.6			23	3 Q F	2 32	+	44.2				-	9
Wer Bulb		258	6574		456	24	55.	8.3	53	-	23		-		9.5			1		9:
Dow Paint		188	1824		383	72	46.	610.7	93	- 6	23		10	1.4	•5		1			9:

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIP WEATHER SERVICE/MAC

## **PSYCHROMETRIC SUMMARY**

725250 STATION	YOUNGS	TOWN		OH NAN	IME				73-	81			YEARS						MAY
·						<u>.</u>										PAG	SE 1	1500	0-170
Temp.	1									ESSION (F						TOTAL		TOTAL	
(F)	0 1-2	3 - 4	5 - 6	7 - 8	9 - 10	111 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22 7	23 - 24 25 -	- 26 27 - 7	28 29 -	30 - 31	D.B./W.B.	Dry Bulb	Wet Bulb	Dew Pr
·6/ 85			•				• 2				1 - 1			7	7	22			
4/ 83	<b>.</b>					+	. 7						•1	<del>-</del>		25	5, 25,	5	•
/ 81	1				• 1	. 9		2 1 - 2	- 1	ri	. 2	. 5	1	-		33	3 33	3	
- / 79					4	يلعل	1.0			7	- 1			<del>-</del>		38,			
7 / 77		_		• 1	. 4	. 9				. 1	• 2			ļ	1	32			
16/ 75		4	<u>-</u> -	- 9	1.2	9		1.2		1.0				<del></del>		62			+
14/ 73		• 1	• 5	• 7	. 9	9		,	1	1 1	1 -1	ļ	1	•	}	54		-	_
1 71.	<u></u>		5		<u></u>	<u>+ - • 5</u> 1	. 4		1 1.1					<u> </u>	<del></del>	49.			
/ 69	•1	5	-	• 9				• 5	5 - 9	• 2	: :		į	į	i	48			
6 / 67		9	+	2		.6		_1.3	45	++	<del></del>	<del></del>				43			
6/ 65	•1	1.9		- 5	• 2	1.5	,	,	1 .4			į	1		İ	69			-
4/ 63.		<u></u>	5		1.1	1.3	. 9	+	4	++				+		41			
2/61	• !	1.1	• 4	• 2		1.2		īl i	1		}	}		-	j	47			-
<u> / 59</u>		٠- •٤	• 7			+		-	4	++	+		-+-	-+	+	37			
( ) 57 . 5. / 55	• 4 • • • • •	1.4	. 7					. 1	( )	1			1	Î	1	51			-
5 / 55		· -• <del>*</del>				. 9			<del> i</del>	<del></del>	<del>+</del>	<del></del>	-		+	37			
'4/ <b>5</b> 3'	.4							f '	1	1		!	1	1	]	38			
5 / 49		1.3		.6				$\leftarrow$	+	+	,——		-	-	<del></del>	29 17			
5 / 47 4 / <b>47</b>	. 4.					ŧ	i	1	$\frac{1}{4}$ . $I$	, t	- 1	ĺ	1		ł	-			
4: / 45		+				+	<del></del>	$\overline{}$	${}^{\hspace{1cm} + \hspace{1cm} - \hspace{1cm} +}$		.——		-	<del></del>	+	12			
44/ 43		4				r	. +	, J	<b>1</b>	$t = -\frac{1}{1}$			ł	i	ì	7.			
2/ 41		• • • • • • • • • • • • • • • • • • • •				$\stackrel{\textstyle \longleftarrow}{\longleftarrow}$		$\stackrel{\hspace{1cm}}{\longleftarrow}$	++		,——		-	+	+	7	<del></del>		
4 / 39	.1		-	• -	Ī	i	į į	1	1	( )		!	{	:		<u> </u>	ei 💃	, 25. 3. 13.	
3:/ 37	· .ż					1		$\qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad $	-				-	<del></del>	+	3	2 2	+	
34 / 35	— — ·		i		1	1 !	. 1	1	1	(	.	}	Ì		!		-1		3
34/ 33						:	,	1		1	,——		_	+	+	+	<del> </del>	·	• •
2/ 31		_		1	_ 1	i ;	. 1	1	$_{1}$ $_{1}$	1	. [	1	1		j	1	1	1	. 4
7 / 29	, <del></del>		1			1	, —	1			. —			+		+	1	,	1
2+1 27	. lr	: ــــــــــــــــــــــــــــــــــــ	· _ i	; 	_}	:	, _/	i1	1	· 1	. 1	,	1				1	1 :	į
TE1 25	,		1			1	,	1		1				1	1	+			1
24/ 23	·				ليب	ال ا		1	11				1			1	1	!	
2/ 21					1		,	1				-				1		1	
Element (X)	24,	<b>=</b>	2,	<u> </u>	工	R	•	工	No. Obs	,						rith Tomperet			
Rol. Hum.	-				$\perp$			$\Box$			2 0 F	s 32 l	F ./	67 F	⇒ 73 F	- 80 F	• 93 F	*	Total
Dry Bulb	·							$\Box$				<u> </u>							
Wet Buib	·		·		I			I				T					T		
Dew Paint	, ———		. —		7		,					1				1	7		

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR BEATHER SERVICE/MAC

725250 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
373-101 YOUNGSTOWN MAP OH
374-101 YOUNGSTOWN MAP OH
375-101 YOUNGSTOWN MAP OH
375-101 YOUNGSTOWN MAP OH
375-101 YOUNGSTOWN MAP OH
375-101 YOUNGSTOWN MAP OH
375-101 YOUNGSTOWN MAP OH
375-101 YOUNGSTOWN MAP OH
375-101 YOUNGSTOWN MAP OH
375-101 YOUNGSTOWN MAP OH
375-101 YOUNGSTOWN MAP OH
375-101 YOUNGSTOWN MAP OH
375-101 YOUNGSTOWN MAP OH
375-101 YOUNGSTOWN MAP OH
375-101 YOU

| Temp. | WET BULB TEMPERATURE DEPRESSION (F) | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL | TOTAL

2<sub>X</sub>, 2487923 No. Obs. 815 51.719.410 Rel. Hum. 10F ≥ 67 F = 73 F = 80 F = 93 F 1 32 F 54052 66.310.727 45266 55.5 8.214 37645 46.210.826 3678476 815 46.3 30.4 11.3 93 Dry Bulb 2569040 815 8.6 93 War Bulb 1834225 815 93

AFETAC NOTAL 0-26-5 (OLA) SENSO RENOUS S

GLOBAL CLIMATOLOGY BRANCH USAFETAC ATR WEATHER SERVICE/MAC

#### **PSYCHROMETRIC SUMMARY**

725257 YOUNGSTOWN MAP OH 73-81 MAY
STATION STATION NAME YEARS MONTH

1800-2000 Hours (C. 5, 7.) PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL Temp. (F) 1 - 2 | 3 - 4 | 5 - 6 | 7 - 8 | 9 - 10 | 11 - 12 | 13 - 14 | 15 - 16 | 17 - 18 | 19 - 20 | 21 - 22 | 23 - 24 | 25 - 26 | 27 - 28 | 29 - 30 | = 31 | 0.8 /W.8. Dry Bulb Wer Bulb Dow Paint 6/ 85 . 1 4/ 83 42/ 81 . 2 13 13 . 4 / 79 18 18. • 6 7.1 77 . 1 . 1 • 2: 16 16 16/ 75 37 73 .2 1.3 . 5 41 11 71 42 7 / 69 .2 1.d 1.b -5 1-3 • 5 45 45 61 67 1.5 .9 1.2 . 7 . 5 53 27 .5 1.6 .9 1.3 .6 .6 1.0 1.1 (6/ 65 65 65 34 14/ 63 .5 1.6 . 9 .6 1.1 52 28 1.3 1.7 1.2 12/ 61 57 57 61 59 42 1 / 57 .2 1.2 .7 .7 1.0 1.0 71 44 44 58 5(/ 55 1.3 1.5 1.0 1.3 1.1 1.3 62 62 .9 1.3 4/ 53 1.0 .9 1.1 • 7 62 51 1.2 1.8 2/ 51 48 48 45 5 / 49 .9 1.1 32 .1 1.1 32 68 43 4-/ 47 22 22 65 4. / 45 .5 1.0 . 7 28 28 45 37 \*4/ 43 10 47 -2/ 41 11 25 42 3-/ 37 21 42 3-/ 35 34/ 33 36 2/ 31 20 28/ 27 26/ 25 19 .21 21 3 No. Obs. Element (X) Ī Man No. of Hours with Tomperature Rel. Hum. 267 F 273 F 280 F 1 0 F 1 32 F ≈ 93 F Dry Bulb Wet Buib Dew Point

GLCBAL CLIMATOLOGY BRANCH US&FETAC AIF WEATHER SERVICE/MAC

# **PSYCHROMETRIC SUMMARY**

724250 STATION YOUNGSTOWN MAP OH 73-81 PAGE 2

1800-2000 HOURS (C. S. T.)

Temp.							WE	T BUI	LBT	PEMPER	ATURE	DEPRE	ESSION (	F)						TOTAL	Ĺ_,	TOTAL	
(F)	0	1 - 2	3 - 4	4 5 -	6	7 - 6	9 - 10	3 11 -	- 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22	23 - 24	25 - 26	27 - 28	29 - 30	» 31	D.B./W.B.			
CTAL	• 2	11.1	116.	613	. 91	.2.8	13.	410	. 6	9.5	5.6	4.3	19 - 20	• 2						821	821	821	821
1	.—						1					ļ.,	1			İ	,			Į .			1
	<u> </u>	+	<u> </u>				+			<b></b>	<del> </del>	<del></del>	$\vdash$		<b>├</b>	<del></del>	<del> </del>	<del> </del>	<del> </del>		<del></del>		+
		,									1	!	1 1	:	ĺ				İ				
							-		+	÷		<del></del>	<del> </del>		<del></del>	+	<del> </del>	<del></del>	<del></del>		+	<del></del>	<del></del>
	,		:									ţ			1	1		1		i i			i
		<del></del>	+	- + -			•-	-+ -	+	·		+	1			+	<del> </del>	+	+	<del> </del>		<del></del>	+
												1				İ	}			i		:	
		<del>*************************************</del>						-				+			<del></del>	1	<del> </del>	<del>                                     </del>	+	<del></del>			
												:				1		i _	į	1	·	!	1
				•			•	-				1						1	;				
				<b>.</b>			<b></b>	+							<u> </u>	<u> </u>	<u> </u>	-				<u> </u>	<del>}</del>
													1		:			!	!			:	
											+	+	<del></del>			<del>-</del>	<del> </del>	<del></del>	<b></b>		<b></b>	<u> </u>	+
																	1		į į	!	İ	(4)	
			*			-	•	• -			<del></del>	<del></del> -	4	<del></del>	<u> </u>	<del>+</del>	<del> </del>	<del> </del>	+	<del> </del>	<del> </del>	1	<del></del>
																,	!			i	i		
<b></b> - <b>→</b>		•	+	٠	٠		•	• -	+	~ <b>-</b> -	<b></b>	+	+		<b> </b>	<del></del>	+	+	<del> </del>	<del> </del>			-
,																1		1	1			ı	
		+	•	•	•	•	+	• -		+		-	+		-	+	†	+	+	<del> </del>	-	-	
					_								l			i	ļ	!			l	!	<
			+				•	<b></b>				1											
	·		+		·		.4.		_ +	<b></b>	<b></b>		1			↓		L	ļ		<del></del>	<b></b>	+
										i			1 1			1				!	1	!	
+		<b>+</b>	+-						+		<b></b>	<del></del>			·	<del></del>	<b>}</b> —	+	<b>↓</b> '	<b></b>	<b></b>	<del></del>	+
,									1		1		į.	i					1		i .	İ	
		+	+	<del></del>	-+			<del></del>	-+		<del></del>	<del></del>	+		<del> </del>	+	┼──	<del> </del>	<del> </del>	<del> </del>	<b></b>	<del> </del>	+
	,							1		. 1	† '	1	1	, ,	ĺ		1				١ '	1	1
		1	+		+		<del></del>	+	-	<del></del>	<b>,</b>	+	+			+	+	+	+	<del>                                     </del>			<u> </u>
	:	! !	Į	Ĺ	.1.				1	ı i	1	1	i1							1			l
Element (X)		Z <sub>X</sub> '		$\mathbf{I}$		X		X	$\Box$	•,		No. Ol					Mean	No. of H	ours with	h Temperet	lure		
Rei. Hum.			5993			484				19.2			21	101	F	s 32 F	× 67	1 8 1	≥ 73 F	≥ 80 F	= 93 1		Tetal
Dry Bulb			9836			505				10.1			21		$\Box$				14.8	3.	1		9
Wet Bulk			9328			437			- 1	8.5			21					•6		<b></b> _			9
Dow Point		167	1459	1		374	97	45	• 7	11.1	54		21			14.7	1	• 3		<u> </u>			9

GLOBAL CLIMATOLOGY BRANCH USAFETAC ALP MEATHER SERVICE/MAC

## **PSYCHROMETRIC SUMMARY**

72525C YOUNGSTOWN MAP OH 73-81 YEARS MAY
STATION STATION NAME PAGE 1 2100-2300
HOURS ILL S. T. 1

Temp.								DEPRES							TOTAL	<u> </u>	TOTAL	
(F)	0 1 - 2	3 - 4 5 -	6 7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	9 - 20	21 - 22 23	- 24 25 - 20	27 - 28	29 - 30	a 31	D.B./W.B.	Dry Bulb	Wet Bulb	Dew Po
76/ 75			3		3.		1								4	4		
74/ 73			6		1	:	3	<b>.</b>		1					11	11		
77/ 71		•1	5 .6	. (	. 1	. 1									17	17	<b>,</b>	
7 69		• 1.	5.1.2	1.0	).		3					i		!	23	23	1	
61/ 67	• 5	1.5	6 . 3	•	. 5		• 1							i	30	30	8	
6/ 65	1	2.7	43		6	. 4	M	1 i		_ 1				L	38	38	14	
4/ 63	1.3	1.7 1	8 .6	9	.6	.1					Ţ	i			55	56	34	1
12/ 61	1.1	2.3.1	0 1.5	(	. 1	1	·	1	i			i		1 :	54	54	43	2
/ / 59	2.7	1.3	9 .9	. (	. 4	. 6	),								5 8	58	44	3
5-/ 57	3.2	1.8 1	8 .6		. 4	. 1	i	i :	i		[	1 1		1	67	67	62	5
5:/ 55	.3 2.2	1.1	6 1.4	• :	. 6						,				51			
4/ 53	. 2.2	1.8 1	5 1.8	1	L_ • 3	L	ļ		_i	_		i		L	60	60	61	4
°2/ 51	2.0	1.7 1.		. 4	•			1						1	52			
5 / 49	1.7	3.4 1.	1 1.1		<b>.</b>			L .	i	i	<u> </u>	1			61	61	52	4
4-/ 47	1.5	1.0 1.	9 .3				Ţ	1 1				Ī			37	37	64	5
46/ 45	1.9	1.4	8 .8		l		l	L 1.			i	i			39	39	64	4
14/ 43	1.8	1.1	8 .4	• 1	l		T							1	33	33	47	4
22/ 41	6	1.8 1	1, .5		1	i.		l. i	1	i					_ 32	32	49	. 5
4./ 39	.6	1.7	6 .3												25	25	25	4
34/ 37	. 4	1.5	, 6		1	ı	1	1 1	1	j		1		1	20	20	33	4
3-1 35	• 6	.8	. 3		:										13	13	25	3
34/ 33	.1 .1	• 1			1		l		į	í	1			1	3	i 3	32	_ 2
2/ 31	• 1	• 1							1		!				2	2	6	4
1 / 29	1						İ	L L				1				<u> </u>	3	1
21 27					-												1	1
20/ 25				_	ĺ j		İ		i			1				i	L	1
24/ 23					, ,				$ \top$									
2/ 21		i				_	i	L L	L							<u>i</u>		
7 / 19																		
TOTAL	.424.72	9.019	Q13.8	7.1	3.8	1.5	_ 6	<u> </u>						11		786		78
			i												785		785	
			+								<del></del>	-						
Element (X)	2 x'		z <sub>g</sub>		X	·		No. Obe				Magn P	lo. of H	aura wist	Tempere	ture		
Rel. Hum.	4224		562		71.6			76		10F	s 32 F	± 67		73 F	= 00 F	• 93	•	Tetal
Dry Bulb	2422	521	430	11	54.7	9.3	49	78	16		• 2	10	-1	1.8				9
Wet Buib	2010	714	391	30	49.8	8.7	62	71	35		1.3	2 1	•1					9
Dew Point	1682	167	353	93	45.1	10.4	99	71	15		13.	51-						9:

GLCGAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

#### **PSYCHROMETRIC SUMMARY**

725257	YOUNGSTOW	N MAP OH				73-8	1			YEARS					Mo	A Y
STATION		STATION NAM	AE.							YEARS			PAGE	1	All	LL
Temp.			WET BULB	TEMPERA	TURE	DEPRES	SION (F	)					TOTAL		TOTAL	
(F) =	0 1-2 3-4	5-6 7-8							3 - 24 25	. 26 27 -	28 29 -	30 2 31	D.B./W.B. D	y Bulb 1	Fet Bulb	Dew Point
8/87				+				-	•0			-	1	1		
6/ 85			• 1	. 1	• 1	. 1	• 2	• 1	i i				35	35		
4/83			•0	• 2	. 1	• 2	• 1	• 1	• 0	.0.	-		57	57		
./ 81			• 1, • 3	• 2	• 3	. 3		• 1	• 1				91	91		
/ 79			• 3, • 3	. 4	. 4	• 2	• 1	• 2	• 0				111	111		
7 / 77		• 1	. 3 . 3	• 2	• Z	. 1	• 2	• 0	i				102	102		
76/ 75	•!	0 •0 •6	.6 .3		• 3	• 2	• 2	• 0				7	188	188		
4/ 73		The company of the company	.6 .4	. 5	<u>• 3'</u>	• 3	. 3	•1					209	209	2	
27/ 71	• 0	2 .6 .4	.5 .4	• 3	• 4	. 4	• 2	• 0					226	226	18	-
/ 69	•0	5 .5 .7	.6 .4		• 2	. 3	• 1;						244	244	80	3
6./ 67	•2 1•	7 .6	.6 .3	• 2	. 4	• 2	• 0			1		,	277	277	178	10
6/ 65	.3 .5 1.4		•5 •6		. 6	• 2						<u> </u>	393	393	239	60
4/ 63	1.2 1.6	D • 9 • 6	.8 .7	• 5	• 3,	• 0		1		·			381	382	323	175
2/ 61	.0 1.2 1.		•7 •7					<u>-</u>	1				374	374	367	238
/ 59	.1 2.0 1.	3 .7 .6	.9 .7		• 0		;			!	1		429	429	417	_
- / 57	.3 2.2 1.		-8 -7										457	457	490	376
5. / 55	.1 1.3 1.3		.8 .5		Ī				:	İ	- 1		386	386	452	
4/ 53	.2 1.6 1.		.5 .4	·							1		381	381	455	376
52/ 51	.1 2.0 1.0	,	.6 .2	1		!	1			1	1	İ	384	384	503	376
5 / 49	•3 1.5 1.		-4 -0								+		327	327	496	367
6 / 47	.1 1.4		•2 •	)		- 1	j	1	,			ļ	234	234	485	
41/ 45	.7 1.7 1.		• 0					<u>-</u>					286	286	414	362
34/ 43	.1 1.2 1.	-	• 0	1 1	i	į	İ		÷	4		ĺ	203	203	307	
2/ 41	.0 .9 1.	<del></del>			i				<u>i</u> _				171	171	309	351
4 / 39	.2 .9 1.			1	i	i	- 1	ì	l 1	İ		1	174	175	259	393
3-/ 37	•1 •5	<del></del>	<del>i</del>	<del></del>							<del></del>		99	99	217	376
3./ 35	.1 .8			1	1		1	-		}			101	101	142	
34/ 33	.1 .5 .					$\longrightarrow$	$\longrightarrow$					<u> </u>	52	52	152	293
2/ 31	.7 .3 .				1	-		ļ	i	ĺ	;		31	31	60	362
? / 29	.0			ļ — ļ									3	3	34	179
21/27	• •	-	1				1					į	4	*1	6	145
26/ 25	<del>- + - • '</del>	1	<del></del>	++		<del>-                                    </del>	<del></del>			<u> </u>		-+	<del>                                     </del>		4	110
2/ 23	1 .		l .				į			1	1				3	23
	<u>_</u>	<del></del>	<del></del>	<b>├</b> ──┴		ابد	<del></del>									
Element (X)	2%,	2 %	<u> </u>	· **		No. Obs							h Temperatur			Fatel
Rel. Hum.		<del> </del>	-	<del> </del>				2 0 F	= 32	*	67 F	+ 73 F	▶ 80 F	≥ 93 F	<del></del>	1 0101
Dry Bulb		<del> </del>	<del></del>	<del> </del>			-+		+				<del> </del>		+	
Wet Bulb		+	<del></del>	<del> </del> -	+				+				<del> </del>	<del> </del>		
Dew Point		<u> </u>		<u> </u>					4				<u> </u>			

IVISED MEVICUS EDITIONS OF THIS FORM AME ORSOLE

**(** )

0.26-5 (OLA) ame

SAFETAC ...

GLCBAL CLIMATOLOGY BRANCH PSYCHROMETRIC SUMMARY USAFETAC AIF WEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH PAGE 2 WET BULB TEMPERATURE DEPRESSION (F)

1 . 2 3 . 4 5 . 6 7 . 8 9 . 10 11 . 12 13 . 14 15 . 16 17 . 18 19 . 20 21 . 22 23 . 24 25 . 26 27 . 28 29 . 30 23 D.B.-W.B. Dry Bulb Wei Bulb Dew Point (F) \_ / 13 21 1 / 17 TOTAL 1.721.923.413.511.2 9.7 7.3 5.7 3.8 2.6 1.5 .7 .1 .0 6414 6412 6412 6412 No. Obs. Mean No. of Hours with Temperature Element (X) 30372170 422430 6412 Rel. Hum. 65.919.912 2 67 F + 73 F + 80 F + 93 F 4.5 178.8 12.4 32.3 103.2 1.6 58.211.656 51.5 9.266 22585589 373197 6414 92.1 27.0 744 Dry Bulb 330409 17576369 6412 744 Wet Bulb 45.410.662 Dew Point 13953625 291201 6412 744

õ 11

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIF WEATHER SERVICE/MAC

## PSYCHROMETRIC SUMMARY

72°25	YOUNGSTOWN M	STATION NAME			73-81		YE	ARS				JU	JN ITH
										PAGE	1	HOURS IL	- 02
Temp.					E DEPRESSION					TOTAL		TOTAL	
(F)	0 1-2 3-4 5-	6 7 8 9 - 1	0 11 - 12	-13 - 14 (15 - 1	6 17 - 18 19 - 20	21 - 22 23	- 24 25 - 26	27 - 28 29 -	30 + 31	D.B. W.B.	Dry Bulb	Wet Bulb	Dew F
7 / 77		• 1			•				-	1	1		
<u> 167 75</u>		• 3. • 6.	. سام - • ي	<del>-</del> . •					-4	. 6.	6		
4/ 73	•7 ?		1							22	22		
/ 71		• 6 • 9'		·						27	27		
7 69			1							50	50		
<i>4 / 67</i>			6, .4	• · · · ·						56	56	51	
6/ 65 4/ 63		.8 1.1	,							76	76	48	
$-\frac{47}{57}, \frac{93}{61}$			3	1		·				<u>75</u> 59	75	65	
/ 59	•7 3•1 1•8 1 •1 4•1 2•6 2										59 69	_	
5 / 57				<del></del>						69	40	63	
5 / 55	3.4 2.1 1									40	40	68 72	
4/ 53	1 4.4 2.3 1			+						57	57	53	
: 2/ 51		• 1			: "					19	19	54	
5 / 49		. 1	+	<del>-</del>					<del></del>	28	28	34	
47	1.1 .9	• •								14	14	29	
41/ 45	1.4 1.4			<del>+</del>	+				·	20	20		
44/ 43	.3 .6 .6			<b>†</b>						10	10	18	
2/ 41	1.1 .3		+	<del></del>	<del></del>					10	10		
4 / 39	.3 .9 .3	1	5							10	10	ii	
3 / 37	.1 .6		-+	<del></del>	<del></del>					<del>5</del>	5	9	
3 / 35	•1									1	ī	5	
3 - / 33				<del>†</del>		+							
2/ 31													
TOTAL	2.739.531.118	. 2 7.0 1.	1 .4	)		:				<del></del>	734		7
				1i.	i	1	i			704		704	
			-			:							
				<del></del>			· 			· 			
		!						1	,				
	· · · · · · · · · · · · · · · · · · ·		·	·	<del></del>	++				<del> </del>			
			į.			1	i	,	į	:			
<del>+</del>			+	<del></del>	<del></del>		<del></del>		<del></del>	<del> </del>			
		,	1	1	1			!	1	1			
Element (X)	2,,	ZX		<del>  ••</del>	No. Obs.	-نـن		Mean Ne	f Hours -I	h Temperatu			
Rel. Hum.	4765529	57477		10.184	704	: 0 F	± 32 ₱	* 47 F	≥ 73 F	- 80 F	• 93 F		orei
Dry Bulb	2586644	42276		8.256	704			20.7	3.7		+	<del>'</del>	0141
Wer Bulb	2306393	39931	56.7		704	<b></b>	<del> </del>	8.8		<del></del>	<del> </del>		
Dew Point	2120494	38210		8.144	704	<del></del>	. 4	2.7		+	+		

GLUPAL CLIMATOLOGY BRANCH USIFETAC ATA HEATHER SERVICE/MAC

# **PSYCHROMETRIC SUMMARY**

73-81

STATION

STATION

PAGE 1

OBJUIN

HOWRS (L. S. T.)

					E DEPRESSION					TOTAL		TOTAL	_
(F)	0 1-2 3-4 5	5 - 6 7 - 8 9 - 1	0 11 - 12	13 - 14 15 - 16	17 - 18 19 - 20	21 - 22 23 -	24 25 - 26	27 - 28 29 -	30 = 31	D.B./W.B.	Dry Bulb	Wet Bulb C	Dew Por
16/ 75		. 44			1	,				3	3		
4/ 73	. 3	. 3			·	·				4	4		
1/ 71	.1 1.6	. 9							,	18	18		
/ 69	1.3 1.6	3	1		·	·				23	23	9_	2
6 / 67	•1 3.9 4.3		1 ,		!		100			69	69	38	18
6/ 65	.3 3.3 2.7		1		<del></del>	·				60	60	40.	45
4/ 63	5.6 3.3				į.		. 1			. 80	80	63	4 4
/ 61		1.9 .4	<u>•1</u>	<del>i</del>	<del> </del>				<u> </u>	60.	60	65	57
/ 59	.3 4.6 3.1				4			ŀ		64	64	50	43
' / 57	.3 4.3 1.3	.7 .3	+		<del></del>	<del></del>			-+	48	48	82	60
5-/ 55	.4 4.1 2.3	• 7	1					ĺ	i	5 3	5 3	65	69
4/ 53	•1, 3.6, 3. <u>0</u>	• 6	<del>-                                    </del>			<u> </u>				51.	51,	56,	64
2/ 51	•1 3•1 2•3	• 1	:		1	;	: '			4.0	41	48	50
5 / 49	3.7.9	·						<del>`</del>		32	32.	46	5.5
4-7-47	.1 1.7 1.4	. 4						í		26	26	44	4 6
4 / 45	.6 1.4 .1	···		+	+					16	16	23	51
4/ 43	.1 1.4 .7				II .					16	16	21	24
2/ 41	.1 .6 .6				+					9	9	9	15
4 / 39	•7 1•1 •1						1	i	i	14	14	18	15
$\frac{3}{7}$ / $\frac{37}{35}$	.6 1.4				++				-	14	14	17	13
3 / 33	• 1				:					1	1	7	17
3'/ 33.										<del></del>			9
													- 4
12/ 31 TAL	4 747 477 111	0 4 7 0									732		701
	4.347.633.11	0.6 3.9	4 . 1		<b></b>							200	
	4.347.633.11	0.6 3.9	4 . 1,			• <del>-</del>			-+	701		701	
	4.347.633.11	0.6 3.9			· · · · · · · · · · · · · · · · · · ·					701		701	
	4.347.633.11	0.6 3.9			* · · · · · · · · · · · · · · · · · · ·	<b>.</b>		i		701		701	
	4.347.633.11	0.6 3.9	.4 .1					i		701		701	
	4.347.633.11	0.6 3.9		+	<b></b>			i		701		701	
	4.347.633.11	0.6 3.9	.4 .1,					1		701		701	
	4.347.633.11	0.6 3.9	1					i 		701		701	
	4.347.633.11	0.6 3.9						-		701		701	
7/ 31 / TAL	4.347.633.11	0.6 3.9			:					701		701	
TAL	4.347.633.11	0.6 3.9	¥ 1		No. Obs.			Meen No. o	Hours wif	701		701	
TAL			X 84.4	7. 9.403	Ne. Obs. 701	20 F	± 32 F	Mean No. e	Haurs wif				
(TAL	Σχ'	Z <sub>X</sub>	X 84.4			± 0 F	1 32 F			h Temperatu	w•		arai
	z <sub>x</sub> , 5.051252	2 <sub>X</sub> 59147	X 84.4 58.2	7. 9.403	701	± 0 F	s 32 F	≥ 67 F	≥ 73 F	h Temperatu	w•		

0. 26 S (O. A) NAVISE MENDOS ESTIDAS OF THIS P

GL 28AL CLIMATOLOGY BRANCH

GLOBAL CLIMATOLOGY BRANCH U: AFETAC AIN WEATHER SERVICE/MAC

## PSYCHROMETRIC SUMMARY

C600-0800

7.25 YOUNGSTOWN MAP OH 73-81
STATION STATION NAME YEARS
PAGE 1

Temp.							RE DEPRESSION					TOTAL		TOTAL	
(F)	0 1 2	3 · 4 5	- 6 7 - 8	9 - 10	11 - 12	13 - 14 15 -	16 . 17 - 18   19 - 2	0 21 - 22 23	- 24 25 - 26	27 - 28 29 :	30 - 31	D.B. W.B. D	y Bulb 1	ter Bulb C	- P
/ 79		• 1		1 .:	1							3	3		
7 / 77.			• 5. •	5									8.		-
6/ 75	.1			4 .								10	10	1	
4/ 73		• 9 . 3		2	7	<del></del>						35	35	3.	-
c/ 71	• 1	2.0 1		7 •	4							34	34	9	
/ 69	• 2, <b>2</b> • ?	3.2.1	1.7 1.	2•	<b>4</b>		<b>-</b>					71	71	24	
€ / 67	.5 2.5	3.2 1	1.4 1.	•								78	78	66	
6/ 65	.4 3.1	2.1.2	2.9 1.		4							84	84	62	
4/ 63	4.1	4.2 2	-	9						*		97	97	88	
./ 61	.2 2.6	2.4		9 •						<del></del>		75	75	68	_
/ / 5 <b>9</b>	•1 3•6	2.6		4 .						1		64	64	96	
· / 57	.1 2.9	1.6		2 • :		<del></del>				<b></b>		49	40	81	
5 / 55	•2 2•5	1.5		6 .	1							47	47	76	
4/ 53	•2 2.6			2					+			45	45	54	_
2/ 51	.1 2.0			1								36	36	48	
5 / 40			• 6			·						29	30	45	_
4 / 47	1.1			1								13	13	28	
4// 45	. 5	<del></del>										9	9	25	
44/ 43	.1 .4											7	7	10	
"2/ 41	5		·			<del> </del>						4	4	10	
4 / 39	.1 .1	• 1						1		!		3	3	5	
3-/ 37	+		· ·			·	<del></del>		- +	-				2_	
3/ / 35						į	i i	i i		į	1				
34/ 33			<del>-</del>			<del></del>						·			
TAL	2.532.5	33.820	J.7 9.	9 3.	2 • 4	<b>5</b>					1	1	8 72		8
		1		· - <del>1</del>		<u>i                                      </u>				L		801		801	_
1				1											
		<u> </u>				<u>i                                     </u>									
,			ì	i							1		-	•	
					<u> </u>							·		<del></del> 4	
					!						İ	-	!	:	
<del>i</del>		—————		+	<del></del> _	<b></b>									
		! :	!	1	i					!		1	ï		
Stamon (V)	2 2 7	<del></del>	ž x		¥	+ + +		+		Man Mc -	Maura	h Temperatu			
Rel. Hum.		7042		074		11.270	No. Obs.	# 0 F	± 32 F	2 67 F	2 73 F	# 80 F	* 93 F	7 +	eta l
Dry Bulb		5881		733		7.545	802	2 U F	2 32 F	26.8	6.3	. 2		"	
Wes Bulb		6977		653	58.		801	+	+	11.6	- 4		<del> </del>	<del></del> -	
		0135		503		7.712	801	<del></del>	<del></del>	6.0		<del></del>	<b></b>		

GLUBAL CLIMATOLOGY BRANCH USAFETAC AIF REATHER SERVICE/MAC

# **PSYCHROMETRIC SUMMARY**

17:25 STATION	YOUNGSTOWN M	AP OH			73-81		<del>-</del>	EARS				JL MON	
										PAGE	1	0900-	110
Temp					E DEPRESSION					TOTAL		TOTAL	
(F)	0 1 2 3 4 5	6 7 8 9 - 1	0 11 - 12	13 - 14 15 - 1	6 17 - 18 19 - 20	21 - 22 23	- 24 25 - 26	27 - 28 29 -	30 - 31	D.B. W.B. D	ry Bulb	Wet Bulb [	Dew P
6/ 85		•1 •	4 • 1	• 1						6	6		
4/ +3.		. • 1. •	5 • 5	•		+				11, .	11.		
/ 51		1.0	9 1.1		3 .1					31	31		
/ 79.	• 1	1. 1.3.1.	4 1.3		3					45.	45		
7 / 77	• 1	.6 2.3 2.	5 2.5	• 6	_ •1					70	70	2	
<u>e</u> / 75.	• 3, 1	. 3. 2.9. 1.	9. 1.4		3						74.	5	
4/ 73	•1 •5 1	.8 1.7 2.	4 1.0		6					71	71	26	
11.	. •6, 1•4,	9. 2.0. 2.	5 1.4		<u>.</u>					71_	_ 11.	32.	
/ 69	1.8 2.4 1	•8 Z•5 Z•	11.5	8 .	3					103	103	64	•
· / <u>67</u> .	•5. 2•3. 1	** fra j*	ğ. • §		· · ·			•		. 66.	66.	93	
6/ 65	.9 2.2 1	.5 1.7 1.	1 .5							64	64	96	:
4/ 63	1.03 1.5 1	** *** **	5 .6		-					. 19	49.	95.	
2/ 61	.1 .3 .4 1		5 .3	_						29	29	89	7
/ 59	. 6 1,7		6 - 3		•			•		28	28	- <u>74</u>	]
· / 57	•5 •3		5 • 1							20	20	59	8
5 / 5 <u>5</u> 4/ 53		.1 .4		• · · · · · · · · · · · · · · · · · · ·	<b></b>					10	_ <u>16</u> _	47. 33	
2/ 51										. 5	5	23	
5 / 49		• <u>3</u> • <u>1</u> .	•	• <del>-</del>							- 3	20	5
. / 47	•3 •3	• •								3	3	17	3
4 / 45			- +	•	-+			+			•	8	
4/ 43												ž	i
2/ 41		• • • • •	- •		<del></del>	<del></del>		<del></del>		····			;
4 / 39						•		*					î
3 / 37				·	<del></del>	1		<del></del>		·			
€ / 35						}		1					1
TAL	.1 8.113.913	.621.019.	713.5	7.9 1.	9 .3	<del></del>					787		7
			. 1	i 1	1 11	1				786		786	
			,							1			
			+		<del></del>	1		1					
			1										
	<del></del>	<del></del>		ļ				<del></del>			+		
:		!	į						1				
Element (X)	2 x'	ZX	<del></del>		No. Obs.	<del> </del>		Mean No. a	f Hours with	Temperatu	<del></del>	<del></del>	
Rel. Hum.	3461862	50954		14.217	786	10F	: 32 F	≥ 67 F	≥ 73 F	- 60 F	= 93 F	T	otal
Dry Bulb	3894746	55052		7.462	787		† <del></del> -	63.4	35.2			1	9
Wer Bulb	3076497	48905		6.545	786		<del>                                     </del>	25.4	3.8				5
Dew Point	2603860	44794		8.065	786		1	10.9	• 3		1		

0.26-5 (OLA) sevido nevo

FETAC NOW A 24.5 (C)

SLCBAL CLIMATOLOGY BRANCH USAFETAC AIR REATHER SERVICE/MAC

### **PSYCHROMETRIC SUMMARY**

7.24.25	YOUNGSTOWN MAP OH	73-81 YEARS	JUN MONTH
		PAGE 1	1200-1400

Temp	0 1 - 2 3 -	4 5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18 1	9 - 20	21 - 22 2	3 - 24 25 - 20	27 - 28	29 - 3	0 • 31	D.B. W.B. C	ey Bulb #	for Buib (	Jow Po
/ 89	. —					. 4	• 1								4	4		
8/ 87			• 3		3	1	• 5		- 1			•			11	11		
6/ 85				. 4	1.4	• 9	• 8		• 1	• 1					31	31		
4/ 83		<u> 1</u>	1	. 8		2.0	<u>-</u>		-1			<b>+</b>			5.5	55.		•
/ 31		• 1	. • 5	1.4	2.0	2.9	1.8		• 1						73	73	_	
/ 79			. 6	2.5	1.8	3.0	7.4	*- · <del></del>	. 1						90	_91.	2.	
7 / 77		. • 5	1.0	. 6	2.5	1.1	1.6								70	70	2	
6/ 75		. 1 5	2 • 1	2.0	1.5	1 • 5	2.5	·							92	92.	12.	
4/ 73		6 1.1	1.1	1.6	1.6	1.5	1.3	• 3							73	73	41	
. / 71		9	. <u>1. j.</u>	1.5	2 • 5	• 9	1.0	• 1				•			72	72	51	1
/ 69	• 3 1	6 •6		• 3	.•9	• 6	• 4									43	82	3
. / 67	4 2	• 7. • 6		• <mark>9</mark>	1.1		3			· · · - • · ·		<b>.</b> -		•	60.	60.	111	4
6/ 65		6 6		• 6	. 8	• 5	. 3								36	36	102	5
4/ 63	• 3	$\frac{3}{2} - \frac{4}{3}$		_ <u>•8</u> .	8	• 1						•			_ 23_ 18_	23 18	84. 77	6
7/61		4 • 3		• 5	• 6	• 3									9	7.0	67	7
/ 59		1 3		3	•1					·		÷			- 10	10	39	. ;
· / 57 5·/ 55	• •	•	• •	• 1											7	7	36	Ś
4/ 53		6 • 1	<b>.</b>	• <u>1</u> .				·				<b>-</b>				<del>'</del>	35	4
7/ 53 7/ 51	• 3	• •	• 3	• 3											4	5	29	5
5 / 49 -		4 .1	+	+				+					•	<del></del> -	<del></del>	— <del>-</del>	$-\frac{27}{13}$	
3 / 47 4 / 47		•4 •1 •1	•												ž	3	• 5	4
4: / 45		· ·						•		•		•		++		<del>-</del> -	- <del>-</del> 5	
4/ 43																	5	Ž
2/ 41								++		•		•		+			<b></b> -	$-\frac{1}{1}$
4 / 39								i	'			1						ī
3. / 37			<del>+</del>	+	·			<del></del>				+	<del></del>	$\rightarrow$				
3.7 37 3.7 35			1									1	İ	i				
3-/ 33					<del>`</del>			+ +		+	+	+	<del></del>	+				
2/ 31			: '	ļ	1													
TAL	.3 2.9 9	.6 6.8	10.9	14.5	19.0	17.4	14.4	3.4	.6	.1		1			:	800		79
<del>-</del> .			1 .			-	_		-	İ	!		[		798	:	798	
			!!									1						
			<u> </u>	, 									<u> </u>					
Element (X)	Σχ'		ZX		X	<b>7</b> ,		No. Obs							Temperatu	<del></del>	-, <u>-</u>	
Rel. Hum.	27066		449		56.3 74.0			80		: 0 F	1 32 F	≥ 67 7 E	.9	* 73 F	24.8	≥ 93 F	<u>_</u>	otal 9
Dry Bulb	44347		592	_ 1	1			79	1		+		.9	6.4				
Wet Bulb	32605	1	507	- 1	63.6			73						• 5	• 2	+		- 3
Dew Point	26221	11	452	34	56.7	8.5	UU	79	75		• :	1 10	• [	• 5				

GL(PAL CLIMATOLOGY BRANCH OF AFETAC ATE REATHER SERVICE/MAC

# PSYCHROMETRIC SUMMARY

TZ 25	YOUNGSTOWN	MAP OH STATION HAME				73-	81			YEA	AS .				JU	
		,											PAGE	1	1500-	170
Temp	<del>'</del>	ME.	BULB	TEMPER	ATURE	DEPRE	SSION (	F)					TOTAL		TOTAL	
(F)	0 1 2 3 4	5 - 6 7 - 8 9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22	23 - 24 2	5 - 26 2	7 - 20 29 -	30 + 31	D.B. W.B. D.	y Bulb	Wer Bulb D	ew Pe
/ 8 =				. 4		-					•-		3	3		
8/ 37			1	5	. 6	1	. 1						. 12.	12.		
6/ 35			1.1	2.0			. 3	. 4	•		•	•	38	38	•	
-/ 83		3	5 .9	1.3	2.4	1.3							5.3.	5 3.		
7 81	•	.1 .5 1.	7 1.7	3.3	3.1	1.3	. 5	•	•	•	•	•	95	95	•	
179		.4 .3 1.	2.2	1.8	1.1	1.3	4						. 73.	7.3		
7 / 77	• 1	5 1.1 1.1	2.7	2.0	1.7	1.1		•	•	•	•	•	87	87	1	-
6/ 75	.3	1.5 1.	2.2	1.5	3.1	1.1	1						. 93	93	9.	
4/ 73	.1 .3	1.4 .8 1.	3 1.3	1.8	1.4	. 4		•	•	•	•	•	68	. 6	33	-
. / 71	.1 .9	1.7 .9 .4	9 1.7	1.5		).							. 56.	56.	63	
1 69	5 9	6 1	4	1.8	3	. 4			•	•	•	•	42	42	67	i
6 / 67	1.1 1.1	.3 1.2 .1		. 6	. 4								45	45	122	
6/ 65	1.3 .4	4 6 1		• 5		• •		• •	•	•	•	•	41	41	102	7
4/63	.5 .5	.4 .3 .											. 21.	21.	82	
./ 61		.1 .5	• -	•					•	•	•	•	ii	îĩ	72	
/ 59	14.	.5, .3											16	16	8.5	
1 57	1 3	.5 .1		. ••.	-	• •			•	•	•	+			29	
5 / 55	3	.1	. •1												36	
4/ 53				•										· - <del>7</del>	.⊋£, 29	
2/ 51	.5 .3														_	
5 / 44	• • • • •	1		•		• •				•				. 11.	26. 11	
4 / 47		• 4											1	•	14	
4 / 45		· · ·	•	•		· · · · · · · · · · · · · · · · · · ·			~						9.	
4/ 43															•	
2/ 41			· · · · · ·													<u></u> ;
4 / 39	•															
3./ 37				<del></del>		•				+				<b>+</b>	- •	1
3.7.31										:	1					
3-/ 33			<b>.</b>	+		<del> +</del>				+		+				
2/ 31						1						į				
STAL	4.6 6 0	7.9 9.012.0	116.7	10.4	16.6	7 7	1 4						-	785		7 8
	703 G0U	1 4 7 7 6 U 1 2 0 1	4404/	.704		7 - 3	1 . 4	. 4				1	785	700	765	, 6
		<del></del>	+			+			+-	+		+	103	+	103	
			, 			<u> </u>							ì		<u> </u>	
Element (X)	2 %'	Z X	X	**		No. Ob							Temperatur			
Rel. Hum.	2508007	42655		15.5			85	= 01		12 F	≥ 67 F	+ 73 F	- 80 F	≥ 93 F	Te	***
Dry Bulb	4420710	58596		7.7			85				76.2	59.8	26.8			9
Wer Buib	3203714	49894	63.6				85				33.8	4.9				9
Dew Paint	2531022	44056	56.1	8.6	58	7	85			• 3	9.6	• 2				9

GLCRAL CLIMATOLOGY BRANCH USAFETAC AL- 4EATHER SERVICE/MAC

# **PSYCHROMETRIC SUMMARY**

72:25 YOUNGSTOWN MAP OH 73-81

STATION NAME

PAGE 1 18:00-20:00

MOUNTS 10: 5: 1: 5:

·8/ 87 ·6/ 85		1 4																
-6/ 85 -4/ 83			3 - 6 - 7 - 1	8 <u> </u>	11. 12.	13 - 14	15 16	17 _ 18	19 - 20	21 - 22 2	3 - 24 - 25 -	26 27 -	26 29	30	D.S. W.S.	Dry Bulb	Wer Bulk	De - P
4/ 83					• 1	. 1			·						2	2		
				• 1	1 . 4		• 1		•		-		•		. 5.	5		,
			• 1	•	1 •6	• 5	. 1	• 1	• 1						14	15		
			. •	.1.	5 <u>1.0</u>	1.1	4								. 26.	26		
' / 79			. 4	5 2.	1 1.8	1.8	- 6	• 3							60	60		
7 / 77		. • 1.	• <u>8</u> 1.	5. <u>1</u> . i	1 2.1	1.0	. 4	• 3.							58.	58	. 1.	
6/ 75		• 5	.8 1.	8 3.	1.5	2.0	. 9	. 1							85	85		
247 73		1, •8,	2.1 1.	8 1.	3 1.8	1.4	. 6								78.	78		
127 71	• 1	1 .8	1.9 1.	9 1.	5 3.3	1.0	. 4	- 1							87	87		
/ 69		9 1.8	1.1 1.	1 1.4	1.5	1.3					- •			•	72.	72		
51 67	.1 1.4	2.6	1.3 1.	5 1.	3 .9	. 6	. 4								80	80		
6/ 65	. 1, 1.4	4 1 . 8	. ? 1.	. j. j. (	5 . 4	. 4									. 60.	60		
4/ 63	1.5	3 .4	1.1 1.	.1 1.	3 • 3	. 4									4.2	42	_	
. / 61		1, •9,	1.0 1.	• ū • !	5 • 6							• -	- +		33	33		
/ 59	-		1.7 .	.4 •		. 1									23	23	_	
2 / 57	1 .9			6.	3							•		-+	24	24	61	
5 / 55	• 1	1 .4	• • •	5 •	1										12	12		
4/ 53		. • 4.	• 4	3 .	<u>.</u>				•					-• -	11	11	37	
2/ 51		. 4		1	-										. 6	8	24	
5 / 40		• 3	. 5	1 .	l	<del></del>									8	. 8	16	
41/47	• 4	4 .1	_												*	•	19	
4:/ 45			• 3												<u>z</u> ,		_ 11	
84/ 43								ļ									•	
12/ 41																	· · · <del>{</del> ·	
4 / 39	T .								1								3	
3:/ 37	<del></del>	·•							<u>_</u>	+-		-	<del></del>					
34/ 33						,												
72/ 31						+		<del></del>				+			<del>-+</del>			
3-1 29				1		1		!		1			i					
TOTAL		112.21	15.415.	416.	17.0	11.7	M - 17	. 9	. 1		+		+	-		795		7
	1			4 4 0 0 1	- · • ·		7.0	• •	•		1	1	1	į	794	, , ,	794	•
<b></b>	<del> </del>	<del></del>	<del>-+-</del>		+						<del></del>		+-	_	+ • • • •		1,4	
<u> </u>	Zx2	-			لــــــــــــــــــــــــــــــــــــــ							<u> </u>	1		1			
Element (X) Rel. Hum.		31900	ZX	232	62.0	15.0	₹5	No. Obs	94				67 F		with Temperat			Terel
Dry Bulb		54644		5734		7.7			95	± 0 F	s 32 F		4 . 3	= 73 I		· 93 1	_	1 6781
Wet Bulb	1	54302		3956	61.7				94		+	J -	2.2		• 3	+		
Dew Paint		27267		279		8.5			94		<del></del>		6.5		.1	+		

SEGRAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** SCAPETAC A! - AEATHER SERVICE/MAC YOUNGSTOWN MAP OH 73-81 JUN 2100-2300 HOURS IL. S. T.I PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL 9. 10 11 . 12 13 - 14 15 . 16 17 - 18 19 . 20 21 - 22 23 - 24 25 . 26 27 . 28 29 . 30 . # 31 D.B./W.B. Dry / 79 , 3. • 3. 13 • 1 13 . 4 6/ 75. .3.1.7. a 8. 18. . 3 • 5 1.2 36 36 1 / 71 .8, 1.2, 2.2, 1.0 47 47 13. 1.2 .5 3.0 2.0 1.9 / 59 . 4 61 61 11 1.8 4.0 1.8 1.4 1.1 / 67 • 3. 75. 75. 3.7 26 48 6/ 65 4.1 3.0 2.2 1.1 80 63 4.1, 2.6, 1.5, 1.9 2.7 1.6 2.6 1.5 74 4/ 63. 75. 61 65 65 72 .1, 2.2, 2.7, 2.3 . 7 <u>60</u> • 1 60 71. <u>46</u> 1.9 1.6 1.8 1 57 • 5 44 . 1 44 66 64 1.5 2.6 • 8. • 5 66. 49 5 / 55 . 7 41. 41. 54 1 3 . 8 33 33 68 . 1 .5 2.2 23. 45. 5 / 49 . 8 17 31 59 . • 5 <u>51</u> 29 47 .4. .5 9. 27 9 . 8 . 4 • 1 13 45 10 10 4/ 43 .7 . 5 • 1 10, 10 2/ 41 . 1 3 / 37 11 0 71/ 35 6 31 / 33 2/ 31 732 TOTAL .124.032.222.713.4 6.4 1.1 733 õ 0.26.5 X 1, ZX No. Obs. Element (X) Mean No. of Hours with Temperature 56068 46013 76.611.237 732 4386870 Rel. Hum. 2 32 € = 67 F = 73 F = 80 F = 93 F 4 0 F 62.8 8.066 58.3 7.452 55.1 8.138 31.3 733 2936019 Dry Bulb 8.8 90 Wet Bulb 2531077 42697 732 10.2 90 Dew Peint 2269865 40325 732 90 4 . 7 -1

GLCBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

725250 YOUNGSTOWN MAP OH

# **PSYCHROMETRIC SUMMARY**

JUN

STATION			\$1	TATION N	AME							,	YE ARS				MC	MYM
															PAG	E 1		LL L. S. T.)
Temp.					WET	BULB '	TEMPER	RATURE	DEPRE	SSION (I	F)				TOTAL		TOTAL	
(F)	0 1 - 2	3 - 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22 2	3 - 24 25 - 2	6 27 - 28 21	- 30 = 31	D.B./W.B.	Dry Bulb	Wet Buib	Dow Pr
/ 89			<b>+</b>	<del></del>	<del>                                     </del>		• 1	• 0					<del></del>		7	7	<u> </u>	+ —
8/ 87				ໍ •າ		. 1	. 1	• 1	.0	. 0		!			25	25	ı	į,
6/ 85				.0		·	.4			.0	• 1			+	80			<del>•</del>
4/ 83			• 3	-			. 5			. 0					133	134		
'/ 81			• 0		.6	<u> </u>		<del></del>		•1			+		226	226	-	+
/ 79		•0	_	-					_	. 1		ı			275	276		,
7-1 77		• 0		<u> </u>	. 8		• 6	<del>+</del>	+				<del></del>		307	307		
6/ 75	• Դ		. 7			9				.0					380	381	_	
4/ 73	• • • • • • • • • • • • • • • • • • • •		1.4			. 8	. 7						++	+	387	387		
17 71	.3	1.4	1.3	1.1	1.0	•	. 5					1	1	,	418	418	198	
/ 69	7 1.1		- 1 - 3	• • • •	7	.6	• 6		. 7	<del></del>			+		465	965		
55/ 67	-1 1-7	2.7	1.2	1.0	9		. 4	1	. • 0			!	1	:	529	529		
6/ 65	1 2.3	1.0	1 - 4	1.1	.7	. 3	• 3			+	+	<del></del>	++-	<del></del>	501	501	645	
4/63	** 2.3	2.0	1.7	1.0	-				, ,			1	i i	i	461	462		
<del>4/</del> 61 ··				8						·			++	<del></del>	350			
/ 59	.1 1.9	1.3	1.5	-				1					- '	1				-
		· † • Š	. •••	4				+	<u> </u>				<del></del>		333	333		
57	.1 1.0	1.0						ı				1	1		243	243		
5· / 55.		1.3		•	·	<b>-</b>		<b>└</b>	++				<del></del>		229			
4/ 53	•1 1••	1.5	• •					i	: '				1	1	222		_	
2/ 51	• <u>n</u> 1•0	. 9			•0			<b>i</b>	<del></del>		+		+		146	148	297	
5 / 49	.71.0	• 7			. 0	1			. !	- 1		1			130	131		
4 2 / 47	36		1	• • • • • •				<b>-</b>	<b></b>				<del></del>		72	72		
4/ 45	.1, .4	• •								- 1	ļ	İ			57	57		
4/ 43	.1 .4	• 3				<b></b>		L					<del>                                     </del>		43	43		
2/ 41	.0 .3					i		i I	į į	- 1		1	1 :		29	29		-
1 / 39	•1 •Z					<del></del> - i		<u> </u>	<b></b> i				<del>                                     </del>		29	29		
31/ 37	.1 .3				l :					- [	į		l i		21	- Z1		
36/ 35	•7 •0		<del></del>	,					<b></b> i						3	3	15	
34/ 33			. i	ı	,	•		i		Ţ					[	i		
72/ 31	· · · · · · · · · · · · · · · · · · ·		1	<u> </u>					<u> </u>							·	· •	1 1
7. / 29							_		i					<u> </u>			[	!
TAL	1.220.0	20.7	14.4	11.4	9.5	8.8	7.3	4.7	1.5	• 3	• 1				1	6108		610
															6101		6101	
lement (X)	2 4'			z x		X	₹,		No. Ob				Mean No.	of Hours wit	n Tempere	ture		
el. Hum.	3133			4245		69.6			61		10F	1 32 F	≥ 67 F	≥ 73 F	≥ 80 F	<b>* 93</b>	P _	Total
ry Bulb	2777		1	4074		66.7			61					3 214.9		0		7;
let Bulb	2238			3666		60.1			61				155.			2	1	77
lew Paint	1924	3773		3388	51	55.5	8.3	36	61	71		2.	5 54 .	1.4	iT			77

73-81

ALL DE G-26-5 (OL.A) NEWSDING

USAFETAC NOW ....

le ·

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC ATP WEATHER SERVICE/MAC 72°25" YOUNGSTOWN MAP OH 73-80 JUL WET BULB TEMPERATURE DEPRESSION (F) TOTAL 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 - 31 D.B./W.B. Dry Bulb Wet Bulb Dow Point / 81 1 79. •1. •3. •4 1•9. •3 •8 2•6 1•4 •3 6/ 75, 10 4/ 73 • 3 • 3 39 12 39 ./ 71. .3. 2.1. 2.1. 1.7. •1 •1 46 / 69 .3 1.8 3.4 1.5 • 3 56 56 31 •1 2•3 5•6 1•2 •7 •3 6•6 3•6 1•7 •7 5\_/ 67. 73. 73. 44 38. 6/ 65 93 72 93 47 4/ 63. 7.2 2.1 .8 .3 75. .1 5.8 2.3 1.4 2/ 61 71 75 94 71 · / 59 1 6.3 2.9 1 68 71 69 77. .1 3.9 1.8 • 1 43 1. 4.0 1.7 7.6 2.6 5: / 55 **56.** 34 74 42 39 67 39 1.4 .7 19 5: / 49 28 33 16 16 4-/ 47 • 3 26 4. / 45 44/ 43 92/ 41 4 / 30 1.847.833.312.8 3.3 .7 .3 TOTAL 726 726 ₹ 9 0.26.5 1 2 Element (X) 5276651 2965719 84.8 8.648 ≥ 67 F = 73 F = 80 F Rel. Hum. 61575 726 10F 63.5 6.923 60.7 6.516 46129 Dry Bulb 726 31.9 9.5 93 2705579 Wet Bulb 44067 16.9 2.4 93 Dew Paint 2548792 42726 12.6 726 1.4

GLCBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC **PSYCHROMETRIC SUMMARY** 

73-81

725253 YOUNGSTOWN MAP OH STATION NAME

Temp. (F) - / 79 7 / 77	0 1.2 3.4			_												
- / 79	0 1 2 3 4		M£.	T BULB	TEMPER.	ATURE	DEPRES	SSION (	F)				TOTAL	ī	TOTAL	
		5 - 6   7 -	8 9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22 23	- 24 25 - 2	6 27 - 28	29 - 30 -	31 D.B./W.B	Dry Bulb	Wer Buib	Dew Po
7 / 77	•	3 . 1	i	,	,;					•	1		3	3	•	
	•1	4	• 1,				·				1		5	5 5		
761 75	.1 1.3	2 .1	• 1							•			12	12	3	
'4/ 73	1.0 1.0	5 1.2	. 3	•									30	l <sub>i</sub> 30	9,	
727 71	2.3.1.	9 .8										i	37	37	19	1
/ 69	.5 3.0 2.0			1	<b>. </b>		·						5 3	53	47.	
6 / 67	4.4 4.	7 •8 •	. 4									,	77	77	35	3
6/ 65	1, 7.0, 1.0	5 1 • 2	• 4.										76	76	80	
4/ 63	7.4 1.2	2 • 5								•	į.,		67	67	89	
12/ 61	6.2 1.3	2 1.5									· _• •		6.5	65	69	
' / 59	.7 8.5 2.5		• 1							1	1 :	,	8 8	88		1
<u> </u>	• <u>1 4•7                                   </u>	<u> 5</u>	• .	1	•						. i 		46	47	78	
5./ 55	.8 4.8 1.0	B • 3.									. i		5 6	56	62	(
4/ 53	.5 4.2 .		. 4	+							<u> </u>		41		45	(
2/ 51	.5 3.3 .!	_							•		1		32			-
5 / 49	2.2 .									·			17		29	
40/ 47	.1 1.1	_				·				•			11	11	13	
41/ 45	.7 •!	5		•	1		·						9		15	1
4/ 43	•1 •5									T	1	,	5	5	5	
· 2/ 41.						i						1	i	<b>.</b>	7_	
4 / 39						,					•		•	-		
36/ 37					++						1			<b>_</b>	· · ·	
16/ 35				_				i			'					
TAL	3.761.524.0	7 8.6 1	9	<del>3</del> .	++						1	·		731		7:
								1		!			730	ľ	730	
			<u>. – – –                                </u>	·	+				<del>i</del> -	<u> </u>	+			+	<u> </u>	
1					1							:	1	1		
·		·		1							<del></del>					
	ı				. !	1			i	•	1 :	!	1			
	<del></del>	• •		<del></del>							<del>                                     </del>			·		
1				1	. }	†		i		*	1			ì		
<del>+</del>	<del></del>	<del>ii</del>	-+	+	-									<u> </u>		
i	i i			†	1	[	!	į			!					
Element (X)	2 2 2	Zz	+ 1	· •	•	<del>-  </del>	No. Obs	. 1			Here M	a. of Marro	with Tempera	hure	<u> </u>	
tel. Hum.	362135		3785	87.4	8.11	17	73		2 0 F	± 32 F	2 67			* <b>93</b>	F T	etel
Dry Bulb	285521		5384	62.1	7.17		73				27		. 4		<del>'                                    </del>	5
Wet Bulb	264061		3622	59.8	6.8		73			<del>                                     </del>	14		• 5	-+		
Dow Point	251637	1	2545		7.10	1	7	1		<del></del>	11		• 9		-+	

GLOBAL CLIMATOLOGY BRANCH USAFETAC ATR HEATHER SERVICE/MAC **PSYCHROMETRIC SUMMARY** 

725257 YOUNGSTOWN MAP OH STATION NAME 73-81 PAGE 1 0600-0800 HOURS (L. S. T.)

Temp.	WET BULB TEMPERATURE DEPRESSION (F)		TOTAL		TOTAL
(F)	0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 3	0 = 31	D.B./W.B.	Dry Bulb 1	fet Bulb Dew Fei
. / 81	•1 •1		2	2	•
<u> </u>	• 4 • 5 • 1 • 1	<u> </u>	9	10.	
7. / 77			8	8	1
6/ 75	.2 1.2 1.3 .5 .4		30.	30	4
14/ 73	1.5 1.8 2.9 .7 .2		51	51	14
2/ 71	2.1 4.0 1.8 .5 .1		. 70	7.0	31. 1
/ 69	.6 3.9 5.6 1.3 1.0 .4:		105	105	63 4
<u>6 / 67</u>	4.6 4.2 2.4 1.1 .2	+	103	103	90 6
6/ 65	.1 5.6 2.6 1.6 .2 .2 .1	i	86	86	103 9
4/ 63	.2 5.5 2.4 2.2 .5 .1	<u>i</u>	. 90	90	109 10
2/ 61	.2 5.1 1.0 2.4 .5	,	76	76	95 9
/ / 59	.9, 5.9, 2.1, .5, .2	<u> </u>	78	78	84 9
5 1 57	.4 2.8 .7 .4 .1		36	37	83 8
5 / 55	.2 2.1 .7 .1 .1	<u> </u>	27	27	55 7
4/ 53	.2 1.8 .7	1	23	23	33 5
2/ 51	1.1 .4 .1	<u> </u>	13	13	25 3
5 / 49	• 7'	İ	. 6	6	14 2
4// 47	• 1; • 6	<u> </u>	6	6	8 2
4-/ 45		i		·	6
4/ 43			L		1
2/ 41		I		1	•
<u>*1/ 35.</u>		<del></del>	<u> </u>		
FOTAL	2.943.128.916.8 5.9 2.1 .2	1	j j	821	81
			819		819
		ı	,		
		i	L		
			ļ i		
		<u> </u>	·		
<del></del>		<del></del>	<b></b>		
		i		İ	
+		<del></del>	ļ		
		1	1 '		
	Σχ' Σχ χ γ Νο. Obs. Mean No. of	1			
Element (X) Rel. Hum.					·
Dry Bulb		-73 F	- 80 F	> 93 F	Total
Wet Builb				<del>'</del>	9
		2.2		<del></del>	9
Dew Point	2988971 49193 60.1 6.467 819 14.5	1.0			9:

GLCBAL CLIMATOLOGY BRANCH USAFETAC AIR REATHER SERVICE/MAC

# PSYCHROMETRIC SUMMARY

72-25 T	YOUNGSTOWN MAP OH		73-81		YEARS		JUL
						PAGE	1 0900-1
Temp.			RE DEPRESSION			TOTAL	TOTAL
(F)	0 1-2 3-4 5-6 7-8 9-10 11	12 13 - 14 15 -	16 17 - 18 19 - 20	21 - 22 23 - 24	25 - 26 27 - 28 29 - 30	. 31 D.B./W.B. D	ry Bulb Wer Bulb Dew
/ 89		• 1		F	' :	1'	1
8/ 87			<u>. 1</u>	<del></del>		9	9
6/ 85		4 4				15	15
4/ 83			<del></del> -	<del></del>		32 45	32, 45
/ 79	•2 •6 1•8 1•2 •5 2•1 3•1 1		. 1	i			-
177 37			2	·		72	72 <u>1</u> 78 13
6/ 75	1.3 1.8 3.8 3.8 1	5 1.6	. 2			102	102 28
4/ 73	.6 2.2 3.3 2.1 2.6 2	:	.2 .1 .1	•		113	113 42
71	· · · · · · · · · · · · · · · · · · ·		.1	•		120	120 80
/ 69	re ja Galland i ja ja ja ja ja ja ja ja ja ja ja ja ja		1	<del></del>		91	91 103
6 / 67		0 2			1	55	55 140
6/ 65		• 2	· · · · · · · · · · · · · · · · · · ·	<del></del>		34	34 111
4/ 63	.6 .2 .5 .7 .2	-				19	19 99
7 61	1.5 .1 .1 .2		_ •			16	16 72
/ 59	.4 .7 .1 .1					11	11 59
7 57	.4.					3	3 32
5 / 55	•?					2	2 26
4/ 53				·		<del></del>	7
2/ 51						1	5
5 / 42	• • • • • • •			*			
41/ 47					i		
4 / 45	• • • • • • • • •	1					
4/ 43			1				
2/ 41					· · · · · · · · · · · · · · · · · · ·		
4 / 39				1 1 1	1		
3 / 37			Ţ				
TAL	.4 7.813.215.920.918.914	9 6.5 1.	2 .1 .1	:		:	818
						818	818
				<del>                                     </del>			
1	Ì						
			$\rightarrow$	+			<del></del>
		_L i					
Element (X)	Z <sub>X</sub> , Z <sub>X</sub> X	*a	No. Obs.		Mean No. of Ho	ers with Temperatur	•
Rel. Hum.		813.539	818	10F 1		73 F - 80 F	• 93 F Tore
Dry Bulb	4468333 60265 73		818			3.1 16.1	
Wet Bulb		1 5.247	818			9.6	
Dew Peint	3127961 50277 61	.5 6.799	818	L	23.3	3.0	

GLCBAL CLIMATOLOGY BRANCH GIAFETAC ATE WEATHER SERVICE/MAC

PSYCHROMETRIC SUMMARY

72525 YOUNGSTOWN MAP OH 73-81 JUL PAGE 1 1200-1400 HOURS (L. S. T.)

WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL D.B. W.B. Dry Bulb Wet Bulb Dew Port 1 - 2 | 3 - 4 | 5 - 6 | 7 - 8 | 9 - 10 | 11 - 12 | 13 - 14 | 15 - 16 | 17 - 18 | 19 - 20 | 21 - 22 | 23 - 24 | 25 - 26 | 27 - 28 | 29 - 30 | = 31 / 91 .2 .2 / 89 22 8/ 87 1.1 1.0 1.2 .9 • 5: 38 38 6/ 85 .9 1.5 .6 1.3 43 43 4/ 83 .2 1.2 1.9 2.3 1.7 - 6 . 1 68 68 / 81 1.2 2.3 2.9 2.7 3.2 • 6 110. 110 · / 79 1.7 2.6 2.1 2.4 3.2 2.1 114 114 7 / 77 6/ 75 .7 2.7 2.6 1.6 2.3 91 91 .2 .5 2.1 1.7 2.1 2.6 2.8 1.3 .1 112 112 37 3 4/ 73 .9 1.3 1.7 1.6 1.9 1.3 1.7 82 82 15 86 71 1.0 1.2 .6 1.9 1.5 62 62 92 34 / 69 • 6 19 19 66 .5 6 / 67 . 2 • 1 12 12 129 90 6/ 65 109 11 78 . 6 • 1 . 1 11 11 81 78 2/ 61 <u>• 2</u> 69 79 / 59 . 1 35 95 1 57 55 5 / 55 72 4/ 53 2/ 51 56 34 5 / 49 25 19 4 / 47 4. / 45 6 4/ 43 12/ 41 4 / 39 TOTAL 3.8 3.9 8.011.815.718.419.214.3 4.0 821 821 821 57.013.723 Rel. Hum. 2825842 46832 821 = 67 F = 73 F = 80 F = 93 F 4 0 F 5335858 78.0 6.151 88.5 64140 822 78.0 40.3 93 Dry Bulb 67.2 5.159 Wet Bulb 3733607 55203 821 53.8 16.3 93 50004 Dew Paint 3086112 93

ğ 0.26.5

GLOBAL CLIMATOLOGY BRANCH USAFETAC ATE REATHER SERVICE/MAC

# **PSYCHROMETRIC SUMMARY**

721 25	YOUNGSTOWN MAP OH	73-81	JUL
STATION	STATION NAME	YEARS	MONTH
		PAGE 1	1500-1700 HOURS (L. S. T.)

Temp.				TEMPERAT							TOTAL		TOTAL	
(F)	0 1 - 2 3 - 4 5 - 6	7 - 8 9 - 1	0 11 - 12	13 - 14 -15	- 16 17	18 19 - 2	21 - 22 2	3 - 24 25 - 2	6 27 - 28 29 -	30 > 31	D.B./W.B.	Dry Bulb 1	Vet Buib I	Dew F
/ 91				• 2	• 6	.2 .	•				12	12		
/ 89		- •·	. 6	1.0	. 4	• 5	<u> </u>	·			28_	28		
8/ 87		•	6 .7	1.2	• 9 1	•0, •:	2				38	39		
6/ 85	·····	1 .	5 1.5	2.1, 1	. 2 1	.4 .1	2				60	60		
<b>4/</b> ₹3		.2 1.	6 1.1	2.2 2	2.0:1	.6	2				73	73		
/ 91	<u>-1</u> <u>-</u>	2 .6 1.	8 2.6	3.3	. 4 1	.4 .:	2,			_ +	95	95		
/ 79	1.	1 1.8 3.	3 2.8	3.1 3	3 . 2	• 2					127	127		
<u> 7</u> / 77.	•1 •6 •	7 1.8 1.	8 1.4	3.1 2	. 6	.4 .:	?				104	104	21	
6/ 75		9 1.7 2.	6 1.4	3.6		. 4					101	101	32	
4/ 73		2 .9 1.	4. 1.4		• Z		+				54	54	89	
/ 71			4 . 4		• 6	• 2					33	33	83	
/_69.		<del></del>	5 • 6					-	· · · · · · · · · · · · · · · · · · ·		23	23	113	
6 / 67	1.1 .9		7 .7								33	3.3	133	
6/ 65	• 4 • 7	• 2	.1			- + -		+			12	12	98	
4/ 63		2	• 1								. 7	7	96	
// 61	•2 •5	· +		<del></del>					·		6	6	65	
/ 59	•7 •2										8	8	35	
/ 57		<del></del>		<u> </u>			·						31	
5: / 55													15	
4/ 53	- · · - · · · · · · · · · · · · · · · ·	<del></del>	. 4						+		·		3	
2/ 51														
5 / 42.									+					
1 / 47				1			1							
4 / 45								+	·					
4 / 30			<del></del>	<del> </del>			<del></del>					+		
TOTAL	3.4 6.1 4.	9 9 715	215 4	22 414		<b>3.</b> 1 ·		•			!	915		
	304 001 40	0 301730	21304	22.414		• 2 1 •	• 2		<del></del>	+	814	713	814	8
					ł		1				017		014	
		<del></del>	+		-+-				+					
			1		1	i	. !	1		- }	i			
+-		<del></del>		<del></del>		+	+ -+			+	<del></del>			
I	4		!		1		1			i				
Element (X)	Z <sub>X</sub> ,	ZX	¥		No	. Obs.			Mean No. o	f Hours with	Temperatu	/re	· ·	
Rel. Hum.	2679418	45194		14.469		814	10F	± 32 F	= 67 F	= 73 F	- 80 F	≥ 93 F	Ť	otal
Dry Bulb	5061703	64025	78.6	6.271		815			89.2	79.1	42.7		<del></del>	
Wet Buib	3697558	54706		5.076		814			53.8	16.2				
Dow Point	3023202	49276	60.5	7.036		814			20.9	1.8		+		

		Alle 5	MAY	82	E ENVI WN MAP /DS-82	 TAL TEC REVIS	HNICAL ED UNIF	APPLIC FORM SU BI-AD+	MMARY	OF SURF	FTC	ATHE	/2 · ETC(III)
		5. 5			, 03 () <u>E</u>			- UA	£ 820 I	¥3		NL	
		37.00			•								
								, ·					
	_		+				·						
								END AM G R2					
								91 € E					_
_	_		 										

GLUBAL CLIMATOLOGY BRANCH USAFETAC AIR MEATHER SERVICE/MAC

# PSYCHROMETRIC SUMMARY

725259 STATION	YOUNGSTOWN MAP OH STATION NAME	73-81 YEARS	JUL
		PAGE 1	1800-2000 HOURS (L. S. T.)

Temp.							BULS 1										TOTAL		TOTAL	
(F)	0	1 - 2	3 - 4	5 · 6	7 - 8	9 - 10	11 - 12	15 - 14	15 - 16	17 - 18	19 - 20	21 - 22 2	3 - 24 25 -	26 27	28 29 - 3	00 = 31	D.B./W.B.	Dry Bulb	Wet Builb	Dew Pein
/ 89				i					.4	1		i 1				1	3	3		
28/ 87			i			. 5	. 5	•2	.1	.1							12	12		
6/ 85					.1	.7	• 7	•5	. 2	. 1	-1			$\top$		ĺ	21	21		j —
-4/ 83			i	.1	. 7	. 5	1.3	.6	.8	1				ļ			35	35		
77/ 81				. 2	1.3	1.4	1.2	1.2								-	52	52		]
1 79			• 2	1.0	1.3	2.5	1.9	1.1	1.0	.1							76	76	1	Ĺ
7+/ 77			.7	. 8	2.4	3.5	1.3	1.4	. 4	,						1	88	80		1
76/ 75			.7	1.9	3.4	2.5	1.2	2.2	. 5	.1							104	104	23	2
74/ 73			1.4	3.6	2.7	1.6	2.2	. 8						Ţ			102	102	47	18
72/ 71		.8	1.8	2.4	2.2	2.7	1.7	• 2	. 2	1	[	_ 1					100	100	6.5	25
71/ 69		.7	2.4	1.3	1.8	1.3	• 5		. 2	Į				$\neg$			70	70	105	25 39
6×/ 67	• 2	1.4	1.4	.8	1.9	.7	. 8	.1	.1	ļ					1 .	1	64	64	144	
-6/ 65		1.1	.8	1.8	.8	1.0	. 4							7			49	49	110	
4/ 63		. 4	.1	.4	1.0						l		1			1	20	20		
-2/61		.6	. 4	. 2	• 5	•1											15	15	87	
4 / 59		.7			.1						ł		1	1			14	19	62	72
58/ 57		.1	•1		• 1												3	3	34	
5c/ 55			l							1	l		1			1			26	77
. 4/ 53														1					14	55
£2/ 51			1						İ	1	İ			1			}		3	42
5 / 49																			1	22
46/ 47										]	İ		- 1			ļ			l	11
46/ 45														$\top$		7				
#4/ 43															i					12
*2/ 41												- $+$								3
4 / 39										l			1	1						2
TOTAL	. 2	5.9	10.9	15.0	20.4	19.4	14.0	8.6	4.6	. 8	.1							828		828
_	- 7												1	ļ		1	628		828	
								<del>-</del>			<u> </u>				+	+			<del> </del>	<b>-</b>
								-					-	+	+-	+				
Element (X)		Zz'			Z x	<u> </u>	X	•	Ц.,,,,,,,,,	No. Ol	i. 1			— L	on No. of	Hours wit	h Yemperet	lure	i .	I
Rel. Hum.			3978		532	82	64.4				28	2 0 F	= 32		67 F	• 73 *	- 00 F	• 93	F	Total
Dry Sulb			9827		612		74.0				28		<del>                                     </del>		81.7	55.4	17.	6		93
Wet Bulb			2036		543		65.7				28		1		44.1	0.1		1		73
Dow Point			0189		501		60.6				28		+	+	19.3	2.2		1		93

AR 64 0-26-5 (OLA) sevese nervous serious or in

USAFETAC ross

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

## **PSYCHROMETRIC SUMMARY**

775250 YOUNGSTOWN MAP OH 73-81 JUL
STATION STATION HAME YEARS MONTH

PAGE 1 2100-2300

Temp.											DEPRE								TOTAL		TOTAL	
(F)	Γ	0	1 - 2	3 - 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 14	17 - 18	19 - 20	21 - 22	23 - 24	25 - 26	27 - 28	29 - 3	» 31	D.B./W.B.	Dry Bulb	Wet Bulb	Dew Point
. 6/ 8	37							• 1			1								1	1		
º6/ 8		i		ì		-	.1		i	1						1	1		1	1	ĺ	
22/ 8				ļ	1.1	. 3		1					!					1	10	10		
9. / 7			.1	1	. 7	. 4	.1			l	1	ĺ	i l		1	]	1		10	10		
	77			.1	<del></del>			• 1		!					<del>                                     </del>	<del> </del>		1	14	14		
76/ 7			.7							j			1 1		1			1	50	50		2
	73		.8									<del>                                     </del>	1					1	38	38		
	71	. 1					i		1				1 1		1	1			77	77		18
	9		2.1			1.1	• 5			<del>                                     </del>	+	<del> </del>	<del>                                     </del>		-			+	100	100		31
	7		3.0	1			•1			1						1	[	1	106	106		56
16/ 6		• 5									<del>                                     </del>	-	1		-			<del> </del>	74	74	110	
14/ 6	- 1		3.9				. 3	1		!	1								83	83	113	81
	1		2.1	3.9		.4		<del> </del>		<del>                                     </del>	<del>                                     </del>	!	1 1					<del>                                     </del>	58	58		108
	59		2.6			. 3	.1				ĺ	1			1				57	57		75
	57		2.4				<del>- •</del>	+		<del>                                     </del>	<del> </del>	1	<del>                                     </del>			<del>                                     </del>		<del> </del>	42	42		70
54/ 5			.5						1		1					ļ		Ì	19	19		80
	53		.5					<del>  -</del>		<del> </del>	+	<del> </del>	<del>                                     </del>				<del>                                     </del>	<del> </del> -	11	11		49
	51		.3	1				1				l							7	7		39
	19			. 3				<del> </del>	<del>                                     </del>	<del> </del>	+	<del> </del>	<del>                                     </del>			<del>                                     </del>		+	2	2		21
48/ 4				• •	1			ì		1			i i			!			•	-	3	
	15			<del></del>	<del>                                     </del>			<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>				<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>		5	
14/ 4				1	1			i	ļ	1		ļ				Į	-		1			
42/ 4				<del> </del>	<del> </del>	<b></b>		<del> </del>		<del> </del>	+	<del> </del>	<del>                                     </del>		-	<del> </del>		+				8
41/3					!				]				1 1		[	ĺ	[	İ	i i			Ž
TOTAL	•		27.1	24.7	27.0	8.0	2.8	• 7	<del> </del>	<del> </del>	+	<del> </del>	-					+		760	·	760
		• '	23.3	300,		9.,	2.0	<b>"</b>	1	[	1	ĺ	i i		i I	ĺ	İ	1	760		760	
	-+			<del> </del>				<del> </del>	<del> </del>		+		<del>                                     </del>		<b></b>	<del></del>		+	700			
	1	ĺ		ĺ	[ ]		ſ	1	ĺ	1	ì	i	1		1 .	ĺ	İ		1			
<del></del>	+				<del>                                     </del>			<del>                                     </del>			<del> </del>	<del> </del>	├──-			<del> </del>	-	+	├			
				1	<b>f</b> 1		ĺ	[	l		Ì		1			ł		1	1 1			
	$\dashv$			<del> </del>	<del>                                     </del>	<b></b>		<del> </del>		<del> </del>	+	<del>                                     </del>	<del>                                     </del>		<del> </del>	<del> </del>		+	<del>                                     </del>			
	- 1	Í		1	į į		)	1	l	1	1	l					i	1				
	-+				<del> </del>						+	├──	<del>                                     </del>			<del></del>		+	├			
	Ť	Ì			1				ł	1	1	l				}	1	ł			}	
Element (			3 12	<u> </u>	<del> </del>	2 x	Υ-	<u> </u>	•		No. Ol	<u></u>			Щ	Non-	20.00	1	Tomporet			<u> </u>
Rei. Hum.				6209	<del>                                     </del>	<u> </u>	37	79.3				60	101	· T ·	32 F	3 67		• 73 F	- 80 F	• 93		Total
Dry Bulb	+			7830		506		66.7				60	-4,	<del></del>			.8	15.2				93
Wer Belb	-+			0910		475		62.6				60		_			-3	3.3		+	+	93
Dev Point	•			233		455		37.7				60						1.6		+	+	93
-44 1 3181						7.5	7.7			77							77					

**PSYCHROMETRIC SUMMARY** AIP WEATHER SERVICE/HAC 72525C YOUNGSTOWN MAP OH

GLOBAL CLIMATOLOGY BRANCH USAFETAC

Temp.		WET BULB TEMPERATURE DEPRESSION (F)  0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31													TOTAL		\$ e.				
(F)	0	1 - 2	3 - 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22 2	23 - 24 2	25 - 26	27 - 28	29 - 30	+ 31	D.B./V.B.	Dry Bulb	Wet Bulb	engelege og en Legender og en
02/ 91								.1	.1	. 1	•0	I = T	T					20	21		
c / 89							.1	. 3	. 4	1	L						L	54			
28/ 87			1		i	• 3			• 3	• 2	•0	1 1	-					98	99		
46/ 85		L	L	ļ	•1	. 4	.5	.5	. 4	. 3	-1	.0					<u> </u>	190			
F4/ 83		i	1 :	• 0	. 3	- 6	. 7	.7	• 6			1 1	- 1				}	208	208		
52/ 81			.0							. 3	.1							316			
° / 79		•0													İ			417			
70/ 77		.0		. 6														392			
76/ 75	• 0												- 1				1	534	534		
74/ 73		. 6									0							509			10
72/ 71	• 0								.2	• 0	ļ		1				-	545	545		
76/ 69	• 2			1.3							<u> </u>	1						517			37
68/ 67	• 1			_	1	,		.1	.0	ļ	İ							523			52
66/ 65	- 1								<u> </u>	<u> </u>		<b></b>	$-\!$				<u> </u>	435			
64/ 63	• 0				. 4						}				i			372			71
62/ 61	• 0				• 2													318	318		71
61 / 59	• Z			• 3	- 1				l				- 1					332			
58/ <b>57</b>		1.7				•0	ļ		L	<b></b>							<u> </u>	173			
56/ 55	• 1								1	ĺ		1 [	[	1			í	146	146		54
54/ 53	• 1		. 5									<u> </u>						114	114	173	
52/ 51	. 1		. 2						ĺ			i l			. [			71	71	137	30
51/ 49		. 5	. 1	.0				<u> </u>	<u> </u>			ļ	$-\!$				ļ	41	41	82	20
48/ 47	• 0	• 2	• Z									} }						22			15
46/ 45		1							↓	L								14	14		
44/ 43	• 0	- 1	[ ]						ł			1 1						5	5	12	
42/ 41									<u> </u>	L		L									
41/ 39									1								ļ				2
38/ 37									<u> </u>	<b></b> -		<b></b>					<b></b>				
36/ 35													1								
OTAL	1.2	23.7	19.2	13.6	10.5	9.7	8.3	7.3	4.5	1.6	. 4	_ • q	$\rightarrow$		<del></del>		<u> </u>		6321		631
						L												6316		6316	
lement (X)		2 x '			2 1		¥	•	<u> </u>	No. Ol	, , ,				Maria 9	a. of 14	aura wid	h Tompore	hure	<u> </u>	
lel. Hum.			3238		4539	14		16.0			16	107	1	32 F	2 67		73 F	= 80 F	- 93	, ,	Tetel
by Bulb		3100			4454		70.5				21	<del></del>	+					124.		<del></del>	74
For Bulb			0500	_	4044	-	64.0				16		╅		281		62.0		┪—	<del></del>	74
Sam Pales			100		1707		40.1				14		<del> </del>				14.1		<del></del>	$-\!\!\!\!+\!\!\!\!-$	7.


GLOBAL CLIMATOLOGY BRANCH USAFETAC **PSYCHROMETRIC SUMMARY** AIR WEATHER SERVICE/MAC YOUNGSTOWN MAP OH 73-81 AUG 0000-0200 HOURS (L. S. T.) PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) Temp. TOTAL TOTAL D.B./W.B. 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 78/ 77 . 4 6/ 75 .7 1.0 0 74/ 73 1.0 2.5 2.7 45 45 72/ 71 2.0 2.6 40 20 4.4 6.5 1.1 6.7 5.5 .7 7 / 69 90 90 26 56 ( 69/ 67 95 95 81 64 66/ 65 .7 6.7 5.2 1.5 103 103 107 101 64/ 63 68 68 106 90 5.3 2.3 6.1 2.0 52/ 61 59 97 59 69 CI / 59 70 51/ 57 6.D 1.6 . 1 •1 58 58 73 62 76 56/ 55 2.9 26 26 66 4/ 53 1.5 14 24 47 - 2/ 51 1.1 17 () 5. / 49 . 8 . 1 12 12 20 • 7 46/ 47 46/ 45 0 44/ 43 42/ 41 • 4 / 39 0 38/ 37 TOTAL 1.852.734.010.6 1.0 734 733 733 733 0 \$491682 7.10 Element (X) 733 63232 Rel. Hon. 86.3 1 6 F 1 32 P +67 F +73 F +80 F 3037876 64.0 6.546 48776 734 36 .7 2793533 45035 61.4 6.252 733 20.4 73 Wet Bulb 2456540 37.8 6.378 Day Pales 43864 733 73

-4

TO THE THE PROPERTY OF THE WORLD

Kales ...

GLOBAL CLIMATOLOGY BRANCH PSYCHROMETRIC SUMMARY USAFETAC AIR WEATHER SERVICE/HAC YOUNGSTOWN MAP OH 73-81 PAGE 1 0300-0500 WET BULB TEMPERATURE DEPRESSION (F) TOTAL D.B./W.B. Dry (F) 5-6 7-8 9-10 11-12 13-14 15-16 17-18 19-20 21-22 23-24 25-26 27-28 29-30 = 31 76/ 77 76/ 75 74/ 73 23 23 72/ 71 43 71 / 69 3.4 77 78 .8 6.7 3.8 1.1 8.7 4.5 .8 8.4 1.0 65/ 67 86 86 77 +6/ 65 113 114 78 1.4/ 63 123 71 62/ 61 74 88 109 Fa/ 57 1.0 5.0 2.3 81 64 .4 5.2 .1 4.0 60 56 51 60 5t/ 55 ·1 2.9 53 1.1 30 30 37 44 -2/ 51 22 10 5 / 49 17 21 10 16 46/ 47 40/ 45 1.0 . 3 44/ 43 10 42/ 41 . 3 4: / 39 5.361.427.8 4.9 TOTAL 737 734 734 Element (X) Mean No. of Hours with Temperature 46291 Rel. Hum. 5738270 167 F 173 F 180 F 46293 62.4 6.484 44514 60.7 6.359 63500 59.3 6.694 2938479 Bry Bulb 29.3 272983 Wet Bulb 734 93



GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIR WEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH 73-81 0900-1100 HOURS (L. S. T.) WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL

1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.B./W.B. Dry Bulb Wer Bulb Dew Point 9. / 89 48/ 57 86/ 85 . 1 32 32 H2/ 81 78/ 77 58 58 • 5 99 100 76/ 75 74/ 73 122 122 102 72/ 71 102 70/ 69 3.0 3.0 2.1 104 104 107 80 68/ 67 72 72 157 66/ 65 63 107 96 62 39 39 109 95 64/ 63 £2/ 61 88 85 72 EC/ 59 5a/ 57 33 56/ 55 20 54/ 53 11 52/ 51 24 5'/ 49 11 48/ 47 46/ 45 42/ 41 41/ 39 811 TOTAL .413.419.521.220.714.5 6.9 2.3 813 Element (X) 811 813 811 Rel. Hon. 72.212.930 72.0 8.68 63.9 8.06 #47 F # 73 F # 88 F #43 F # 0 P 7.9 3838960 53416 46.3 Wet Bulb 3168920 30434

C

с с

с с

0

#### **PSYCHROMETRIC SUMMARY**

725250 YOUNGSTOWN MAP OH 1200-1400 HOURS (L. S. T.) PAGE 1 TOTAL
D.B./W.B. Dry Bulb Wet Bulb Dew Point WET BULB TEMPERATURE DEPRESSION (F) Temp. (F) 1-2 3-4 5-6 7-8 9-10 11-12 13-14 15-16 17-18 19-20 21-22 23-24 25-26 27-28 29-30 = 31 04/ 93 • 1 92/ 91 01/89 58/ 87 1.0 30 F6/ 85 30 1.8 F4/ 83 64 91 91 82/ 81 • 1 2.0 1.4 1.4 RI / 79 3.3 121 121 1.5 3.6 2.8 2.5 10 112 78/ 77 112 76/ 75 74/ 73 96 .5 1.7 2.3 1.8 1.6 1.2 1.4 1.1 82 83 65 93 72/ 71 60 60 .6 70/ 69 43 44 138 90 .6 68/ 67 48 136 100 23 22 90 116 £6/ 65 64/ 63 90 13 13 74 +21 61 61./ 59 76 56/ 57 28 56/ 55 °4/ 53 25 25 52/ 51 51/ 49 46/ 47 46/ 45 10 44/ 43 42/ 41 40/ 39 38/ 37 TOTAL .1 5.0 0.010.917.010.410.213.0 5.0 1.7 814 814 No. 04s. 814 Element (X) 62.113.600 Rel. Hon. +47 F -73 F - 80 F -93 F 10F 76.4 5.720 67.3 6.774 4804920 62506 111 87.8 70.4 Dry Bull 3705613 35.9 73 34771 33.9 West Bulls 224 73 3357554 30411

GLOBAL CLIMATOLOGY BRANCH PSYCHROMETRIC SUMMARY USAFETAC AIR WEATHER SERVICE/MAC YOUNGSTOWN MAP OH YEARS 1500-1700 HOURS (L. S. T.) PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL **(F)** 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 15 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 C4/ 93 . 1 . 1 92/ 91 c8/ 87 17 35 35 F6/ 85 1.6 . 6 94/ 83 •1 1.2 1.8 •6 3.4 4.0 98 82/ 81 2.8 . 1 1.7 2.6 3.2 21/ 79 141 141 .5 1.1 2.5 2.5 96 76/ 77 96 96 96 76/ 75 2.1 74/ 73 1.2 73 73 66 1.7 1.1 1.8 - 1 15/ 69 1.1 1.3 39 39 144 70 150 39 39 68/ 67 **??** 74 66/ 65 1.0 25 25 111 101 64/ 63 . 6 54 26 32 62/ 61 - 1 • 1 58/ 57 39 56/ 55 54/ 53 25 £2/ 51 5C/ 49 23 16 46/ 47 46/ 45 44/ 43 4: / 39 TOTAL 4.9 8.1 8.712.818.416.817.5 8.5 3.6 815 815 No. Obe. Moon No. of Hours with Tomporature 3088661 9876 59.014.487 77.1 6.039 +47 F -73 F -80 F Rel. Hom. 117 62961 87.5 73.6 Dry Bulb \$6.6 12.4 3497530 Wet Bulb 54746 67.2 4.967 015 93 3105054 49998

GLOBAL CLIMATOLOGY BRANCH USAFETAC PSYCHROMETRIC SUMMARY AIR WEATHER SERVICE/MAC YOUNGSTOWN MAP OH 73-81 AUG 1800-2000 PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL Temp. D.B. W.S. Dry Sulb Wet Bulb Dem Point 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 / 89 • 1 • 1 38/ 87 86/ 85 2 ×4/ 83 10 10 .1 1.1 1.1 32 92/ 81 5: / 79 .7 1.7 1.7 60 60 7:1 77 72 1 .4 1.3 2.8 1.7 1.8 . 6 - 1 72 3.8 3.7 1.9 99 99 76/ 75 •6 . 2 74/ 73 2.2 4.4 3.7 1.9 113 113 . 2 • 2 .9 72/ 71 2.4 3.8 2.1 ٠Z 100 100 65 20 1.6 7: / 69 3.3 3.9 2.9 102 102 100 48 1.9 2.9 1.9 68/ 67 156 106 1.1 1.7 1.6 90 1.0 51 51 133 06/ 65 64/ 63 1.3 1.3 . 1 44 44 101 99 22 22 122 1.2/ 61 . 2 . 9 . 9 . 4 . 1 . 2 . 1 5. / 59 . 6 18 18 56 100 58/ 57 6 38 53 54/ 55 20 58 . 2 °4/ 53 3 12 42 52/ 51 15 5 / 49 16 21 10 48/ 47 46/ 45 44/ 43 62/ 41 40/ 39 36/ 37 1 10.617.423.621.212.2 9.6 3.9 1.2 TOTAL 821 821 821 9 Moon No. of Hours with Tompores Element (X) 37966 70.013.064 821 76.1 44.4 8.6 9162294 Rel. Hum 207 1 32 F 38953 71.0 5.973 Dry Bulb 4262453 821 3507427 53491 65.2 5.215 121 41.7 73 Wet Bulb 61.1 6.471 13 3097452 30148 20.4 Daw Point

THE WAY

The same of the sa

· 小侧部型 含金型酸盐:5

C

õ 0.36.5

#### **PSYCHROMETRIC SUMMARY**

TOTAL

YOUNGSTOWN MAP OH 73-81 AUG

2100-2300 HOURS (L. S. T.) PAGE 1

TOTAL

WET BULB TEMPERATURE DEPRESSION (F) D.B./W.B. Dry Bulb Wet Bulb Dew Pein 1 . 2 | 3 . 4 | 5 . 6 | 7 . 8 | 9 . 10 | 11 . 12 | 13 . 14 | 15 . 16 | 17 . 18 | 19 . 20 | 21 . 22 | 23 . 24 | 25 . 26 | 27 . 28 | 29 . 30 | 21 h: / 79 .3 .4 78/ 77 76/ 75 1.6 1.3 1.1 30 30 74/ 73 2.5 3.2 50 50 22 72/ 71 1.2 5.3 2.0 70 10 98 98 73 7: / 69 3.5 7.4 1.4 26 6.2 5.9 2.1 101 68/ 67 115 115 80 107 16/ 65 5.1 4.9 1.8 93 93 64/ 63 3.9 89 89 99 2.1 . 8 90 88 2/ 61 3.7 2.1 53 53 80 61 / 59 4.5 3.4 68 68 89 5-/ 57 2.2 . 8 28 59 72 51/ 55 . 5 .7 15 47 . 8 4/ 53 13 c2/ 51 13 24 23 12 5. / 49 19 45/ 47 - 1 46/ 45 44/ 43 42/ 41 4./ 39 TOTAL .433.541.517.9 6.7 762 761 761 Element (X) 62539 5109213 3345214 82.2 8.145 66.0 6.043 ±67 F = 73 F - 80 F - 93 F Rel. Hum. 761 10F 1 32 F 762 46.7 12.2 Dry Bulb 93 3003102 47604 62.4 5.765 93 25.3 60.4 6.310 2801993 761

725252 YOUNGSTOWN MAP OH

## PSYCHROMETRIC SUMMARY

AUG

STATION				51	TATION N	AME								YE	ARS					MO	TH.
																		PAG	E 1	HOURS (	L <b>L</b>
Temp.						WET	BULB 1	TEMPER	ATURE	DEPRE	SSION	F)						TOTAL		TOTAL	
(F)	0	1 - 2	3 . 4	5 - 6	7 - 8								23 - 24 2	5 - 26	27 - 28	29 - 30	× 31	D.B./W.B.	Dry Bulb		Dew P
4/ 93			1				1			•0								3	7	1	
2/ 91								•1	.0			ļ			i		i	11	11		
/ 89		<del> </del>				•0	.0		.1							•	<del>†</del>	11	11		-
8/ 87			!			.1	1 .	4		.0		1	- 1		1		İ	34	34	1	
6/ 85			-		• 1				.0	-							1	73	73		
4/ 83				. 1	. 2				1 -		. 1			1			1	163	164		
/ 81			.0				.9										+	253			
/ 79		.0		. 5			1	.9	. 5	.1			,	ļ			}	388	388	4 1	
11 77		• 0															+	364	364		
6/ 75		.,							1	.1								447	448	- 1	
4/ 73		. 6										-+	<del> +</del>				+	537			
2/ 71		1.6	,				1	1 -						,				515			1
/ 69	•1	3.4			9												+	645	647		3
6/ 67	. 3		,					[ _ ]	. 1		ĺ		1	Ì			İ	648	649	1	7
6/ 65	.4						+		•			-					+	591	594		7
4/ 63	. 2	1 7 7 1		. 9			1					i	1	ŀ			İ	459	460		7
2/ 61	• 2		1.3														<del> </del>	320	320		7
/ 59	• 2					.0						- 1					ĺ	300	301		7
c/ 57	- 1	2.0															+	199	199		5
1/ 55	. 0	-		. 2		•				'		İ	1					118	118		4
4/ 53	• 3	.7	- 3				<del> </del>								1		+	73	73		3
2/ 51	- 1	. 5		. 1					, ,								1	67	67	1;	1
/ 49		.3					ļ						-  -		1		<del>                                     </del>	41	41		10
8/ 47		.3						Ì					ł					23	23		ī
E/ 45		• 3					<del> </del> -								- +		+	19	19		1
4/ 43		. 2					[		1	1	- 1	ĺ	ĺ		1		1	12		1	
2/ 41		• 1						-									$\vdash$	4	4	10	
. / 39							i .					- 1	1	- [						2	
8/ 37							1										1				
TAL	1.6	28.5	23.4	13.5	10.4	8.3	6.7	4.8	2.0	. 7	. 1	- 1			1		1		6331		63
														$\neg \uparrow$				6318		6318	
																		-			
																	<u> </u>			<u></u>	
lement (X)		2 X '	8635		2 x	_	1	7.	-	No. Ob			<u> </u>					Tompore			
el. Hum.			9075		4774			15.3		63	<del></del>	= 0 (	* 1 2 2	12 P	± 67		73 F	- 90 F	· 93	<del></del>	retel
y Bulb		3095			4047			8.1	- 1	63			-		288		68.	88.		••	7/
or Bulb			0174		3840			6.1		63							43.7	<u> </u>	4		70
low Point		7 3 A K	3272		3070	77	40.0	6.6	U 41	63	40 L			_ [	153	• 3	3.7	<u> </u>			_74


#### **PSYCHROMETRIC SUMMARY**

725253 YOUNGSTOWN MAP OH SEP 73-81 PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 - 2 | 3 - 4 | 5 - 6 | 7 - 8 | 9 - 10 | 11 - 12 | 13 - 14 | 15 - 16 | 17 - 18 | 19 - 20 | 21 - 22 | 23 - 24 | 25 - 26 | 27 - 28 | 29 - 30 | = 31 | D.B./W.B. Dry Bulb | Wer Bulb | Dew Point 16/ 75 74/ 73 72/ 71 .4 1.2 18 18 7. / 69 4.8 48 6:/ 67 1.5 2.1 25 17 30 31 <u> 46/ 65</u> .3 4.2 1.6 1.5 4/ 63 58 42 39 ~2/ 61 b// 59 .3 3.6 1.5 1.1 3.3 3.7 1.5 48 48 56 65 35 52 65 5=/ 57 .5 3.8 3.3 70 43 .4 3.3 5.2 51/ 55 73 73 48 4.6 2.0 3.8 2.4 58 54/ 53 · 2/ 51 72 51 51 84 5 / 49 2.9 39 73 2.1 41 41 53 4-/ 47 2.6 51 31 31 46/ 45 3.0 39 44/ 43 24 33 36 42/ 41 4 / 39 18 15 37 31 25 20 1.2 35/ 37 36/ 35 17 34/ 33 2/ 31 . / 29 24/ 27 TOTAL 2.048.535.412.0 1.6 757 756 756 756 Zx, Mean No. of Hours with Temperature Element (X) T 83.2 8.685 57.0 8.650 ≥ 67 F = 73 F = 80 F Rel. Hum 756 2517427 43161 757 13.4 1.9 90 Dry Bulb 54.2 8.511 51.9 9.228 Wet Bulb 2277150 40990 756 5.5 90 90

\* -3% | 1425

NOBM 0-26-5 (OLA) sevise nevous tento

SAFETAC .



AND THE OWNER.

# PSYCHROMETRIC SUMMARY

725250 YOUNGSTOWN MAP OH 73-81 SEP

PAGE 1 DADO-DAGO

Temp.						WET	BULB	TEMPER	ATURE	DEPRE	SSION (	F)						TOTAL		TOTAL	
(F)	0	1 - 2	3 - 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22 7	23 - 24	25 - 26	27 - 28	29 - 3	0 - 31	D.S./W.S.	Dry Bulb	Wer Bulb	Dow Pale
72/ 77				• 1		1				1						1		1			
76/ 75		ł	. 3		. 1	d)	į	] '	}	1		1 1			i					1	ı
74/ 73		• 1																6	6	1	
72/ 71		1.1			. [	1			İ	i	1	1 1		1	l	1	ì	1.6	16	<b>-</b> 1	
71/69		1.9	1.8					1									+	33	33	17	
66/ 67		2.4			,	1		} !	1			1 1			1			36	36	26	
06/ 65	- 1	4.5				<del></del>	-	<del></del>	<del></del>		<del> </del>					+	+	61	62	43	
64/ 63			1.8		*	Ì	1 1	( )	{	ł	}	1 1		} }	ł		}	59	- 1	47	-
62/ 61	- 1	3.8				<del>                                     </del>	<del> </del>		<del> </del>	<del> </del>	<b></b>	<del>                                     </del>				<del> </del>	+	59		67	
6 / 59	. 5		3.5		J	ļ		1	ł	1 .	!	1 1		1 1	1	1		77		52	
55/ 57	. 3			1.0		<del>                                     </del>	$\vdash$	<u> </u>	<del></del>	<del></del>	<del></del>	<del></del>		<del>  </del>		<del> </del>	+			75	
56/ 55	.5				1	.†	1		1		ł '	}			i	}	1	62		67	
54/ 53	.1					<del>}</del>			<del> </del>	<del> </del>	<del>                                     </del>	<del> +</del>		<del>                                     </del>		├-	+	56	56	55	63
2/ 51	• •	4.5										ıl			i		{	72			
51/49		3.4				-1		$\vdash$	<del></del>	<del> </del>	<b></b> -	├┼		<del>  </del>		┼	+	+	48	- 64 71	67
48/ 47		3.9			,	1	( )	1 1	1	1	1	1 1		) ]	l	1	i	4.8	1 -	_	_
46/ 45		2.6			<del> </del>	├		<b> </b>	<del> </del>	<del> </del>	<b></b> -	<del> </del>		<del>├──</del> ┤		├	<del></del>	9.3	43	59	60
44/ 43		2.8	1	4		ł	1		1	1	1	1		{ !	i	1	ĺ	26		56	54
42/ 41						<del> </del>		├──┤	<del> </del>	<del> </del>	<del> </del>	<del> </del>		╂╾╼╾┪	<del></del>	<del>├</del>	+	30		27	- 35
4: / 39	i	1.6			t		} }	1 1	l	}	1	1 1		1 1	ł		1	15		33	
38/ 37		. 9			<del> </del>	<del> </del>		<del> </del>	├	<b></b>	<b> </b>	├				<del>├</del> ─	<del></del>	19	14	12	
36/ 35		• 6	-1	1		İ '	1 1		1		i '	1 1		i 1	ł	1	1			11	
34/ 33		. 3		4	├					<del> </del>	<b></b>	<del></del>		<b>├</b>		<del>├</del> ─	+			10	11
72/ 31		• 3			{	1	1 1				1	1 1		1 1	l	į	ļ	2	Z	3	
3 / 29			├	<del> </del>	<del> </del>	<del> </del>		<del>  </del>	<b></b>	<del> </del>	<b> </b>	<del></del>		1		<b></b>	+	<del> </del>	<del> </del>		<u>.</u>
26/ 27		1	i	]	<b>,</b>		1 1	1 1	į i	1	į f	i 1		1		ł	1	1	. 1	i	
24/ 23				<del>  </del>	<b></b>	<del></del>	<del></del>	<del>                                     </del>	ئىسىم		<del></del>					├	<del> </del>	<del> </del> -			
TOTAL		اء ما				ا ا	1 1	i }	1		1 1	1	1	1 1	. !	]	1			)	1
I CIPL	1.9	30.4	31.1	9.3			<del>   </del>		<del> </del>	<b> </b>	<del></del>	<del></del>		├		<b>├</b> -	+	793	799	793	793
}	ļ	]	i	1 1	1		1 1	1 1	i 1		( P	<i>i</i> 1	ļ	1 1		ſ	ĺ	773	1	773	
			<del></del>	+	<del> </del>	<del></del>	<del>   </del>		لنحط	<del></del>	<del></del>	<del>+</del>		├──┤		├─	+	<del>                                     </del>			
[	[		ĺ		(		1 1		i '			i l		1 1		1	1			1	
									<u> </u>								1				
Element (X)		2 2'		<del>  </del>	Zx		X	<b>₹</b>	<b>\</b>	No. 06	<u></u>				Moun I	No. of I	Hours wid	h Temperet	Notes		
Rol. Hum.			9888		671	.9d	84.7	8.4	<b>eq</b>	7	93_	10F	1.	32 F	1.67	F	= 73 F	≥ 90 F	● 93 F	1	Total
Dry Bull		260	5021		449		56.7	8.3	70		94				10	.8	1.1		T	$\Box$	90
Wet Builb			8367		429		54.1			7	93		$oxed{\Box}$	. 3	5	• 4	.1				90
Dem Point		221	5510	-	413	17	52.1		-		93			1.7		.5			1		90

GLGBAL CLIMATOLOGY BRANCH USAFETAC Al- Weather Service/Mac

## PSYCHROMETRIC SUMMARY

725252 YOUNGSTOWN MAP OH 73-81
STATION HAME YEARS

PAGE 1 0900-1100

Temp.		-			WET	BIII B	TEMPE	PATUR	DEPRE	SUOM	( <b>8</b> )						TOTAL	T	TOTAL	
remp.	0 11.	- , <del>, ,</del>	16.6	7.6								2 22	4 96 . 9	4 27 . 9	120 . 2	2 22		Dry Built		
-6/ 85	_ <del>-</del> ' · -	+ 3 - 4	3.8	/	V - 10					17 - 20	21 - 2	- 43 . 4	-123 . 4			<del></del>	4		301 0010	1
4/ 83	i	ļ	i	. 3		1 '		1			!	1	Į	!	1	İ				1
/ 81		<del>-</del>	.1			1		-	+		<del> </del>	+	<del></del> -	<del>+</del>	+	+	+ -		+	<del> </del>
/ 79		1			, ; ;	• •	. •	1			1	:	ť	i	1	i	20	20		1
7. / 77	<del></del>	• 1		.4	1.3	. 3		+ ••	+		+ -	+	+	+	+	<del>                                     </del>	13			<del> </del>
16/ 75							,	li.			l	1	i	i	1	-	35	1		
14/ 73			1.3	1.1	1.3	. 3	• 1	+	++		+	+	+	+	•	+	36			
1.7 71	•	1 1.9	. 1.2	2.4		. 6		ľ	i		ļ.			1	-		58	1		7 -
	1 -	1 1.9	1.6	2.5			. 1	4	+		+ -	+	+	+	+	<del>†                                      </del>	66	<del></del>		
6-/ 67		1, 1.0						•			,			1	1		59	: -		1
16/ 65	.1 2.					- 1		+	++		+	+	+	+	+	+	73			4.
-4/ 63		1.4												ŧ	ĺ		79			
12/ 61		1.1				-3		+	•		+	+	+	+	+	+	61	61		
6 / 59		2.0				_	1		;			1		1	1	ļ	80			
5/ 57		1 1.0	2.7	1.0	.1				+		<del></del>	+	+	+	<u>†                                      </u>	+	57			
5:/ 55	1.4		1.1				1	1	1			1			1	Ì	45	45		,
54/ 53	- + i.	1 1.1	1.4	- 3		-	+	<del>;</del> -	+		+	+	+	+	+	+	31			
-2/ 51				1.3					ļ.,			1	-	1			26			
5 / 49	<u>-</u>	9 .9	- 5	- 3	<del></del>	•	•	+	+- +		1	<del>                                     </del>	+	1	+	+	13			
4-/ 47							:	i	1		!		İ	1	1		10	1	_	,
4:/ 45		5 .6 1 .3		<del></del> -	<del></del>	<del></del>	†	+	+ - +		t —	1	+	<del>                                     </del>			3	1		
44/ 43			. 1	i			i I	1	1					-			1	1	13	
42/ 41		<del></del>	·			-		1	1 1			†	+	†	1		<del>                                     </del>	<u> </u>	1	19
4 / 39	:					1	j				ļ		1	1	1	]	]		1	14
3-/ 37	<u> </u>	1	<del></del>		-	<del></del>			†—†			1	+	+	1	† —	<del>                                     </del>		1	1
3c/ 35		1	1	1	1	i	!	l	1 1		ļ	1	1	1		l	1			
34/ 33			+				1							1	1		1		<del>                                     </del>	9
32/ 31	i	!		Į		l	l	Į.	1 1		į	1	Ţ	ļ	ļ		ļ		1	1
3. / 29		1	†			i -	1					_	1	1	1	1	1	1		1
TOTAL	.117.	918.1	24.1	22.3	10.9	4.4	1.1	-1	ı		1	1		1	1	ŀ		781		788
			<b>-</b>						1			1	_	†	1	1	788		780	
	1			i	ì		1		1			1		1	i		1			j
		1							1			1	<del>                                     </del>				1		1	<u> </u>
i	l	İ	!					ł	1 1				1		1	1	1		1	1
Element (X)	23,			2 %		Ī	•,		Ho. Ob	٠.				Moon	No. of I	lows wit	A Tempera	Nurv		
Ref. Hum.		3661		364			13.1			11	1 (	P	s 32 F			■ 73 F	- 90 F	• 93	P	Total
Dry Bulb	33	34216	1	508	74	64.1	8.0			89					5 .4	14.4		4		91
Wat Bulb		76126	1	161		58.5	1	_	-	33					5 • 0	2.9	1			91
Dow Point	24	21331		431	33	34.1	8.3	75	7	28			•	3	7.5	• 2	![			9(

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIP WEATHER SERVICE/MAC YOUNGSTOWN MAP OH PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) 1 - 2 | 3 - 4 | 5 - 6 | 7 - 8 | 9 - 10 | 11 - 12 | 15 - 14 | 15 - 16 | 17 - 18 | 19 - 20 | 21 - 22 | 23 - 24 | 25 - 26 | 27 - 20 | 29 - 30 | = 31 92/ 91 0 / 89 28/ 87 12 12 • 3 1.0 54/ 83 17 17 82/ 81 26 2 / 79 .3 1.0 1.8 1.1 43 43 1 78/ 77 1.0 .6 2.3 1.4 1.1 2.4 1.6 6/ 75 50 50 74/ 73 1.0 2.0 1.5 2.3 72/ 71 75 75 7./ 69 68 44 1.1 1.3 681 67 . 8 .8 2.3 58 58 35 .. 56/ 65 72 63 51 12/ 61 55 60/ 59 . 9 38 1.5 • 1 38 86 63 5c/ 55 26 26 . 6 1.3 73 42 • 3 4/ 53 52/ 51 58 51./ 49 52 98/ 47 60 14/ 43 33 41/ 39 19 37 10 36/ 35 34/ 33 32/ 31

798 798

798

798

2 0 F

1 32 F

798

798

10.5

+73 F - 10 F

Mean He. of Hours with Tempe

32.0

5.1

54.7

19.6

798

90

90

90

36/ 29 TOTAL

Element (X)

Rel. Hum.

Dry Bulb

Wet Bulb

Dow Point

3128089

297751

2433791

7.410.010.216.422.918.710.4 2.9

48567

55238

44387

60.919.701 69.2 8.422 60.4 7.392

43455 54.5 9.20G

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIP WEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH 73-81 1500-1700 HOURS (L. S. T.) PAGE 1 WET BULS TEMPERATURE DEPRESSION (F) Te To. 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.B. W.B. Dry Bulb Wet Bulb Dew Point 94/ 93 . 1 92/ 91 . 1 7 / 89 . 1 88/ 87 26/ 85 11 11 84/ 83 22/ 81 .9 1.1 29 29 • 1 c / 79 .6 1.3 1.0 . 6 46 46 .1 .6 .5 1.0 1.9 .5 1.0 1.5 .8 1.4 78/ 77 44 1.0 1.0 56 56 76/ 75 74/ 73 .5 1.8 1.3 2.5 2.3 1.4 1.5 70 90 23 1 .8 1.0 1.4 1.4 2.4 72/ 71 62 70/ 69 . 4 1.5 65 65 48 24 68/ 67 1.5 66 2.5 66 66 **66/ 65** 2.5 67 75 55 . 1 • 1 <u>51</u> 37 .9 1.1 1.3 55 64/ 63 55 .9 1.6 52/ 61 46 46 1.0 60/ 59 36 36 89 58/ 57 .6 36 37 62 61 . 5 1.5 . 6 1.0 58 56/ 55 . 8 14 14 66 0 54/ 53 . 5 12 13 67 44 52/ 51 . 1 40 . 6 53 5. / 49 25 . 4 0 48/ 47 46/ 45 45 44/ 43 42/ 41 21 40/ 39 15 38/ 37 36/ 35 15 34/ 33 12/ 31 31/ 29 Element (X) Rel. Hum. +67 F +73 F +80 F +93 F 19F 132F Dry Bulb

Wer Bulb Dow Pales

THE RESERVE OF THE RESERVE OF THE PARTY OF T

The same of the sa

SECTOR SECTION

GLOBAL CLIMATOLOGY BRANCH PSYCHROMETRIC SUMMARY USAFETAC AIR MEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH SEP 73-81 TOTAL TOTAL
D.S./W.B. Dry Bulb Wet Bulb Dew Pain WET BULB TEMPERATURE DEPRESSION (F) 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 - 1 5 - 1 9 - 9 1 0 - 01 4 - 11 9 - 7 21 - 61 1 - 8 5 - 7 1 - 6 - 3 - 1 792 790 TOTAL 790 790 ಠ 0 Element (X) 2887093 3908782 790 Rei. Hum. 58.619.696 = 47 F = 73 F = 80 F = 93 F 57.6 Dry Bulb 792 35.7 90 60.6 7.245 53.9 9.200 90 2738740 42544

THE WINESET SECTIONS . .

## **PSYCHROMETRIC SUMMARY**

725253 YOUNGSTOWN MAP OH 73-81
STATION STATION NAME
YEARS
PAGE 1 1809-2000
HOURS (L. S. T.)

Temp.										DEPRE								TOTAL		TOTAL	
(F)	0	1 - 2	3 - 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22	23 - 24	25 - 26	27 - 20	29 - 30	+ 31	0.8./4.8.	Dry Bulb	Wet Builb	Dew Pein
46/ 85					_		. 3	-1	.1					1		1			•		1
+4/ 83		l _		i		• 1	. 1	1		L						_		2	2		
+2/ 81	T		I		. 5	. 5	• 1		.1									10	10		
8 / 79	· }	i	ļ	- 3	. 3	• 3	. 1					ŀ				1		7	7		l
7:1 77			• 3			. 3	. 4	1	• 1									18	18		
76/ 75	. ]	ļ	. 3	1.1	1.3	.6	. 4	.1						ļ				30	30	1	l
74/ 73		.1	1.0	1.9	.8	. 8	.1	•1	.1					1				39	39	14	i
72/ 71			1.4	1.6	1.3	1.3	. 4	.1			L	L	i	i	<u>i                                     </u>	<b>.</b>	Ì	48	48	10	5
71/ 69	• 1	. 6	3.1	1.4	1.8	. 5		• 1			[	-		Ţ				64	64	25	18
68/ 67	' ]	.9	2.9	1.9	2.5	. 8	.1	. 3	1	] .			İ	l	i i	1		74	74		23
66/ 65		.6	2.9	1.4	1.1	1.3	• 1							1				59	59	62	
64/ 63		1.1	2.3	2.8	1.6	. 5	. 3	ı		1	ĺ		i		1		ł	68	68	60	48
62/ 61	• 1	1.8	2.6	2.4	2.8	. 6	• 1			$\vdash$								83	83	68	53
4: / 59	·	1.4	2.9	2.1	1.3	.5	i				1	i	1	1	l		l	65	65	77	57
58/ 57	1	1.5	1.8	1.5	1.1	.3									1			49	49	71	57 63
5t/ 55	,	. 6	2.1	2.3	. 8	. 5			ļ	1 :		l				1		50	50	84	
4/ 53	1	.4	2.3	1.1	.8	•1	. 1											38	38	54	
52/ 51	i		2.8	. 8	. 5							1		ł	1 i	i	Į.	32	32	46	
51 49	1	.3	2.3	.5			1					<b></b>					1	27	27	50	
40/ 47	•		.1	.6	.6		ļ				l			1	1	l	ı	17	17	42	51
46/ 45		.4			-										<b></b>	_		6	6	32	
44/ 43	:		. 4	. 4		1	1		l					1		1	1	6	6	14	
42/ 41			.1							<del>                                     </del>								1	1	11	
4. / 39	1		!		ļ	ŀ	l	İ	1	]				1			l			6	20
38/ 37		.1						· · · · · ·					f			·		1	1	3	
36/ 35				i		l	1	1				ļ.								1	12
34/ 33																		1			6
32/ 31	. 1	1	1	Ì	1	1	]	1	Ì	Ì	Ì	]	]	}	] :	1	1				
31/ 29				-				<b>†</b>		t								1			3
TOTAL		10.5	31.6	24.3	20.1	8.9	3.0	.9	.5			!	i			İ	l	1	798		798
	1	1			<u> </u>													798		798	
	<b> </b>	<u> </u>							<u> </u>	<u> </u>		<u> </u>	ļ	<u> </u>				ļ .			<b> </b>
	1							}				İ					[				l
Element (X)		Zz'			2 1	$\top$	X	•,		No. Ob	6.				Moon I	to. of H	eurs will	. Tompere	huro		
Rel. Hum.			1899		371	35	71.6	11.0			78	10	P .	32 F	+ 67	F .	73 F	> 00 F	- 93	F	Total
Dry Bulb		324	7749		304	63	63.2	8.4	10	7	78				33	-4	12.4	2.	3		90
Wet Bulb	1	270	7562		460	36	37.8	7.7	61	7	78	•	$\top$		13	.0	1.7	1	1		90
Dow Point	<del>                                     </del>	735	4769	<del></del>	427	67	53.4	8.0	19	7	78		-	1.2	3	•2		1	1		90

USAFETAC TOTAL 0-28-5 (OLA

725250 YOUNGSTOWN MAP OH 73-81 SEP 2100-2300 HOURS (L. S. T.) PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 - 2 | 3 - 4 | 5 - 6 | 7 - 8 | 9 - 10 | 11 - 12 | 13 - 14 | 15 - 16 | 17 - 18 | 19 - 20 | 21 - 22 | 23 - 24 | 25 - 26 | 27 - 28 | 29 - 30 | = 31 D.S./W.S. Dry Bulb Wet Bulb Dew Point 78/ 77 76/ 75 74/ 73 20 20 1.2 72/ 71 16 71/ 69 14 46 46 46 46 37 66/ 65 . 1 35 3.3 1.2 49 49 44 64/ 63 . 1 3.1 1.8 75 54 32 12/ 61 59 63 607 59 4.2 58/ 57 3.0 5.6 90 90 55 53 57 71 86 56/ 55 60 60 54/ 53 78 2.1 1.7 . 7 42 42 52/ 51 2.7 51/ 49 3.5 . 9 49 49 37 49 1.4 37 46/ 47 3.1 39 46/ 45 2.6 1.3 30 30 48 44/ 43 12 10 12 10 42/ 41 41/ 39 38/ 37 10 . 1 36/ 35 34/ 33 2 32/ 31 36/ 29

769

770

769 769 107

s 22 F

\$0.3 8.863 \$8.4 8.401 55.0 8.184

42291

**PSYCHROMETRIC SUMMARY** 

770

769

769

+47 F +73 F +80 F +93 F

4.0

769

10

70

GLOBAL CLIMATOLOGY BRANCH

AIR WEATHER SERVICE/MAC

USAFETAC

TOTAL

Element (X)


Rel. Hym.


Dry Bulb

Wer Bulb

Bow Point

1.232.844.616.3 4.6





BURNOWS TO THE REPORT OF THE PARTY OF THE PA

0 GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC 20 AIP WEATHER SERVICE/MAC YOUNGSTOWN MAP OH 725250 OCT 73-81 **(**) 0000-0200 HOURS (L. S. T.) PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL Temp. 0 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 20 29 - 30 = 31 1-2 3-4 5-6 7-8 69/ 67 . 1 • Z • 2 66/ 65 9 9 54/ 63 15 62/ 61 2.4 35 35 f 1/ 59 1.0 - 1 • 1 25 44 2.4 56/ 57 • 6 58 51 51 23 5t/ 55 3.0 • 1 . 1 94/ 53 3.2 1.1 47 55 55 27 37 45 33 40 0 °2/ 51 1.0 1.7 1.9 • 1 • 1 49 49 5: / 49 1.6 2.1 4.3 2.1 46/ 47 2.2 76 76 65 .6 58 71 46/ 45 1.9 73 73 40 1.9 94/ 43 2.9 66 57 44 4.3 66 57 60 73 5.7 2.6 39 92 1.0 67 33 38/ 37 2.2 35 35 54 36/ 35 3.0 32 32 69 34/ 33 3.4 1.0 40 40 46 33 72/ 31 2.8 34 68 1.3 10 38 40 10 31./ 29 28/ 27 26/ **25** 29 13 . 1 . 6 14 24/ 23 . 1 22/ 21 18 26/ 19 18/ 17 824 823 TOTAL .649.927.014.5 5.1 2.3 j 823 823 ğ \$147880 64290 78.112.369 Mean No. of Hours with Temperate Element (X) No. Obe. 823 ● 93 F Rel. He 1 32 F ≥ 67 F 46.3 8,862 43.2 8,269 39.8 9,210 Dry Bulb 1831300 38154 824 5.8 1570082 35530 823 10.3 73 Wet Bull 3355703 32535 123 22.4 73

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIR WEATHER SERVICE/MAC 725252 YOUNGSTOWN MAP OH STATION NAME OCT 0300-0500 HOURS (L. S. Y.) PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 + 31 D.B.W.B. Dry Bulb Wet Bulb Dew Point (F) -6/ 65 54/ 63 12/ 61 / 59 31 31 58/ 57 2.0 .9 1.1 37 31 • 6 3.6 .7 2.7 2.1 4/ 53 . 1 48 49 23 26 . 2 <sup>4</sup>2/ 51 45 5:/ 49 .1 3.8 2.2 63 63 38 46/ 47 3.3 1.3 99 29 64 41 41/ 45 .1 4.8 2.6 1.0 54 69 69 48 4.3 3.1 75 42/ 41 5.0 1.6 59 46 4 / 39 69 71 69 4.9 1.1 30/ 37 57 57 71 70 36/ 35 2.6 .7 4.4 2.1 33 53 63 3 / 29 45 26/ 27 26/ 25 1.q 28 24 24/ 23 22 2/ 21 18/ 17 2.156.126.311.2 3.6 815 815 ပ ရ Element (X) No. Obs. Mean No. of Hours with Temperature 80.311.152 45.0 8.831 815 816

815

7.2

A MARIE TO A STATE OF THE STATE  93

13.9

36708

34446

31838

42.3 6.408 39.1 9.246

1714886

1513362

313948

Dry Bulb

Wet Bulb

## PSYCHROMETRIC SUMMARY

25250 STATION	<u>Y 0</u>	UNGS	TOWN	MAP	OH ATION N	AMF				73-	81			YF	ARS				— OC	
armitell.				31	···· run H	-1776											PAGE	1	0600-	-080
Temp.						WET	BULB	TEMPER	ATUR	E DEPR	ESSION	(F)				<del></del>	TOTAL		TOTAL	_
(F)	0	1 - 2	3 - 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22	23 - 24	25 - 26	27 - 28 29	- 30 = 31	D.B./W.B.	Dry Bulb	Wer Buib E	Dew P
6/ 65				• 1			,								!		1	1	r	
4/ 63		. 1		. 9			-			1	ļ	<b> </b>					8	8		
-2/ 61		. 4	. 6										- 1				11	11	1	
/ / 59		1.8	2.3				<u> </u>			<del> </del>	├─-	<del>}</del> }					34	34	9	
5 / 57	. 4														1	1	29	29	35	
56/ 55		2.2		. 4	• 1		<del> </del>	<b>├</b> ┤		<del>  -</del> -	<del></del>		+				36	36 40	30	
2/ 51	• 2	3.2			•	• 1	1	1 1		1	1	1		}	:	!	40 52	52	44	•
5 / 49		3.6			. 1 . 4	•5		<del>   </del>		+	<del> </del>	+-+	-+				61	61	44	_;
45/ 47		3.9	1.9		• 2		.]	]					į.	{	ļ	1	58	58	57	ī
46/ 45		5.5					<del> </del>	<del>                                     </del>		+	<del>                                     </del>	++	-+				82	82	61	
4/ 43	• •	5.3			• 1			j i			-			İ			73	73	68	ì
02/ 41	-	5.0					<del> </del>				-	++	+			+	65	65	88	
4 / 39		4.7									1		[	į	1	1	63	63	74	
3/ 37	. 4						<del>                                     </del>			<del>                                     </del>							59	60	66	
36/ 35	. 4	_		· i													40	40	57	
34/ 33	. 4	3.4	2.1								1						45	48	41	- 1
'2/ 31	. 2	2.4	. 9				L				L						29	29	49	
3' / 29	• 1	2.2	. 5									] ]	Ţ				23	23	36	
25/ 27		. 6					l				L	1					5	5	20	
26/ 25		• 2															2	2	7	
24/ 23		• 2					<b>↓</b>	1		<u> </u>	ļ	$\longmapsto$					2		4	
2/ 21	• 1	. 1									Í		- (	- 1			2	2	2	
2 / 19							<b></b>			<b></b> -	<del> </del>		$\longrightarrow$				1			1
18/ 17 16/ 15							1	1 1		1	1	1 1			1	ļ	1 1	ļ	1	
CTAL	2.2	5 M . O	32.4	8.4	1.2	. 1	-	<del>                                     </del>		┼─~	<del> </del>	<del>                                     </del>	<del></del>			<del></del>	+	824	+	8 2
' ' "	2.3	J 7 6 7	JZ 0 7	0.7	1.2					,			1	1			823	024	823	4
<del>+</del>							<del> </del>			<del>                                     </del>	_	<del>                                     </del>					1			
							<u> </u>			<u> </u>	ļ	<b> </b>					<b> </b>			
										<u> </u>						_				
							<u> </u>									431				
Element (X)		ZX'	0326		2 x 667	96	X	10.3	66	No. O	23	- 4 -		7		of Hours wit	<del></del>	<del></del>		erel
Rel. Hum.			2526	<b> </b>	367			8.5			24	1 0 F	+-*	32 F 7 - 1	≥ 67 F	= 73 F	- 00 F	• 93 1	<del></del>	9101
Dry Bulb			7564	<b>-</b>	346	- 1		8.2			23			3.3		+	<del> </del>	+	<del></del>	
Dow Point			7345	<u> </u>	321			9.2			23			4.4		<del> </del>	┼──	+	+-	
- r						<del>- 1</del>			- 7	<u> </u>				7 7			<del></del>			

**PSYCHROMETRIC SUMMARY** USAFETAC AIR WEATHER SERVICE/MAC 725257 YOUNGSTOWN MAP OH OCT 73-81 PAGE 1 0900-1100 HOURS IL. S. T.I WET BULB TEMPERATURE DEPRESSION (F) TOTAL Temp. 1.2 3.4 5.6 7.8 9.10 11.12 13-14 15.16 17.18 19.20 21.22 23.24 25.26 27.28 29.30 a 31 D.B./W.B. Dry Bulb Wet Bulb Daw Point 6/ 75 . 1 • 1 4/ 73 • 2 12/ 71 5 5 69 • 2 6:/ 67 . 1 14 • 6 - 1 • 1 14 6/ 65 .5 1.0 24 .6 1.0 1.5 42 42 10 44/ 63 1.1 . 6 . 9 .7 1.6 40 40 2/ 61 47 29 24 / 59 1.0 1.6 1.6 1.0 47 1.3 1.3 1.7 1.0 / 57 22 5:/ 55 1.3 .9 1.2 1.0 43 43 51 19 1.1 1.2 2.6 1.6 1.9 2.7 2.1 1.7 51 43 4/ 53 73 2/ 51 73 46 46 2.6 3.3 3.3 1.2 5 / 49 86 86 64 42 78 4. / 47 .2 2.1 1.6 2.3 1.1 45 . 2 64 64 46/ 45 2.6 3.2 2.2 71 86. 45 2.1 2.2 1.2 #4/ 43 . 1 47 86 • 1 1.7 1.8 1.2 43 67. 65 -2/ 41 .2 2.4 1.2 33 33 53 4. / 39 64 .9 1.1 1.6 38/ 37 73 26 36/ 35 .6 1.1 16 16 55 10 43 34/ 33 . 4 2/ 31 . 6 23 55 1 29 18 21/ 27 24 20 26/ 25 24/ 23 2/ 21 2 16/ 17

No. Obs.

821

821

821

821

93

93

Mean No. of Hours with Temperature

- 93 F

+67 F +73 F +80 F

s 32 F

. 8

3.9

. 0-26-5 (OL.A) RYSED PRINGUS EDITIONS OF THIS FORE

GLOBAL CLIMATOLOGY BRANCH

USAFETAC 104 0-26-5 (OLA)

TOTAL

Element (X)

Rel. Hum.

Dry Bulb

Wet Bulb

Dew Point

Zz,

4243758

2216682

1830007

1488486

.222.528.126.114.7 5.2 2.6

ZX

57936

42052

38191

34090

7

70.613.764

51.2 8.748 46.5 8.074

41.5 9.434

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIR WEATHER SERVICE/MAC 725257 YOUNGSTOWN MAP OH 73-81

OCT 1200-1400 HOURS (L. S. T.) PAGE 1

WET BULB TEMPERATURE DEPRESSION (F) TOTAL Temp. D.B./W.B. Dry Bulb Wet Bulb Dew Point 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 ../ 81 2 74 77 . 1 • 1 . 4 76/ 75 . 8 17 74/ 73 . 2 . 5 17 72/ 71 26 26 7 / 69 . 2 .4 1.0 1.2 47 47 1.3 1.1 . 4 6-/ 67 .6 1.1 .6 45 45 .1 1.5 1.0 1.0 6/ 65 43 43 44/ 63 .8 1.2 .7 1.3 52 52 . 6 .6 1.1 1.5 1.7 51 51 12/ 61 . 4 . 6 . 1 30 15 C/ 59 .5 1.0 1.9 1.8 56 42 25 26 5./ 57 . 5 .6 2.1 1.5 .7 2.2 2.2 1.2 53 53 49 • 2 5 / 55 59 . 4 59 56 31 4/ 53 .4 1.6 1.7 42 42 61 12/ 51 .8 2.1 1.5 1.7 2.1 3.5 1.3 1.3 34 46 5. / 49 83 83 75 . 1 41/ 47 1.2 1.1 1.3 2.1 51 51 84 . 7 4./ 45 1.0 36 36 56 . 8 . 7 44/ 43 . 5 \_ 5 22 22 74 72 1.2 1.1 31 48 12/ 41 . 8 . 6 31 4. / 39 1.3 26 26 50 68 35/ 37 . 2 30 67 • 6 36/ 35 34/ 33 54 • 6 10 10 23 . 1 20 39 72/ 31 47 26 36 31/ 29 2e/ 27 26/ 25 26 24/ 23 13 `2/ 21 21/ 19 1-/ 17 21, Element (X) +67 F = 73 F = 80 F = 93 F Rel. Hum. 10F # 32 F Dry Builb Wet Bulb Dow Point

\* TOTAL 201

(

C

€

(

C

C

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIR WEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH 73-81 OCT 1200-1400 HOURS (L. S. T.) WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL D.B./W.B. Dry Bulb Wet Bulb Dew Point 1 . 2 | 3 . 4 | 5 . 6 | 7 . 8 | 9 . 10 | 11 . 12 | 13 . 14 | 15 . 16 | 17 . 18 | 19 . 20 | 21 . 22 | 23 . 24 | 25 . 26 | 27 . 28 | 29 . 30 | \* 31 826 826 TOTAL 9.913.917.222.016.112.1 6.2 1.9 .6 826 ತ ZX Mean He. of Hours with Temperature Element (X) 49004 59.315.639 56.3 9.850 48.9 8.323 # 32 F = 67 F = 73 F = 80 F = 93 F Rel. Hum. 3109038 826 207 .1 17.0 3.7 Dry Bulb 2701725 46535 826 Wer Bulb 2034888 40418 826 1.6 1.0 73 34224 41.4 9.929 Dew Paint 1499356 826

Marine Colors Mark Marketter Species 17: 5 and

## **PSYCHROMETRIC SUMMARY**

725250 YOUNGSTOWN MAP OH 73-81 QCT
STATION STATION HAME YEARS MONTH
PAGE 1 1500-1700
HOURS ILL. S. T.)

Temp.						WET	BULB	TEMPER	RATURE	DEPRE	SSION (	F)						TOTAL		TOTAL	
(F)	0	1 - 2	3 - 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22	23 - 24	25 - 26	27 - 28	29 - 30	<b>⇒</b> 31	D.B./W.B. (	bry Bulb	Wet Bulb	Dow Point
° / 79							• 1	.1	.2									4	9		
70/ 77		ĺ		!	.1		.1			l	i '	1			}			2	2		
76/ 75					• 2	. 4	.6	• 2	. 5									16	16		
74/ 73		!	!		{ -	.5	1.0	1	1	l	.2				1			17	17		ĺ
72/ 71			.1	• 1	. 6	<del></del>		<del></del>		. 2								32	32		
7./ 69		.1	.5												}			51	51	1	
61/ 67		<del> </del>	.6			. 2												30	30		2
66/ 65			. 4	1.2	,		1.6		i	.1		1			ì			52	52	13	1
64/ 63		. 5	.1				1.1											41	41		3
52/ 61		. 4	.5		1.2	1.2			. 5	}	,	) )		1	i			52	52	38	14
11/ 59		.6						+										68	68	37	
5:/ 57		.9		. 4	1.2		1.7	1 -		)	j	, ,			- 1			56	56	39	21
5/ 55		.2		. 9			.6			<b>†</b>								41	41	56	2 <u>1</u> 33
54/ 53		1	1.0	2.1	1.6	1.1	.7	.1		j	}	1		i i	- 1			54	54	52	34
-2/ 51	-	.4	1.8	.7	<del></del>					,								36	36	47	22
5' / 49		1.5	. 9					}	j	]		1 1		[ [	1			58	58	77	
49/ 47		.7		2.3	2.0	1.1	. 4											64	64	96	45
46/ 45		.7	1.2	2.8	1.0	-5		1	1		1				į.			51	51	64	43
44/ 43		.9	.2	.7					ļ —									19	19	66	66
"2/ 41		1.0			.9	j		l		Í	ĺ	[ [		1 1	l		1	21	21	61	
41/ 39		.9		. 6	1.0			1	1									27	27	46	72
34/ 37	• 1	.1	-1	1.0	ļ	j	]		1	j	j	1 1					L	11	11	34	
36/ 35		.7	. 4															12	12	17	65
34/ 33		}	. 1	.2	1			[	ĺ		į į	1 1		{	ł			3	3	23	
72/ 31		.1	.1							1								2	2	14	53
3./ 29		1	ļ	ļ	1	l	(		1	Ì				i _l			l	1		5	24
25/ 27																				1	20
26/ 25		1			_	Í		l	Ĺ	L	l				1			1		L	34
24/ 23		Γ												- 1							13
'2/ 21		l	l	l .	I	L		l	ł					11			<u> </u>				18
21/ 19				[				[	1		[	]			-7			1		1	11
16/ 15		<u> </u>		<u> </u>				<u>i                                     </u>	L	<u> </u>							L				3
TOTAL	• 1	9.6	11.2	19.4	18.7	15.0	14.4	6.3	4.3	.7	.2								820		820
				Ĺ				<u> </u>	<u>l</u>								Į	820		820	
Element (X)		ZX'			2 x		1			No. O								h Temperatu			
Rei. Hum.			5232		472			16.3			20	201		32 F	* 67		73 F	- 80 F	- 93 (		Total
Dry Bull			7764		462			10.1			20			• 2	17		4.4	• 2	<u> </u>		• • • • • • • • • • • • • • • • • • • •
Wet Bulb			8234		398			8.4			20			2.3		.8		<u> </u>	<del></del>		93
Dew Point		143	5073	(	332	15	40.6	10.1	27		20		1	20.0		•Z		L	.1	l	93

1 GLOBAL CLIMATOLOGY BRANCH PSYCHROMETRIC SUMMARY USAFETAC AIR WEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH 73-81 OCT PAGE 1 1800-2000 HOURS IL. S. T.) WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 - 2 | 3 - 4 | 5 - 6 | 7 - 8 | 9 - 10 | 11 - 12 | 13 - 14 | 15 - 16 | 17 - 16 | 19 - 20 | 21 - 22 | 23 - 24 | 25 - 26 | 27 - 28 | 29 - 30 | 0 31 | 0.8./W.B. | Dry Bulb | Wet Bulb | Dru Point 74/ 73 - 1 72/ 71 7 / 69 13 • 1 . 2 13 13 65/ 67 13 1.61 65 .6 1.1 . 4 26 26 :4/ 63 .6 30 30 £2/ 61 1.0 1.7 . 4 1.0 46 46 1.2 1.3 .6 1.3 1.3 1.6 AD: 10 50/ 57 . 5 54 54 36 17 .5 1.0 1.0 1.8 56/ 55 99 44 41 .5 3.3 1.0 3.5 2.1 1.1 4/ 53 50 38 50 37 12/ 51 72 72 25 1.8 2.8 1.8 1.7 1.8 3.8 2.7 .4 5./ 49 72 72 21 48/ 47 73 1.8 2.6 1.8 41/ 45 55 - 1 56 81 52 1.3 3.4 1.6 14/ 43 62 62 45 1.7 2.0 1.2 42/ 41 44 45 67 78 () 4: / 39 2.4 43 64 70 1.7 1.1 1.1 31/ 37 32 32 60 . 9 18 38 60 () 34/ 33 . 6 13 .7 - 2 13 26 59 12/ 31 23 3: / 29 11 21 C 17 26/ 25 23 2/ 21 18/ 17 16/ 15 TOTAL .119.431.522.412.6 8.3 3.1 1.8 821 819 119 No. Obs. House No. of Hours with Temperatur Element (X) 68.714.374 50.5 9.109 45.5 8.209 40.0 9.620 Rel. Hum. 819 821 56265 403438 # 32 F \*67 F \*73 F \*80 F \*93 F 2159223 Dry Bulb 1.6 5.1 Wet Buib 1751880 37278 819 93 Dow Pales 32751 1345341 819 20.2 93 

#### **PSYCHROMETRIC SUMMARY**

725257 YOUNGSTOWN MAP OH 73-81 OCT
STATION STATION HAME PAGE 1 2100-2300 HOURS (L. S. T.)

WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL Temp. 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.B./W.B. Dry Bulb Wet Bulb Dow Point 1/ 69 • 2 68/ 67 -6/ 65 • 1 12 12 44/ 63 . 2 16 16 . 6 .4 .2 .6 2.1 1.3 1.0 19 1 -2/ 61 19 . 2 • 5 / 59 43 43 58/ 57 2.9 1.7 1.0 51 51 5: / 55 2.9 1.3 4/ 53 . 4 39 39 1.0 .7 1.8 48 48 2/ 51 .9 1.8 1.0 41 41 30 .1 1.9 3.2 1.6 .1 3.5 3.2 2.8 5:/ 49 .1 1.9 69 34 23 40/ 47 1.0 87 87 61 33 4.5 2.6 1.6 46/ 45 77 77 74 35 44/ 43 2.4 3.2 86 12/ 41 3.8 3.6 . 1 . 1 70 70 80 85 4 / 39 4.3 2.3 60 69 60 82 37 35/ .1 2.1 1.5 36 36 70 69 ₹5/ 35 1.9 23 23 46 • 6 61 1.8 1.2 34/ 33 28 28 30 58 2/ 31 .6 1.0 13 13 28 77 .1 1.1 16/ 29 13 13 18 35 28/ 27 17 . 1 26/ 25 2/ 21 10 21/ 19 14 11/ 17 16/ 15 .639.230.316.7 7.4 4.4 1.5 822 TOTAL 822 822 822 Element (X) 74.713.234 No. Obs. 4736692 61444 822 Rel. Hum. =67 F = 73 F = 80 F = 93 F 47.6 8.865 43.9 8.204 39.6 9.321 Dry Bulb 1930104 39160 822 3.5 1642424 36120 822 7.7 Wet Bulb 1361763 32569 122 22.2 93 Dow Point

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIP HEATHER SERVICE/MAC 725257 YOUNGSTOWN MAP OH STATION NAME 73-81 OCT PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL **(F)** 1 - 2 | 3 - 4 | 5 - 6 | 7 - 8 | 9 - 10 | 11 - 12 | 13 - 14 | 15 - 16 | 17 - 18 | 19 - 20 | 21 - 22 | 23 - 24 | 25 - 26 | 27 - 28 | 29 - 30 | = 31 | D.B./W.B. | Dry Bulb | Wet Bulb | Dew Point 927 81 • 0 7:1 77 • 0 - 0 76/ 75 14/ 73 . 2 - 1 .0 37 37 12/ 71 67 71/ 69 128 128 6-/ 67 112 112 . 5 34 167 167 -4/ 63 210 210 12/ 61 . 5 • 5 . 2 251 252 131 1.5 .7 5C/ 59 354 354 190 58/ 57 .0 1.5 • 1 390 390 274 127 5c/ 55 379 361 361 221 4/ 53 382 358 383 294 <2/ 51 0 1.5 2.2 1.1 408 408 399

A) Emas remons temoss of th

5 / 49

4t/ 45

64/ 43

#2/ 41

4:/ 39

35/ 37

34/ 33

32/ 31

3"/ 29

25/ 27

21/ 25

.0 2.3 2.4 2.0

.0 3.2 2.3 1.6

2.6 2.1

3.0 1.9

2.0 1.0

. 1

AFETAC ROSE

541

522

514

419

390

394

266

182

198

123

541

522

515

419

391

394

267

182

198

123

425

594

548

549

568

550

441

293

251

233

157

80

22

255

323

370

477

533

538

559

171

432

270

201

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIP WEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH PAGE 2 WET BULB TEMPERATURE DEPRESSION (F) 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 6574 6569 TOTAL .832.725.117.010.7 6.6 4.3 1.9 .8 • 0 6569 Element (X) 43.5 8.7 .6 35076541 468399 71.315.982 6569 Rel. Hum. 1 32 F 26.3 16954210 49.810.146 327122 6574 6369 58.D 13878441 276345 744 Wet Bulb 1.8 11167259 263461 40.1 7.563 169.2 Dow Paint

16-5 (OL. A) service retrious services of this roam AR Oakousts

SAFETAC ETT 0.26-5

GLOBAL CLIMATOLOGY BRANCH PSYCHROMETRIC SUMMARY USAFETAC AIR WEATHER SERVICE/MAC 725257 YOUNGSTOWN MAP OH STATION NAME 73-81 0000-0200 HOURS (L. S. T.) TOTAL WET BULB TEMPERATURE DEPRESSION (F) 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 u 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 20 29 - 30 = 31 0.8./W.S. Dry Bulb Wet Bulb Dow Poin 16/ 65 44/ 63 52/ 61 5a/ **57** 1.1 26 26 5t/ 55 22 1.3 30 54/ **53** 25 23 1.4 25 °2/ 51 1.0 1.3 29 48/ 47 32 32 22 19 41 / 45 1.5 1.9 37 37 23 14/ 43 .9 2.7 .1 1.9 1.3 1.0 22/ 41 35 35 53 28 4 / 39 2.2 49 49 .1 3.3 2.4 5.3 2.8 3-1 37 50 37 31/ 35 70 34/ 33 5.3 3.2 .1 7.0 3.2 40 70 62 80 4.1 53 2.0 40 40 7. / 25 43 -1 3-7 36 36 24/ 23 11 42 1.3 ~2/ 21 55 50 27 14/ 13 3 Element (X) Mean He. of Hours with Temperature Rel. Hum. 10F 132F Dry Builb Wet Bulb

GLOBAL CLIMATOLOGY BRANCH USAFETAC **PSYCHROMETRIC SUMMARY** AIR WEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH STATION NAME HOY 73-81 PAGE 2 0000-0200 HOURS (L. S. T.) TOTAL TOTAL WET BULB TEMPERATURE DEPRESSION (F) 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.B./W.B. Dry Bulb Wet Bulb Dew Poin (F) TOTAL 3.449.532.0 9.2 4.2 1.3 .1 790 • 3 790 790 790 ಠ 271 1713370 76.312.041 No. Obs. 790 60274 Rel. Hum. s 32 F 30966 39.210.615 28759 36.4 9.963 25334 32.110.987 Dry Bulb 1304258 790 27.5 37.8 1125259 790 90 Wer Bulb 707668 70 Dow Point 790 7 - 7

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIF WEATHER SERVICE/MAC

725257 YOUNGSTOWN MAP OH
STATION NAME
STATION NAME

()

#### PSYCHROMETRIC SUMMARY

NOV.

0300-0500 Temp. WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL D.S./W.S. Dry Suib Wet Buth Dem 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 -4/ 63 • 1 e / 59 58/ 57 24 56/ 55 1.4 . 5 23 23 18 22 4/ 53 12/ 51 26 26 14 5./ 49 24 24 4-/ 47 46/ 45 38 38 20 84/ 43 2.7 29 19 40 40 4 / 39 1.4 45 45 53 28 3.3 2.7 5.4 3.4 49 49 30 36/ 35 69 39 55 69 73 73 85 7.2 4.0 95 69 85 3 / 29 98 4.1 39 39 62 64 60 24/ 23 19 19 1.7 32 55 2/ 21 <u>1.q</u> 20 31 / 19 37 16/ 17 16/ 15 38 13 21 1 TOTAL 5.154.129.1 6.4 783 783 21, Element (X) 21 Mean No. of Hours with Temperatu 77.811.639 38.110.497 35.6 9.901 31.410.903 783 Rel. Hum. 4850858 1224620 60953 ≥ 93 F 1 32 F 29874 Dry Bulb 31.0 90 27863 763 106816 39.9 90 2470 872634 55.9 90 783 

73-81

GLOBAL CLIMATOLOGY BRANCH USAFETAC **PSYCHROMETRIC SUMMARY** AIR WEATHER SERVICE/MAC 725257 STATION YOUNGSTOWN MAP OH 73-81 0600-0800 HOURS (L. S. T.) WET BULB TEMPERATURE DEPRESSION (F) TOTAL D.B./W.B. Dry Bulb Wet Bulb D (F) 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 64/ 63 F2/ 61 . 5 . 5 11 11 51 59 14 14 58/ 57 23 23 5t/ 55 1.5 . 3 . 1 25 25 19 13 94/ 53 1.4 17 17 22 12/ 51 1.0 . 6 26 26 18 18 5:/ 49 . 1 42/ 47 1.0 • 3 18 18 13 9 40/ 45 2.1 31 20 44/ 43 1.8 1.9 33 33 30 42/ 41 2.0 2.0 36 36 34 40/ 39 4.5 2.0 52 52 35 38/ 37 3.3 36 36 66 36/ 35 34/ 33 5.9 84 84 36 45 7.2 3.1 89 89 74 38 72/ 31 7.5 2.5 90 90 96 82 30/ 29 1.5 5.5 102 61 61 83 28/ 27 2.8 . 1 34 34 59 45 76/ 25 3.9 40 24/ 23 . 4 37 2.1 21 21 47 2/ 21 10 10 21 53 • 4 71/19 12 12 32 ()17 11 35 15 16/ 16 1:/ 11 10 7 8/ i ತ 4/ 3 71 1 -2/ -3 Q, Element (X) Mean No. of Hours with Temperature **47** Rel. Hum. Dry Bulb Wer Bell

GLOBAL CLIMATOLOGY BRANCH PSYCHROMETRIC SUMMARY USAFETAC AIR WEATHER SERVICE/MAC YOUNGSTOWN MAP OH 73-81 PAGE 2 WET BULB TEMPERATURE DEPRESSION (F) TOTAL 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.B./W.B. Dry Buth Wer Buth Dow Point TOTAL 6.959.124.8 6.1 2.3 797 797 797 No. Obc. Element (X) Mean No. of Hours with Temperature Rel. Hum. 510091 63174 79.310.835 s 32 F 37.510.595 35.210.079 31.411.040 1209270 29876 797 31.6 Wet Bulb 1067579 28043 43.5 90 Dow Point 2506d 797 90

## **PSYCHROMETRIC SUMMARY**

725250 YOUNGSTOWN MAP OH 73-81 YEARS NOV MONTH
STATION STATION NAME PAGE 1 0900-1100

																						L. S. T.)
Temp.						WET	BULB	TEMPE	RATUE	E DEPP	ESSIO	4 (F)							TOTAL		TOTAL	
(F)	0	1 - 2	3 - 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 1	16 17 - 1	8 19 -	20 21	- 22	23 - 24	25 - 26	27 - 28	29 - 30	= 31	D.B./W.B.	Dry Bulb	Wet Bulb	Dew Point
727 71	-	1			• 3	l	!	ļ				- 1				1	ļ		2			
7. / 69				. 1	• 3		Ĺ	1	1		1_				L	L		<u></u>	3	3		
6-1 67				. 3	• 3			i	İ	1	i				İ	1	1		4	4		
F6/ 65		• 3	• 5	3	. 3	ļ	. 1										<u> </u>		11	11	<u></u>	· 
44/ 63	Ţ	. 4	. 1	• 5		• 3	1	Ţ				ĺ	ĺ		1	ĺ	1		10			1
·2/ 61		1.1	. 4						Ì	ــــــــــــــــــــــــــــــــــــــ								l	17			
F1 / 59	i	• 5	• 5		• 5	. 3				- [		Ì					i	i i	14	14	15	13
[ SU 57]		• 9	1.1	. 4	.6	• 3		. 1		Ĺ	1	1	1		Ĺ	İ	i	L	27	27	12	
51/ 55		1.3	. 8	• 6	.6	• 5	. 3	. 1	l T		1		1				ì		33	33	19	13
14/ 53	• 3	. 4	• 3	1.0	. 5	- 5	İ		1	i					1	L		L	23			19
2/ 51		• 6	1.4	. 8	.6	. 3				7					]			Ī	29	29	16	19
5 / 49		• 5	1.4	. 9	• 5	. 1	- 1	j		1		i			L		İ	i	28			8
4./ 47		1.1	•1	. 6	. 3	• 3													19	19	30	11
41 / 45	- 1	2.0	. 8	1.6	• 1	3		1		)					L	l	<u> </u>	i	38	38	37	
14/ 43	. 3	1.8	1.9	1.0	. 4		1											Ţ	42	42	37	33
32/ 41		3.0	2.6	2.1	. 4	1	!	i						!	<u> </u>	İ			65			
4 / 39	. 3	1.4	3.0	1.5	• 1				T		;				!	Ţ-		1	50	50	58	
3/ 37	. 3	1.9	4.1	1.1	. 3	į	ļ			1					1		Ĺ	l	61		48	
3c/ 35	. 4	3.6	4.0	1.0															72	72	61	42
34/ 33	. 1	4.5	4.1				i	l		1		i.			ł				70			35
(2/ 31	• 5	5.3	2.9	• 1		i									Ī		-		70	70	93	82
3. / 29	. 9	3.9	. 9	. 1					i	L	1	<u> </u>		i			<u> </u>	<u> </u>	46			83
25/ 27	- 1	1.9	. 5	:			T			$\top$	7	Ţ	7		ļ —		,	-	22	22		
?c/ 25	1	1.6	. 6		L	i 			1	. l	1	<u> </u>			L				18	18		
2-/ 23	- 1	• 9					1				T				Ī				8	8	23	
2/ 21	. 3	3														<u> </u>	L	<u> </u>				47
/ 19	• 1	. 3											7		_				3	3	2	
15/ 17		• 5		L	L						1		]		L				•	4	3	
1// 15		• 1											7					1	1	1	4	9
14/ 13								<u> </u>				1				1						8
14/11		• 1														i	_		1	1		
: / 9									<u></u>				1		L			1			1	3
1 7	T	• 1											Ţ						1	1	1	2
c/ 5		• 1							1		1				i			L	1	1	1	
Element (X)		ξχ'			z <sub>X</sub>		X	•,	$\Box$	No. (	be.								h Tompore			
Rel. Hum.								<b></b>				4_	10		≤ 32 F	2 67	· F   ·	73 F	> 80 F	► 93 I		Tetel
Dry Bulb												┷.				<u> </u>			L		$\rightarrow$	
Wat Bulb												1				L	- 🖵					
Dow Point								l				I							1	[		

CV 1

GLOBAL CLIMATOLOGY BRANCH USAFETAC PSYCHROMETRIC SUMMARY AIR WEATHER SERVICE/MAC 725257 YOUNGSTOWN MAP OH NOV 1900-1100 HOURS (L. S. T.) PAGE 2 WET BULB TEMPERATURE DEPRESSION (F)

1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.B./W.B. Dry Bulb Wet Bulb Dew Poin WET BULB TEMPERATURE DEPRESSION (F) (F) ./ 1 TOTAL 797 3.540.332.214.3 6.1 2.8 • 5 797, 797, No. Obs. 4522484 Rel. Hum. 59088 74.113.348 797 = 67 F = 73 F = 80 F = 93 F 1 32 F 41.110.929 37.710.053 20.2 32.4 32730 Dry Buib 797 90 Wet Bulb 1215939 30083 797 90

## **PSYCHROMETRIC SUMMARY**

725250 YOUNGSTOWN MAP OH 73-81 WEARS MONTH
STATION STATION RAME PAGE 1 1200-1400 ROWS ILL 5. T. I

Temp.						WET	BULB 1	EMPER	ATUR	DEPRE	SSION (	(F)						TOTAL		TOTAL	
(F)	0	1 - 2	3 - 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22	23 - 24	25 - 26	27 - 26	29 - 30	e 31	D.S./W.S. D	ry Bulb	Wet Bulk	Dow Poi
74/ 73					• 1	• 5		i	ĺ	1		i i						5	5		
72/ 71					• 1	. 6		- 1		-								7	7		<del> </del>
7 / 69				. 1		• 3		• 5	l		1	1 i			j			12	12		1
6-1 67			• 3	• 3	• 5	. 4	. 8			<del> </del>		<u> </u>		L	-			17	17		<del></del>
6/ 65		. 3	• 5	. 4	,	• 3	. 5		• 1	- I	1			ĺ	[		İ	18	16	_	
64/ 63			. 4	. 6	• 5		. 8	.1			L						<u></u>	29	29		
h2/ 61		. 4	- 1	. 4	• 3	1.0	. 4	•1		1	1			1	}			26	26		
( / 59		. 4	5	. 1		. 5	. 4	• 3			<u> </u>						L	23	23		
50/ 57		. 6	. 3		. 4	. 5	. 4	• 3	. 1	l)	)	} }		!	]		l j	22	22		_
50/ 55		• 1	. 6	• 9	. 8		• 3			<u>i — —</u>								30	30	23	
4/ 53	• 1	. 3	. 4	. 5		. 5		• 3			[	1						21	21		
52/ 51		. 5	1.1	• 5		. 4	• 5											34	34		
5 / 49		1.5	. 4	. 6		. 4	. 3		_	-		1 7						32	32	30	
41/ 47		1.4	. 1	. 9	1.4	. 3	• 3			<u> </u>	<u> </u>			l				34	34	34	
40/ 45	. 1	1.4	. 4	. 9	. 9	. 1	• 1							[				31	31	46	
44/ 43		2.3	1.9	2.0	1.3				l	1		<u>l                                     </u>		Ĺ				59	59		
42/ 41		1.5	1.0	3.6	1.6						!							62	62	40	
4 / 39	• 3		3.5	2.8	. 8					<u>i                                     </u>	i	ll		L			L	63	63		
3 h / 37	• 3	. 3	2.8	3.0	. 4						!							53	53		
36/ 35		2.1		1.0		i		<u> </u>		<u> </u>	l	11						66	66	72	
34/ 33		3.0	2.9	. 5					Γ	T -								51	51		
~2/ 31	. 5	3.8	2.4	. 1						1	İ			<u> </u>	ĹI			54	54	84	
3 / 29	• 1	1.1	. 9								i -							17	17	Ī	
201 27		1.0	1.3			1				<u></u>		l l						18	18	29	
26/ 25		- 2	. 5															5	5	,	
24/ 23		- 1	. 1															2	2	12	
2/ 21			. 3															2	2	•	4
7"/ 19		i						Ĺ										<u> </u>		2	3
10/ 17		• 1								{				1				1	1	]	1
11/ 15		. 3	. 3						<u> </u>		<u></u>								4	1	
14/ 13		• 1															}	1	1	3	1
1./ 11											<u> </u>				ا ن			11			<u> </u>
6/ 5														1							1 -
4/ 3									<u> </u>			11						1			<u> </u>
Element (X)		2 %'			ZX		X	<b>"</b> A		No. Di	9.				Mean I	lo. of H	ws wi	h Temperatu			
Rei. Hum.												101		32 F	* 67	F .	73 F	- 00 F	• 93	•	Total
Dry Bulb						$\Box$													1		
Wet Bulk																					
Dew Point						T													$\Gamma$		

GLOBAL CLIMATOLOGY BRANCH USAFETAC **PSYCHROMETRIC SUMMARY** AIR WEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH NOV PAGE 2 1200-1400 HOURS (L. S. T.) WET BULB TEMPERATURE DEPRESSION (F)

0 1-2 3-4 5-6 7-8 9-10 11-12 13-14 15-16 17-18 19-20 21-22 23-24 25-26 27-28 29-30 x31 D.B./W.B. Dry Bulb Wet Bulb Daw Point Temp. (F) 1.423.227.819.413.1 7.8 4.5 1.6 1.3 799 799 Element (X) USAFETAG Rei. Hum. 3648656 65.716.010 799 45.011.856 35918 Dry Bulb 799 90 1726824 31879 Wet Bulb 799 1354685 90 26611

The state of

The second secon

GLOBAL CLIMATOLOGY BRANCH USAFETAC PSYCHROMETRIC SUMMARY AIR WEATHER SERVICE/MAC 725257 YOUNGSTOWN MAP OH 73-81 NOV 1500-1700 HOURS (L. S. T.) PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL Temp (F) TOTAL D.B./W.B. Dry Bulb Wet Bulb Dew Point 1 - 2 | 3 - 4 | 5 - 6 | 7 - 8 | 9 - 10 | 11 - 12 | 13 - 14 | 15 - 16 | 17 - 18 | 19 - 20 | 21 - 22 | 23 - 24 | 25 - 26 | 27 - 28 | 29 - 30 | = 31 14/ 73 . 4 • 1 21 71 1 69 13 13 61 67 6/ 65 . 1 . 4 . 1 . 1 .6 16 16 44/ 63 . 4 . 6 .6 27 27 2/ 61 • 9 34 17 59 5-/ 57 1.0 . 5 31 • 5 . 8 • 6 • 1 - 1 31 24 56/ 55 . 4 1.1 31 31 4/ 53 • 3 1.1 . 8 . 3 . 1 36 36 21 15 ' 2<u>/ 51</u> . 1 19 19 13 5 / 49 .1 1.4 • 3 • 1 35 35 32 48/ 47 30 . 1 30 1.4 1.6 2.4 40/ 45 1.1 55 41 17 44/ 43 . 8 50 51 43 ŧ 42/ 41 2.0 1.6 48 48 33 34 / 39 1.0 2.8 1.6 52 30 52 50 37 .4 1.9 2.4 <del>37</del> 35/ 37 63 36 36/ 35 1.8 4.3 2.1 67 61 47 34/ 33 3.2 4.0 61 61 36 2/ 31 3.7 2.8 70 52 52 85 1.3 3 / 29 17 66 26/ 27 54 26/ 25 13 13 8 88 24/ 23 0 44 72/ 21 11 52 19 39 17 •3 ಠ 16 0-26-5 14/ 13 1./ 11 1./ 3 Element (X) Hean No. of Hours with Tomostots Rel. Hum. 1 32 F Wet Bulb Dow Point

> THE PARTY OF THE PARTY.


( )

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIR WEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH NOY 73-81 PAGE 2 WET BULB TEMPERATURE DEPRESSION (F) TOTAL 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 16 19 - 20 21 - 22 23 - 24 25 - 26 27 - 26 29 - 30 = 31 D.8./W.B. Ory Bulb Wet Bulb Dow Poin 4/ 792 TOTAL 1.521.027.717.814.3 8.1 4.7 2.7 2.1 791 791 (OLA) Element (X) 64.216.725 45.311.967 39.910.119 791 50803 Rel. Hum. 3483869 s 32 F +67 P = 73 P = 00 P +93 F 35062 45.311.967 31594 39.910.119 26049 12.911.242 1737112 Dry Bulb 11.0 25.6 51.5 Wer Bulb 791

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIR WEATHER SERVICE/MAC 72525J YOUNGSTOWN MAP OH PAGE 1 1800-2000 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL Tamp. 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.B./W.B. Dry Bulb Wet Bulb Dow Poin 1. / 69 . 1 6-1 67 46/ 65 . 5 . 1 5 F47 63 . 9 22 F2/ 61 . 4 22 . 8 . 1 . 1 . 1 6 / 59 1.0 . 8 28 28 . 8 . 4 58/ 57 1.3 . 1 26 26 19 17 <u>21</u> 17 56/ 55 . 8 28 .4/ 53 31 31 . 8 . 6 . 8 • 5<sup>'</sup> 1.0 • 1 52/ 51 31 25 • 6 5 / 49 . 6 • 5 33 26 .8 1.5 29 44/ 47 18 . 8 1.6 1.0 1.3 46/ 45 . 3 44 44 26 23 #4/ 43 .4 1.3 1.0 1.1 38 38 51 . 3 -2/ 41 .5 1.6 2.0 37 37 36 22 / 39 1.3 2.4 1.6 49 49 33 24 3:1 37 .1 3.9 2.0 1.1 58 58 28 1.4 42 36/ 35 4.3 1.0 53 65 63 3-/ 33 69 .1 3.9 3.6 1.0 69 48 72/ 31 93 93 81 70 5.0 6.3 .6 3.5 .3 1.9 3 / 29 48 59 69 73 28/ 27 20 20 19 73 261 25 2.1 19 28 24/ 23 5 20 . 5 . 3 72/ 21 11 61 2 / 19 . 1 66 16/ 17 16/ 15 14/ 13 • 1 12/ 11 . 1 7 3 4/ Element (X) Rel. Hen. Dry Bull West Built '3 Bow Point

200

-



# PSYCHROMETRIC SUMMARY

725250 YOUNGSTOWN MAP OH 73-81
STATION STATION NAME YEARS

PAGE 1 2100-2300

Temp.										E DEPRE			,					TOTAL		TOTAL	
(F)	0	1 . 2	3 - 4		7 - 8	9 - 10	11 - 12	13 - 14	15 - 1	6 17 - 18	19 - 20	21 - 22	23 - 24	25 - 26	27 - 20	29 - 30	* 31	D.B./W.B.	Dry Bulb	Wet Bulb	Dew Pair
6/ 65			• 5		]	}		i	1	1	(		i		l !			6	6	}	ļ
A4/ 63			• 5					L	<del> </del>									9	9		<b></b>
12/ 61			1.7	. 3	• 3	·	j	ì		1	1		1					12	12		ij
<u> 51 / 59  </u>		1.0	1.0	1.0	. 4	5	. 1	1	<u> </u>		l	<u> </u>	<u> </u>					33			3
56/ 57		1.4	. 4		. 1	. 4			Ţ	7		]		]			_	20	20	24	
56/ 55	. 4	. 4	1.0	. 3	1	• 1	.1	ί.	Ĺ.		Í	1	L	1 !				18	18	25	20
4/ 53		1.4	. 8		• 5	. 3	• 1	. 4	1			T "		i				28	28	17	
. 2/ 51		1.0	1.3	. 8	• 5	. 3	ł	1	ĺ	1		1						30	30	20	18
5./ 49		. 6	. 6	. 6	. 3	. 4												21	21	25	18
4-/ 47	. 3	1.3	. 6	1.9	. 4	. 6		1	ì		1	İ	1					40	40	19	
46/ 45	• 3	1.1	. 5	. 9	1.3				1			f						33	33	33	22
44/ 43	. 3	1.8		1.3		1 .	}		1	1		(	1	[ :				40			15
12/ 41		1.1	1.5		.3				f	<del>                                     </del>			<del> </del>					34	34	36	
4. / 39	. 3	2.2		1.5		1	Í					1	l	1 1		i		58	58	44	29
30/ 37		3.3	1.4	.6				t	<del> </del>	+			<del> </del>					42	42		
3e/ 35	. 1		3.0		1		1	{		1	1	ł	ł	1				62	62		43
34/ 33		5.2				<b></b>	<del> </del>		+	+		<del> </del>	<del> </del>					71	71		41
72/ 31	. 4				(	t :	1	İ		1	}		1					76	96	71	
7 / 29	• 1	4.2					<del> </del>		┼──	+	<del> </del>	<del> </del>	<del> </del> -	<del>                                     </del>				96	46		
28/ 27	. 4	1				1	ĺ	}	1	-	1	}						30			
76/ 25		2.9	.9						<del> </del>	<del></del>		<del>                                     </del>	<del>                                     </del>					30			
24/ 23	- 1	. 8	• 7		}			1	}	}	l		]					7	7	1 : :	
2/ 21	• 1			<del> </del> -	<del> </del>		<b></b>		┼	<del></del>	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>				8	•		
21/19	.3	. 8				}		}	1		1	1	ì	1	l i	Í		7	7		4.9
11/ 17	4	. 6					<del> </del>		<del> </del>	<del></del>		<del> </del>	<del></del>					3	3		28
	• •	}	)		]	) :	}	ļ		}		(	1	( )	1	i		}	•	•	
16/ 15						ļ		<b></b> -	┼	<del></del>	<del></del>	·	<del> </del>	<del>{</del> -						<del></del>	10
14/ 13		• 1			'			1	1	1	(	1	1	}	1			1 2	2	١.	
12/ 11		. 3		<b></b> _			<u> </u>	<b></b> -	┿	┵	<b></b>	-	├		<b></b>					1 2	
1 / 9	j	_						i	l	1	ì	ì	ł	} ;	1				_	7	•
6/ 7		. 3			<b>-</b>	<b></b> i		<b></b> _	<b>-</b>			<del> </del>	<del></del>		<b>├</b>			2	<u>\$</u>	2	
1/5		- 1				(	İ	ţ	1	1	l	l	1	}				] •		•	1
4/ 3						<b> </b>	<b> </b>		↓	<del></del>	<b></b>	<b> </b>	<b></b>	<b>├</b> ──	<b> </b> -			<b> </b>		ļ	
2/ 1	Í	- [					}	ŀ	}	1	}	}	1		[	1		!		[	
-21 -3		احسما			L	نــــا			1		L	<u></u>	<u></u>	ليبيا		لــــــــــــــــــــــــــــــــــــــ		<u> </u>	Ĺ	<u></u>	3
Element (X)		Zg'			21		1	•	4	No. O	10.							h Tempere			
Rei. Hum.												10	,	22 F	2 67	•	73 F	- 80 F	• 93	•	Total
Dry Buth									_[												
Wer Build													$\Box$								
Dow Point						$\Box$										$\perp$					

FETAC NOBA 0-26-5 (OL.A) NEWED NEWCUS IS

SAFETAC FOR

GLOBAL CLINATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIR WEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH MOV 73-81 2100-2300 HOURS (L. S. T.) PAGE 2 TOTAL WET BULB TEMPERATURE DEPRESSION (F) TOTAL 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 - 31 3.444.631.012.8 4.6 2.8 TOTAL 790 ğ Element (X) Rel. Non. 790 74.313.064 1 32 P 4490769 5466 26.6 36.9 55.1 39.810.954 36.410.109 31.911.149 791 290 Dry Bulb 1345789 70

PSYCHROMETRIC SUMMARY

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIF WEATHER SERVICE/MAC

725253 YOUNGSTOWN MAP OH STATION NAME

											*****							TOTAL		TOTAL	
Temp.	0				7 - 8			TEMPER					22 24	35 34	27 - 28 2	9 34	. 11	D.S./W.S.	Den Bulls		On
74/ 73	- 0	1 - 2	3 - 4	5 - 6			11 - 12	13 - 14	13 - 10	.0	17 - 20	21 - 22	23 - 24	23 . 20	27 - 20 2	7 - 30		9	9		
72/ 71		i			• 0	• 1		.0	.0	• 0								18	18	į i	
7 / 69				. 1	•1			-	• 0							-		30	30		
58/ 67		1	•0		.2	• 0	• 2	) _							- 1			40	40		
6/ 65		• 1	.3		• 1	•0	• 1								-+	-		58	58	2	<del></del>
4/ 63		. 2	.3		.1	• 2	.2		.1						1	ł		112	112	, ,	
2/ 61			• 5			. 3	• 2		• 2				_					144	144	64	
7/ 59		. 8	. 7			. 3	.1	.1	.0						j			165	165	80	)
8/ 57	•0		.7			• 3	.1		•0		-					$\rightarrow$		199	199	162	+
6/ 55	• 2	. 8	. 6	1 -		.5	.2	.0							1			210	210		
4/ 53	.1	.9					- 1			<u> </u>						$\neg \neg$		192	192		
2/ 51	. 1	. 8	1.0	1 -		. 2	. 1			١.,					j	]		221	221	165	_
/ 49	• 1	.8	.7		_		• 1	•0		-								217	217	192	1
5/ 47	. 1	. 9					.1											221	221	219	1
6/ 45	•1				_		.0			-								307	307	247	1
4/ 43	. 1	1.5			.6	. 2		]										339	340	276	1
2/ 41	.0																	354	354	305	2
1 / 39	. 2	2.1	2.7	1.2	• 3	.0		1	[						ļ			418	418	367	2
E/ 37	•1	2.4	2.3	1.2	.1													386	386	436	2
SE/ 35	.1	3.7	3.9	.9	-1													543	543	457	3
4/ 33	.1	4.8	3.4	. 4														554	554	587	3
2/ 31	. 3	5.7	3.7	. 3														632	632	662	
1 / 29	.7	3.5	1.3	• 0														346	346	659	5
8/ 27	. 3	2.4	.7	•0														216	216	446	
6/ 25	.1		.7	ĺ														192	192	238	5
4/ 23	. 1	. 9	. Z	Ĺ				L										76	76	199	
2/ 21	. 3		. 1					ļ						ja.				51	52		•
17 19	. 3	. 4						<u> </u>										42	43		
E/ 17	-1														ı	- [	ĺ	17	17	:	_
6/ 15		. 2																13	13		
4/ 13		- 1													.	i		5	5	12	
21 11		. 1																•			
./ 9		• a						i						1	1	- 1		2	2		1
8/ 7		_ • 0																3	3	3	<u> </u>
ement (X)		2 ¥,			2 1		X	**	$\bot$	No. Ob	6.							Temperat	7		
ol. Hum.				L				L				10	<u> </u>	12 F	≥ 67	•	73 F	- 80 F	• 93 1	<u>'</u>	Torol
y Sulls				L									_			4_			<del> </del>		
or Bulb				L									_						<b>↓</b>		

USA	SETAC WEAT	;	_		BRANC /Mac	H									P	PSYC	CHR	OM	ETR	ic su	JMN	14
125	5250	<u> YQ</u>	UNGS	TOW	N MAF	OH	ALGE				73-	81_			<del></del>	EARS	<del></del>				N	<u>0 \</u>
•																			PAG	E 2	HOURS	
	Temp.						WET	BULB	TEMPE	RATURE	DEPR	SSION	(F)						TOTAL		TOTAL	
<u> </u>	(F) 5/ 5	0	1 - 2		5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22	23 - 24	25 - 26	27 - 28	29 - 30	- 31	D.8./W.8.	Dry Bulb	Wet Bulb	De
	1/ 3		.1			<u> </u>	<u> </u>	i	-	ļ	ļ		<u> </u>		<u> </u>	<u> </u>			2	2	2	L
1	/ 1	. 1	l l			İ			ĺ										5	5	6	] 
	/ -3		,		-			1	1													
	1/ -5	3.5	40.7	29.	512.9	7.1	3.6	1.5	• 7	. 4	0.0		<del> </del>	[	<del> </del>	<del> </del>				6350		-
L			-			-		-	-	-		<u> </u>	<u> </u>		<u> </u>	<del> </del>	ļ	<b> </b>	6397		6347	
]	į		Ì	1							_											
Г			<del>,</del>		-						1	1	<del>                                     </del>									
<u> </u>			<del> </del>	<del> </del>	<del></del>	<del> </del>	<del></del>			<del> </del>			<del> </del>		┼	<del> </del>		<del> </del>		-		-
					<u> </u>	Ĺ	Ĺ				<u></u>		<u> </u>		<u> </u>	Ĺ						L
							1				j	]										
┝┈			<del>                                     </del>	<del>                                     </del>	+	<del>                                     </del>	<del> </del>	<del>                                     </del>	<b> </b>	<del> </del> -		-	<del>                                     </del>		<del> </del>	<del>                                     </del>			<b></b>			H
<u> </u>					<del>-</del>	<del> </del>	<del> </del>		ļ	<b></b>	<del> </del>	<b>├</b> ──	—		<b>↓</b>	<del> </del>		-		ļ		L
l			Ì	İ	İ		l					İ				] _					_	
┢			<del> </del>	<del> </del>	+		-	<del> </del>			<del>  -</del> -	-				<del> </del>		-				H
<u> </u>			-	-	<u> </u>	ļ	ļ	ļ	ļ	ļ			L		<u> </u>	<u> </u>						L
					1					ļ		1										
					1					Ī						1						
<u> </u>			<del>  -</del>	<del> </del>	+	<del> </del>	<del>  -</del>		<del> </del>	<del> </del>	-	<del> </del>	<del> </del>	ļ	<del> </del>	├		<del> </del>		-		-
<u>L</u>			<u> </u>			<u> </u>		<u> </u>	ļ	<u> </u>	<u> </u>	ļ	<u></u>		<u> </u>	<u> </u>			ļ			L
				1				1				1	1		[							
<u> </u>			<del>                                     </del>	_	†		<del>                                     </del>		<del>                                     </del>	<del>                                     </del>					$\dagger$	†				<del>                                     </del>		
ــِـا					╁	<u> </u>	<del> </del>	<u> </u>	<u> </u>	<del></del>		<u></u>	<u> </u>	L	<u> </u>		a		Yarra	<u> </u>		L
	ment (X) . Hum,		2 <sub>3</sub> '	230	9	2 <sub>X</sub>	73	72.1	19.5		Ma. 00	97	1 0	•	s 32 F	a 67		73 F	- 80 P		-	Tel
Dry	D-N		114	675	1	2590	30	40.1	11.3	199	6.	50			182.1	11	•0	1.0				_
_	Point			093		2049		37,0	10.1	_		19.7 19.7			73.				ļ			

ARMONT AND THE RE

GLOBAL CLIMATOLOGY BRANCH PSYCHROMETRIC SUMMARY USAFETAC AIR WEATHER SERVICE/MAC 725**25**0 YOUNGSTOWN MAP OH 73-81 0000-0200 HOURS (L. S. T.) PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL D.B./W.B. Dry Bulb Wet Bulb Dew Point 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 / 59 • 2 S = / 57 54/ 55 • 1 R 8 54/ 53 . 4 12/ 51 5 / 49 . 7 10 40/ 47 .1 1.3 • 1 15 12 40/ 45 . 8 15 . 4 . 6 44/ 43 . 4 12 11 12 8 • 1i 02/ 41 9 8 4 / 39 .2 1.5 24 18 8 1.6 1.1 3.6 2.2 36/ 37 24 24 31/ 35 33 67 67 5.1 1.7 34/ 33 60 53 1.0 7.1 5.4 1.1 3.3 4.6 -2/ 31 120 120 81 61 31 / 29 74 79 49 74 281 27 4.6 1.8 60 9 74 47 26/ 25 6.1 1.8 102 33 73 3.6 23 . 8 37 37 66 <sup>7</sup>2/ 21 3.6 38 41 38 .5 5.2 39 19 48 8.8 18/ 17 30 30 54 1.9 15 20 43 16/ 18 18 14/ 13 54 1.3 11 11 13 12/ 11 41 24 9 13 17 1.0 13 23 3 11 11 11 ಠ 1 5 5 11 -3

2

Mean No. of Hours with Tomperature

≤ 32 F

Landa Jaylan 1844 . Service

\*\*\*\*

- 93 F

€.

(

-5

Element (X)

Dry Bulb Wet Bulb

OÃ

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIF MEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH STATION NAME 73-81 0000-0200 HOURS (L. S. T.) PAGE 2 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 \* 31 D.8./W.B. Dry Bulb Wer Bulb Dew Point WET BULB TEMPERATURE DEPRESSION (F) -6/ -9 11.059.122.8 5.4 .8 826 826 C Element (X) 62926 23651 76.211.832 28.410.622 26.4 9.940 Rel. Hum. 4909304 826 1 32 P 770283 Dry Bulb 63.4 826 664763 21749 826 72.2 93 93

GLCBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIR MEATHER SERVICE/MAC YOUNGSTOWN MAP OH PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.B./W.B. Dry Bulb Wet Bulb Daw Point (F) - / 57 . 6 • 1 . 2 4/ 53 1 :2/ 51 5 / 49 . 6 14 4-1 47 46/ 45 10 10 44/ 43 42/ 41 10 10 15 27 4 / 39 30/ 37 27 1.6 15 36/ 35 .7 3.7 1.9 1.0 61 61 28, 16 34/ 33 .1 5.7 1.9 66 56 32/ 31 105 106 71 61 .4 3.7 5.7 36 43 / 29 85 28/ 27 .5 4.5 2.0 59 56 ?r/ 25 64 113 24/ 23 .1 4.8 47 47 2/ 21 .2 4.2 71 36 36 36 .9 4.6 93 17 30 18/ 30 16/ 15 3.7 35 27 53 14/ 13 17/ 11 13 43 .6 1.0 13 13 8 15 10 26 5 1.2 ·/ 16 10 10 U g . 1 -4/ -5 USAFETACO USAFETACO 1 32 F Dry Bulb


GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIR WEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH 73-81 DEC 0300-0500 HOURS (L. S. T.) PAGE 2 WET BULB TEMPERATURE DEPRESSION (F)

1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 2 31 D.B.-W.B. Dry Bulb Wer Bulb Daw Paint /-11 11.860.920.9 5.0 1.2 .2 808 808 0-26-5 (OL Element (X) Mean No. of Hours with Temperatu Rel. Hum. 4870282 723099 62058 76.811.350 808 = 67 F = 73 F = 80 F 1 32 F 28.010.522 26.0 9.869 65.3 22641 Dry Bulb 809 . 9 93 Wet Bull 626680 21044 808 73.9 17279 21.410.795 808

GLCBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIR WEATHER SERVICE/MAC YOUNGSTOWN MAP OH 73-81 0600-0800 HOURS (L. S. Y.) PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 - 2 | 3 - 4 | 5 - 6 | 7 - 8 | 9 - 10 | 11 - 12 | 13 - 14 | 15 - 16 | 17 - 18 | 19 - 20 | 21 - 22 | 23 - 24 | 25 - 26 | 27 - 28 | 29 - 30 | 0 31 | D.B./W.B. Dry Bulb Wer Bulb Dow Paint - / 59 5 / 55 ·4/ 53 12/ 51 5 / 49 . 1 10 10 1 4-/ 47 11 11 12 . 5 44/ 45 13 13 44/ 43 10 42/ 41 1.1 12 12 12 16 . 5 3-/ 37 . 1 9 1.5 1.1 27 9 26 3/ / 35 29 8 3.2 1.3 47 47 34/ 33 .7 5.5 1.7 67 67 57 ₹2/ 31 .7 8.9 4.5 1.2 126 126 60 3.9 3.2 3: / 29 63 63 102 36 .2 5.9 1.3 20/ 27 56 56 66 45 25 6.3 1.2 70 70 80 60 24/ 23 .2 4.4 .. 44 40 81 2/ 21 1.2 3.6 40 40 48 59 / 19 1 - 6 3.3 40 40 12 55 17 3.0 29 29 30 1.2 3.8 42 42 37 62 14/ 13 2.4 24 24 30 40 • 5 10 42 10 1 : / 11 .2 1.0 21 9 10 10 12 28 .5 1.6 29 16 11 5 t / 5 5 12 1.1 20 ಠ - 3 8 3 -6/ -7 /-11 Element (X) : 32 ₹ +67 F +73 F +00 F +93 F 106 Rel. Hum. **SAFET** Dry Bulb

The same of the same of the same of the same of the

The state of the s



NUMBER OF LESS

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIR WEATHER SERVICE/MAC 725257 YOUNGSTOWN MAP OH STATION NAME 0900-1100 HOURS (L. S. T.) TOTAL TOTAL WET BULB TEMPERATURE DEPRESSION (F) 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.S./W.S. Dry Suit | Wet Suit | Dew 5c/ 57 56/ 55 . 2 . 1 4/ 53 8 8 1 -2/ 51 5./ 49 13 13 48/ 47 12 4(/ 45 1.1 • 1 44/ 43 14 11 • 5 • 1 02/ 41 .5 10 10 10 39 39 34/ 37 .7 1.2 29 30 11 1.0 29 59 34/ 35 35 59 .8 5.2 2.3 1.0 8.3 3.0 1.0 34/ 33 77 58 36 101 32/ 31 101 .5 5.9 3.9 .1 7.2 1.5 97 41 3. / 29 88 88 72 28/ 27 72 84 51 .6 5.1 1.2 26/ 25 57 71 24/ 23 . 4 3.2 32 60 71 37 721 21 3.0 37 33 21/ 19 3.2 59 16/ 17 •6 32 32 38 • 1 44 23 23 31 15 1.7 14/ 13 39 29 30 12/ 11 11 14 1.5 15 10 27 5 •1 . 1 4/ 23 8 -6/ -7 1 Mean No. of Hours with Temperature Element (X) Ret. Hum. Dry Bulb


TAC notes 0.24-5 (01.A) service remous serious of ma rose set oscoure


Wet Bulb

The company of payon have

GLOBAL CLIMATOLOGY BRANCH USAFETAC **PSYCHROMETRIC SUMMARY** AIR WEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH 73-81 WET BULB TEMPERATURE DEPRESSION (F) TOTAL 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 34 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.B./W.B. Dry Buth Wer Bulb Dow Point TOTAL 9.763.719.3 6.2 1.2 824 2 1 2 1 Mean No. of Hours with Temperature No. Obs. Element (X) 76.312.191 29.110.072 27.0 9.434 132 F 167 F 173 F 100 F 193 F 4917678 779140 62860 23942 Rel. Hum. 824 Dry Bulb 61.4 73 Wet Bulb 22229 672913 824 70.9 73 Dow Polet 124

The same of the sa





GLOBAL CLIMATOLOGY BRANCH PSYCHROMETRIC SUMMARY USAFETAC AIR WEATHER SERVICE/MAC YOUNGSTOWN MAP OH PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL Temp. 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 20 29 - 30 = 31 D.B./W.B. Dry Buth Wet Buth Dow Point F2/ 61 56/ 57 . 1 56/ 55 4/ 53 . 4 . 1 °2/ 51 5 / 49 . 4 15 15 1 45/ 47 17 . 6 41/ 45 . 5 . 7 . 7 20 20 11 44/ 43 1.0 28 28 421 41 1.7 27 27 21 4'/ 39 43 43 3 2 / 37 2.4 1.1 2.4 57 57 35 .2 3.8 57 36/ 35 2.3 1.8 67 67 .1 4.4 34/ 33 3.7 2.1 32 12/ 31 6.0 4.4 2.1 102 102 82 48 .7 3.1 5.1 29 102 73 74 66 24/ 27 .4 2.7 2.6 46 46 76 42 26/ 25 • 1 3.2 2.7 49 49 76 68 34 54 54 24/ 23 2.0 2.2 35 1.5 1.3 .2 1.7 1.3 2/ 21 23 23 33 21/ 19 27 27 26 79 10/ 17 2.4 23 30 23 . 4 . 16/ 15 11 25 38 13 . 9 10 49 1.3 10 1./ 11 35 9 14 15 8/ . 2 10 5 12 4/ 13 10 -21 -4/ -5 Element (X) Ref. Hum. 1 32 F =67 F = 73 F = 80 F = 93 F Dry Bulb Wet Bulb Sew Point

498年安徽、安徽、李徽省、

GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIR WEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH 73-81 PAGE 2 TOTAL TOTAL
D.B./W.B. Dry Sulb Wet Sulb Dew Point WET BULB TEMPERATURE DEPRESSION (F) 0 1 . 2 3 . 4 5 . 6 7 . 8 9 . 10 11 . 12 13 . 14 15 . 16 17 . 18 19 . 20 21 . 22 23 . 24 25 . 26 27 . 28 29 . 30 . 31 2.443.732.215.0 4.4 1.3 TOTAL 819 Element (X) 69.814.094 32.310.052 29.2 9.154 23.010.602 Rel. Hum. 9183502 937440 766110 s 32 F 48.5 Dry Sulls 24488

# **PSYCHROMETRIC SUMMARY**

725250 YOUNGSTOWN MAP OH 73-81 DEC MONTH
STATION STATION HAME 73-81
PAGE 1 1800-2000

				_					724	==	ATURE	050		A4 -								TOTAL	1	TOTAL	
Temp. (F)						W.		PULB	LEMP	ERA	LIURE	DEP	KESS	UN (		Tan 1			-	100 00		D.R./W.B	D- 0-11	Was Bull	Dow Poir
	0	1 - 2	3 - 4	5 - 6	7 - 8	7 - 1	10	1 - 12	13 -	14	15 - 16	17 -	18 19	- 20	21 - 22	23 - 7	23	5 - 26	27 - 2	29 - 30	231	0.00 0.0	Ory Buil	Wet Buil	Dew Post
5 / 59				• 1				_	l			l	-	- {		{			}	1	}				1
c > / 57				• 2	1		1	_•1	<del> </del>	<b>-</b> ∔		┼	-			ـ	+-		<u> </u>	<del> </del>	┼	5		4	<del> </del>
5 / 55	i	• 2		. 1		•	2	• 1	ì	- 1		ł		- 1		i				1	1	6		1	1 -
74/ 53		. 7		•1		<del> </del>	-+		<b></b>	-+		<b>├</b> ~				<b>↓</b> —	-			—		10			Z
2/ 51	• 1			_	• 2	1			ì	- 1			1	- 1		i		i			1	14	_		-
5./ 49		.1	.4				. 2		<b>-</b>	4		<b>├</b>				↓	-		<u> </u>	+	<b>↓</b> —	10			
46/ 47		• 5	• 2				1		ĺ	- [		l	- 1	i					1	i	!		-	1	
44/ 45		. 8	.6				. 1		ļ	-		—-	-			<b>↓</b>	-		<u> </u>	-	╀	15			
44/ 43		. 7	. 8	• 5	• 1	•	2		ĺ	- 1		ļ	- (	ĺ		1			1		1	20			
42/ 41		1.2	1.0				$\downarrow$		<b>├</b>	-+		↓	_			↓	$\perp$		ļ		↓	20			
4 / 39	• 1	. 7	1.2							ĺ		1	- (	- 1					ľ	1	1	30			
30/ 37	• 1	2.2	• 6		• 2		1		ļ .	4		<b>├</b>	_	1		<b>_</b>				+	<u> </u>	32			
36/ 35	- 6	2.7	1.0		• 1	·			1			1	- [	ĺ			- (			1	-	41			
34/ 33	• 4	6.9	3.4	.7		<u> </u>	_		ļ	4		<b>├</b>	_			Ļ				<del>↓</del>	↓	94			
32/ 31	- 5	6.2	7.6	- 6						1										1	(	123			55
3 / 29	1.0		4.7	ليبيا		<u> </u>	_		ļ	_			ᆚ_			<u> </u>	_			<del></del>	<b>↓</b>	83			
25/ 27	• 5	3.9	2.8	. 1						- 1		ł	-1								1	60		1	
26/ 25	• 4	3.6				<u> </u>			<u> </u>	_			Ь.				<u> </u>			<del></del>		49			
24/ 23	• 2	2.9					-			- {			-							ĺ	ĺ	36			
<sup>7</sup> 2/ 21	• 2	3.3								_						L					1	40			
2 / 19		3.3	. 5							Т											T	31			
1:/ 17		3.2				1						1	$\perp$				$\perp$			<u> </u>	<u> </u>	26			
10/ 15	- 1	1.8								- [						Ī				1	1	15	19		
14/ 13	• 2					<u> </u>	1						_1_			<u> </u>	丄		L		L	9			96
1./ 11	- 1					Π	Т			Т												16	16		
1:/ 9		1.1		LI			1		<u> </u>	_		<u> </u>	_l_			ļ			L	<u> </u>	<u> </u>	9	9	13	23
٤/ 7		1.0			_	Ī	_	_		Т		] _										•			
6/ 5	• 2					<u>L</u>	1		L			<u>L</u>				<u> </u>	上			1	<u> </u>	6		12	
4/ 3	• 1	. 2				Π				Т			7				T				T	1	3	•	10
1/ 1	. 2	.2				1			l	$\perp$		L				l	1_			1	1	4	4	3	21
/ -1	- 1					Π				٦			Т				Т		,			1	1	1	8
-21 -3		1				<u> </u>	$\perp$		L.	_1		L	L	1		L_				1	<u> </u>	<u> </u>		<u> </u>	2
-4/ -5							T						Т				T								6
-8/ -9									L			<u>L</u> _								1		<u> </u>	1	<u> </u>	1
Element (X)		2 g,			2 1			X		•,	I	No.	06a.						Moon	No. of H	lours wil	A Temper	iture		
Rel. Hym.											$\perp$			I	1 0	•	13	2 6	* 6	7 .	73 F	- 00 F	· 93	•	Total
Dry Bulb						$\Box$					$\perp$					$\Box$									
War Bulb											$\perp$			$\Box$											
Bow Point						$\neg$				_				_				_				1			

GLOBAL CLIMATOLOGY BRANCH USAFETAC **PSYCHROMETRIC SUMMARY** AIR WEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 . 2 3 . 4 5 . 6 7 - 8 9 . 10 11 - 12 13 - 14 15 . 16 17 - 18 19 . 20 21 - 22 23 . 24 25 . 26 27 - 28 29 - 30 a 31 D.B./W.B. Dry Bulb Wet Bulb Dow Point TOTAL 5.256.030.1 6.3 1.1 1.1 826 825 Element (X) Mean No. of Hours with Temperature 4621289 835574 710027 815146 73,812.612 30.110.191 27.7 9.575 2 32 P 50.5 69.3 79.1 Bry Bulb 24888 22879 18524 Wet Bulb 93



# PSYCHROMETRIC SUMMARY

725257 YOUNGSTOWN MAP OH 73-81 DEC

PAGE 1 2100-2300

Temp.						WET	BULS 1	TEMPER	ATURE	DEPRE	SSION (	F)						TOTAL		TOTAL	
(F)	0	1 - 2	3 - 4	5 - 6	7 - 8							21 - 22 2	23 - 24	25 - 26	27 - 28	29 - 30	× 31	D.S./W.S.	Dry Bulb	Wet Bulb	Dew Paint
58/ 57		- 1	.2	. 5	• 1		. 4											11	11	1	
5t/ 55		_	. 2		. 2				ļ.									5	5	2	1
£4/ 53		.9	• 1															10	10	1	1
12/ 51	1	. 4	. 5			,			ļ								Ì	7	7	13	3
5 / 49		.4	.5			.1												8	8	9	9
48/ 47		1.3	. 2		• 1	. 1	1										i	15	15	12	9
44/ 45		. 4	. 4			• 1												11	11	16	6
"4/ 43 I	1	. 5	- 1			. 2										ļ		6	6	4	15
12/ 41		1.3	. 1	.1	• 1													14	14	13	9
4 / 39	. 5	1.6	1.1	. 7					1						[		1	32	32	19	12
35/ 37	.7				• 2					-								35	35	22	15
36/ 35	. 2	2.7	1.3	. 5						1		1 1				1	i	39	39	31	19
34/ 33	.4	6.6		. 6														82	82	43	18
'2/ 31	1.1	5.9	5.3	. 9					}								l	107	107	87	56
3 / 29	1.1	5.4	4.4	• 1														90	90	80	52
26/ 27	. 7	4.0	3.9			į											l	71	71	100	59
26/ 25	.1	4.7	1.0															47	47	8.8	57
24/ 23	• 1	2.8	. 9						ł			i i					l	31	31	55	41
72/ 21	. 6	5.3	.6															53	53	42	68
26/ 19	. 4	3.4	. 4					1				1						34	34	42	68
18/ 17	. 4	3.1																28	28	39	63
16/ 15		1.5	1						ł			i i					1	12	12	22	53
14/ 13	. 5	1.7																18	16	14	47
17/ 11	. 4									<u> </u>								11	11	15	24
10/ 9	. 2	. 7																8	8	13	31
+/ 7	. 2		i						<u> </u>	L								11	11	10	22
6/ 5	. 2	• 1																3	3	7	12
4/ 3	. 9	• 1													L	L		. 8	. 8	7	10
2/ 1	- 6	• 1																6	6	7	16
1 -1	. 2								L									2	2	2	7
-21 -3	• 2																	2	3	2	3
-4/ -5																					
-8/ -9												I							T	I	2
-11/-11																	L	11			1
Element (X)		2 g' .			X	$\Box$	X	•		No. Ob	9.							h Temperer	we		
Rel. Hum.			I									2 0 F		32 F	= 67	•	73 F	• 80 F	+ 93 [	1	otu
Dry Bulb			I																		
Wet Builb																					
Dow Point						$\Box$							$\perp$						<u> </u>		

(1 GLOBAL CLIMATOLOGY BRANCH **PSYCHROMETRIC SUMMARY** USAFETAC AIR WEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH DEC PAGE 2 2100-2300 HOURS (L. S. T.) TOTAL WET BULB TEMPERATURE DEPRESSION (F) TOTAL 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.B./W.B. Dry Bulb Wet Bulb Dew Point TOTAL 9.958.824.6 4.9 818 817 ( i () (1 () } ತ Mean No. of Hours with Temperature 23904 75.911.933 29.210.606 27.1 9.925 22.311.103 4820308 790436 817 Dry Bulb 61.7 818 Wet Belb 22179 682473 . 817 93 

GLOBAL CLIMATOLOGY BRANCH PSYCHROMETRIC SUMMARY USAFETAC AIR JEATHER SERVICE/MAC DEC YOUNGSTOWN MAP OH 73-81 PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL D.B./W.B. Dry Bulb Wet Bulb Dew Point 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 2/ 61 • 0 / 59 Fa/ 57 . 1 • 1 4/ 53 . 4 .0 12/ 51 .0 5 / 49 44/ 47 44/ 45 . 6 24/ 43 12/ 41 4 / 39 1.3 1.1 24 D 35/ 37 .5 3.4 1.9 .4 5.6 2.7 . 1 34/ 33 5.6 2.7 6.8 4.7 . 9 12/ 31 • 1 .5 4.5 2.3 21 27 2€/ 25 24/ 23 3.2 3.3 2: / 19 3.4 2.8 2.2 .2 1.5 14/ 13 12/11 1.1 1.0 Rel. Hym. Bry Bulb

GLOBAL CLIMATOLOGY BRANCH USAFETAC **PSYCHROMETRIC SUMMARY** AIR WEATHER SERVICE/MAC 725250 YOUNGSTOWN MAP OH PAGE 2 TOTAL
D.B. W.B. Dry Bulb Wet Bulb Dew Peint WET BULB TEMPERATURE DEPRESSION (F) Temp. (F) 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 -- / -7 -// -9 - 1/-11 -1 /-13 9.156.824.8 7.3 1.9 6569 6569 C 1 Element (X) No. Obs. Mean No. of Hours with Temperature 74.712.720 490497 37687375 ± 32 F 3.5 474.6 Dry Bulb 6478408 744 3.5 558.8 Wet Bulb 5512754 179342 27.3 9.688 6569 744

# **PSYCHROMETRIC SUMMARY**

725250	<u>Y 0</u>	UNGS	TOWN		OH ATION N					73-1	1			· · ·	ARS					LL
STATION				31	ATION N	nati.								**			PAG	E 1		LL L. S. T.)
Temp.						WET	BULB '	TEMPER	ATURE	DEPRES	SION (F	,					TOTAL		TOTAL	
(F)	0	1 - 2	3 - 4	5 - 6	7 - 6	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	9 - 20	21 - 22 2	3 - 24	25 - 26	27 - 28 29	- 30 ± 31	D.S./W.S.	Dry Bulb	Wet Bulb	Dew Peir
94/ 93							,		.0	.0	•0				Į		4	4		Ţ
:./ 91							<u> </u>	•0	.0	.0	•0						33	34	<del></del>	<u> </u>
/ 89	!	į		į		•0	1			.0	_1	į.	i		ì	l	85	85	1	
8/ 87					•0			•1	•0	•0	_•D	•0	-0	-			184	185	<u> </u>	<b></b>
6/ 85		i			•0			I .	l	• 0	• 0	• 0				ļ	363	363	ĺ	1
4/ 83		.0	. 0	.0						•1	-0	•0	.0	• 0			984	613 985		ļ
2/ 81		.0			• 3				1	.1	•0	.0	.0	ł	1	İ	1348	1350	14	2
7. / 77		•0		• 1	• 4			• 2		-1	• B	.0	-• 4				1333			
6/ 75	• 0	• 0		. 4	.5			,			.0	.0	ļ	ļ	1		1820			
141 73		.1	. 4	. 6				+		•0	•0	.0	$\neg \neg \dagger$				2035		·	<del></del>
7./ 71	. 1	. 3	. 6	. 5	-	.3				.1	• 0	.0	- 1	1	- 1	{	2198	2199	1170	
77/69	•0	.6	1.0	. 4	. 4					.0	.0	.0					2588	2591	2016	1017
6 / 67	• 0	. 8	1.0	• 5	. 4	• 3	. 3	-1	. 1	. 0	.0	,		}			2672	2674	2879	1740
66/ 65	• 1	1.0	. 9	. 6	. 4	. 3			. 1	• 0	•0						2864	2868	3066	220
04/ 63	•0	1.2	. 7	• 6	. 4	. 3			. 1	.0							2768	2771	3263	
62/ 61	• 1	1.0	. 7	. 6	• 4		1	- 2	. 1	• O							2576	2578	3040	1 = : = :
JE/ 59	• 1	1.2	1.0	• 5	• 3				.0	0							2833	2834		
58/ 57	• 1	1.1	. 8	• 5	• 3			1	•0		1	- 1	ļ	ì	İ	[	2599	2603		
56/ 55	• 1	• 9	. 8	• •	. 4												2373			
4/ 53	• 1	. 9	• 6	. 5					1	1	}	ļ	1		1	1	2229	2231		
2/ 51	•1	.9	• 9	. 4	• 4			<del></del>		$\longrightarrow$							2269	2272		
51 49 47	• 0	. 9	- 1	. 5	. 4			1	1		Ì	1	- 1			ĺ	2094	2283 2094		
48/ 47	•1	1.0	.6	. 5	. 4						+				<del></del>		2321	2322		
44/ 43	.1	1.0	. 7	. 5		i	1	1	l	1	ł	}		Į	ļ		2122	2125	2456	221
62/ 41	-:3	1.0	. 8	. 6	. 3	.0		}			+						2088	2090		
41/39	• 1	1.1	1.0	. 6	. 3	.0	l						}		1		2434	2435		1
38/ 37	-:1	1.1	. 8	.7	• 1	•0		<del>                                     </del>	<b></b> -	<del></del>		-+					2166	2171		
76/ 35	. 2	1.6	7 -	. 5	. 1		1				}	- }		- 1	1	}	2658	2659	2412	)
34/ 33	.1	1.9	1.3	. 4	•0					. 1						1	2856	2859	3095	225
72/ 31	. 1	2.0	1.6	. 4	• a			L					[	1		l	3160	3162	3050	348
3./ 29	. 2	1.6	1.2	. 2	.0												2407	2413	3091	267
28/ 27	- 1	1.6	. 8	• 1	• 0						l		}	]			1961	1962	2632	2671
Element (X)		2 <u>x</u> '			2 X		X	· **		No. Obs	$\cdot \Box$					of Hours wi				
Rel. Hum.						$\Box$		L				10F	- 1	32 F	≥ 67 F	≥ 73 F	- 80 F	<b>- 93</b>		Tetel
Dry Bulb								L								ļ	<del> </del>			
Wet Bulb								<b></b>						- 10a		<del> </del>			-+-	
Dow Point						L					- 1		غيد خالا	بماست		1		1	i	

AR 44 0-26-5 (OL A) BEVISED MENTO

SAFETAC PO

725250 YOUNGSTOWN MAP OH

# **PSYCHROMETRIC SUMMARY**

STATION				5	TATION N	AME		_						Y	ARS					MO	NTH
							<b>3</b> ,											PAG	Ε 2		<u>L L</u> L. S. T.
Temp.						WET	BULB '	TEMPER	ATURE	DEPRE	SSION (	F)						TOTAL	1	TOTAL	
(F)	-	1 - 2	3 - 4	5 - 6	7 - 8		11 - 12						23 - 24	25 - 26	27 - 28	29 - 30	× 31	D.B./W.B.	Dry Bulb		Dew P
? £ / 25			_	+	+	1	1	-					-	-	1		<del>                                     </del>	1832			-
24/ 23	•1	1.0				1	1	!	ļ	)	1		}		ļ	,		1146	1		
2/ 21	• 2				<del>•</del>	!	<del> </del>					<del> </del>			<del></del>		· · · ·	1133		1425	
- 1	• 4				J					ļ				ŀ	ļ		1	1337			
19		103	<del></del>	3	4	<del> </del>	<del> </del>		<del> </del>					<del> </del>	<del> </del>	<del> </del> -	+				
-/ 17	• 1				İ		1			}	]	!		ļ	İ	-		982	•		
15	-1	1.0			<del> </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>		<del> </del>		<del> </del> -	<del> </del>	<del> </del> -	<del> </del>	<del> </del>	+	921	923		
-/ 13	• 1	.9		1		!	ļ		ļ	1	[			ĺ	ĺ	[	1	751			145
11	2	7			<del></del>	<del> </del>	<del> </del>		ļ	<del></del>	<u> </u>	<b></b> -		<u> </u>		<del> </del>	+	695			
' / 9	• 1	• 6			i							l		i		İ		559			
-/ 7	1				——	<b></b>	<del> </del>	-				<u> </u>	ļ	<u> </u>	<u> </u>	<del></del>	<del></del>	409			
€/ 5	• 1	• 2		3	1		)	}		į.			ļ		1			244			
4/ 3	2	• 2	<b>4</b>	<del></del>	<u> </u>	ļ	L		·	ļ					<u> </u>	↓	<u> </u>	322			
./ 1	• 2	• 2	2	!			}				•			ĺ	1	1	i	276	276		
/ -1	1	• 0	<u> </u>			ļ										<u> </u>		131	132		
-:/ -3	. 1	• 0	n i	1			}			!	١.					ĺ	1	84	85	95	21
·4/ -5	• 1	. 0	ı													<u> </u>		65	65	69	2
-61 -7	• 0	.0	Í	T	1										1	1	I	30	30	31	2 (
5/ -9	. 0			1	1	ĺ	l			ĺ					l	L .	<u>l</u>	18	18	18	11
/-11	•0		-		Ţ													12	12	12	
1./-13	• 0		1	1		ĺ										1	1	17	17	17	
14/-15	• 5		1		1													5	5	5	9
11-17			1	i	1	ł								i		ł		1	1		
-/-19				1	1										1						
/-21				İ		1									i	į				ĺ	1 -
2/-23				_		<u> </u>												1			1
24/-25			1		1	1			i			İ			ļ		1		<u> </u>	ł	1
TAL	3.0	36.1	23.	312.3	8.2	5.0	4.9	3.0	1.7	.7	.3	. 1	•0	•0		<del> </del>	1	<del> </del>	76364	<del>                                     </del>	762
	<b></b>	3003		-	-	J.,		3.0	-	• •	•••	-	••	••		-	-	76287		76287	
lement (X)		z×,	<u> </u>		2 7		X	σ <sub>k</sub>		No. Ol							_	h Tempere			<u> </u>
ol. Hum.			701		54188			16.2		762		201		32 F	= 67		73 F	• 80 P	• 93		Total
y Bulb			0099		36880			19.7		763								345.	7	.5	87
et Buib			3754	4 3	33373	90		17.6		762		46	.152	53.7	851				4		87
ew Point	1	4030	1076		29410	13	38.4	18.7	87	762	87	170	. 534	45.5	394	.9	22.7	1	1		876

 $C_{i}^{*}$ 

C

## MEANS AND STANDARD DEVIATIONS

DRY-BULB TEMPERATURES DEG F FROM HOURLY OBSERVATIONS

725250 YOUNGSTOWN MAP OH 73-81

STATION STATION NAME YEARS

• • • • • • • • • • • • • • • • • • • •			• • • • • • • • • • • • • • • • • • • •											
RS (LST)		JAN	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC	ANNUAL
	MEAN	21.8	23.1	34.7	43.3	51.7	60.1	63.5	64.0	57.0	46.3	39.2	28.6	43.
0-02	5 D	12.457	13.303	11.828	11.446	9.639	8.256	6.923	6.546	8.650	8.862	10.615	10.622	17.68
	TOTAL OBS	823	749	817	797	771	704	726	734	757	824	790	826	931
		1												
	MEAN	21.5	22.2	33.7	41.7	50.0	58.Z	62.1	62.8	55.6	45.0	38.1	28.0	42.
13-05	S D	12.821	13.527	11.884	11.472	9.700	8.318	7.173	6.484	8.653	8.831	10.497	10.522	17.45
	TOTAL OBS	812	740	805	785	764	702	731	737	759	816	784	809	924
	MEAN	20.7	21.5	33.4	42.7	53.2	62.8	65.3	64.2	56.7	44.4	37.5	27.5	44.
£-08	S D	12.657												18.47
•	TOTAL OSS			824										970
	MEAN	22.5	29.8	38.1	49.4	61.2	70.0	73.7	72.0	64.5	51.2	41.1	29.1	49.
11	\$. D.	12.086												20.38
. •	TOTAL OBS							818						963
	MEAN	25.5	29.0	42.5	83.8	65.7	70.0	78.0	76.4	69.2	56.3	45.0	32.0	54.
12-14													9.401	20.87
47 47	TOTAL OBS													
	1	1		BAB										
	MEAN	26.2	30.0	43.8	54.8	66.3	74.6	78.6	77.1	69.7	56.4	45.3	32.3	54.
:5-17		11.434												20.67
3 - 1 1	TOTAL OBS													763
												7,7		799
	MEAN	23.8	27.0	40.0	50.2	61.6	70.1	74.0	71.8	63.2	50.5	41.4	30.1	50.
1:-20	S.D.	11.590							E-071	8.810				19.87
12-20	TOTAL OSS													970
		020			171	921	173							7/4
	MEAN	32.5	24.9	36.7	45.5	54.7	62.8	66.7	66.0	58.4	47.6	39.8	29.2	45.
	1	22.5 11.978										10.954		18.07
. 1-23	TOTAL OSS													
	. J. AL 093	824	747	820	794	786	733	760	742		822			742
	MEAN.			77 -		60, 5		70 -		41.	40 4	20.5	20 /	
ALL	MEAN	23.1											29.6	
HOURS	5. D.												18.443	
	TOTAL OBS	1 6562	5966	6544	6362	6414	6108	6321	6331	6257	6574	6350	6575	7636

USAPETAC POEM 0.89-5 (OL1)

-¢-

### MEANS AND STANDARD DEVIATIONS

WET-BULB TEMPERATURES DEG F FROM HOURLY OBSERVATIONS

72-250 YOUNGSTOWN HAP OH

73-81

STATION 75 A B E HRS ILST AUG ANNUAL JAN. FFR MAR APR. MAY JUN JUL. SEP OCT NOV DEC 39.3 31.5 56.7 60.7 61.4 54.2 43.2 41.1 11.68912.22910.64310.038 9.022 7.683 6.516 6.269 16.973 0-02 5 D 6.252 4.511 7.763 TOTAL OBS 823 9313 38.3 59.8 53.2 20.0 20.3 30.9 46.8 55.4 60.7 42.3 35.6 26.0 40.4 12.06712.48210.97010.191 9.225 7.900 16.917 8.575 03-05 S D 6.822 6.359 8.405 9.901 9.469 TOTAL OBS 812 736 802 784 763 701 730 734 754 815 783 9224 808 37.0 58.2 54.1 35.2 41.6 MEAN 19.4 19.8 30.8 49.2 62-1 41.7 42.1 25.4 6-08 S.D. 12.02212.78111.021 9.792 1.660 7.042 5.751 5.931 8.288 8.28110.0791 D.006 17.678 821 9696 TOTAL OBS 801 819 629 793 797 823 798 822 823 823 43.2 58.9 MEAN 62.2 66.1 45.9 46.5 45.0 S. D. 5.247 5.062 7.392 4.07410.053 8.159 TOTAL OF 811 788 9629 MEAN 25.8 37.2 67.3 60.6 48.9 47.1 10.81911.01810.846 7.645 6.635 4.994 12-14 S D. 5.159 7.392 0.32310.184 8.972 17.672 TOTAL OF 113 821 748 815 795 423 794 821 721 826 799 827 7685 63.6 45.9 MEAN 23.7 26.4 37.7 55.5 67.2 67.2 60.6 48.6 39.9 29.2 47.2 5.076 S. D. 10.63410.86810.805 9.503 8.214 4.967 7.245 7.154 17-490 8.43810.114 TOTAL OS 816 751 818 795 785 119 815 790 820 415 9429 21.7 24.2 35.0 43.3 5343 61.7 68.7 68.2 57.8 45.5 27 . 7 45.0 6.719 5.234 9.575 -20 9.437 8.522 5. D. 10.82311.45810.622 5.215 7.761 8.20910.063 17.586 TOTAL OF 746 795 121 729 321 821 798 800 7694 826 821 119 823 58.3 35.0 33.0 40.5 49.8 42.4 27.1 MEAN 20.8 42.4 43.9 36.6 42.5 9.902 71-23 S. D. 11.21712.06818.619 8.762 5.870 5.765 8.186 8.20410.109 9.925 17.062 TOTAL OF 795 820 732 760 761 769 \$22 822 117 64.1 41.9 60.1 45.1 43.7 17.633 6569 6347 TOTAL OF <u>6556 5958 6537 6356 6412</u> 6101 6316 76287 6318 6248

USAPETAC HOM 0-89-5 (OLI)

"**国际**有关的","全个人的知识的"。

#### MEANS AND STANDARD DEVIATIONS

DEN-POINT TEMPERATURES DEG F FROM HOURLY OBSERVATIONS

725250 YOUNGSTOWN MAP OH

STATION NAME

STATION

73-81

HRS (LST) ANNUAL 34.1 54.3 MEAN 25.8 43.9 58.9 59.8 15.3 15.3 51.9 39.5 37.2 0-02 s D 12.65313.17511.8961 1.04010.381 8.144 6.880 6.575 9.21010.98710.927 18.553 748 823 816 797 771 704 726 733 790 9313 756 823 826 33.6 MEAN 53.4 58.3 59.3 51.2 39.1 15.2 36.6 S D 13.03313.34712.30610.98910.322 8.345 .676 9.28610.90310.795 7.107 9.211 18.519 TOTAL OB 701 736 802 789 763 730 734 756 815 9224 MEAN 34.1 55.6 60.1 60.1 52.1 39.1 31.4 38.0 5. D. 13.04013.48812.30910.45110.127 6.366 4.957 9.22411.04010.861 6- :8 7.712 6.467 19.060 TOTAL OF 747 823 794 \$22 801 419 129 793 823 797 \$23 9696 28.1 35.9 46.8 57.0 61.5 16.4 16.7 54.8 41.5 33.0 39.1 62.2 22.2 5. D. 12.78512.75212.28310.67910.695 8.065 6.291 . 595 9.43411.03710.519 19.064 TOTAL OF 714 414 811 788 121 797 9629 MEAN 23.3 56.7 40.7 61.9 54.5 41.4 46.6 33.3 40.1 7.033 .725 12-14 SD 12.56512.78712.58310 4.500 -200 .92911 8.66 TOTAL OF 9485 821 798 415 795 423 794 421 414 798 826 799 827 16.9 39.4 MEAN 28.8 35.9 60.5 61.3 53.7 40.4 32.9 .816 . 2000 1 - 17 S D 2.38412.93912.50011.20510.826 8.638 7.036 18.612 0.12711.24210.602 TOTAL OSS 751 785 116 818 795 811 819 115 790 420 791 7629 MEAN 27.2 35.0 45.7 55.8 40.6 61.1 53.6 40.0 39.0 12.14913.22712.07811.35511.154 5. D. 8.549 6.757 6.471 1:-25 8.887 9.62011.21610.973 4.44 TOTAL OB 796 821 795 725 824 121 798 319 800 9694 MEAN 15.5 34.8 55.1 59.9 60.4 52.2 39.6 38.0 12.17413.41711.98811 21-23 6.563 .310 -37110-499 8.138 8.942 9.32111 -103 18.624 TOTAL OB 822 791 620 794 781 732 760 761 749 122 790 9417 27.1 35.0 45.4 55.5 60.1 60.8 \$3.0 40.1 32.3 38.6 ALL HOURS 5. D 12.61913.21112.31011.04310.662 8.334 6.897 18.787 6.601 9.108 9.56311.12710.799 TOTAL OR

USAPETAC POM 0-89-5 (OLI)

# RELATIVE HUMIDITY

725250

YOUNGSTOWN MAP OH

STATION NAME

73-81

PERIOD

MONTH

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAC	GE FREQUENC	OF RELATIVE	HUMIDITY G	REATER THAN			MEAN	TOTAL NO. OF
MONTH	(L.S.T.)	10%	20%	30%	40%	50%	60%	70%	80%	90%	HUMIDITY	OSS.
JAN	00-02	100.0	100.0	99.6	99.6	97.9	90.8	73.6	37.2	7.7	76.2	82
	03-05	100.0	100.0	100.0	99.9	98.4	92.7	77.2	39.5	7.6	77.0	812
	06-08	100.0	100.0	100.0	100.0	99.1	95.1	82.8	42.6	9.3	78.4	821
	09-11	100.0	100.0	100.0	100.0	98.8	92.5	79.0	40.1	7.2	77.4	815
	12-14	100.0	100.0	100.0	99.1	95.4	82.2	54.0	24.5	5.0	71.5	821
	15-17	100.0	100.0	100.0	98.4	92.2	73.2	42.8	18.8	5.0	68.4	816
	18-20	100.0	100.0	100.0	99.3	94.7	83.9	58.7	22.4	3.9	71.8	826
	21-23	100.0	100.0	99.8	99.6	97.6	90.9	67.4	31.6	5.4	74.9	822
	<del> </del>	-	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>				
	<u> </u>		<u> </u>									
10	TALS					-:	^	26		5.4	-:, -:	5356

USAPETAC NO. 0-87-5 (OL A)

# RELATIVE HUMIDITY

725250 STATION

C

Ç.

C

0

YOUNGSTOWN MAP OH

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAG	E FREQUENCY	OF RELATIVE	HUMIDITY G	REATER THAN			MEAN	TOTAL NO. OF
MONTH	(L.S.T.)	10%	20%	30%	40%	50%	60%	70%	80%	90%	HUMIDITY	OBS.
FEB	00-02	100.0	100.0	100.0	99.2	94.5	82.9	63.5	27.7	8.7	73.0	791
	03-05	100.0	100.0	100.0	99.3	94.0	83.7	64.5	29.1	10.3	73.7	730
	06-08	100.0	100.0	100.0	99.6	95.4	86.1	64.8	32.5	12.9	74.8	74
	39-11	100.0	100.0	100.0	99.3	92.8	81.0	54.4	26.7	10.0	72.1	73
	12-14	100.0	100.0	99.9	96.4	86.1	60.3	34.5	14.0	5.3	65.3	741
	15-17	100.0	100.0	99.5	93.6	78.7	51.3	30.5	13.2	6.0	63.0	751
	18-20	100.0	100.0	99.9	96.2	89.1	68.0	40.2	17.7	6.6	67.2	740
	21-23	100.0	100-0	100.0	98.5	93.4	80.3	54.9	22.4	7.5	71.5	74
<del></del>		-		<del> </del>			<del> </del>		<b> </b>			
70	TALS	100.0	100.0	99.9	97.8	90.5	74.2	51.2	22.9	3.4	70.1	595

RELATIVE HUMIDITY

725250 STATION YOUNGSTONN MAP OH

73-81

111

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAG	E FREQUENC	OF RELATIVE	HUMIDITY G	REATER THAN			MEAN	FOTAL NO. OF
MONTH	(L.S.T.)	10%	20%	30%	40%	50%	60%	70%	80%	90%	HUMBITY	COSE
MAR	00-02	100.0	100.0	99.6	97.7	91.1	74.9	52.8	27.5	8.7	70.9	
	03-05	100.0	100.0	100.0	99.1	92.1	79.6	59.2	31.8	10.0	72.9	
	06-08	100.0	100.0	100.0	99.9	93.9	82.9	62.8	36.9	10.9	74.3	823
	09-11	100.0	100.0	99.6	96.6	87.2	69.1	44.9	26.6	8.5	68.6	822
	12-14	100.0	100.0	97.8	90.6	72.1	47.6	29.4	17.4	5.4	61.4	815
	15-17	100.0	99.9	95.4	84.0	61.2	42.2	26.7	14.8	4.8	58.3	818
·—·—-	18-20	100.0	100.0	98.3	89.5	72.4	52.9	32.8	17.2	5.0	62.4	821
	21-23	100.0	100.0	99.5	96.1	87.2	69.3	44.5	22.9	6.6	68.3	828
		-	-	+								
10	TALS	100.0	100.0	78.8	94.2	82.2	64.8	44.1	24.4	7.5	67.1	6531

USAPETAC PRIM 0-87-5 (OL A)

## RELATIVE HUMIDITY

725251) STATION

YOUNGSTOWN MAP OH

73-81

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAG	E PREQUENCY	OF RELATIVE	HUMIDITY G	REATER THAN			MEAN RELATIVE	TOTAL NO. OF
нтиом	(L.S.T.)	10%	20%	30%	40%	50%	60%	70%	80%	90%	HUMIDITY	OSS.
APR	00-02	100.0	100.0	99.6	96.5	88.3	73.4	55.5	37.3	9.2	71.8	797
	03-05	100.0	100.0	99.9	97.4	92.1	80.6	62.0	42.5	11.6	74.2	784
	06-08	100.0	100.0	99.6	98.0	91.9	79.2	59.3	37.2	9.9	73.3	798
	09-11	100.0	100.0	97.4	88.3	71.7	53.0	33.3	18.2	4.1	62.4	798
	12-14	100.0	99.4	91.9	73.0	53.3	36.7	25.3	14.8	2.6	55.1	795
	15-17	100.0	98.9	85.9	65.3	47.5	34.7	25.2	11.2	3.4	52.9	795
	18-20	100.0	99.4	94.3	79.5	61.8	44.8	31.8	17.2	3.9	59.0	795
·	21-23	100.0	100.0	99.2	9466	82.4	65.1	45.5	28.8	8.2	68.1	794
70	TALS	100.0	99.7	76.0	86.6	73.6	58.4	42.2	25.9	6.6	64.6	6350

## RELATIVE HUMIDITY

725250 STATION

YOUNGSTOWN MAP OH

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS (L.S.T.)	PERCENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN									MEAN RELATIVE	NO. OF
		10%	20%	30%	40%	50%	60%	70%	80%	90%	HUMIDITY	OBS.
MAY	00-02	100.0	100.0	100.0	97.8	93.1	82.9	66.7	44.0	19.8	76.1	77
	03-05	100.0	100.0	100.0	99.6	96.1	87.8	76.7	53.9	22.1	79.3	76
	06-08	100.0	100.0	100.0	99.5	92.6	81.3	65.7	45.7	18.0	76.0	82
	09-11	100.0	100.0	97.7	85.3	69.3	50.5	34.4	17.2	4.6	61.7	81
	12-14	100.0	99.4	90.2	71.2	49.3	32.4	20.7	9.8	2.9	53.3	82
	15-17	100.0	98.8	87.0	65.6	46.3	29.8	20.9	10.1	2.8	51.7	81
	18-20	100.0	99.9	94.3	79.2	61.3	45.8	31.5	17.2	5.1	59.0	82
	21-23	100.0	100.0	99.9	95.9	88.9	74.1	55.4	33.8	11.7	71.6	78
		<u> </u>	<u> </u>									
	-	<del> </del>	-	-			<del> </del>				<del> </del>	
TOTALS		100.0	99.8	96.1	86.8	74.6	60.6	46.5	29.0	10.9	66.1	641

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

(

# RELATIVE HUMIDITY

725250 YOUNGSTOWN MAP OH 73-81 JUN
STATION STATION NAME PERIOD MONTH

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTA	GE FREQUENCY	OF RELATIVE	E HUMIDITY G	REATER THAN			MEAN	TOTAL
MONTH	(L.S.T.)	10%	20%	30%	40%	50%	60%	70%	80%	90%	RELATIVE HUMIDITY	NO. OF OBS.
JUN	00-02	100.0	100.0	100.0	100.0	99.6	97.0	83.8	58.2	18.8	81.6	70
	03-05	100.0	100.0	100.0	100.0	99.9	98.9	90.0	68.8	26.8	84.4	70
	06-08	100.0	100.0	100.0	100.0	99.4	94.4	78.8	50.8	19.0	80.0	8D
	09-11	100.0	100.0	100.0	96.9	83.1	58.0	33.2	16.0	5.0	64.8	78
	12-14	100.0	100.0	99.6	86.2	58.0	33.2	19.3	9.6	1.1	56.3	79
	15-17	100.0	100.0	95.2	78.9	51.7	30.1	16.7	7.8	1.9	54.3	78
	18-20	100.0	100.0	99.6	94.6	75.7	47.7	27.8	13.9	3.9	62.0	79
	21-23	100.0	100.0	100.0	100.0	99.3	89.8	70.2	37.3	10.8	76.6	73
to	TALS	100.0	100.0	99.7	94.6	63.3	68.6	52.5	32.8	10.9	70.0	610

USAPETAC MAN A-87-5 (OL A

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIP WEATHER SERVICE/MAC

# **RELATIVE HUMIDITY**

12	့ 2	<b>5</b> 0	

• ()

O

YOUNGSTOWN MAP OH

73-81

JUL

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTA	GE FREQUENC	Y OF RELATIVE	HUMIDITY G	REATER THAN			MEAN	TOTAL NO. OF
MONTH	(L.S.T.)	10%	20%	30%	40%	50%	60%	70%	80%	90%	HUMIDITY	OBS.
JUL	u <b>0-0</b> 2	100.0	100.0	100.0	100.0	100.0	98.8	93.7	72.9	25.6	84.8	720
	03-05	100.0	100.0	100.0	100.0	99.7	99.3	95.3	83.3	35.3	87.4	730
	36-08	100.0	100.0	100.0	100.0	99.8	97.8	87.1	67.2	24.4	83.5	819
	J9-11	100.0	100.0	99.8	98.5	88.3	64.1	40.0	18.9	3.5	66.8	818
	12-14	100.0	100.0	99.4	91.4	62.5	35.3	16.8	7.1	2.1	57.0	821
	15-17	100.0	100.0	99.3	87.8	54.7	30.1	16.1	8.7	1.7	55.5	814
	18-20	100.0	100.0	100.0	97.1	82.4	57.9	32.2	14.6	2.7	64.4	826
	21-23	100.0	100.0	100.0	100-0	99.7	96.4	79.1	48.3	11.3	79.3	760
				<u> </u>	-							
10	TALS	100.0	100.0	99.8	96.9	85.9	72.5	57.5	40.1	13.3	72.3	631

USAPETAC MM 0-87-5 (OL A)

GLCHAL CLIMATOLOGY BRANCH USAFETAC AIP MEATHER SERVICE/MAC

# **RELATIVE HUMIDITY**

725250 STATION

YOUNGSTOWN MAP OH

73-81

20

AUG

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAC	SE FREQUENC	Y OF RELATIV	E HUMIDITY G	REATER THAN			MEAN RELATIVE	TOTAL NO. OF
MONTH	(L.S.T.)	10%	20%	30%	40%	50%	60%	70%	80%	90%	HUMIDITY	OBS.
405	00-02	100.0	100.0	100.0	100.0	100.0	100.0	97.7	79.3	27.0	86.3	73
	03-05	100.0	100.0	100.0	100.0	100.0	99.7	98.1	85.6	36.1	88.1	734
	36-08	100.0	190.0	100.0	100.0	100.0	99.3	95.2	79.1	30.6	86.5	821
	09-11	100.0	100.0	100.0	99.5	95.4	79.9	54.0	30.3	7.2	72.2	81
	12-14	100.0	100.0	99.9	96.4	77.6	50.0	28.4	11.7	2.2	62.1	814
	15-17	100.0	100.0	100.0	93.9	69.2	42.0	23.4	11.7	2.6	59.8	81
	18-20	100.0	100.0	100.0	99.0	92.1	75.3	48.6	23.1	4.9	70.0	82
	21-23	100.0	100.0	100.0	100.0	100.0	99.7	88.6	62.4	12.7	82.2	76
10	TALS	100.0	100.0	100.0	98.6	91.8	80.7	66.8	47.9	15.4	75.9	631

USAFETAC

PORM

GLCBAL CLIMATOLOGY BRANCH USAFETAC ATE WEATHER SERVICE/MAC

# **RELATIVE HUMIDITY**

YOUNGSTOWN MAP OH

### CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTA	GE FREQUENC	Y OF RELATIVE	E HUMIDITY G	REATER THAN			MEAN RELATIVE	TOTAL NO. OF
MONTH	(L.S.T.)	10%	20%	30%	40%	50%	60%	70%	80%	90%	HUMIDITY	OBS.
SEP	00-02	100.0	100.0	100.0	100.0	99.7	98.3	90.5	65.6	16.3	83.2	756
	03-05	100.0	100.0	100.0	100.0	99.9	98.7	93.9	72.5	24.1	85.0	756
	06-08	100.0	100.0	100.0	100.0	99.9	99.1	93.3	70.4	24.6	84.7	793
	39-11	100.0	100.0	100.0	99.4	95.8	78.2	50.5	26.6	8 • 6	71.7	788
	12-14	170.0	100.0	99.5	96.9	70.8	42.2	25.3	14.0	2.6	60.9	798
- <del></del>	15-17	100.0	100.0	99.5	92.4	65.8	36.7	22.8	10.8	1.8	58.6	790
	18-20	100.0	100.0	100.0	99.5	95.6	80.2	55.8	23.8	3.0	71.6	798
<del></del>	21-23	100.0	100.0	100.0	100.0	99.9	96.6	86.0	51.8	7.8	80.3	769
		-	<del> </del>	-	<del> </del>						<del> </del>	
			ļ —									
fO	TALS	100.0	100.0	99.9	98.5	90.9	78.8	64.8	41.9	11.1	74.5	6248

USAPETAC 0-87-5 (OL A) GLOBAL CLIMATOLOGY BRANCH OSAFETAC Al- REATHER SERVICE/MAC

# RELATIVE HUMIDITY

72:250

(1

**(**1

0

0

YOUNGSTOWN MAP OH

73-81

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTA	SE FREQUENCY	Y OF RELATIVE	HUMIDITY G	REATER THAN			MEAN RELATIVE	TOTAL NO. OF
MONTH	(L.S.T.)	10%	20%	30%	40%	50%	60%	70%	80%	90%	HUMIDITY	OBS.
ocr	∪ <b>0−02</b>	100.0	100.0	100.0	99.4	97.0	88.9	74.1	52.5	12.9	78.1	823
	03-05	100.0	100.0	100.0	99.9	98.5	93.7	79.9	58.0	16.7	80.3	815
	06-08	100.0	100.0	100.0	100.0	99.1	96.5	83.4	57.6	19.0	81.2	823
	09-11	100.0	100.0	100.0	98.8	92.1	74.3	49.5	25.7	7.2	70.6	821
	12-14	100.0	100.0	98.3	89.6	68.6	41.3	22.9	13.1	2.7	59.3	826
	15-17	100.0	100.0	96.5	84.9	63.2	39.1	22.4	12.6	1.6	57.6	820
	18-2G	100.0	100.0	100.0	95.7	87.3	72.4	47.5	23.0	4.0	68.7	819
	21-23	100.0	190.0	100.0	98.7	93.4	84.9	65.6	40.0	7.8	74.7	822
		-			-				<del> </del>			
10	TALS	100.0	100.0	99.4	95.9	87.4	73.9	55.7	35.3	9.0	71.3	6569

USAFETAC 0-87-5 (OL A) GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

# RELATIVE HUMIDITY

72525

C

YOUNGSTOWN MAP OH

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAG	E FREQUENC	OF RELATIVE	E HUMIDITY G	REATER THAN			MEAN	TOTAL NO. OF
HTHOM	(L.S.T.)	10%	20%	30%	40%	50%	60%	70%	80%	90%	RELATIVE	OBS.
NOV	00-02	107.0	100.0	99.7	99.2	96.6	89.5	72.0	39.6	10.5	76.3	790
	03-05	100.0	100.0	100.0	99.4	98.0	92.0	75.2	46.1	13.5	77.8	783
	06-08	100.0	100.0	100.0	99.7	98.5	94.5	80.3	50.7	14.6	79.3	797
	09-11	100.0	100.0	99.7	99.2	95.1	83.7	61.4	35.4	11.2	74.1	797
	12-14	100.0	100.0	98.0	95.0	82.7	61.6	36.5	23.2	6.0	65.7	799
	15-17	100.0	100.0	97.2	91.7	76.1	57.8	37.4	18.8	4.6	64.2	791
	18-20	100.0	100.0	99.6	97.6	89.6	76.1	53.3	26.9	6.5	70.7	800
	21-23	100.0	100.0	99.6	99%0	94.4	85.2	65.4	35.6	8.0	74.3	790
		<del> </del>	<del>                                     </del>	+	<del> </del>				<del> </del>	<del> </del>		
TO	TALS	100.0	100.0	99.2	97.6	91.4	80.1	60.2	34.5	9.4	72.8	6347

GLGRAL CLIMATOLOGY BRANCH USAFETAC ATE WEATHER SERVICE/MAC

# **RELATIVE HUMIDITY**

YOUNGSTOWN MAP OH

DEC

### CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTA	GE FREQUENCY	OF RELATIVE	HUMIDITY G	REATER THAN			MEAN	TOTAL
MONTH	(L.S.T.)	10%	20%	30%	40%	50%	60%	70%	80%	90%	RELATIVE	NO. OF OBS.
Df.C	0 <b>0-02</b>	100.0	100.0	100.0	99.6	97.6	89.1	67.8	38.1	11.5	76.2	826
	03-05	100.0	100.0	100.0	100.0	97.9	90.8	72.5	40.2	10.8	76.8	808
	06-08	100.0	100.0	100.0	100.0	98.2	92.8	74.2	44.0	11.8	77.5	823
	09-11	100.0	100.0	100.0	99.6	97.5	89.4	68.0	40.8	11.4	76.3	824
	12-14	100.0	100.0	100.0	98.3	92.3	76.4	50.4	28.8	10.3	71.1	827
	15-17	100.0	100.0	100.0	98.9	91.3	71.1	46.5	25.5	8.2	69.8	819
	18-20	100.0	100.0	100.0	99.4	96.4	85.7	58.2	32.4	12.0	73.8	825
<del></del>	21-23	100.0	100.0	100.0	99.1	97.8	89.2	68.2	37.1	11.5	75.9	817
		-										
το	TALS	100.0	100.0	100.0	99.4	96.1	85.6	63.2	35.9	10.9	74.7	6569

GLCBAL CLIMATOLOGY BRANCH USAFETAC AIR MEATHER SERVICE/MAC

# RELATIVE HUMIDITY

72-25°

YOUNGSTOWN MAP OH

73-81

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAG	E FREQUENC	Y OF RELATIVE	HUMIDITY G	REATER THAN			MEAN	TOTAL
MONTH	(L.S.T.)	10%	20%	30%	40%	50%	60%	70%	80%	90%	RELATIVE	NO. OF OBS.
JAV	ALL	100.0	100.0	99.9	99.5	96.8	87.7	66.9	32.1	6.4	74.5	6556
FEB		100.0	100.0	99.9	97.8	90.5	74.2	51.2	22.9	8.4	70-1	5958
MAR		100.0	100.0	98.8	94.2	82.2	64.8	44.1	24.4	7.5	67.1	6537
APR		100.0	99.7	96.0	86.6	73.6	58.4	42.2	25.9	6.6	64.6	6356
MAY		100.0	99.8	96.1	86.8	74,.6	60.6	46.5	29.0	10.9	66.1	6412
JUN		100.0	100.0	99.7	94.6	83.3	68.6	52.5	32.8	10.9	70.0	6101
JUL		100.0	100.0	99.8	96.9	85.9	72.5	57.5	40.1	13.3	72.3	6316
AUG		100.0	100.0	100.0	98.6	91.8	80.7	66.8	47.9	15.4	75.9	6318
SEP		100.0	100.0	99.9	98.5	90.9	78.8	64.8	41.9	11.1	74.5	6248
ост		100.0	100.0	99.4	95.9	87.4	73.9	55.7	35.3	9.0	71.3	6569
NOV		130.0	100.0	99.2	97.6	91.4	80.1	60.2	34.5	9.4	72.8	6347
DEC		100.0	100.0	100.0	99.4	96.1	85.6	63.2	35.9	10.9	74.7	6569
fOf	TALS	100.0	100.0	99.1	95.5	87.0	73.8	56.0	33.6	10.0	71.2	76287

U S AIR FORCE ENVIRONMENTAL TECHNICAL APPLICATIONS CENTER

### PART F

## PRESSURE SUMMARY

Presented in this part are two tables giving the means, standard deviations, and total number of observations of station pressure and sea-level pressure by month and annual for the local hourly observations corresponding to the eight 3-hourly synoptic times GCT. The same computations are also provided at the bottom of the page for all hours combined. All years of data available are combined in both of these tables, although the overall period is limited by service as indicated below.


NOTES: Station pressure not reported for all services until late in 1945.

Station pressure reported only at 6-hourly times for Air Force stations from Jan 64 - Jul 65.

METAR stations do not report Sea-level pressure for the period Jan 68 - Dec 70.

- 1. Station pressure is presented in the table in inches of mercury.
- 2. Sea-level pressure is presented in millibars.

Provided below is a scale to convert station pressure values in inches of mercury or millibars to pressurealtitude in 1000's of feet. This scale is an enlarged model of the pressure-altitude scale in the Smithsonian Meteorological Tables.



GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

### MEANS AND STANDARD DEVIATIONS

STATION PRESSURE IN INCHES HE FROM HOURLY DESERVATIONS

725257

YOUNGSTOWN MAP OH

73-81

Q

(1

()

0

**Q** 

O

C

•

•

MAY HRS (LST) MAR. JUN. SEP 28.74328.76628.71828.73128.70328.74528.76628.81528.80928.80228.78228.758 28.761 .254 .139 .188 .237 .197 S D .239 .221 .222 . 154 .148 .114 .110 .215 TOTAL OBS 279 253 278 269 262 241 246 297 258 279 3160 270 278 MEAN 28.72028.73828.67928.70328.67428.72128.74428.79028.78228.77628.75828.739 26.735 .231 .157 .152 .118 .110 232 244 245 .141 .192 S D .259 .210 .226 .200 TOTAL OBS 245 266 264 249 3067 269 253 270 259 28.774 MEAN 28.74928.77228.72128.74828.72328.76128.78728.83228.82128.81428.79228.767 **£7** \$. D. .265 .245 . 296 .232 . 160 .158 .122 .111 .144 .179 .215 .238 . 204 TOTAL OUS 242 276 253 279 270 277 278 268 247 3261 MEAN 28.75128.76428.71128.73228.70528.74628.77628.82228.80828.81428.79028.764 28.765 . 254 .159 .199 .242 .160 .142 .214 10 .264 -252 .232 .122 -110 - 206 TOTAL OR 257 3201 28.73728.76328.71628.73628.71428.75328.78328.82728.81428.80428.78128.748 28.765 .245 . 255 .226 .167 .176 S. D. . 245 -156 .722 13 . 262 .149 .137 . 212 -202 TOTAL OR 252 270 277 274 269 269 271 3267 28.71228.72428.67028.69028.67128.71228.73728.78028.76628.76428.75128.721 28.725 MEAN .143 .144 16 S. D. .252 .247 .232 .220 .118 .104 .131 .187 . 204 .240 .195 TOTAL OBS 270 250 277 264 245 271 3226 272 264 261 MEAN 28.75528.76528.71228.72428.69228.72728.75628.79928.79028.80328.79928.762 28.756 .239 10 5. D. . 252 . 203 .172 TOTAL OF 278 244 3263 28.747 MEAN 28.74028.75428.70028.72028.68728.73028.75328.79728.78428.79228.76828.742 .132 .142 .102 . 2 . 250 .239 .213 .145 . 204 .193 .109 .188 .237 219 292 252 275 249 264 295 265 271 <u> 3105</u> MEAN 28.73926.75626.70926.72328.69726.73726.76328.60826.79726.79728.77728.750 28.754 ALL HOURS .233 2202 .109 S. D. .224 -151 .153 . 257 -246 .119 .138 .192 .239 -210 .191 TOTAL OF

USAFETAC PORM 0-89-5 (OLI)

GLC4AL CLIMATOLOGY BRANCH 152FETAC Al- 4EATHER SERVICE/MAC

# MEANS AND STANDARD DEVIATIONS

SEA LEVEL PRESSURE IN HBS FROM HOURLY OBSERVATIONS

73-81
STATION STATION NAME YEARS

IRS (L.S.T.)	)	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	ANNUAL
	MEAN	1017.9	1018.6	1016.1	1016.1	101467	1015.6	1016.3	1018.1	1018.2	1018.5	1018.3	1018.0	1017-2
1	S.D.	9.249	8.814	4.115	8.035	5.377	5.306	4.142	3.846	5.017	6.746	7.663	8.596	7.14
	TOTAL OBS	279	253	279	269	263	242	246	248	258	279	270	278	316
	MEAN	1017.7	1018.2	1015.6	1016.0	1014.4	1015.6	1016.3	1017.9	1018.0	1018.3	1018.1	1016.0	1017.
04	S. D.	9.502	8.959	8.447	8.184	5.622	5.461	4.312	3.995	5.160	6.958	7.608	8.606	7.29
	TOTAL OBS	271	245	266	262	250	232	242	249	254	268	259	269	306
	MEAN	1018.2	1018.9	1016.4	1016.8	1015-4	1816.3	1017.2	1018.7	1018.8	1019.1	1018.7	1018.4	1017.
£ 7	S. D.												8.687	7.36
	TOTAL OBS	277	253	279	270	276	269	278	278	268	277	267	277	326
	MEAN	1019.0	1019.3	1016.8	1017.0	1015.5	2016.5	1017.4	1019.2	1019.0	1619.7	1019.4	1019.0	1016.
ŧΰ	5. D.	9.647	9.363	9.238	8.324	5.666	5.738	4-400	3.968	5.257	7.274	7.786	8.878	7.49
	TOTAL OBS													319
	MEAN	1017.7	1018.5	1016.1	1016.3	101540	1016.0	1014.9	1818.5	1018.4	1018.6	1014.3	1017.7	1817.
13	S. D.	9.473	7.406	4.743	8.085	5.372	5.506	4.350	3.805	4.985	7.084	7.577	8.881	7.28
	TOTAL OBS													127
	MEAN	1017.5	1017.8	1015.2	1015.5	101442	1015.3	1016-1	1017.6	1017.3	1618.1	1017.8	1017.5	1816.
16	\$. D.	9.266	9.162	8.483	7.886	5.115	5.368	4.214	3-830	4.785	6.738	7.362	8.616	7.11
	TOTAL OSS	270	249	277	266	279	263	272	272	264	275	264	276	322
	MEAN	1018.4	1618.7	1014.0	1015.9	101444	1015.2	1016.0	1017.5	1017.7	1018.7	1018.7	1018.3	1017-
19	5. D.	9.124	9.004	7.894	7.661	5.070	5.233	4.174	3.719	4.793	6.712	7.330	8.677	7.00
	TOTAL OBS						268							326
	MEAN	1018.6	1019.0	1016.4	1016.4	1014-8	1016.0	1016.7	1018.3	1016.2	1019.0	1018.5	1018.3	1017.
2 <b>2</b>	5. D.												8.697	7.06
	TOTAL OBS						239					264		310
	MEAN	1018.1	2018.6	1014-1	1014-3	1814.8	1015.6	4.45	1018.2	1011.2	1018.7	1012.5	1010.1	1017-
ALL	\$. D.												8.731	7.23
HOURS	TOTAL OSS												2200	2544

USAPETAC NAM 0-89-5 (OLI)

# DATE FILMED